



Full wwPDB X-ray Structure Validation Report ⓘ

May 7, 2026 – 09:41 AM EDT

PDB ID : 2XGS / pdb_00002xgs
Title : XcOGT in complex with C-UDP
Authors : Dorfmueller, H.C.; Borodkin, V.S.; Blair, D.E.; Pathak, S.; Navratilova, I.;
van Aalten, D.M.
Deposited on : 2010-06-07
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	 4% 74% 17% • 5%
1	B	568	 3% 66% 15% • • 16%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called XCOGT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	542	Total	C	N	O	S	0	0	0
			4117	2598	763	740	16			
1	B	479	Total	C	N	O	S	0	0	0
			3651	2313	673	652	13			

- Molecule 2 is 5'-O-[(S)-HYDROXY(PHOSPHONOMETHYL)PHOSPHORYL]URIDINE (CCD ID: 44P) (formula: C₁₀H₁₆N₂O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
2	B	1	Total	C	N	O	P	0	0
			25	10	2	11	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	50	Total 50	O 50	0	0
3	B	33	Total 33	O 33	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: XCOGT



• Molecule 1: XCOGT





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.29Å 94.98Å 157.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.87 – 2.39 19.87 – 2.39	Depositor EDS
% Data completeness (in resolution range)	92.8 (19.87-2.39) 92.8 (19.87-2.39)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 2.38Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.257 , 0.316 0.255 , 0.310	Depositor DCC
R_{free} test set	965 reflections (2.05%)	wwPDB-VP
Wilson B-factor (Å ²)	43.0	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 11.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7901	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 44P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	4/4223 (0.1%)	1.14	13/5761 (0.2%)
1	B	0.96	1/3749 (0.0%)	1.13	6/5117 (0.1%)
All	All	0.95	5/7972 (0.1%)	1.13	19/10878 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	3
All	All	0	7

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	293	GLY	C-O	-7.06	1.14	1.23
1	A	499	LEU	CG-CD2	-5.74	1.33	1.52
1	A	293	GLY	C-O	-5.70	1.16	1.23
1	A	78	VAL	CA-CB	5.37	1.59	1.54
1	A	297	ARG	N-CA	5.04	1.50	1.46

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	290	ARG	N-CA-C	9.79	125.54	113.50
1	B	297	ARG	CB-CA-C	-9.44	104.50	111.20
1	A	296	GLY	N-CA-C	9.20	127.36	115.32
1	B	290	ARG	N-CA-C	8.15	123.90	113.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	296	GLY	N-CA-C	8.11	125.94	115.32
1	A	293	GLY	N-CA-C	7.94	131.99	113.18
1	A	297	ARG	CB-CA-C	-6.63	104.48	110.71
1	A	193	ARG	CA-C-N	6.61	126.63	119.89
1	A	193	ARG	C-N-CA	6.61	126.63	119.89
1	A	91	PRO	N-CA-C	6.47	125.80	112.47
1	A	267	THR	N-CA-C	-6.29	101.79	110.35
1	A	293	GLY	O-C-N	-5.80	115.17	122.70
1	A	313	LEU	CA-C-N	-5.78	113.59	122.60
1	A	313	LEU	C-N-CA	-5.78	113.59	122.60
1	A	384	ASN	N-CA-C	5.59	117.75	110.43
1	B	291	GLY	N-CA-C	-5.44	100.29	113.18
1	A	468	THR	N-CA-C	-5.42	105.39	112.23
1	B	346	VAL	N-CA-C	5.38	115.84	107.99
1	B	561	ARG	CA-CB-CG	5.30	124.71	114.10

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	159	VAL	Peptide
1	A	160	GLY	Peptide
1	A	290	ARG	Peptide
1	A	91	PRO	Peptide
1	B	159	VAL	Peptide
1	B	160	GLY	Peptide
1	B	290	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4117	0	4048	88	3
1	B	3651	0	3589	82	3
2	A	25	0	13	0	0
2	B	25	0	13	1	0
3	A	50	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	33	0	0	6	0
All	All	7901	0	7663	169	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:562:ARG:NH2	3:A:2048:HOH:O	1.82	1.10
1:A:468:THR:HG22	3:A:2049:HOH:O	1.70	0.90
1:A:164:PRO:HD3	1:A:184:ARG:HD3	1.53	0.90
1:B:164:PRO:HD3	1:B:184:ARG:HD3	1.53	0.87
1:A:125:PRO:C	3:A:2003:HOH:O	2.18	0.86
1:A:561:ARG:HG2	1:A:561:ARG:HH21	1.44	0.80
1:A:465:ALA:HB1	1:A:468:THR:HG23	1.64	0.80
1:B:468:THR:HG23	3:B:2033:HOH:O	1.82	0.80
1:A:466:HIS:CD2	1:A:491:VAL:HG21	2.15	0.79
1:B:468:THR:CG2	3:B:2033:HOH:O	2.33	0.75
1:A:159:VAL:HG12	1:A:159:VAL:O	1.87	0.74
1:B:164:PRO:CD	1:B:184:ARG:HD3	2.17	0.74
1:A:328:LEU:HD11	1:A:349:LEU:HD12	1.69	0.73
1:B:422:LEU:HD12	1:B:422:LEU:N	2.03	0.73
1:A:466:HIS:NE2	1:A:491:VAL:HG21	2.04	0.72
2:B:1569:44P:O3B	3:B:2033:HOH:O	2.07	0.72
1:B:160:GLY:HA2	1:B:162:VAL:H	1.56	0.70
1:B:267:THR:O	1:B:268:ALA:HB3	1.90	0.70
1:B:99:HIS:HE1	1:B:130:GLN:NE2	1.89	0.69
1:B:323:TRP:CD1	1:B:324:MET:HE2	2.29	0.68
1:B:353:PHE:CE2	1:B:491:VAL:HG12	2.29	0.68
1:A:252:THR:HG22	1:B:252:THR:HA	1.75	0.67
1:A:164:PRO:CD	1:A:184:ARG:HD3	2.25	0.65
1:A:423:ARG:HG2	1:A:433:ALA:HB1	1.78	0.65
1:B:154:ALA:O	1:B:158:GLY:N	2.28	0.65
1:A:42:GLY:O	1:A:46:VAL:HG23	1.96	0.64
1:B:298:PRO:HD2	1:B:299:GLU:OE1	1.97	0.64
1:A:390:ASN:ND2	1:A:393:SER:H	1.95	0.64
1:A:252:THR:HA	1:B:252:THR:HG22	1.79	0.64
1:B:413:SER:HB2	1:B:438:PHE:HB3	1.79	0.64
1:A:154:ALA:O	1:A:158:GLY:CA	2.46	0.63
1:A:213:ASN:ND2	1:A:290:ARG:HD3	2.13	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:ALA:O	1:A:158:GLY:N	2.31	0.63
1:A:561:ARG:HG2	1:A:561:ARG:NH2	2.14	0.63
1:A:99:HIS:HE1	1:A:130:GLN:HE21	1.47	0.62
1:B:158:GLY:HA2	1:B:159:VAL:C	2.25	0.61
1:B:290:ARG:HB3	1:B:290:ARG:NH2	2.16	0.61
1:B:154:ALA:O	1:B:158:GLY:CA	2.49	0.60
1:A:154:ALA:O	1:A:158:GLY:HA2	2.01	0.60
1:B:99:HIS:HE1	1:B:130:GLN:HE21	1.47	0.60
1:A:158:GLY:HA2	1:A:159:VAL:C	2.25	0.60
1:A:267:THR:O	1:A:268:ALA:HB3	2.00	0.60
1:A:503:GLU:OE2	1:A:532:ARG:NH1	2.35	0.60
1:A:159:VAL:O	1:A:159:VAL:CG1	2.50	0.59
1:A:90:HIS:HD2	1:A:93:ILE:HG13	1.67	0.59
1:A:393:SER:O	1:A:397:MET:HG3	2.03	0.58
1:A:422:LEU:HD12	1:A:422:LEU:N	2.18	0.58
1:B:328:LEU:HD11	1:B:349:LEU:HD12	1.85	0.58
1:B:466:HIS:CE1	1:B:491:VAL:HG21	2.38	0.58
1:A:353:PHE:CE2	1:A:491:VAL:HG13	2.39	0.57
1:B:304:ARG:NH2	1:B:325:ASP:OD2	2.35	0.56
1:A:466:HIS:CD2	1:A:491:VAL:CG2	2.86	0.56
1:A:90:HIS:HD2	1:A:93:ILE:CG1	2.19	0.55
1:A:160:GLY:HA2	1:A:183:THR:HG21	1.88	0.55
1:B:423:ARG:HG2	1:B:433:ALA:HB1	1.88	0.55
1:A:439:MET:HE1	1:A:447:TYR:HD1	1.72	0.54
1:B:160:GLY:CA	1:B:162:VAL:H	2.19	0.54
1:A:463:TYR:HE2	1:A:466:HIS:CE1	2.26	0.54
1:B:90:HIS:HD2	1:B:93:ILE:CG1	2.20	0.53
1:A:87:ALA:C	1:A:89:GLU:H	2.17	0.53
1:B:382:CYS:SG	1:B:397:MET:HE1	2.49	0.53
1:B:203:LYS:HZ2	1:B:203:LYS:HB3	1.74	0.53
1:A:56:HIS:O	1:A:60:VAL:HG23	2.09	0.53
1:B:466:HIS:CD2	1:B:491:VAL:HG21	2.44	0.52
1:A:47:GLN:HE21	1:A:47:GLN:HA	1.73	0.52
1:B:136:ARG:O	3:B:2001:HOH:O	2.19	0.52
1:B:222:LEU:HD21	1:B:444:HIS:CE1	2.44	0.52
1:A:323:TRP:CD1	1:A:324:MET:HE2	2.43	0.52
1:B:567:GLY:O	1:B:568:ILE:HB	2.09	0.52
1:B:381:CYS:HB2	1:B:410:TRP:HB3	1.92	0.51
1:B:561:ARG:HH21	1:B:561:ARG:HG3	1.74	0.51
1:B:423:ARG:NH2	3:B:2021:HOH:O	2.33	0.51
1:B:90:HIS:HD2	1:B:93:ILE:HG13	1.74	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:LEU:HD21	1:B:349:LEU:CD1	2.41	0.51
1:B:439:MET:HE1	1:B:447:TYR:HD1	1.76	0.50
1:B:462:PRO:O	1:B:489:ALA:HB2	2.12	0.50
1:A:291:GLY:H	1:A:315:TYR:HB2	1.75	0.50
1:A:47:GLN:HE21	1:A:47:GLN:CA	2.24	0.50
1:A:381:CYS:HB2	1:A:410:TRP:HB3	1.93	0.50
1:B:561:ARG:HB2	1:B:565:TRP:O	2.12	0.50
1:A:99:HIS:HE1	1:A:130:GLN:NE2	2.09	0.50
1:B:198:THR:HG22	1:B:307:PRO:HG3	1.93	0.49
1:B:466:HIS:CG	1:B:491:VAL:HG21	2.48	0.49
1:A:90:HIS:CD2	1:A:93:ILE:HG13	2.47	0.49
1:A:198:THR:HG22	1:A:307:PRO:HG3	1.95	0.48
1:A:353:PHE:HE2	1:A:491:VAL:HG13	1.78	0.48
1:B:154:ALA:O	1:B:158:GLY:HA2	2.12	0.48
1:B:291:GLY:H	1:B:315:TYR:HB2	1.78	0.48
1:B:323:TRP:HD1	1:B:324:MET:HE2	1.78	0.48
1:B:503:GLU:OE2	1:B:532:ARG:NH1	2.47	0.48
1:B:353:PHE:HE2	1:B:491:VAL:HG12	1.76	0.48
1:A:561:ARG:NH2	1:A:561:ARG:CG	2.74	0.48
1:B:203:LYS:HB3	1:B:203:LYS:NZ	2.28	0.48
1:B:206:LEU:HD21	1:B:560:ALA:HB2	1.95	0.48
1:A:382:CYS:SG	1:A:397:MET:HE1	2.54	0.48
1:A:466:HIS:NE2	1:A:491:VAL:CG2	2.76	0.48
1:B:290:ARG:HH21	1:B:290:ARG:CB	2.26	0.48
1:B:159:VAL:HG23	1:B:159:VAL:O	2.14	0.48
1:A:384:ASN:ND2	1:A:460:THR:OG1	2.48	0.47
1:A:139:CYS:CB	1:A:422:LEU:HD11	2.45	0.47
1:A:533:VAL:O	1:A:537:ARG:HB2	2.15	0.47
1:A:367:SER:OG	1:A:370:GLN:HG3	2.15	0.47
1:A:62:ARG:O	1:A:66:VAL:HG23	2.15	0.46
1:A:418:ALA:O	1:A:422:LEU:HD13	2.15	0.46
1:A:289:LEU:O	1:A:314:ALA:HB3	2.16	0.46
1:A:509:ASP:O	1:A:513:VAL:HG23	2.16	0.46
1:A:463:TYR:CE2	1:A:466:HIS:CE1	3.03	0.46
1:B:422:LEU:N	1:B:422:LEU:CD1	2.76	0.46
1:A:198:THR:CG2	1:A:307:PRO:HG3	2.46	0.45
1:A:390:ASN:HD22	1:A:390:ASN:C	2.24	0.45
1:A:47:GLN:HA	1:A:47:GLN:NE2	2.31	0.45
1:B:90:HIS:CD2	1:B:93:ILE:HG13	2.52	0.45
1:B:509:ASP:O	1:B:513:VAL:HG23	2.17	0.45
1:A:172:ALA:HB1	1:A:176:GLU:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:LEU:HD21	1:A:444:HIS:CE1	2.52	0.45
1:B:124:GLU:OE1	1:B:125:PRO:HD2	2.17	0.45
1:B:466:HIS:CE1	1:B:491:VAL:CG2	3.00	0.45
1:A:124:GLU:OE1	1:A:125:PRO:HD2	2.16	0.44
1:B:303:LEU:O	1:B:304:ARG:C	2.61	0.44
1:A:27:LEU:HD23	1:A:62:ARG:HH11	1.83	0.44
1:A:203:LYS:HZ1	1:A:568:ILE:HG21	1.82	0.44
1:B:291:GLY:N	1:B:315:TYR:HB2	2.32	0.44
1:B:345:HIS:ND1	3:B:2014:HOH:O	2.35	0.44
1:A:27:LEU:HG	1:A:62:ARG:HE	1.83	0.44
1:B:284:ASP:O	1:B:307:PRO:HD2	2.17	0.44
1:B:290:ARG:C	1:B:315:TYR:HB2	2.43	0.44
1:B:90:HIS:CD2	1:B:93:ILE:H	2.35	0.44
1:B:290:ARG:NH2	1:B:290:ARG:CB	2.81	0.43
1:B:328:LEU:HD21	1:B:349:LEU:HD11	2.00	0.43
1:A:87:ALA:O	1:A:89:GLU:N	2.51	0.43
1:B:90:HIS:HA	1:B:91:PRO:HD3	1.77	0.43
1:B:390:ASN:HB2	1:B:391:PRO:CD	2.48	0.43
1:B:418:ALA:O	1:B:422:LEU:HD13	2.18	0.43
1:B:139:CYS:CB	1:B:422:LEU:HD11	2.48	0.43
1:B:134:TRP:CE3	1:B:134:TRP:HA	2.53	0.43
1:A:390:ASN:HB2	1:A:391:PRO:CD	2.49	0.43
1:A:90:HIS:CD2	1:A:93:ILE:H	2.36	0.42
1:B:338:LEU:HD12	1:B:338:LEU:HA	1.83	0.42
1:A:48:ARG:O	1:A:51:ALA:HB3	2.19	0.42
1:A:291:GLY:N	1:A:315:TYR:HB2	2.34	0.42
1:A:338:LEU:HD12	1:A:338:LEU:HA	1.90	0.42
1:A:462:PRO:O	1:A:489:ALA:HB2	2.19	0.42
1:B:328:LEU:HD11	1:B:349:LEU:CD1	2.50	0.42
1:A:404:VAL:HA	1:A:405:PRO:HD3	1.86	0.42
1:A:461:HIS:CG	1:A:462:PRO:HA	2.54	0.42
1:A:323:TRP:HD1	1:A:324:MET:HE2	1.83	0.42
1:A:330:ASP:OD1	1:A:330:ASP:C	2.62	0.42
1:A:390:ASN:HB2	1:A:391:PRO:HD2	2.02	0.42
1:B:384:ASN:ND2	1:B:460:THR:OG1	2.52	0.42
1:A:353:PHE:CZ	1:A:491:VAL:HG13	2.55	0.42
1:A:466:HIS:CD2	1:A:491:VAL:CB	3.02	0.41
1:B:90:HIS:HD2	1:B:93:ILE:CB	2.33	0.41
1:A:58:GLU:O	1:A:62:ARG:HG3	2.20	0.41
1:A:80:LEU:HB3	1:A:97:LEU:HD13	2.01	0.41
1:B:266:VAL:O	1:B:267:THR:C	2.62	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:ARG:O	1:B:280:HIS:C	2.64	0.41
1:A:522:ASP:HA	1:A:523:PRO:HD2	1.92	0.41
1:A:328:LEU:HD21	1:A:349:LEU:HD11	2.02	0.41
1:A:381:CYS:O	1:A:457:PHE:HA	2.21	0.41
1:B:353:PHE:CZ	1:B:491:VAL:HG12	2.56	0.41
1:B:267:THR:O	1:B:268:ALA:CB	2.55	0.41
1:B:390:ASN:HB2	1:B:391:PRO:HD2	2.02	0.41
1:B:439:MET:SD	1:B:450:ARG:HG3	2.61	0.41
1:B:292:TRP:HB2	1:B:315:TYR:CE1	2.56	0.40
1:A:90:HIS:HA	1:A:91:PRO:HD3	1.82	0.40
1:B:99:HIS:CE1	1:B:130:GLN:HE21	2.33	0.40
1:A:328:LEU:HD21	1:A:349:LEU:CD1	2.51	0.40
1:B:196:ALA:HA	1:B:197:PRO:HD2	1.93	0.40
1:B:393:SER:O	1:B:397:MET:HG3	2.22	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:ARG:NH2	1:B:265:ASP:O[4_455]	1.91	0.29
1:A:193:ARG:NH2	1:B:259:GLN:O[4_455]	2.02	0.18
1:A:550:ASP:OD2	1:B:375:GLU:OE1[4_555]	2.11	0.09

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	540/568 (95%)	515 (95%)	19 (4%)	6 (1%)	11	18
1	B	477/568 (84%)	458 (96%)	14 (3%)	5 (1%)	12	20
All	All	1017/1136 (90%)	973 (96%)	33 (3%)	11 (1%)	11	18

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	158	GLY
1	A	293	GLY
1	B	158	GLY
1	B	161	ALA
1	A	70	GLN
1	A	91	PRO
1	B	91	PRO
1	B	313	LEU
1	A	88	PRO
1	A	366	PRO
1	B	366	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/429 (95%)	375 (92%)	33 (8%)	11	18
1	B	364/429 (85%)	337 (93%)	27 (7%)	13	22
All	All	772/858 (90%)	712 (92%)	60 (8%)	11	20

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	LEU
1	A	34	LEU
1	A	40	THR
1	A	47	GLN
1	A	52	LEU
1	A	71	GLN
1	A	80	LEU
1	A	120	LEU
1	A	121	LEU
1	A	123	GLU
1	A	171	ASP
1	A	192	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	198	THR
1	A	203	LYS
1	A	213	ASN
1	A	232	GLN
1	A	259	GLN
1	A	290	ARG
1	A	299	GLU
1	A	304	ARG
1	A	349	LEU
1	A	350	GLN
1	A	379	VAL
1	A	381	CYS
1	A	385	ASN
1	A	390	ASN
1	A	407	SER
1	A	408	VAL
1	A	447	TYR
1	A	499	LEU
1	A	537	ARG
1	A	561	ARG
1	A	568	ILE
1	B	116	ARG
1	B	123	GLU
1	B	159	VAL
1	B	171	ASP
1	B	192	VAL
1	B	198	THR
1	B	203	LYS
1	B	207	ARG
1	B	213	ASN
1	B	222	LEU
1	B	242	LEU
1	B	259	GLN
1	B	290	ARG
1	B	299	GLU
1	B	304	ARG
1	B	311	ASN
1	B	350	GLN
1	B	375	GLU
1	B	379	VAL
1	B	381	CYS
1	B	385	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	408	VAL
1	B	413	SER
1	B	447	TYR
1	B	468	THR
1	B	537	ARG
1	B	561	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	56	HIS
1	A	81	GLN
1	A	82	GLN
1	A	90	HIS
1	A	99	HIS
1	A	130	GLN
1	A	177	GLN
1	A	213	ASN
1	A	235	GLN
1	A	277	HIS
1	A	281	HIS
1	A	370	GLN
1	A	376	GLN
1	A	390	ASN
1	A	392	GLN
1	A	464	ASN
1	B	90	HIS
1	B	99	HIS
1	B	130	GLN
1	B	213	ASN
1	B	235	GLN
1	B	239	GLN
1	B	277	HIS
1	B	370	GLN
1	B	376	GLN
1	B	392	GLN
1	B	464	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	44P	B	1569	-	23,26,26	2.47	4 (17%)	35,40,40	2.02	9 (25%)
2	44P	A	1569	-	23,26,26	2.68	9 (39%)	35,40,40	2.19	11 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	44P	B	1569	-	-	4/16/32/32	0/2/2/2
2	44P	A	1569	-	-	7/16/32/32	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1569	44P	PB-O1B	9.20	1.68	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1569	44P	PB-O1B	7.73	1.65	1.50
2	A	1569	44P	PB-O2B	5.03	1.66	1.55
2	A	1569	44P	C2-N1	4.43	1.45	1.38
2	B	1569	44P	PA-O1A	-3.99	1.46	1.56
2	A	1569	44P	O4'-C1'	3.79	1.50	1.42
2	B	1569	44P	PB-O3B	-3.40	1.47	1.55
2	A	1569	44P	PA-O1A	-2.97	1.49	1.56
2	A	1569	44P	PB-O3B	-2.90	1.48	1.55
2	A	1569	44P	C6-C5	2.56	1.41	1.35
2	B	1569	44P	C2-N1	2.34	1.42	1.38
2	A	1569	44P	C6-N1	2.31	1.43	1.38
2	A	1569	44P	C5-C4	-2.04	1.39	1.43

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1569	44P	C4-N3-C2	-5.65	119.60	126.61
2	B	1569	44P	C5-C4-N3	4.90	121.67	114.80
2	A	1569	44P	C2'-C1'-N1	4.69	126.31	113.25
2	A	1569	44P	O1B-PB-C3A	-4.21	102.19	111.37
2	B	1569	44P	O4-C4-C5	-4.17	117.96	125.16
2	A	1569	44P	N3-C2-N1	4.02	120.12	114.89
2	A	1569	44P	C6-N1-C2	-3.90	116.25	121.00
2	A	1569	44P	C1'-N1-C2	3.70	124.24	117.59
2	A	1569	44P	C4-N3-C2	-3.46	122.32	126.61
2	B	1569	44P	O4'-C1'-N1	-3.34	100.80	108.36
2	A	1569	44P	O2-C2-N3	-3.29	115.42	121.49
2	A	1569	44P	O1A-PA-O2A	3.08	119.96	109.95
2	B	1569	44P	C2'-C1'-N1	3.03	121.69	113.25
2	B	1569	44P	O2B-PB-O1B	-2.96	104.72	112.39
2	B	1569	44P	O2A-PA-C3A	2.85	116.56	109.05
2	A	1569	44P	O2B-PB-C3A	2.69	112.93	106.40
2	A	1569	44P	O4'-C1'-C2'	-2.60	101.05	106.62
2	A	1569	44P	C5-C4-N3	2.60	118.43	114.80
2	B	1569	44P	N3-C2-N1	2.35	117.95	114.89
2	B	1569	44P	O1A-PA-O2A	2.25	117.28	109.95

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1569	44P	PB-C3A-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1569	44P	PB-C3A-PA-O2A
2	A	1569	44P	PB-C3A-PA-O5'
2	A	1569	44P	C5'-O5'-PA-C3A
2	A	1569	44P	C5'-O5'-PA-O2A
2	B	1569	44P	PA-C3A-PB-O2B
2	B	1569	44P	PA-C3A-PB-O3B
2	A	1569	44P	C3'-C4'-C5'-O5'
2	A	1569	44P	PA-C3A-PB-O1B
2	B	1569	44P	PA-C3A-PB-O1B
2	B	1569	44P	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1569	44P	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	542/568 (95%)	0.35	22 (4%) 41 37	25, 37, 57, 70	0
1	B	479/568 (84%)	0.40	17 (3%) 47 43	25, 36, 53, 65	0
All	All	1021/1136 (89%)	0.38	39 (3%) 44 40	25, 36, 55, 70	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	93	ILE	5.3
1	B	92	GLY	4.1
1	B	96	TRP	3.6
1	A	160	GLY	3.5
1	A	123	GLU	3.5
1	B	90	HIS	3.4
1	A	95	LEU	3.3
1	A	39	THR	3.3
1	B	172	ALA	3.3
1	A	27	LEU	3.3
1	A	51	ALA	3.1
1	B	97	LEU	2.8
1	A	524	ALA	2.8
1	A	291	GLY	2.8
1	A	126	TYR	2.8
1	A	92	GLY	2.7
1	B	568	ILE	2.7
1	A	345	HIS	2.7
1	A	150	GLN	2.7
1	A	375	GLU	2.7
1	B	375	GLU	2.6
1	A	568	ILE	2.6
1	A	161	ALA	2.5
1	B	104	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	101	LEU	2.4
1	A	101	LEU	2.4
1	A	86	ALA	2.3
1	A	350	GLN	2.3
1	A	94	ALA	2.3
1	A	134	TRP	2.3
1	A	125	PRO	2.2
1	B	342	TYR	2.2
1	A	370	GLN	2.2
1	B	109	ALA	2.2
1	B	161	ALA	2.2
1	B	126	TYR	2.1
1	B	182	ARG	2.1
1	B	199	ARG	2.0
1	B	185	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	44P	A	1569	25/25	0.91	0.08	20,24,31,32	0
2	44P	B	1569	25/25	0.95	0.06	30,35,40,42	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 44P A 1569:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 44P B 1569:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.