



wwPDB EM Validation Summary Report ⓘ

Mar 29, 2026 – 02:01 PM UTC

PDB ID : 6XGF / pdb_00006xgf
EMDB ID : EMD-22181
Title : Escherichia coli transcription-translation complex B (TTC-B) containing an
30 nt long mRNA spacer, NusG, and fMet-tRNAs at E-site and P-site
Authors : Molodtsov, V.; Wang, C.; Su, M.; Ebright, R.H.
Deposited on : 2020-06-17
Resolution : 5.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	1057 (4.50 - 5.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	103	
2	1	110	
3	2	100	








Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	104	
5	4	94	
6	5	36	
7	6	36	
8	7	45	
9	9	165	
10	A	76	
10	B	76	
11	AA	1342	
12	AB	181	
13	AC	329	
13	AD	329	
14	AE	1407	
15	AF	91	
16	C	75	
17	D	1542	
18	E	87	
19	F	71	
20	G	241	
21	H	557	
22	I	233	
23	J	206	
24	K	167	
25	L	135	
26	M	179	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
27	N	130	
28	O	130	
29	P	103	
30	Q	129	
31	R	124	
32	S	101	
33	T	89	
34	U	82	
35	V	84	
36	W	92	
37	X	118	
38	Y	142	
39	Z	121	
40	a	2904	
41	b	85	
42	c	78	
43	d	120	
44	e	63	
45	f	59	
46	g	70	
47	h	273	
48	i	57	
49	j	209	
50	k	55	
51	l	201	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
52	m	46	
53	n	179	
54	o	65	
55	p	177	
56	q	38	
57	r	149	
58	s	142	
59	t	123	
60	u	144	
61	v	136	
62	w	127	
63	x	117	
64	y	115	
65	z	118	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
67	ZN	AE	1502	-	-	X	-

2 Entry composition

There are 67 unique types of molecules in this entry. The entry contains 276512 atoms, of which 99300 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	0	103	Total	C	H	N	O	S	0	0
			1655	516	839	153	145	2		

- Molecule 2 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	1	110	Total	C	H	N	O	S	0	0
			1779	532	922	166	156	3		

- Molecule 3 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	2	94	Total	C	H	N	O	S	0	0
			1557	470	811	140	134	2		

- Molecule 4 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	103	Total	C	H	N	O	0	0
			1632	498	844	148	142		

- Molecule 5 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	4	94	Total	C	H	N	O	S	0	0
			1533	479	780	137	134	3		

- Molecule 6 is a DNA chain called NT DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	5	23	Total	C	H	N	O	P	0	0
			732	225	260	87	137	23		

- Molecule 7 is a DNA chain called T DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	6	27	Total	C	H	N	O	P	0	0
			847	259	305	89	167	27		

- Molecule 8 is a RNA chain called mRNA with 30 nt long spacer.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	7	34	Total	C	H	N	O	P	0	0
			804	316	97	98	259	34		

- Molecule 9 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	9	148	Total	C	N	O	S	0	0
			1117	705	196	209	7		

- Molecule 10 is a RNA chain called E-site and P-site tRNA (fMet).

Mol	Chain	Residues	Atoms						AltConf	Trace
10	A	76	Total	C	H	N	O	P	0	0
			2446	723	826	295	527	75		
10	B	76	Total	C	H	N	O	P	0	0
			2433	723	813	295	527	75		

- Molecule 11 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AA	1340	Total	C	N	O	S	0	0
			10567	6631	1841	2052	43		

- Molecule 12 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AB	175	Total	C	N	O	S	0	0
			1392	881	249	255	7		

- Molecule 13 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AC	221	Total	C	N	O	S	0	0
			1698	1060	299	333	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AD	218	Total	C	N	O	S	0	0
			1677	1048	297	326	6		

- Molecule 14 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AE	1337	Total	C	N	O	S	0	0
			10404	6535	1856	1963	50		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	1384	VAL	MET	conflict	UNP A0A4S1NBU2

- Molecule 15 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AF	82	Total	C	N	O	S	0	0
			650	396	122	131	1		

- Molecule 16 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms						AltConf	Trace
16	C	66	Total	C	H	N	O	S	0	0
			1103	344	559	102	97	1		

- Molecule 17 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
17	D	1524	Total	C	H	N	O	P	0	0
			49126	14585	16423	6003	10591	1524		

- Molecule 18 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	E	86	Total	C	H	N	O	S	0	0
			1388	414	719	138	114	3		

- Molecule 19 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	F	70	Total	C	H	N	O	S	0	0
			1218	366	629	125	97	1		

- Molecule 20 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	G	225	Total	C	H	N	O	S	0	0
			3545	1113	1785	316	323	8		

- Molecule 21 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms						AltConf	Trace
21	H	259	Total	C	H	N	O	S	0	0
			3184	1073	1454	305	349	3		

- Molecule 22 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	I	208	Total	C	H	N	O	S	0	0
			3346	1036	1710	307	290	3		

- Molecule 23 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms						AltConf	Trace
23	J	205	Total	C	H	N	O	S	0	0
			3350	1026	1707	315	298	4		

- Molecule 24 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	K	156	Total	C	H	N	O	S	0	0
			2348	717	1196	217	212	6		

- Molecule 25 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms						AltConf	Trace
25	L	104	Total	C	H	N	O	S	0	0
			1694	536	846	153	152	7		

- Molecule 26 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms						AltConf	Trace
26	M	151	Total	C	H	N	O	S	0	0
			2416	735	1235	227	215	4		

- Molecule 27 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms						AltConf	Trace
27	N	129	Total	C	H	N	O	S	0	0
			2010	616	1031	173	184	6		

- Molecule 28 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms						AltConf	Trace
28	O	127	Total	C	H	N	O	S	0	0
			2092	634	1070	206	179	3		

- Molecule 29 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms						AltConf	Trace
29	P	99	Total	C	H	N	O	S	0	0
			1621	495	831	151	143	1		

- Molecule 30 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms						AltConf	Trace
30	Q	117	Total	C	H	N	O	S	0	0
			1764	540	887	174	160	3		

- Molecule 31 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms						AltConf	Trace
31	R	121	Total	C	H	N	O	S	0	0
			1940	580	1001	194	161	4		

- Molecule 32 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms						AltConf	Trace
32	S	100	Total	C	H	N	O	S	0	0
			1649	499	844	164	139	3		

- Molecule 33 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms						AltConf	Trace
33	T	88	Total	C	H	N	O	S	0	0
			1448	439	734	144	130	1		

- Molecule 34 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	U	82	Total	C	H	N	O	S	0	0
			1315	406	666	128	114	1		

- Molecule 35 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms						AltConf	Trace
35	V	80	Total	C	H	N	O	S	0	0
			1339	411	691	121	113	3		

- Molecule 36 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms						AltConf	Trace
36	W	83	Total	C	H	N	O	S	0	0
			1351	424	688	126	111	2		

- Molecule 37 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms						AltConf	Trace
37	X	116	Total	C	H	N	O	S	0	0
			1864	558	964	181	158	3		

- Molecule 38 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Y	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 39 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Z	30	Total	C	N	O	S	0	0
			227	144	33	47	3		

- Molecule 40 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
40	a	2880	Total	C	H	N	O	P	0	0
			92918	27587	31077	11398	19976	2880		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	887	A	U	conflict	GB 937521852

- Molecule 41 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms						AltConf	Trace
41	b	76	Total	C	H	N	O	S	0	0
			1181	360	599	117	104	1		

- Molecule 42 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms						AltConf	Trace
42	c	77	Total	C	H	N	O	S	0	0
			1277	388	652	129	106	2		

- Molecule 43 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
43	d	120	Total	C	H	N	O	P	0	0
			3870	1144	1301	468	837	120		

- Molecule 44 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms						AltConf	Trace
44	e	62	Total	C	H	N	O	S	0	0
			1032	308	531	98	94	1		

- Molecule 45 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms						AltConf	Trace
45	f	58	Total	C	H	N	O	S	0	0
			936	281	488	87	78	2		

- Molecule 46 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms						AltConf	Trace
46	g	66	Total	C	H	N	O	S	0	0
			1042	323	520	99	94	6		

- Molecule 47 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms						AltConf	Trace
47	h	271	Total	C	H	N	O	S	0	0
			4236	1288	2154	423	364	7		

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms						AltConf	Trace
48	i	56	Total	C	H	N	O	S	0	0
			903	269	459	94	80	1		

- Molecule 49 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms						AltConf	Trace
49	j	209	Total	C	H	N	O	S	0	0
			3182	979	1617	288	294	4		

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms						AltConf	Trace
50	k	52	Total	C	H	N	O	S	0	0
			890	275	464	78	73			

- Molecule 51 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms						AltConf	Trace
51	l	201	Total	C	H	N	O	S	0	0
			3171	974	1619	283	290	5		

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms						AltConf	Trace
52	m	46	Total	C	H	N	O	S	0	0
			795	228	418	90	57	2		

- Molecule 53 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms						AltConf	Trace
53	n	177	Total	C	H	N	O	S	0	0
			2853	899	1443	249	256	6		

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms						AltConf	Trace
54	o	64	Total	C	H	N	O	S	0	0
			1076	323	572	105	74	2		

- Molecule 55 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	p	175	Total	C	H	N	O	S	0	0
			2671	826	1358	241	244	2		

- Molecule 56 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms						AltConf	Trace
56	q	38	Total	C	H	N	O	S	0	0
			645	185	343	65	48	4		

- Molecule 57 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms						AltConf	Trace
57	r	149	Total	C	H	N	O	S	0	0
			2259	699	1148	197	214	1		

- Molecule 58 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms						AltConf	Trace
58	s	142	Total	C	H	N	O	S	0	0
			2291	714	1162	212	199	4		

- Molecule 59 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms						AltConf	Trace
59	t	123	Total	C	H	N	O	S	0	0
			1969	593	1023	181	166	6		

- Molecule 60 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms						AltConf	Trace
60	u	144	Total	C	H	N	O	S	0	0
			2182	654	1129	207	190	2		

- Molecule 61 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms						AltConf	Trace
61	v	136	Total	C	H	N	O	S	0	0
			2231	686	1157	205	177	6		

- Molecule 62 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms						AltConf	Trace
62	w	119	Total	C	H	N	O	S	0	0
			1945	588	994	195	163	5		

- Molecule 63 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	x	116	Total	C	H	N	O	0	0
			1815	552	923	178	162		

- Molecule 64 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms						AltConf	Trace
64	y	114	Total	C	H	N	O	S	0	0
			1879	574	962	179	163	1		

- Molecule 65 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	z	117	Total	C	H	N	O	0	0
			1967	604	1020	192	151		

- Molecule 66 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
66	AE	1	Total	Mg	0
			1	1	


- Molecule 67 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
67	AE	2	Total	Zn	0
			2	2	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L21




- Molecule 2: 50S ribosomal protein L22




- Molecule 3: 50S ribosomal protein L23




- Molecule 4: 50S ribosomal protein L24




- Molecule 5: 50S ribosomal protein L25




- Molecule 6: NT DNA




- Molecule 7: T DNA




- Molecule 8: mRNA with 30 nt long spacer



- Molecule 9: 50S ribosomal protein L10




- Molecule 10: E-site and P-site tRNA (fMet)






- Molecule 10: E-site and P-site tRNA (fMet)







• Molecule 11: DNA-directed RNA polymerase subunit beta







• Molecule 12: Transcription termination/antitermination protein NusG




• Molecule 13: DNA-directed RNA polymerase subunit alpha









• Molecule 13: DNA-directed RNA polymerase subunit alpha





• Molecule 14: DNA-directed RNA polymerase subunit beta'









- Molecule 15: DNA-directed RNA polymerase subunit omega




- Molecule 16: 30S ribosomal protein S18




- Molecule 17: 16S rRNA








• Molecule 18: 30S ribosomal protein S20




• Molecule 19: 30S ribosomal protein S21




• Molecule 20: 30S ribosomal protein S2




- Molecule 21: 30S ribosomal protein S1






- Molecule 24: 30S ribosomal protein S5

Chain K: 76% 14% 7%




- Molecule 25: 30S ribosomal protein S6

Chain L: 66% 11% 23%




- Molecule 26: 30S ribosomal protein S7

Chain M: 71% 12% 16%




- Molecule 27: 30S ribosomal protein S8

Chain N: 90% 8% 2%




- Molecule 28: 30S ribosomal protein S9


Chain O: 6% 80% 17%





- Molecule 29: 30S ribosomal protein S10




- Molecule 30: 30S ribosomal protein S11




- Molecule 31: 30S ribosomal protein S12



- Molecule 32: 30S ribosomal protein S14




- Molecule 33: 30S ribosomal protein S15




- Molecule 34: 30S ribosomal protein S16




- Molecule 35: 30S ribosomal protein S17




- Molecule 36: 30S ribosomal protein S19




- Molecule 37: 30S ribosomal protein S13




- Molecule 38: 50S ribosomal protein L11




- Molecule 39: 50S ribosomal protein L7/L12




- Molecule 40: 23S rRNA









• Molecule 41: 50S ribosomal protein L27




• Molecule 42: 50S ribosomal protein L28



• Molecule 43: 5S rRNA




• Molecule 44: 50S ribosomal protein L29



- Molecule 45: 50S ribosomal protein L30

Chain f:  85% 12% ..




- Molecule 46: 50S ribosomal protein L31

Chain g:  19% 80% 13% 6%



- Molecule 47: 50S ribosomal protein L2

Chain h:  86% 12% ..




- Molecule 48: 50S ribosomal protein L32

Chain i:  79% 18% ..




- Molecule 49: 50S ribosomal protein L3

Chain j:  88% 11%






- Molecule 50: 50S ribosomal protein L33



Chain k:  7% 89% 5% 5%






- Molecule 51: 50S ribosomal protein L4





- Molecule 52: 50S ribosomal protein L34





- Molecule 53: 50S ribosomal protein L5





- Molecule 54: 50S ribosomal protein L35





- Molecule 55: 50S ribosomal protein L6





- Molecule 56: 50S ribosomal protein L36




- Molecule 57: 50S ribosomal protein L9




- Molecule 58: 50S ribosomal protein L13



- Molecule 59: 50S ribosomal protein L14




- Molecule 60: 50S ribosomal protein L15



- Molecule 61: 50S ribosomal protein L16




- Molecule 62: 50S ribosomal protein L17





- Molecule 63: 50S ribosomal protein L18

Chain x: 84% 15% ..



- Molecule 64: 50S ribosomal protein L19

Chain y: 5% 89% 10% .



- Molecule 65: 50S ribosomal protein L20

Chain z: 84% 14% ..



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	4617	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.028	Depositor
Minimum map value	-0.009	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0062	Depositor
Map size ($\text{\AA}$)	532.48, 532.48, 532.48	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.04, 1.04, 1.04	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.49	0/829	0.74	0/1107
2	1	0.67	0/864	1.08	0/1156
3	2	0.54	0/752	0.89	0/1005
4	3	0.47	0/796	0.77	0/1062
5	4	0.52	0/766	0.88	0/1025
6	5	0.63	1/528 (0.2%)	0.55	0/810
7	6	0.55	1/603 (0.2%)	0.56	0/926
8	7	0.57	2/783 (0.3%)	0.89	4/1212 (0.3%)
9	9	1.15	3/1131 (0.3%)	1.30	4/1524 (0.3%)
10	A	0.36	0/1810	0.72	2/2821 (0.1%)
10	B	0.43	0/1810	0.87	9/2821 (0.3%)
11	AA	0.39	0/10736	0.64	0/14487
12	AB	1.00	2/1421 (0.1%)	1.10	4/1914 (0.2%)
13	AC	0.37	0/1718	0.61	0/2328
13	AD	0.32	0/1696	0.60	0/2298
14	AE	0.38	0/10561	0.63	5/14258 (0.0%)
15	AF	0.29	0/652	0.61	0/879
16	C	0.66	0/553	1.14	2/743 (0.3%)
17	D	0.39	9/36610 (0.0%)	0.75	39/57091 (0.1%)
18	E	0.76	0/675	1.32	0/895
19	F	0.71	0/597	1.20	0/792
20	G	0.65	0/1791	1.08	1/2413 (0.0%)
21	H	0.76	4/1746 (0.2%)	1.58	34/2382 (1.4%)
22	I	0.58	0/1663	0.97	0/2241
23	J	0.63	0/1665	1.08	0/2227
24	K	0.63	1/1165 (0.1%)	1.06	2/1568 (0.1%)
25	L	0.58	0/867	0.94	0/1171
26	M	0.68	0/1195	1.19	3/1602 (0.2%)
27	N	0.55	0/989	0.91	0/1326
28	O	0.58	0/1034	1.02	1/1375 (0.1%)
29	P	0.60	0/800	1.10	4/1082 (0.4%)
30	Q	0.55	0/893	0.91	0/1205

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	R	0.49	0/952	0.81	0/1274
32	S	0.64	0/817	1.11	1/1088 (0.1%)
33	T	0.68	0/722	1.21	0/964
34	U	0.58	0/659	0.99	0/884
35	V	0.45	0/657	0.73	0/881
36	W	0.50	0/680	0.83	0/915
37	X	0.67	0/909	1.21	3/1215 (0.2%)
38	Y	1.04	0/1046	1.09	1/1410 (0.1%)
39	Z	1.02	0/227	1.12	0/304
40	a	0.40	3/69247 (0.0%)	0.75	55/107985 (0.1%)
41	b	0.51	0/589	0.76	0/779
42	c	0.63	0/635	0.97	0/848
43	d	0.37	0/2872	0.69	0/4478
44	e	0.69	0/502	1.19	0/667
45	f	0.62	0/452	1.02	0/605
46	g	0.55	0/531	0.99	1/709 (0.1%)
47	h	0.54	0/2121	0.85	0/2852
48	i	0.52	0/450	0.94	0/599
49	j	0.59	0/1586	0.87	0/2134
50	k	0.46	0/433	0.80	0/576
51	l	0.61	0/1571	1.03	1/2113 (0.0%)
52	m	0.68	0/380	1.22	0/498
53	n	0.62	0/1434	1.18	10/1926 (0.5%)
54	o	0.63	0/513	1.10	1/676 (0.1%)
55	p	0.58	0/1333	0.89	0/1805
56	q	0.50	0/303	0.88	0/397
57	r	0.63	0/1122	0.97	1/1515 (0.1%)
58	s	0.68	0/1152	1.02	2/1551 (0.1%)
59	t	0.57	0/955	0.88	0/1279
60	u	0.55	0/1062	0.96	1/1413 (0.1%)
61	v	0.59	0/1093	0.97	0/1460
62	w	0.67	0/964	1.13	0/1289
63	x	0.61	0/902	1.09	0/1209
64	y	0.52	0/929	0.79	0/1242
65	z	0.80	0/960	1.25	0/1278
All	All	0.48	26/190459 (0.0%)	0.82	191/280564 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	A	0	2
10	B	0	2
11	AA	0	1
12	AB	0	1
13	AC	0	1
13	AD	0	1
14	AE	0	4
21	H	0	3
37	X	0	1
All	All	0	16

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	9	130	PRO	N-CA	18.21	1.70	1.47
12	AB	45	PRO	N-CA	18.17	1.70	1.47
21	H	169	SER	N-CA	11.79	1.61	1.46
17	D	1516	G	O3'-P	-10.72	1.45	1.61
17	D	1339	A	O3'-P	8.45	1.73	1.61

The worst 5 of 191 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	D	1516	G	O3'-P-O5'	17.46	130.20	104.00
21	H	88	LYS	CA-C-N	16.92	143.55	120.38
21	H	88	LYS	C-N-CA	16.92	143.55	120.38
10	B	29	G	C3'-C2'-O2'	15.99	134.68	110.70
12	AB	44	VAL	CA-C-N	15.89	139.70	119.84

There are no chirality outliers.

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	A	19	G	Sidechain
10	A	7	G	Sidechain
11	AA	910	ALA	Peptide
12	AB	135	ARG	Sidechain
13	AC	192	VAL	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	816	839	839	8	0
2	1	857	922	922	14	0
3	2	746	811	811	6	0
4	3	788	844	844	11	0
5	4	753	780	780	0	0
6	5	472	260	260	17	0
7	6	542	305	306	28	0
8	7	707	97	351	108	0
9	9	1117	0	1153	165	0
10	A	1620	826	826	174	0
10	B	1620	813	827	141	0
11	AA	10567	0	10584	159	0
12	AB	1392	0	1373	259	0
13	AC	1698	0	1718	13	0
13	AD	1677	0	1713	30	0
14	AE	10404	0	10622	209	0
15	AF	650	0	658	10	0
16	C	544	559	560	24	0
17	D	32703	16423	16459	218	0
18	E	669	719	719	4	0
19	F	589	629	629	8	0
20	G	1760	1785	1785	46	0
21	H	1730	1454	1454	214	0
22	I	1636	1710	1710	9	0
23	J	1643	1707	1707	15	0
24	K	1152	1196	1196	22	0
25	L	848	846	846	4	0
26	M	1181	1235	1235	34	0
27	N	979	1031	1031	6	0
28	O	1022	1070	1070	12	0
29	P	790	831	831	123	0
30	Q	877	887	887	4	0
31	R	939	1001	1001	7	0
32	S	805	844	844	4	0
33	T	714	734	734	8	0
34	U	649	666	666	3	0
35	V	648	691	691	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
36	W	663	688	688	3	0
37	X	900	964	964	57	0
38	Y	1032	0	1088	83	0
39	Z	227	0	237	17	0
40	a	61841	31077	31123	299	0
41	b	582	599	599	2	0
42	c	625	652	652	4	0
43	d	2569	1301	1301	4	0
44	e	501	531	531	4	0
45	f	448	488	488	5	0
46	g	522	520	520	11	0
47	h	2082	2154	2154	17	0
48	i	444	459	458	5	0
49	j	1565	1617	1616	15	0
50	k	426	464	464	0	0
51	l	1552	1619	1619	13	0
52	m	377	418	418	10	0
53	n	1410	1443	1444	27	0
54	o	504	572	572	3	0
55	p	1313	1358	1358	7	0
56	q	302	343	343	1	0
57	r	1111	1148	1148	6	0
58	s	1129	1162	1162	14	0
59	t	946	1023	1023	12	0
60	u	1053	1129	1129	7	0
61	v	1074	1157	1157	5	0
62	w	951	994	994	8	0
63	x	892	923	923	8	0
64	y	917	962	962	4	0
65	z	947	1020	1019	13	0
66	AE	1	0	0	0	0
67	AE	2	0	0	3	0
All	All	177212	99300	128796	2259	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 2259 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:AE:79:LYS:HA	14:AE:81:ARG:CZ	1.26	1.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
16:C:12:ARG:HG3	21:H:264:GLU:CB	1.30	1.61
12:AB:164:ILE:HB	29:P:88:MET:CG	1.26	1.58
21:H:131:LEU:CB	21:H:167:VAL:CA	1.78	1.57
12:AB:164:ILE:CD1	12:AB:168:ALA:HB3	1.32	1.53

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	101/103 (98%)	97 (96%)	3 (3%)	1 (1%)	12	47
2	1	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
3	2	92/100 (92%)	90 (98%)	2 (2%)	0	100	100
4	3	101/104 (97%)	96 (95%)	4 (4%)	1 (1%)	12	47
5	4	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
9	9	146/165 (88%)	95 (65%)	37 (25%)	14 (10%)	0	7
11	AA	1338/1342 (100%)	1219 (91%)	115 (9%)	4 (0%)	36	72
12	AB	173/181 (96%)	138 (80%)	26 (15%)	9 (5%)	1	14
13	AC	217/329 (66%)	203 (94%)	12 (6%)	2 (1%)	14	50
13	AD	214/329 (65%)	198 (92%)	16 (8%)	0	100	100
14	AE	1331/1407 (95%)	1218 (92%)	110 (8%)	3 (0%)	43	77
15	AF	80/91 (88%)	77 (96%)	3 (4%)	0	100	100
16	C	64/75 (85%)	63 (98%)	1 (2%)	0	100	100
18	E	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
19	F	68/71 (96%)	68 (100%)	0	0	100	100
20	G	223/241 (92%)	210 (94%)	13 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	H	255/557 (46%)	188 (74%)	55 (22%)	12 (5%)	2	16
22	I	206/233 (88%)	196 (95%)	9 (4%)	1 (0%)	24	63
23	J	203/206 (98%)	198 (98%)	5 (2%)	0	100	100
24	K	154/167 (92%)	146 (95%)	7 (4%)	1 (1%)	21	58
25	L	102/135 (76%)	97 (95%)	4 (4%)	1 (1%)	12	47
26	M	149/179 (83%)	144 (97%)	4 (3%)	1 (1%)	18	55
27	N	127/130 (98%)	121 (95%)	5 (4%)	1 (1%)	16	53
28	O	125/130 (96%)	115 (92%)	9 (7%)	1 (1%)	16	53
29	P	97/103 (94%)	88 (91%)	8 (8%)	1 (1%)	12	47
30	Q	115/129 (89%)	104 (90%)	9 (8%)	2 (2%)	7	34
31	R	117/124 (94%)	116 (99%)	1 (1%)	0	100	100
32	S	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
33	T	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
34	U	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	9	40
35	V	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
36	W	81/92 (88%)	78 (96%)	3 (4%)	0	100	100
37	X	114/118 (97%)	107 (94%)	5 (4%)	2 (2%)	6	32
38	Y	139/142 (98%)	102 (73%)	25 (18%)	12 (9%)	0	8
39	Z	28/121 (23%)	19 (68%)	7 (25%)	2 (7%)	1	10
41	b	74/85 (87%)	69 (93%)	5 (7%)	0	100	100
42	c	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
44	e	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
45	f	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
46	g	64/70 (91%)	63 (98%)	1 (2%)	0	100	100
47	h	269/273 (98%)	259 (96%)	9 (3%)	1 (0%)	30	67
48	i	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
49	j	207/209 (99%)	198 (96%)	9 (4%)	0	100	100
50	k	50/55 (91%)	50 (100%)	0	0	100	100
51	l	199/201 (99%)	190 (96%)	8 (4%)	1 (0%)	24	63
52	m	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
53	n	175/179 (98%)	162 (93%)	11 (6%)	2 (1%)	11	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	o	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
55	p	173/177 (98%)	161 (93%)	12 (7%)	0	100	100
56	q	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
57	r	147/149 (99%)	136 (92%)	11 (8%)	0	100	100
58	s	140/142 (99%)	135 (96%)	5 (4%)	0	100	100
59	t	121/123 (98%)	111 (92%)	10 (8%)	0	100	100
60	u	142/144 (99%)	135 (95%)	7 (5%)	0	100	100
61	v	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
62	w	117/127 (92%)	107 (92%)	10 (8%)	0	100	100
63	x	114/117 (97%)	108 (95%)	6 (5%)	0	100	100
64	y	112/115 (97%)	105 (94%)	7 (6%)	0	100	100
65	z	115/118 (98%)	110 (96%)	4 (4%)	1 (1%)	14	50
All	All	9526/10577 (90%)	8794 (92%)	655 (7%)	77 (1%)	18	53

5 of 77 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	9	88	HIS
11	AA	913	VAL
12	AB	44	VAL
12	AB	49	VAL
12	AB	122	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	84/84 (100%)	76 (90%)	8 (10%)	8	26
2	1	93/93 (100%)	86 (92%)	7 (8%)	12	33
3	2	81/84 (96%)	77 (95%)	4 (5%)	22	44
4	3	84/85 (99%)	79 (94%)	5 (6%)	17	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	4	78/78 (100%)	75 (96%)	3 (4%)	29	51
9	9	112/123 (91%)	63 (56%)	49 (44%)	0	0
11	AA	1155/1157 (100%)	1142 (99%)	13 (1%)	65	74
12	AB	150/158 (95%)	127 (85%)	23 (15%)	3	13
13	AC	186/286 (65%)	186 (100%)	0	100	100
13	AD	185/286 (65%)	185 (100%)	0	100	100
14	AE	1122/1168 (96%)	1107 (99%)	15 (1%)	61	72
15	AF	70/75 (93%)	69 (99%)	1 (1%)	59	72
16	C	57/65 (88%)	55 (96%)	2 (4%)	32	53
18	E	65/66 (98%)	61 (94%)	4 (6%)	16	38
19	F	60/61 (98%)	57 (95%)	3 (5%)	22	43
20	G	187/199 (94%)	174 (93%)	13 (7%)	14	36
21	H	137/461 (30%)	124 (90%)	13 (10%)	8	26
22	I	171/190 (90%)	163 (95%)	8 (5%)	23	45
23	J	172/173 (99%)	164 (95%)	8 (5%)	23	45
24	K	119/126 (94%)	111 (93%)	8 (7%)	15	37
25	L	91/116 (78%)	84 (92%)	7 (8%)	12	32
26	M	124/147 (84%)	113 (91%)	11 (9%)	9	28
27	N	104/105 (99%)	101 (97%)	3 (3%)	37	58
28	O	105/107 (98%)	99 (94%)	6 (6%)	18	40
29	P	86/90 (96%)	77 (90%)	9 (10%)	6	22
30	Q	90/99 (91%)	88 (98%)	2 (2%)	45	64
31	R	101/104 (97%)	95 (94%)	6 (6%)	18	40
32	S	83/84 (99%)	79 (95%)	4 (5%)	23	45
33	T	76/77 (99%)	65 (86%)	11 (14%)	3	14
34	U	65/65 (100%)	60 (92%)	5 (8%)	12	32
35	V	74/78 (95%)	71 (96%)	3 (4%)	27	49
36	W	72/79 (91%)	66 (92%)	6 (8%)	10	30
37	X	94/96 (98%)	87 (93%)	7 (7%)	13	34
38	Y	109/110 (99%)	69 (63%)	40 (37%)	0	1
39	Z	26/85 (31%)	10 (38%)	16 (62%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	b	58/63 (92%)	57 (98%)	1 (2%)	53	68
42	c	67/68 (98%)	64 (96%)	3 (4%)	24	46
44	e	54/55 (98%)	51 (94%)	3 (6%)	19	41
45	f	48/49 (98%)	43 (90%)	5 (10%)	7	22
46	g	59/62 (95%)	54 (92%)	5 (8%)	10	29
47	h	216/218 (99%)	199 (92%)	17 (8%)	11	32
48	i	47/48 (98%)	41 (87%)	6 (13%)	4	17
49	j	164/164 (100%)	156 (95%)	8 (5%)	22	44
50	k	47/49 (96%)	44 (94%)	3 (6%)	16	37
51	l	165/165 (100%)	151 (92%)	14 (8%)	10	29
52	m	38/38 (100%)	36 (95%)	2 (5%)	20	42
53	n	148/150 (99%)	130 (88%)	18 (12%)	5	18
54	o	51/52 (98%)	47 (92%)	4 (8%)	11	32
55	p	136/138 (99%)	130 (96%)	6 (4%)	25	47
56	q	34/34 (100%)	31 (91%)	3 (9%)	9	29
57	r	114/114 (100%)	102 (90%)	12 (10%)	6	22
58	s	116/116 (100%)	106 (91%)	10 (9%)	10	29
59	t	104/104 (100%)	97 (93%)	7 (7%)	15	37
60	u	103/103 (100%)	96 (93%)	7 (7%)	14	36
61	v	109/109 (100%)	105 (96%)	4 (4%)	30	51
62	w	99/103 (96%)	91 (92%)	8 (8%)	11	31
63	x	86/87 (99%)	80 (93%)	6 (7%)	14	36
64	y	99/100 (99%)	91 (92%)	8 (8%)	11	31
65	z	89/90 (99%)	85 (96%)	4 (4%)	24	46
All	All	7919/8739 (91%)	7432 (94%)	487 (6%)	19	39

5 of 487 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
32	S	45	VAL
59	t	7	MET
38	Y	71	LYS
58	s	123	LYS
63	x	91	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 85 such sidechains are listed below:

Mol	Chain	Res	Type
24	K	97	GLN
37	X	105	ASN
25	L	46	GLN
28	O	126	GLN
48	i	5	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	A	75/76 (98%)	29 (38%)	6 (8%)
10	B	75/76 (98%)	35 (46%)	6 (8%)
17	D	1515/1542 (98%)	290 (19%)	35 (2%)
40	a	2859/2904 (98%)	540 (18%)	0
43	d	119/120 (99%)	17 (14%)	0
8	7	33/45 (73%)	20 (60%)	5 (15%)
All	All	4676/4763 (98%)	931 (19%)	52 (1%)

5 of 931 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	7	-18	G
8	7	-17	U
8	7	-16	U
8	7	-14	U
8	7	-13	U

5 of 52 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
17	D	517	G
17	D	991	U
17	D	1491	G
17	D	531	U
17	D	641	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22181. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 281



Y Index: 262




Z Index: 258


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0062. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2918 nm^3 ; this corresponds to an approximate mass of 2636 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.200 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22181 and PDB model 6XGF. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0062 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0062).

9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0062) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7860	 0.1570
0	 0.8470	 0.1330
1	 0.8340	 0.2010
2	 0.8210	 0.1200
3	 0.8420	 0.1000
4	 0.8670	 0.1150
5	 0.4910	 0.0080
6	 0.6200	 0.0410
7	 0.5930	 0.0740
9	 0.6710	 0.0440
A	 0.9220	 0.1560
AA	 0.4420	 0.0190
AB	 0.2320	 0.0300
AC	 0.2490	 0.0050
AD	 0.1480	 0.0140
AE	 0.3760	 0.0230
AF	 0.1040	 0.0020
B	 0.7560	 0.0840
C	 0.8340	 0.1330
D	 0.9700	 0.2210
E	 0.8550	 0.1270
F	 0.7550	 0.1790
G	 0.8110	 0.1430
H	 0.3310	 0.0420
I	 0.7940	 0.1620
J	 0.8470	 0.1360
K	 0.8700	 0.2170
L	 0.8270	 0.1170
M	 0.8060	 0.1440
N	 0.8440	 0.1680
O	 0.8460	 0.1000
P	 0.7520	 0.1010
Q	 0.8480	 0.1560
R	 0.8550	 0.2250
S	 0.8450	 0.1030



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
T	 0.8550	 0.1540
U	 0.8630	 0.1180
V	 0.8280	 0.1610
W	 0.7330	 0.0620
X	 0.7630	 0.0950
Y	 0.5330	 0.0390
Z	 0.3520	 0.0080
a	 0.9630	 0.2100
b	 0.8480	 0.1160
c	 0.8440	 0.1670
d	 0.9580	 0.1560
e	 0.8360	 0.0720
f	 0.8740	 0.1530
g	 0.7100	 0.0580
h	 0.8790	 0.1660
i	 0.8670	 0.1790
j	 0.8500	 0.1300
k	 0.7890	 0.1000
l	 0.8160	 0.1340
m	 0.8960	 0.2070
n	 0.8250	 0.0880
o	 0.8090	 0.1430
p	 0.8330	 0.0810
q	 0.8460	 0.0900
r	 0.6570	 0.0880
s	 0.8600	 0.1280
t	 0.7770	 0.1410
u	 0.8360	 0.1480
v	 0.8450	 0.1540
w	 0.8580	 0.1390
x	 0.8920	 0.0530
y	 0.8190	 0.1110
z	 0.8960	 0.1610