



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 12:14 PM UTC

PDB ID : 8XG1 / pdb_00008xg1
EMDB ID : EMD-38311
Title : Dual receptor-binding, infectivity, and transmissibility of an emerging H2N2 avian influenza virus
Authors : Sun, J.; Zheng, T.Y.
Deposited on : 2023-12-14
Resolution : 2.53 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7309 (2.03 - 3.03)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	497	5% 83% 14% ..
1	B	497	7% 82% 15% ..
1	C	497	5% 82% 15% .
2	D	4	25% 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	4	 25% 100%
2	F	4	 25% 75% 25%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11941 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	488	Total	C	N	O	S	0	0
			3886	2446	665	750	25		
1	B	488	Total	C	N	O	S	0	0
			3886	2446	665	750	25		
1	C	488	Total	C	N	O	S	0	0
			3886	2446	665	750	25		

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	ILE	VAL	conflict	UNP Q67143
A	77	ARG	SER	conflict	UNP Q67143
A	137	MET	TRP	conflict	UNP Q67143
A	156	THR	ARG	conflict	UNP Q67143
A	159	PRO	SER	conflict	UNP Q67143
A	165	GLN	LYS	conflict	UNP Q67143
A	197	LYS	ASN	conflict	UNP Q67143
A	204	ALA	VAL	conflict	UNP Q67143
A	205	SER	ALA	conflict	UNP Q67143
A	228	SER	ARG	conflict	UNP Q67143
A	376	ASP	ASN	conflict	UNP Q67143
B	21	ILE	VAL	conflict	UNP Q67143
B	77	ARG	SER	conflict	UNP Q67143
B	137	MET	TRP	conflict	UNP Q67143
B	156	THR	ARG	conflict	UNP Q67143
B	159	PRO	SER	conflict	UNP Q67143
B	165	GLN	LYS	conflict	UNP Q67143
B	197	LYS	ASN	conflict	UNP Q67143
B	204	ALA	VAL	conflict	UNP Q67143
B	205	SER	ALA	conflict	UNP Q67143
B	228	SER	ARG	conflict	UNP Q67143
B	376	ASP	ASN	conflict	UNP Q67143
C	21	ILE	VAL	conflict	UNP Q67143
C	77	ARG	SER	conflict	UNP Q67143

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	137	MET	TRP	conflict	UNP Q67143
C	156	THR	ARG	conflict	UNP Q67143
C	159	PRO	SER	conflict	UNP Q67143
C	165	GLN	LYS	conflict	UNP Q67143
C	197	LYS	ASN	conflict	UNP Q67143
C	204	ALA	VAL	conflict	UNP Q67143
C	205	SER	ALA	conflict	UNP Q67143
C	228	SER	ARG	conflict	UNP Q67143
C	376	ASP	ASN	conflict	UNP Q67143

- Molecule 2 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	4	Total	C	N	O	0	0
			57	31	2	24		
2	E	4	Total	C	N	O	0	0
			57	31	2	24		
2	F	4	Total	C	N	O	0	0
			57	31	2	24		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	A	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	B	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	
3	C	1	Total	C	N	O	0
			14	8	1	5	




- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-3)-beta-D-galactopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	499159	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.747	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.026	Depositor
Recommended contour level	0.209	Depositor
Map size (Å)	272.0, 272.0, 272.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, NAG, SIA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.15	0/3975	0.34	0/5375
1	B	0.14	0/3975	0.32	0/5375
1	C	0.14	0/3975	0.33	1/5375 (0.0%)
All	All	0.14	0/11925	0.33	1/16125 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	457	ARG	CB-CA-C	-5.01	110.78	116.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3886	0	3753	50	0
1	B	3886	0	3753	48	0
1	C	3886	0	3754	51	0
2	D	57	0	49	1	0
2	E	57	0	49	0	0
2	F	57	0	47	3	0
3	A	42	0	39	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	42	0	39	2	0
3	C	28	0	26	0	0
All	All	11941	0	11509	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:392:GLN:HG3	1:C:393:PHE:H	1.27	0.97
1:B:443:SER:O	1:B:447:ASN:ND2	2.20	0.74
1:C:456:LEU:HD13	1:C:460:VAL:HG11	1.75	0.68
1:A:389:MET:O	1:A:389:MET:HE3	1.94	0.68
1:B:6:ASP:HB2	1:B:470:PHE:HB2	1.75	0.67
1:B:456:LEU:HD13	1:B:460:VAL:HG11	1.78	0.65
1:C:359:ASP:OD1	1:C:360:GLN:N	2.30	0.64
1:A:43:ASN:HD21	1:A:288:ALA:HB3	1.63	0.64
1:C:380:ASN:C	1:C:380:ASN:HD22	2.08	0.62
1:C:356:HIS:HB2	1:C:479:MET:HE3	1.83	0.61
1:C:392:GLN:CG	1:C:393:PHE:H	2.10	0.61
1:C:311:LYS:HG3	1:C:419:LEU:HD11	1.83	0.60
1:B:23:THR:O	1:B:27:ARG:NH1	2.34	0.60
1:C:266:SER:OG	1:C:267:GLY:N	2.35	0.59
1:B:326:GLN:HG2	1:B:341:GLU:HG3	1.83	0.59
1:B:16:ASN:OD1	3:B:601:NAG:N2	2.35	0.58
1:B:43:ASN:HD21	1:B:288:ALA:HB3	1.69	0.58
1:C:311:LYS:HD3	1:C:419:LEU:HD21	1.86	0.58
1:C:358:ASN:OD1	1:C:360:GLN:N	2.33	0.58
1:C:349:ASP:N	1:C:349:ASP:OD1	2.36	0.58
1:A:460:VAL:HG12	1:A:470:PHE:HA	1.85	0.57
1:A:207:SER:OG	1:A:241:ASP:OD1	2.23	0.56
1:C:356:HIS:HB2	1:C:479:MET:CE	2.35	0.56
1:C:21:ILE:HD13	1:C:318:ALA:HB2	1.88	0.55
1:B:436:ARG:NH2	1:C:435:GLU:OE2	2.39	0.55
1:A:196:GLN:O	1:A:196:GLN:NE2	2.39	0.55
1:C:10:ILE:HD12	1:C:449:TYR:HA	1.88	0.55
1:A:277:ASN:OD1	1:A:277:ASN:N	2.39	0.55
1:A:495:GLU:OE1	1:A:495:GLU:N	2.26	0.55
1:A:39:GLU:HG2	1:A:291:THR:HG21	1.89	0.55
1:B:359:ASP:N	1:B:359:ASP:OD1	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:ASN:HB3	1:A:72:CYS:HB2	1.88	0.54
1:A:294:PRO:HG3	1:A:386:ILE:HG12	1.88	0.54
1:C:392:GLN:HG3	1:C:393:PHE:N	2.07	0.54
1:C:360:GLN:HE21	1:C:476:ASN:ND2	2.06	0.54
1:A:184:HIS:HE2	1:C:210:TYR:HH	1.50	0.53
1:A:429:LEU:O	1:A:433:GLU:HG2	2.07	0.53
1:A:429:LEU:HD13	1:B:428:LEU:HD11	1.90	0.53
2:F:4:SIA:O6	2:F:4:SIA:O8	2.23	0.53
1:C:156:THR:HG22	1:C:161:TYR:HB2	1.91	0.52
1:A:384:SER:HB2	1:B:27:ARG:NH2	2.25	0.52
1:A:424:TYR:HE2	1:C:388:LYS:HB3	1.74	0.52
1:A:462:GLU:HG2	1:A:468:PHE:HE1	1.74	0.52
1:C:8:ILE:O	1:C:467:CYS:HB3	2.10	0.52
1:A:21:ILE:HG12	1:A:318:ALA:HB2	1.91	0.52
1:C:393:PHE:HZ	1:C:414:MET:HE3	1.75	0.51
1:A:107:LYS:HE3	1:A:399:GLU:HG3	1.92	0.51
1:B:472:HIS:NE2	1:B:487:TYR:OH	2.41	0.51
1:B:47:CYS:HB2	1:B:280:THR:HG22	1.90	0.51
1:A:479:MET:HA	1:A:482:VAL:HG12	1.92	0.51
1:B:194:LEU:HD21	2:F:4:SIA:H113	1.94	0.51
1:B:356:HIS:C	1:B:356:HIS:HD1	2.18	0.50
1:A:56:GLU:HG3	1:A:85:MET:HE2	1.93	0.50
1:B:27:ARG:HB2	3:B:602:NAG:H82	1.93	0.50
1:A:484:ASN:OD1	1:A:486:THR:OG1	2.23	0.50
1:A:308:LYS:HE3	1:A:390:ASN:HA	1.93	0.50
1:A:465:ASN:OD1	1:A:467:CYS:HB2	2.12	0.49
1:B:10:ILE:HD12	1:B:449:TYR:HA	1.94	0.49
1:B:112:SER:O	1:B:112:SER:OG	2.30	0.49
1:B:187:ASP:N	1:B:187:ASP:OD1	2.46	0.49
1:C:269:MET:HE3	1:C:303:ILE:HD12	1.95	0.48
1:B:74:ARG:HG2	1:B:74:ARG:HH11	1.78	0.48
1:C:39:GLU:OE2	1:C:291:THR:OG1	2.21	0.48
1:A:13:HIS:ND1	1:A:13:HIS:C	2.70	0.48
1:C:142:SER:O	1:C:142:SER:OG	2.22	0.48
1:A:424:TYR:CE2	1:C:388:LYS:HB3	2.49	0.48
1:B:188:GLU:OE1	1:B:192:ARG:NH2	2.47	0.48
1:C:474:CYS:SG	1:C:479:MET:HG2	2.54	0.47
1:A:114:LYS:HD2	1:A:264:GLY:HA3	1.96	0.47
1:B:113:VAL:HG13	1:B:260:ILE:HG23	1.97	0.47
1:B:185:PRO:O	1:B:220:ARG:NH2	2.48	0.46
1:B:280:THR:OG1	1:B:281:LYS:N	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:TYR:HB2	1:B:321:LEU:HD13	1.97	0.46
1:B:21:ILE:HD13	1:B:318:ALA:HB2	1.98	0.46
1:B:57:LEU:HD12	1:B:86:GLU:HG3	1.96	0.46
1:C:491:LYS:HE3	1:C:492:TYR:CZ	2.51	0.46
1:A:456:LEU:HD23	1:A:460:VAL:HG11	1.98	0.45
1:C:347:MET:HG3	1:C:349:ASP:OD1	2.15	0.45
1:B:126:ARG:HG3	1:B:126:ARG:HH11	1.81	0.45
1:A:21:ILE:C	1:A:21:ILE:HD12	2.41	0.45
1:A:393:PHE:CZ	1:A:414:MET:HE3	2.51	0.45
1:B:356:HIS:C	1:B:356:HIS:ND1	2.73	0.45
1:C:315:LEU:HD22	1:C:430:VAL:HG21	1.99	0.45
1:A:385:VAL:O	1:A:389:MET:HB2	2.17	0.45
1:A:462:GLU:HG2	1:A:468:PHE:CE1	2.51	0.44
1:B:132:THR:HG22	1:B:154:LEU:HD23	1.98	0.44
1:C:155:THR:HG22	1:C:156:THR:N	2.33	0.44
1:C:360:GLN:O	1:C:360:GLN:HG2	2.18	0.44
1:B:347:MET:HB2	1:B:364:TYR:CD2	2.52	0.44
1:A:393:PHE:HZ	1:A:414:MET:HE3	1.83	0.43
1:C:424:TYR:CE1	1:C:428:LEU:HD22	2.53	0.43
1:C:428:LEU:HD12	1:C:428:LEU:HA	1.85	0.43
1:A:20:LYS:HD3	1:A:28:ASN:HB3	2.01	0.43
1:B:43:ASN:ND2	1:B:288:ALA:HB3	2.32	0.43
1:C:69:ASN:ND2	1:C:93:SER:O	2.51	0.43
1:C:308:LYS:HE2	1:C:308:LYS:HB2	1.77	0.43
1:A:458:ASP:OD2	1:A:500:ARG:NH1	2.52	0.43
1:A:473:LYS:HA	1:A:473:LYS:HD2	1.70	0.43
1:B:205:SER:HB2	1:C:220:ARG:HG2	2.01	0.43
1:B:126:ARG:HG3	1:B:126:ARG:NH1	2.33	0.43
1:C:144:LYS:HE2	1:C:144:LYS:HB2	1.73	0.43
1:A:123:PRO:O	1:A:126:ARG:HG2	2.19	0.42
1:B:18:THR:HG22	1:B:18:THR:O	2.19	0.42
1:B:137:MET:HB2	2:F:4:SIA:O1B	2.19	0.42
1:C:6:ASP:OD1	1:C:6:ASP:N	2.52	0.42
1:C:86:GLU:O	1:C:270:LYS:HA	2.19	0.42
1:B:351:TRP:HB2	1:B:371:THR:HG23	2.01	0.42
1:B:197:LYS:HE3	1:B:197:LYS:HB3	1.90	0.42
1:B:476:ASN:OD1	1:B:476:ASN:N	2.53	0.42
1:A:458:ASP:OD1	1:A:458:ASP:O	2.37	0.42
1:B:45:LYS:HB2	1:B:45:LYS:HE2	1.81	0.42
1:A:449:TYR:OH	1:A:462:GLU:OE1	2.38	0.42
1:B:39:GLU:OE1	1:B:41:THR:OG1	2.37	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:ARG:HG2	1:A:91:ARG:NH1	2.35	0.41
1:A:427:GLU:OE1	1:C:388:LYS:NZ	2.43	0.41
1:A:441:HIS:O	1:A:445:VAL:HG23	2.20	0.41
1:C:358:ASN:OD1	1:C:359:ASP:N	2.53	0.41
1:B:358:ASN:OD1	1:B:358:ASN:C	2.63	0.41
1:A:424:TYR:OH	1:C:389:MET:SD	2.77	0.41
1:A:43:ASN:ND2	1:A:288:ALA:HB3	2.34	0.41
1:A:80:GLU:OE2	1:A:262:LYS:NZ	2.48	0.41
1:C:416:ASP:O	1:C:420:ASP:OD1	2.38	0.41
1:C:461:LYS:HG2	1:C:469:GLU:HB3	2.02	0.41
1:A:484:ASN:OD1	1:A:484:ASN:C	2.63	0.41
1:C:480:ASP:OD2	1:C:480:ASP:N	2.54	0.41
2:D:2:NAG:H83	2:D:4:SIA:H112	2.03	0.41
1:A:205:SER:HB2	1:B:220:ARG:HG2	2.01	0.41
1:B:294:PRO:HG3	1:B:386:ILE:HG12	2.01	0.41
1:B:376:ASP:OD1	1:B:376:ASP:N	2.54	0.41
1:C:187:ASP:OD1	1:C:187:ASP:N	2.53	0.41
1:C:472:HIS:HE1	1:C:474:CYS:HB2	1.86	0.41
1:B:388:LYS:HD2	1:B:388:LYS:HA	1.79	0.41
1:A:456:LEU:HD23	1:A:460:VAL:HG21	2.02	0.41
1:B:347:MET:HB2	1:B:364:TYR:HD2	1.85	0.41
1:A:74:ARG:HG2	1:A:75:LEU:HG	2.03	0.40
1:C:317:LEU:HD13	1:C:382:VAL:HG22	2.03	0.40
1:A:91:ARG:HG2	1:A:91:ARG:HH11	1.86	0.40
1:A:21:ILE:HD13	1:A:434:ASN:HB3	2.03	0.40
1:C:499:ASN:OD1	1:C:499:ASN:N	2.54	0.40
1:B:25:LEU:HD22	1:B:435:GLU:OE1	2.21	0.40
1:C:321:LEU:HD12	1:C:441:HIS:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	484/497 (97%)	466 (96%)	18 (4%)	0	100	100
1	B	484/497 (97%)	469 (97%)	15 (3%)	0	100	100
1	C	484/497 (97%)	465 (96%)	19 (4%)	0	100	100
All	All	1452/1491 (97%)	1400 (96%)	52 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	429/435 (99%)	413 (96%)	16 (4%)	30	54
1	B	429/435 (99%)	405 (94%)	24 (6%)	19	37
1	C	429/435 (99%)	412 (96%)	17 (4%)	28	51
All	All	1287/1305 (99%)	1230 (96%)	57 (4%)	27	47

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	HIS
1	A	17	SER
1	A	99	SER
1	A	111	SER
1	A	125	ASP
1	A	128	THR
1	A	213	SER
1	A	228	SER
1	A	233	SER
1	A	277	ASN
1	A	280	THR
1	A	292	THR
1	A	373	LYS
1	A	384	SER
1	A	388	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	396	VAL
1	B	16	ASN
1	B	40	LYS
1	B	86	GLU
1	B	99	SER
1	B	112	SER
1	B	128	THR
1	B	133	THR
1	B	139	CYS
1	B	146	SER
1	B	209	LEU
1	B	211	LYS
1	B	213	SER
1	B	277	ASN
1	B	278	CYS
1	B	281	LYS
1	B	292	THR
1	B	316	VAL
1	B	322	ARG
1	B	356	HIS
1	B	359	ASP
1	B	370	SER
1	B	396	VAL
1	B	478	CYS
1	B	494	GLU
1	C	6	ASP
1	C	13	HIS
1	C	17	SER
1	C	18	THR
1	C	30	THR
1	C	111	SER
1	C	116	PHE
1	C	198	VAL
1	C	228	SER
1	C	305	GLU
1	C	340	ILE
1	C	345	GLN
1	C	349	ASP
1	C	410	LEU
1	C	478	CYS
1	C	481	SER
1	C	488	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	184	HIS
1	B	360	GLN
1	B	380	ASN
1	C	165	GLN
1	C	186	ASN
1	C	345	GLN
1	C	360	GLN
1	C	372	GLN
1	C	380	ASN
1	C	459	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GAL	D	1	2	12,12,12	0.69	1 (8%)	17,17,17	1.00	2 (11%)
2	NAG	D	2	2	14,14,15	0.59	1 (7%)	17,19,21	2.18	2 (11%)
2	GAL	D	3	2	11,11,12	0.62	0	15,15,17	1.87	1 (6%)
2	SIA	D	4	2	20,20,21	1.55	1 (5%)	21,28,31	1.11	2 (9%)
2	GAL	E	1	2	12,12,12	0.71	1 (8%)	17,17,17	1.67	1 (5%)
2	NAG	E	2	2	14,14,15	0.59	1 (7%)	17,19,21	2.05	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	E	3	2	11,11,12	0.60	0	15,15,17	1.24	1 (6%)
2	SIA	E	4	2	20,20,21	1.55	2 (10%)	21,28,31	1.66	3 (14%)
2	GAL	F	1	2	12,12,12	0.69	1 (8%)	17,17,17	3.00	2 (11%)
2	NAG	F	2	2	14,14,15	0.58	1 (7%)	17,19,21	2.52	2 (11%)
2	GAL	F	3	2	11,11,12	0.67	0	15,15,17	1.74	1 (6%)
2	SIA	F	4	2	20,20,21	1.57	2 (10%)	21,28,31	1.60	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	D	1	2	-	0/2/22/22	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	GAL	D	3	2	-	0/2/19/22	0/1/1/1
2	SIA	D	4	2	-	11/18/34/38	0/1/1/1
2	GAL	E	1	2	-	0/2/22/22	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	GAL	E	3	2	-	0/2/19/22	0/1/1/1
2	SIA	E	4	2	-	8/18/34/38	0/1/1/1
2	GAL	F	1	2	-	0/2/22/22	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	GAL	F	3	2	-	0/2/19/22	0/1/1/1
2	SIA	F	4	2	-	10/18/34/38	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	4	SIA	C2-C1	5.57	1.59	1.52
2	F	4	SIA	C2-C1	5.48	1.58	1.52
2	E	4	SIA	C2-C1	5.35	1.58	1.52
2	E	4	SIA	O6-C2	2.32	1.48	1.43
2	E	1	GAL	O3-C3	-2.09	1.37	1.43
2	D	1	GAL	O3-C3	-2.07	1.37	1.43
2	D	2	NAG	O4-C4	-2.06	1.37	1.43
2	F	1	GAL	O3-C3	-2.05	1.37	1.43
2	F	2	NAG	O4-C4	-2.05	1.37	1.43
2	E	2	NAG	O4-C4	-2.05	1.37	1.43
2	F	4	SIA	O6-C2	2.01	1.47	1.43

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1	GAL	O3-C3-C2	11.63	137.80	110.38
2	F	2	NAG	O4-C4-C3	8.33	130.01	110.38
2	E	2	NAG	O4-C4-C5	-8.08	89.43	109.32
2	D	3	GAL	O6-C6-C5	6.39	133.08	111.33
2	D	2	NAG	O4-C4-C3	6.30	125.22	110.38
2	E	1	GAL	O3-C3-C2	6.22	125.04	110.38
2	D	2	NAG	O4-C4-C5	-6.18	94.10	109.32
2	F	2	NAG	O4-C4-C5	-5.95	94.68	109.32
2	F	3	GAL	O6-C6-C5	5.73	130.86	111.33
2	F	4	SIA	O1A-C1-C2	-4.94	112.19	122.85
2	E	4	SIA	O1A-C1-C2	-4.90	112.27	122.85
2	E	3	GAL	O6-C6-C5	3.51	123.29	111.33
2	F	1	GAL	O3-C3-C4	-3.22	102.80	110.38
2	E	4	SIA	O1B-C1-O1A	2.58	129.93	124.08
2	E	4	SIA	C5-N5-C10	2.54	129.06	123.11
2	F	4	SIA	O1B-C1-O1A	2.52	129.79	124.08
2	D	4	SIA	O1B-C1-O1A	2.45	129.64	124.08
2	F	4	SIA	C5-N5-C10	2.31	128.51	123.11
2	D	4	SIA	O1A-C1-C2	-2.28	117.93	122.85
2	D	1	GAL	O3-C3-C4	-2.27	105.03	110.38
2	D	1	GAL	O3-C3-C2	2.16	115.46	110.38
2	F	4	SIA	O1B-C1-C2	2.04	118.03	112.71
2	F	4	SIA	O10-C10-N5	2.01	125.53	121.98

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	4	SIA	C5-C6-C7-O7
2	D	4	SIA	O6-C6-C7-O7
2	D	4	SIA	O8-C8-C9-O9
2	E	4	SIA	C6-C7-C8-O8
2	E	4	SIA	O7-C7-C8-C9
2	E	4	SIA	O7-C7-C8-O8
2	F	4	SIA	O6-C6-C7-O7
2	F	4	SIA	C6-C7-C8-C9
2	F	4	SIA	C6-C7-C8-O8
2	F	4	SIA	O7-C7-C8-C9
2	F	4	SIA	O7-C7-C8-O8
2	E	4	SIA	O8-C8-C9-O9
2	D	4	SIA	C7-C8-C9-O9

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	E	4	SIA	C6-C7-C8-C9
2	D	4	SIA	C11-C10-N5-C5
2	D	4	SIA	O10-C10-N5-C5
2	D	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	E	4	SIA	C7-C8-C9-O9
2	E	4	SIA	C6-C5-N5-C10
2	F	4	SIA	C6-C5-N5-C10
2	D	4	SIA	C6-C7-C8-O8
2	D	2	NAG	C4-C5-C6-O6
2	F	4	SIA	C5-C6-C7-O7
2	D	4	SIA	O6-C6-C7-C8
2	F	4	SIA	O6-C6-C7-C8
2	D	4	SIA	C6-C7-C8-C9
2	D	4	SIA	C5-C6-C7-C8
2	F	4	SIA	C5-C6-C7-C8
2	D	4	SIA	O7-C7-C8-O8
2	E	4	SIA	C4-C5-N5-C10
2	F	4	SIA	C4-C5-N5-C10
2	F	2	NAG	C4-C5-C6-O6


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	4	SIA	1	0
2	F	4	SIA	3	0
2	D	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	B	603	1	14,14,15	0.20	0	17,19,21	0.51	0
3	NAG	C	702	1	14,14,15	0.21	0	17,19,21	0.50	0
3	NAG	A	603	1	14,14,15	0.21	0	17,19,21	0.51	0
3	NAG	A	601	1	14,14,15	0.24	0	17,19,21	0.44	0
3	NAG	B	601	1	14,14,15	0.70	1 (7%)	17,19,21	0.63	1 (5%)
3	NAG	B	602	1	14,14,15	0.22	0	17,19,21	0.43	0
3	NAG	A	602	1	14,14,15	0.23	0	17,19,21	0.44	0
3	NAG	C	701	1	14,14,15	0.23	0	17,19,21	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	603	1	-	0/6/23/26	0/1/1/1
3	NAG	C	702	1	-	0/6/23/26	0/1/1/1
3	NAG	A	603	1	-	0/6/23/26	0/1/1/1
3	NAG	A	601	1	-	2/6/23/26	0/1/1/1
3	NAG	B	601	1	-	2/6/23/26	0/1/1/1
3	NAG	B	602	1	-	0/6/23/26	0/1/1/1
3	NAG	A	602	1	-	2/6/23/26	0/1/1/1
3	NAG	C	701	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	NAG	C1-C2	2.04	1.55	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	NAG	C1-O5-C5	2.07	114.96	112.19

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	NAG	O5-C5-C6-O6
3	B	601	NAG	O5-C5-C6-O6
3	A	601	NAG	C4-C5-C6-O6
3	A	601	NAG	O5-C5-C6-O6
3	C	701	NAG	O5-C5-C6-O6
3	A	602	NAG	C4-C5-C6-O6
3	C	701	NAG	C4-C5-C6-O6
3	B	601	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601	NAG	1	0
3	B	602	NAG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38311. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160



Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 154




Y Index: 168




Z Index: 201


6.3.2 Raw map



X Index: 153



Y Index: 168




Z Index: 201


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 44 nm^3 ; this corresponds to an approximate mass of 39 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.395 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.395 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.53	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.05	3.48	3.10

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.05 differs from the reported value 2.53 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-38311 and PDB model 8XG1. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.209 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.209).

9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.209) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7080	0.5670
A	0.7200	0.5750
B	0.7000	0.5600
C	0.7120	0.5680
D	0.5610	0.4930
E	0.4740	0.4750
F	0.5440	0.4760

