



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:31 PM UTC

PDB ID : 4XII / pdb_00004xii
Title : X-ray structure of human butyrylcholinesterase in complex with N-((1-(2,3-dihydro-1H-inden-2-yl)piperidin-3-yl)methyl)-8-hydroxy-N-(2-methoxyethyl)-5-nitroquinoline-7-carboxamide
Authors : Knez, D.; Boris, B.; Coquelle, N.; Sosic, I.; Sink, R.; Brazzolotto, X.; Mravljak, J.; Colletier, J.P.; Gobec, S.
Deposited on : 2015-01-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	544	84%13%.
1	B	544	% 81%14%..
2	C	3	33%33%33%
3	D	2	100%
3	E	2	50%50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	2	
3	G	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	C	1	-	-	X	-
2	FUL	C	3	X	-	-	-
3	NAG	G	1	X	-	-	-
5	NAG	A	1002	X	-	-	-
5	NAG	A	1004	X	-	-	-
5	NAG	B	1008	X	-	-	-

2 Entry composition [i](#)


There are 10 unique types of molecules in this entry. The entry contains 8849 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cholinesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	528	Total	C	N	O	S	0	2	1
			4195	2706	710	764	15			
1	B	525	Total	C	N	O	S	0	1	1
			4168	2693	701	759	15			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is N-{[(3R)-1-(2,3-dihydro-1H-inden-2-yl)piperidin-3-yl]methyl}-8-hydroxy-N-(2-methoxyethyl)-5-nitroquinoline-7-carboxamide (CCD ID: 40V) (formula: $C_{28}H_{32}N_4O_5$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			37	28	4	5		
4	B	1	Total	C	N	O	0	0
			37	28	4	5		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is beta-L-fucopyranose (CCD ID: FUL) (formula: $C_6H_{12}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	6	4		
6	A	1	Total	C	O	0	0
			10	6	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is alpha-L-fucopyranose (CCD ID: FUC) (formula: $C_6H_{12}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	3	Total	Cl	0	0
			3	3		
8	B	1	Total	Cl	0	0
			1	1		

- Molecule 9 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	35	Total	O	0	0
			35	35		
10	B	27	Total	O	0	0
			27	27		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cholinesterase



• Molecule 1: Cholinesterase



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[beta-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.04Å 79.76Å 230.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.19 – 2.70 46.19 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.0 (46.19-2.70) 99.0 (46.19-2.70)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 2.69Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.206 , 0.257 0.211 , 0.256	Depositor DCC
R_{free} test set	1509 reflections (3.81%)	wwPDB-VP
Wilson B-factor (Å ²)	76.8	Xtriage
Anisotropy	0.420	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8849	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, 4OV, FUL, CL, FUC, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/4317	0.82	5/5864 (0.1%)
1	B	0.44	0/4286	0.84	10/5821 (0.2%)
All	All	0.45	0/8603	0.83	15/11685 (0.1%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	381	ARG	CA-C-N	8.91	148.38	127.00
1	B	381	ARG	C-N-CA	8.91	148.38	127.00
1	B	381	ARG	C-N-CD	-8.37	102.19	120.60
1	B	116	GLY	N-CA-C	-6.86	101.59	110.38
1	B	428	LEU	CA-C-N	6.82	126.45	119.56
1	B	428	LEU	C-N-CA	6.82	126.45	119.56
1	B	280	VAL	CA-C-N	6.31	125.53	118.97
1	B	280	VAL	C-N-CA	6.31	125.53	118.97
1	A	448	LEU	CA-C-N	-5.45	114.20	119.87
1	A	448	LEU	C-N-CA	-5.45	114.20	119.87
1	B	437	MET	N-CA-C	5.31	117.54	110.53
1	A	116	GLY	N-CA-C	-5.18	103.74	110.38
1	A	280	VAL	CA-C-N	5.14	124.32	118.97
1	A	280	VAL	C-N-CA	5.14	124.32	118.97
1	B	109	VAL	N-CA-C	5.00	115.18	108.17

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4195	0	4083	44	0
1	B	4168	0	4049	61	0
2	C	38	0	33	7	0
3	D	28	0	25	0	0
3	E	28	0	25	5	0
3	F	28	0	25	0	0
3	G	28	0	25	2	0
4	A	37	0	32	4	0
4	B	37	0	32	5	0
5	A	28	0	26	3	0
5	B	112	0	103	5	0
6	A	20	0	20	7	0
6	B	10	0	10	0	0
7	A	10	0	10	3	0
8	A	3	0	0	1	0
8	B	1	0	0	0	0
9	A	8	0	12	0	0
9	B	8	0	12	0	0
10	A	35	0	0	1	0
10	B	27	0	0	0	0
All	All	8849	0	8522	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:ASN:HD21	2:C:1:NAG:C1	1.01	1.55
1:B:241:ASN:HD21	5:B:1005:NAG:C1	1.14	1.52
1:B:106:ASN:OD1	5:B:1004:NAG:C1	1.64	1.44
6:A:1003:FUL:C1	3:E:1:NAG:O6	1.69	1.40
1:A:57:ASN:ND2	2:C:1:NAG:C1	1.82	1.40
1:B:241:ASN:ND2	5:B:1005:NAG:C1	1.88	1.37
6:A:1006:FUL:C1	3:G:1:NAG:O6	1.88	1.20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1:NAG:O4	2:C:2:NAG:H62	1.56	1.01
6:A:1006:FUL:C1	3:G:1:NAG:HO6	1.70	1.01
6:A:1003:FUL:C1	3:E:1:NAG:C6	2.45	0.95
1:B:241:ASN:CG	5:B:1005:NAG:C1	2.47	0.87
1:A:116:GLY:O	10:A:1101:HOH:O	1.94	0.84
1:B:240:ARG:NH2	1:B:257:GLU:OE2	2.13	0.81
6:A:1003:FUL:C1	3:E:1:NAG:HO6	1.95	0.80
5:A:1004:NAG:O6	7:A:1005:FUC:O5	2.02	0.77
1:A:156:LEU:HD13	1:A:257:GLU:HB3	1.74	0.70
1:B:101:ALA:HA	1:B:102:PRO:C	2.17	0.69
6:A:1003:FUL:C2	3:E:1:NAG:O6	2.41	0.68
5:A:1004:NAG:C6	7:A:1005:FUC:O5	2.44	0.65
1:A:381:ARG:O	1:A:384:ASN:ND2	2.31	0.64
1:B:241:ASN:OD1	5:B:1005:NAG:C1	2.47	0.63
2:C:1:NAG:O4	2:C:2:NAG:C6	2.28	0.62
1:A:123:SER:OG	1:A:145:ASN:OD1	2.10	0.59
5:A:1004:NAG:H62	7:A:1005:FUC:O5	2.04	0.58
1:A:256:ASN:OD1	1:A:259:GLU:N	2.37	0.57
1:A:154:LEU:HD11	1:A:243:THR:HG23	1.85	0.57
1:A:271:GLU:O	1:A:275:ASN:ND2	2.36	0.57
1:B:428:LEU:HD23	1:B:430:TRP:H	1.70	0.57
1:B:330:LEU:HD11	1:B:390:GLY:HA2	1.86	0.57
1:A:381:ARG:HH11	1:A:383:GLU:HB2	1.71	0.56
1:B:376:TRP:CH2	1:B:384:ASN:HB3	2.41	0.56
1:B:526:PHE:O	1:B:529:VAL:HG12	2.05	0.55
1:B:99:ILE:HD11	1:B:185:PHE:HB3	1.89	0.55
1:B:407:LYS:O	1:B:411:GLU:HG2	2.06	0.55
1:A:481:ASN:HA	8:A:1008:CL:CL	2.45	0.54
6:A:1003:FUL:O2	3:E:1:NAG:O6	2.25	0.54
1:B:116:GLY:HA2	4:B:1001:40V:O34	2.07	0.53
1:A:82:TRP:CE2	4:A:1001:40V:H13	2.44	0.52
1:B:376:TRP:CZ3	1:B:384:ASN:HB3	2.45	0.52
2:C:1:NAG:O3	2:C:2:NAG:C1	2.58	0.51
1:A:240:ARG:NH1	1:A:257:GLU:OE2	2.36	0.51
1:A:381:ARG:HB3	1:A:384:ASN:ND2	2.26	0.51
1:B:105:LYS:N	1:B:105:LYS:CD	2.73	0.51
1:A:428:LEU:HD12	1:A:429:PRO:HD2	1.91	0.51
1:A:376:TRP:CZ3	1:A:384:ASN:HB3	2.46	0.50
1:B:156:LEU:HD13	1:B:257:GLU:HB3	1.92	0.50
1:B:104:PRO:C	1:B:105:LYS:HD3	2.35	0.50
1:B:224:SER:OG	1:B:325:GLU:OE2	2.25	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:438:HIS:CD2	4:B:1001:40V:H28	2.46	0.50
1:B:34:ALA:HB2	1:B:173:LEU:HD23	1.94	0.49
1:B:271:GLU:O	1:B:275:ASN:ND2	2.36	0.49
1:B:82:TRP:CE2	4:B:1001:40V:H13	2.48	0.49
1:A:69:ILE:HD11	1:A:88:LEU:HD11	1.94	0.49
1:A:205:SER:HB3	1:A:222:LEU:HD21	1.95	0.49
1:B:388:ALA:O	1:B:392:VAL:HG23	2.13	0.48
1:B:363:GLU:HA	1:B:366:LYS:HE3	1.94	0.48
1:B:103:LYS:HG3	1:B:104:PRO:HD2	1.96	0.48
2:C:1:NAG:O3	2:C:2:NAG:H2	2.14	0.48
1:A:431:PRO:HG2	1:A:434:MET:HG3	1.96	0.47
1:A:101:ALA:HA	1:A:102:PRO:C	2.39	0.46
1:B:349:GLU:HA	1:B:352:GLU:OE1	2.14	0.46
1:B:374:THR:HG22	1:B:376:TRP:CZ2	2.50	0.46
1:B:320:GLY:HA3	1:B:419:TYR:CD2	2.50	0.46
1:A:361:VAL:O	1:A:366:LYS:NZ	2.44	0.46
1:B:381:ARG:HB2	1:B:384:ASN:ND2	2.31	0.46
1:B:105:LYS:N	1:B:105:LYS:HD3	2.31	0.46
1:A:49:LEU:HD12	1:A:49:LEU:HA	1.78	0.45
1:B:301:ASP:OD1	1:B:302:MET:N	2.45	0.45
1:A:419:TYR:HB3	1:A:490:TRP:CZ2	2.51	0.45
1:B:250:THR:HB	1:B:267:LYS:HE2	1.98	0.45
1:A:44:LYS:HB3	1:A:44:LYS:HE3	1.85	0.45
1:B:218:THR:HG22	1:B:219:ARG:HG3	1.99	0.45
1:B:428:LEU:HA	1:B:429:PRO:HD3	1.74	0.44
1:A:209:LEU:HD23	1:A:312:PHE:HB3	2.00	0.44
1:A:388:ALA:O	1:A:392:VAL:HG23	2.17	0.44
1:A:380:GLN:HA	1:A:381:ARG:C	2.42	0.44
1:A:182:ILE:HD12	1:A:182:ILE:HA	1.79	0.43
1:A:330:LEU:HD11	1:A:390:GLY:HA2	1.99	0.43
1:A:428:LEU:HA	1:A:429:PRO:HD3	1.82	0.43
1:B:310:GLY:HA2	1:B:312:PHE:CE2	2.53	0.43
1:B:381:ARG:HB3	1:B:382:PRO:CA	2.47	0.43
2:C:1:NAG:O3	2:C:2:NAG:C2	2.67	0.43
1:A:21:PHE:O	1:A:135:ARG:NH2	2.51	0.43
1:A:119:GLN:NE2	1:A:290:PHE:O	2.47	0.43
1:A:28:PHE:HE1	1:A:99:ILE:HD12	1.83	0.43
1:A:328:ALA:HB2	1:A:437:MET:HE3	2.01	0.43
1:B:101:ALA:HA	1:B:102:PRO:O	2.18	0.43
1:B:231:TRP:CE2	4:B:1001:40V:H21	2.54	0.43
1:B:104:PRO:CG	1:B:107:ALA:HB2	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:VAL:HB	1:B:192:VAL:HG22	2.00	0.43
1:A:218:THR:HG22	1:A:219:ARG:HG3	2.01	0.43
1:B:320:GLY:HA3	1:B:419:TYR:CE2	2.53	0.43
1:B:195:PHE:CB	1:B:221:ILE:HB	2.49	0.43
1:A:301:ASP:OD1	1:A:302:MET:N	2.51	0.42
1:B:106:ASN:HD22	1:B:106:ASN:HA	1.59	0.42
1:B:495:SER:O	1:B:498:GLN:NE2	2.40	0.42
4:B:1001:40V:H23	4:B:1001:40V:H5	1.61	0.42
1:A:82:TRP:CD2	4:A:1001:40V:H13	2.55	0.42
1:A:231:TRP:CE2	4:A:1001:40V:H21	2.55	0.42
1:B:398:PHE:C	1:B:401:PRO:HD2	2.44	0.42
1:B:103:LYS:HG3	1:B:104:PRO:CD	2.49	0.42
1:B:161:GLU:OE1	1:B:265:ARG:NH1	2.32	0.41
1:B:286:LEU:HD12	1:B:357:PHE:CE1	2.55	0.41
1:B:499:LYS:HG2	1:B:512:THR:HG22	2.02	0.41
1:A:43:PHE:HA	1:A:166:MET:HE3	2.03	0.41
1:B:425:SER:HB3	1:B:428:LEU:HB2	2.02	0.41
1:B:109:VAL:HG21	1:B:182:ILE:HG12	2.03	0.41
1:B:99:ILE:HD11	1:B:185:PHE:HD2	1.85	0.41
1:B:365:GLY:CA	1:B:529:VAL:HG21	2.51	0.41
1:A:41:LEU:HA	1:A:41:LEU:HD23	1.80	0.41
1:A:195:PHE:CB	1:A:221:ILE:HB	2.51	0.41
1:B:221:ILE:HG23	1:B:318:LEU:HB3	2.03	0.41
1:B:365:GLY:HA3	1:B:529:VAL:HG21	2.03	0.41
1:B:344:ILE:HD13	1:B:382:PRO:HG2	2.03	0.41
1:A:99:ILE:HD11	1:A:185:PHE:CD2	2.56	0.40
4:A:1001:40V:H7	4:A:1001:40V:C07	2.51	0.40
1:B:302:MET:HA	1:B:303:PRO:HD3	1.90	0.40
1:B:339:LYS:HA	1:B:431:PRO:HG3	2.02	0.40
1:B:205:SER:HB3	1:B:222:LEU:HD21	2.02	0.40
1:B:70:ASP:OD2	1:B:79:SER:HB2	2.21	0.40
1:A:381:ARG:HB3	1:A:384:ASN:HD21	1.86	0.40
1:A:319:VAL:O	1:A:418:PHE:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	528/544 (97%)	503 (95%)	24 (4%)	1 (0%)	43	68
1	B	522/544 (96%)	496 (95%)	23 (4%)	3 (1%)	21	44
All	All	1050/1088 (96%)	999 (95%)	47 (4%)	4 (0%)	30	54

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	381	ARG
1	B	506	GLU
1	A	282	TYR
1	B	104	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	450/467 (96%)	445 (99%)	5 (1%)	65	85
1	B	445/467 (95%)	439 (99%)	6 (1%)	61	83
All	All	895/934 (96%)	884 (99%)	11 (1%)	63	84

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	248	LYS
1	A	274	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	LEU
1	A	341	ASN
1	A	496	THR
1	B	47	GLN
1	B	105	LYS
1	B	106	ASN
1	B	238	GLU
1	B	381	ARG
1	B	466	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	ASN
1	A	126	HIS
1	A	270	GLN
1	A	372	HIS
1	A	384	ASN
1	A	498	GLN
1	B	35	GLN
1	B	119	GLN
1	B	188	ASN
1	B	241	ASN
1	B	342	ASN
1	B	372	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2	14,14,15	0.40	0	17,19,21	0.63	0
2	NAG	C	2	2	14,14,15	0.41	0	17,19,21	1.45	2 (11%)
2	FUL	C	3	2	10,10,11	0.29	0	14,14,16	0.58	0
3	NAG	D	1	1,3	14,14,15	0.25	0	17,19,21	0.45	0
3	NAG	D	2	3	14,14,15	0.21	0	17,19,21	0.54	0
3	NAG	E	1	1,3	14,14,15	0.59	0	17,19,21	0.60	0
3	NAG	E	2	3	14,14,15	0.28	0	17,19,21	0.46	0
3	NAG	F	1	1,3	14,14,15	0.39	0	17,19,21	0.73	1 (5%)
3	NAG	F	2	3	14,14,15	0.51	0	17,19,21	0.47	0
3	NAG	G	1	1,3	14,14,15	0.49	0	17,19,21	0.49	0
3	NAG	G	2	3	14,14,15	0.26	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	3/6/23/26	0/1/1/1
2	FUL	C	3	2	1/1/4/5	-	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	NAG	E	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	4/6/23/26	0/1/1/1
3	NAG	G	1	1,3	1/1/5/7	1/6/23/26	0/1/1/1
3	NAG	G	2	3	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	O5-C1-C2	-4.16	104.85	111.29
2	C	2	NAG	C4-C3-C2	2.88	115.24	111.02
3	F	1	NAG	C1-O5-C5	2.30	115.27	112.19

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	3	FUL	C1
3	G	1	NAG	C1

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
3	E	2	NAG	O5-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	D	1	NAG	C8-C7-N2-C2
3	D	1	NAG	O7-C7-N2-C2
3	F	2	NAG	C8-C7-N2-C2
3	F	2	NAG	O7-C7-N2-C2
3	G	2	NAG	C8-C7-N2-C2
3	G	2	NAG	O7-C7-N2-C2
3	F	2	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6


There are no ring outliers.


4 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	1	NAG	2	0
3	E	1	NAG	5	0
2	C	1	NAG	7	0
2	C	2	NAG	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 4 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	FUC	A	1005	-	10,10,11	0.50	0	14,14,16	1.15	2 (14%)
6	FUL	A	1003	-	10,10,11	0.30	0	14,14,16	0.59	0
5	NAG	B	1003	1	14,14,15	0.29	0	17,19,21	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	B	1004	-	14,14,15	0.37	0	17,19,21	0.70	0
5	NAG	B	1002	1	14,14,15	0.29	0	17,19,21	0.56	0
9	EDO	B	1013	-	3,3,3	0.53	0	2,2,2	0.41	0
9	EDO	A	1011	-	3,3,3	0.49	0	2,2,2	0.35	0
4	40V	B	1001	-	41,41,41	6.02	28 (68%)	49,58,58	1.82	10 (20%)
5	NAG	B	1005	-	14,14,15	0.38	0	17,19,21	0.72	0
5	NAG	A	1002	1	14,14,15	0.29	0	17,19,21	0.57	0
5	NAG	B	1007	1	14,14,15	0.29	0	17,19,21	0.55	0
9	EDO	A	1010	-	3,3,3	0.48	0	2,2,2	0.36	0
4	40V	A	1001	-	41,41,41	6.00	28 (68%)	49,58,58	1.86	11 (22%)
5	NAG	B	1010	1	14,14,15	0.29	0	17,19,21	0.56	0
5	NAG	B	1008	1	14,14,15	0.37	0	17,19,21	0.70	0
5	NAG	B	1009	1	14,14,15	0.28	0	17,19,21	0.56	0
6	FUL	A	1006	-	10,10,11	0.30	0	14,14,16	0.58	0
9	EDO	B	1012	-	3,3,3	0.44	0	2,2,2	0.40	0
5	NAG	A	1004	1	14,14,15	0.36	0	17,19,21	0.73	0
6	FUL	B	1006	-	10,10,11	0.28	0	14,14,16	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	FUC	A	1005	-	-	-	0/1/1/1
6	FUL	A	1003	-	-	-	0/1/1/1
5	NAG	B	1003	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1004	-	-	2/6/23/26	0/1/1/1
5	NAG	B	1002	1	-	4/6/23/26	0/1/1/1
9	EDO	B	1013	-	-	1/1/1/1	-
9	EDO	A	1011	-	-	1/1/1/1	-
4	40V	B	1001	-	-	5/22/42/42	0/5/5/5
5	NAG	B	1005	-	-	2/6/23/26	0/1/1/1
5	NAG	A	1002	1	1/1/5/7	4/6/23/26	0/1/1/1
5	NAG	B	1007	1	-	2/6/23/26	0/1/1/1
9	EDO	A	1010	-	-	1/1/1/1	-
4	40V	A	1001	-	-	0/22/42/42	0/5/5/5
5	NAG	B	1010	1	-	3/6/23/26	0/1/1/1
5	NAG	B	1008	1	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	B	1009	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	FUL	A	1006	-	-	-	0/1/1/1
9	EDO	B	1012	-	-	0/1/1/1	-
5	NAG	A	1004	1	1/1/5/7	1/6/23/26	0/1/1/1
6	FUL	B	1006	-	-	-	0/1/1/1

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1001	40V	C07-C14	16.01	1.52	1.38
4	B	1001	40V	C07-C14	16.00	1.52	1.38
4	B	1001	40V	C10-C15	13.59	1.59	1.39
4	A	1001	40V	C10-C15	12.86	1.58	1.39
4	A	1001	40V	C13-N29	11.15	1.51	1.37
4	A	1001	40V	C24-N30	-10.14	1.22	1.48
4	B	1001	40V	C24-N30	-10.12	1.22	1.48
4	B	1001	40V	C13-N29	10.09	1.50	1.37
4	A	1001	40V	C05-C11	9.69	1.55	1.39
4	B	1001	40V	C05-C11	9.59	1.55	1.39
4	B	1001	40V	C02-C06	9.53	1.55	1.38
4	A	1001	40V	C02-C06	9.38	1.54	1.38
4	A	1001	40V	C01-C05	8.57	1.53	1.38
4	B	1001	40V	C01-C05	8.47	1.53	1.38
4	A	1001	40V	C06-C12	8.32	1.53	1.39
4	B	1001	40V	C06-C12	8.24	1.53	1.39
4	B	1001	40V	C07-C10	7.40	1.51	1.39
4	B	1001	40V	C12-C11	7.40	1.52	1.39
4	B	1001	40V	C08-N29	7.30	1.46	1.32
4	A	1001	40V	C02-C01	7.26	1.54	1.38
4	B	1001	40V	C02-C01	7.22	1.54	1.38
4	A	1001	40V	C12-C11	7.19	1.52	1.39
4	A	1001	40V	C07-C10	7.19	1.51	1.39
4	A	1001	40V	C08-N29	7.08	1.46	1.32
4	B	1001	40V	C03-C04	7.01	1.51	1.36
4	A	1001	40V	C03-C04	6.85	1.51	1.36
4	B	1001	40V	C16-N31	6.66	1.48	1.34
4	A	1001	40V	C16-N31	6.50	1.48	1.34
4	B	1001	40V	C14-C09	5.63	1.61	1.43
4	A	1001	40V	C14-C09	5.56	1.61	1.43
4	A	1001	40V	C03-C08	5.39	1.52	1.37
4	B	1001	40V	C03-C08	5.38	1.52	1.37
4	B	1001	40V	C15-C13	5.38	1.51	1.42
4	A	1001	40V	C15-C13	5.37	1.51	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1001	40V	C10-C16	5.07	1.58	1.50
4	A	1001	40V	C10-C16	4.89	1.57	1.50
4	A	1001	40V	C19-C20	-4.38	1.42	1.53
4	B	1001	40V	C19-C20	-3.98	1.43	1.53
4	A	1001	40V	C09-C13	3.54	1.51	1.42
4	B	1001	40V	C09-C13	3.32	1.50	1.42
4	B	1001	40V	C17-C24	3.25	1.59	1.54
4	A	1001	40V	C17-C24	3.18	1.59	1.54
4	B	1001	40V	C04-C09	3.06	1.48	1.42
4	A	1001	40V	C20-C23	-3.03	1.43	1.52
4	B	1001	40V	C20-C23	-2.96	1.43	1.52
4	B	1001	40V	C18-C24	2.83	1.58	1.54
4	B	1001	40V	C21-N30	-2.78	1.42	1.47
4	A	1001	40V	C04-C09	2.72	1.47	1.42
4	B	1001	40V	C22-N30	-2.58	1.43	1.47
4	A	1001	40V	C18-C24	2.50	1.58	1.54
4	A	1001	40V	O36-C15	2.34	1.43	1.35
4	A	1001	40V	C26-N31	-2.25	1.42	1.47
4	B	1001	40V	O36-C15	2.25	1.42	1.35
4	A	1001	40V	C22-N30	-2.21	1.43	1.47
4	A	1001	40V	C21-N30	-2.12	1.43	1.47
4	B	1001	40V	C26-N31	-2.10	1.43	1.47

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1001	40V	C27-N31-C26	6.19	123.14	116.14
4	B	1001	40V	C27-N31-C26	5.88	122.79	116.14
4	A	1001	40V	C14-C09-C13	5.32	120.18	116.73
4	B	1001	40V	C14-C09-C13	4.58	119.70	116.73
4	B	1001	40V	C21-N30-C22	4.38	112.48	108.17
4	A	1001	40V	C03-C08-N29	-3.37	119.01	123.97
4	A	1001	40V	C17-C11-C12	-3.34	108.26	110.50
4	B	1001	40V	C17-C11-C12	-3.09	108.42	110.50
4	A	1001	40V	C21-N30-C22	3.08	111.20	108.17
4	A	1001	40V	C28-C27-N31	-3.04	106.96	113.41
4	B	1001	40V	C28-C27-N31	-3.04	106.97	113.41
4	A	1001	40V	C07-C14-C09	-3.02	118.78	122.74
4	B	1001	40V	C20-C23-C22	2.96	112.10	108.59
4	B	1001	40V	C03-C08-N29	-2.87	119.75	123.97
7	A	1005	FUC	C1-C2-C3	2.79	113.71	109.64
4	B	1001	40V	C19-C21-N30	-2.72	106.97	111.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1001	40V	C18-C12-C11	-2.69	108.70	110.50
4	B	1001	40V	C18-C12-C11	-2.61	108.75	110.50
4	A	1001	40V	C20-C23-C22	2.60	111.67	108.59
4	B	1001	40V	C07-C14-C09	-2.50	119.47	122.74
7	A	1005	FUC	C3-C4-C5	2.28	113.28	109.81
4	A	1001	40V	C07-C10-C15	2.17	120.77	119.05
4	A	1001	40V	C21-N30-C24	-2.13	107.36	112.79

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	1002	NAG	C1
5	A	1004	NAG	C1
5	B	1008	NAG	C1

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1001	40V	C18-C24-N30-C21
5	A	1002	NAG	C8-C7-N2-C2
5	A	1002	NAG	O7-C7-N2-C2
5	B	1002	NAG	C1-C2-N2-C7
5	B	1004	NAG	C1-C2-N2-C7
5	B	1005	NAG	C8-C7-N2-C2
5	B	1005	NAG	O7-C7-N2-C2
5	B	1002	NAG	C8-C7-N2-C2
5	B	1002	NAG	O7-C7-N2-C2
5	B	1007	NAG	O5-C5-C6-O6
5	B	1007	NAG	C4-C5-C6-O6
9	B	1013	EDO	O1-C1-C2-O2
5	B	1010	NAG	O5-C5-C6-O6
4	B	1001	40V	C27-C28-O37-C25
4	B	1001	40V	C17-C24-N30-C21
5	A	1002	NAG	C4-C5-C6-O6
5	B	1003	NAG	C1-C2-N2-C7
5	B	1002	NAG	C3-C2-N2-C7
5	B	1003	NAG	C3-C2-N2-C7
5	B	1010	NAG	C3-C2-N2-C7
4	B	1001	40V	C20-C23-C26-N31
4	B	1001	40V	C22-C23-C26-N31
5	A	1004	NAG	C1-C2-N2-C7
5	B	1010	NAG	C1-C2-N2-C7

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
9	A	1011	EDO	O1-C1-C2-O2
5	B	1004	NAG	C3-C2-N2-C7
5	A	1002	NAG	O5-C5-C6-O6
9	A	1010	EDO	O1-C1-C2-O2

There are no ring outliers.

8 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	1005	FUC	3	0
6	A	1003	FUL	5	0
5	B	1004	NAG	1	0
4	B	1001	40V	5	0
5	B	1005	NAG	4	0
4	A	1001	40V	4	0
6	A	1006	FUL	2	0
5	A	1004	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	528/544 (97%)	-0.19	0	100 100	31, 65, 94, 116	2 (0%)
1	B	525/544 (96%)	0.07	8 (1%)	72 70	42, 73, 102, 125	1 (0%)
All	All	1053/1088 (96%)	-0.06	8 (0%)	82 81	31, 70, 99, 125	3 (0%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	364[A]	PHE	5.2
1	B	486	ASN	3.5
1	B	490	TRP	2.9
1	B	530	LEU	2.7
1	B	28	PHE	2.5
1	B	307	LEU	2.5
1	B	483	THR	2.3
1	B	185	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	E	2	14/15	0.34	0.15	136,147,154,158	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	C	2	14/15	0.36	0.12	126,140,147,147	0
3	NAG	G	2	14/15	0.42	0.15	138,144,150,152	0
3	NAG	G	1	14/15	0.64	0.13	109,124,136,145	0
3	NAG	E	1	14/15	0.65	0.13	118,122,136,147	0
2	FUL	C	3	10/11	0.65	0.11	99,115,118,121	0
2	NAG	C	1	14/15	0.71	0.13	101,112,135,135	0
3	NAG	F	2	14/15	0.72	0.16	78,92,103,104	0
3	NAG	D	2	14/15	0.81	0.09	93,110,116,118	0
3	NAG	D	1	14/15	0.82	0.11	77,88,99,101	0
3	NAG	F	1	14/15	0.85	0.12	78,86,90,94	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NAG	B	1003	14/15	0.39	0.16	98,112,118,129	0
5	NAG	B	1002	14/15	0.41	0.14	118,129,138,142	0
5	NAG	B	1009	14/15	0.47	0.15	109,117,122,123	0
7	FUC	A	1005	10/11	0.50	0.14	122,128,135,136	0
5	NAG	B	1007	14/15	0.57	0.13	112,128,131,136	0
5	NAG	A	1002	14/15	0.58	0.12	90,103,112,113	0
9	EDO	A	1010	4/4	0.62	0.16	84,85,89,91	0
6	FUL	B	1006	10/11	0.68	0.16	96,106,112,116	0
5	NAG	B	1010	14/15	0.69	0.13	108,121,128,128	0
5	NAG	B	1004	14/15	0.71	0.11	107,113,118,121	0
5	NAG	B	1005	14/15	0.72	0.11	105,112,122,124	0
6	FUL	A	1006	10/11	0.76	0.13	91,104,116,119	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	FUL	A	1003	10/11	0.76	0.12	91,111,114,114	0
9	EDO	A	1011	4/4	0.78	0.19	59,70,77,79	0
5	NAG	A	1004	14/15	0.80	0.12	97,104,115,116	0
8	CL	A	1007	1/1	0.80	0.14	99,99,99,99	0
5	NAG	B	1008	14/15	0.81	0.09	89,97,103,108	0
8	CL	A	1009	1/1	0.84	0.09	102,102,102,102	0
9	EDO	B	1012	4/4	0.88	0.12	62,71,79,81	0
8	CL	B	1011	1/1	0.90	0.10	76,76,76,76	0
9	EDO	B	1013	4/4	0.91	0.12	51,56,66,66	0
4	40V	B	1001	37/37	0.93	0.11	53,64,74,83	0
4	40V	A	1001	37/37	0.94	0.12	51,64,79,86	0
8	CL	A	1008	1/1	0.94	0.10	80,80,80,80	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 40V A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.