



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:59 AM UTC

PDB ID : 6XIN / pdb_00006xin
Title : The crystal structure of tryptophan synthase from *Salmonella enterica* serovar typhimurium in complex with (2S)-3-Amino-3-imino-2-phenyldiazenylpropan amide at the enzyme alpha-site.
Authors : Hilario, E.; Chang, C.; Mueller, L.J.; Dunn, M.F.; Fan, L.
Deposited on : 2020-06-20
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	268	4% 85% 11% .
2	B	397	3% 87% 12% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	317	-	-	X	-
5	EDO	B	430	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 5926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tryptophan synthase alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	6	0
			1991	1268	338	377	8			

- Molecule 2 is a protein called Tryptophan synthase beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	396	Total	C	N	O	S	0	10	0
			3076	1929	540	586	21			

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	6	Total	Cl	0	1
			7	7		
3	B	8	Total	Cl	0	1
			9	9		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 9 is (2R,3Z)-3-amino-3-imino-2-[(E)-phenyldiazenyl]propanamide (CCD ID: V41) (formula: $C_9H_{11}N_5O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total	C	N	O	0	0
			15	9	5	1		

- Molecule 10 is CESIUM ION (CCD ID: CS) (formula: Cs).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	2	Total 3	Cs 3	0	1


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	235	Total 239	O 239	0	4
11	B	382	Total 394	O 394	0	12


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tryptophan synthase alpha chain



- Molecule 2: Tryptophan synthase beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.30Å 59.48Å 67.17Å 90.00° 94.82° 90.00°	Depositor
Resolution (Å)	22.98 – 1.75 22.98 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.1 (22.98-1.75) 99.7 (22.98-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.165 , 0.204 0.175 , 0.212	Depositor DCC
R_{free} test set	3637 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	19.9	Xtriage
Anisotropy	0.192	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 69.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5926	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, CL, CS, PLP, PGE, EDO, DMS, V41

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	0/2031	1.34	6/2759 (0.2%)
2	B	1.16	6/3135 (0.2%)	1.28	4/4230 (0.1%)
All	All	1.15	6/5166 (0.1%)	1.31	10/6989 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	71	THR	C-O	7.73	1.33	1.24
2	B	195	HIS	CE1-NE2	7.32	1.39	1.32
2	B	288	GLN	C-O	5.94	1.31	1.23
2	B	56	PRO	C-O	5.89	1.35	1.23
2	B	129	LYS	C-O	-5.33	1.17	1.24
2	B	54	GLY	C-O	5.05	1.30	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	306	PHE	CB-CA-C	8.10	122.17	110.02
2	B	306	PHE	CA-CB-CG	6.76	120.56	113.80
2	B	340	CYS	N-CA-C	-5.84	104.92	111.28
2	B	357	HIS	CA-CB-CG	-5.46	108.34	113.80
1	A	19	PHE	CA-CB-CG	-5.37	108.43	113.80
1	A	233[A]	SER	CA-C-N	5.33	127.06	120.34
1	A	233[A]	SER	C-N-CA	5.33	127.06	120.34
1	A	233[B]	SER	CA-C-N	5.33	127.06	120.34
1	A	233[B]	SER	C-N-CA	5.33	127.06	120.34
1	A	140	ARG	CB-CA-C	5.18	119.66	110.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1991	0	1974	31	0
2	B	3076	0	3034	47	0
3	A	7	0	0	2	0
3	B	9	0	0	0	0
4	A	40	0	60	7	0
4	B	56	0	82	7	0
5	A	28	0	42	12	0
5	B	36	0	54	13	0
6	A	10	0	14	3	0
7	A	7	0	10	1	0
8	B	15	0	6	1	0
9	B	15	0	0	0	0
10	B	3	0	0	0	0
11	A	239	0	0	8	0
11	B	394	0	0	13	0
All	All	5926	0	5276	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:PHE:CE2	5:A:317:EDO:H22	1.81	1.14
2:B:110:THR:HG23	2:B:134:MET:HE3	1.58	0.86
2:B:222:ARG:NH2	11:B:504:HOH:O	2.11	0.83
1:A:107:PHE:CE2	5:A:317:EDO:C2	2.61	0.82
5:B:424:EDO:H22	11:B:764:HOH:O	1.80	0.81
5:B:430:EDO:O2	11:B:501:HOH:O	2.03	0.77
1:A:107:PHE:HE2	5:A:317:EDO:H22	1.49	0.76
1:A:173:TYR:OH	11:A:401:HOH:O	1.99	0.73
3:A:302:CL:CL	5:A:321:EDO:O1	2.45	0.72
2:B:62[B]:CYS:HB3	2:B:65:ILE:HG22	1.71	0.71
2:B:61:LYS:H	4:B:420:DMS:H21	1.56	0.71
5:B:432:EDO:O1	11:B:502:HOH:O	2.07	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:422:DMS:H13	11:B:731:HOH:O	1.90	0.71
1:A:49[A]:GLU:OE1	3:A:306[A]:CL:CL	2.47	0.69
1:A:156:PRO:O	11:A:402:HOH:O	2.08	0.69
7:A:325:PEG:H12	11:A:577:HOH:O	1.92	0.69
2:B:31:ALA:HB2	5:B:424:EDO:H12	1.74	0.69
1:A:2:GLU:OE2	11:A:403:HOH:O	2.10	0.68
1:A:171:ARG:HA	5:A:321:EDO:H21	1.80	0.64
4:B:421:DMS:H21	11:B:815:HOH:O	1.98	0.64
2:B:19:GLN:HE21	5:B:430:EDO:C2	2.11	0.63
2:B:260:HIS:HD2	2:B:266[A]:GLU:OE1	1.82	0.62
1:A:1:MET:O	1:A:5[B]:GLU:OE1	2.18	0.61
1:A:64:ILE:HD11	1:A:234:GLY:O	2.03	0.59
4:A:309:DMS:H12	11:A:407:HOH:O	2.01	0.58
2:B:19:GLN:HG3	5:B:430:EDO:H22	1.86	0.58
4:A:309:DMS:H23	11:A:407:HOH:O	2.04	0.56
1:A:265:ALA:HA	6:A:324:PGE:H5	1.87	0.56
2:B:87:LYS:HD2	2:B:114:GLN:HG3	1.88	0.56
2:B:199:THR:OG1	4:B:418:DMS:H21	2.06	0.54
1:A:107:PHE:CD2	5:A:317:EDO:H22	2.41	0.54
2:B:31:ALA:HB2	5:B:424:EDO:C1	2.38	0.54
2:B:172:GLU:OE2	2:B:175:ARG:NH2	2.41	0.53
1:A:155:PRO:HB2	1:A:156:PRO:HD2	1.91	0.53
1:A:94:THR:HG22	5:A:319:EDO:H12	1.89	0.52
1:A:267:ARG:O	6:A:324:PGE:H4	2.10	0.52
1:A:107:PHE:CD2	5:A:317:EDO:C2	2.92	0.52
2:B:19:GLN:HE21	5:B:430:EDO:H22	1.74	0.51
2:B:360[B]:LYS:HG3	11:B:638:HOH:O	2.09	0.51
2:B:111:GLY:H	5:B:431:EDO:HO1	1.55	0.51
1:A:265:ALA:O	6:A:324:PGE:H32	2.10	0.50
2:B:111:GLY:N	5:B:431:EDO:O1	2.29	0.49
1:A:22:PHE:HA	1:A:49[B]:GLU:O	2.13	0.49
2:B:265:GLY:HA2	4:B:414:DMS:H11	1.94	0.49
2:B:19:GLN:HG3	5:B:430:EDO:C2	2.43	0.49
2:B:103:LYS:NZ	2:B:181:TYR:O	2.43	0.48
1:A:30:ILE:CG2	4:A:315:DMS:H22	2.43	0.48
1:A:107:PHE:CE1	4:A:310:DMS:H11	2.49	0.48
2:B:279:TYR:HD1	2:B:286:MET:HE1	1.79	0.47
2:B:379[A]:ARG:HD2	2:B:381:ASP:OD2	2.14	0.47
2:B:61:LYS:N	4:B:420:DMS:H21	2.25	0.47
2:B:22:MET:HB2	5:B:430:EDO:H21	1.97	0.47
1:A:179:ARG:HA	1:A:212:PHE:CG	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:216:ILE:HG21	2:B:224:PRO:HD3	1.96	0.46
2:B:115:HIS:HD2	11:B:665[B]:HOH:O	1.99	0.46
1:A:107:PHE:CE1	4:A:310:DMS:C1	3.00	0.45
11:A:560:HOH:O	2:B:175:ARG:HD3	2.15	0.45
2:B:19:GLN:HE21	5:B:430:EDO:H21	1.81	0.44
2:B:135:GLY:HA2	2:B:159:VAL:CG2	2.47	0.44
5:A:323:EDO:H22	11:A:432:HOH:O	2.17	0.44
2:B:61:LYS:H	4:B:420:DMS:C2	2.29	0.43
1:A:249:LYS:HG3	1:A:250:GLN:N	2.32	0.43
2:B:260:HIS:CD2	2:B:266[A]:GLU:OE1	2.66	0.43
2:B:286:MET:HE2	2:B:286:MET:HB3	1.73	0.43
2:B:300:ILE:HD11	2:B:390:ILE:CD1	2.48	0.43
1:A:243:LYS:NZ	1:A:254:GLU:OE1	2.50	0.43
2:B:87:LYS:NZ	8:B:401:PLP:O3	2.52	0.43
2:B:114:GLN:CD	11:B:604:HOH:O	2.61	0.43
2:B:30[B]:GLU:OE2	11:B:505:HOH:O	2.21	0.43
1:A:30:ILE:HG21	4:A:315:DMS:H22	2.01	0.42
1:A:107:PHE:CD2	5:A:317:EDO:H21	2.54	0.42
2:B:86:HIS:CE1	2:B:236:ASN:HB3	2.55	0.42
2:B:279:TYR:HD1	2:B:286:MET:CE	2.32	0.42
1:A:117:ARG:HG2	4:A:307:DMS:H21	2.02	0.42
2:B:342[B]:HIS:HD2	11:B:678:HOH:O	2.01	0.42
2:B:394:ARG:O	2:B:397:ILE:HD13	2.20	0.41
2:B:108:ALA:HB2	2:B:187[B]:MET:HB3	2.01	0.41
1:A:107:PHE:O	5:A:317:EDO:H21	2.21	0.41
2:B:129:LYS:HD3	2:B:129:LYS:C	2.45	0.41
2:B:115:HIS:CE1	2:B:187[A]:MET:O	2.74	0.41
1:A:69:LEU:HD23	1:A:69:LEU:HA	1.84	0.41
1:A:206:ALA:HA	5:A:321:EDO:H12	2.02	0.41
2:B:115:HIS:CD2	11:B:665[B]:HOH:O	2.73	0.41
2:B:129:LYS:CD	11:B:540:HOH:O	2.68	0.41
2:B:134:MET:O	2:B:159:VAL:HG22	2.21	0.41
2:B:110:THR:HG23	2:B:134:MET:CE	2.41	0.40
2:B:134:MET:C	2:B:159:VAL:HG22	2.46	0.40
1:A:2:GLU:CD	1:A:2:GLU:H	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/268 (97%)	258 (99%)	2 (1%)	0	100	100
2	B	404/397 (102%)	396 (98%)	8 (2%)	0	100	100
All	All	664/665 (100%)	654 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/208 (99%)	205 (100%)	1 (0%)	81	75
2	B	319/311 (103%)	318 (100%)	1 (0%)	86	83
All	All	525/519 (101%)	523 (100%)	2 (0%)	84	80

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	GLU
2	B	279	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	66	ASN
2	B	19	GLN
2	B	82	HIS
2	B	114	GLN
2	B	115	HIS
2	B	160	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 63 ligands modelled in this entry, 19 are monoatomic - leaving 44 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	B	428	-	3,3,3	0.12	0	2,2,2	0.08	0
5	EDO	B	431	-	3,3,3	0.20	0	2,2,2	0.07	0
6	PGE	A	324	-	9,9,9	0.66	0	8,8,8	0.38	0
5	EDO	A	320	-	3,3,3	0.12	0	2,2,2	0.22	0
8	PLP	B	401	2	15,15,16	0.82	1 (6%)	21,22,23	1.30	3 (14%)
5	EDO	B	429	-	3,3,3	0.18	0	2,2,2	0.37	0
5	EDO	B	432	-	3,3,3	0.12	0	2,2,2	0.18	0
4	DMS	A	314	-	3,3,3	0.36	0	3,3,3	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	B	427	-	3,3,3	0.20	0	2,2,2	0.29	0
4	DMS	B	421	-	3,3,3	0.29	0	3,3,3	0.14	0
4	DMS	B	417	-	3,3,3	0.19	0	3,3,3	0.17	0
4	DMS	B	422	-	3,3,3	0.22	0	3,3,3	0.28	0
5	EDO	A	321	-	3,3,3	0.06	0	2,2,2	0.29	0
4	DMS	B	423	-	3,3,3	0.18	0	3,3,3	0.18	0
4	DMS	B	415	-	3,3,3	0.22	0	3,3,3	0.11	0
5	EDO	A	317	-	3,3,3	0.13	0	2,2,2	0.38	0
5	EDO	B	425	-	3,3,3	0.34	0	2,2,2	0.16	0
5	EDO	A	323	-	3,3,3	0.16	0	2,2,2	0.43	0
4	DMS	B	416	-	3,3,3	0.22	0	3,3,3	0.17	0
4	DMS	A	312	-	3,3,3	0.22	0	3,3,3	0.11	0
4	DMS	B	419	-	3,3,3	0.26	0	3,3,3	0.10	0
4	DMS	B	412	-	3,3,3	0.51	0	3,3,3	0.64	0
5	EDO	B	426	-	3,3,3	0.11	0	2,2,2	0.19	0
4	DMS	B	420	-	3,3,3	0.17	0	3,3,3	0.28	0
9	V41	B	433	-	14,15,15	1.71	2 (14%)	13,19,19	2.60	3 (23%)
4	DMS	A	313	-	3,3,3	0.20	0	3,3,3	0.19	0
4	DMS	A	315	-	3,3,3	0.24	0	3,3,3	0.27	0
4	DMS	A	309	-	3,3,3	0.20	0	3,3,3	0.22	0
4	DMS	B	413	-	3,3,3	0.22	0	3,3,3	0.21	0
5	EDO	A	318	-	3,3,3	0.21	0	2,2,2	0.15	0
4	DMS	A	307	-	3,3,3	0.22	0	3,3,3	0.12	0
4	DMS	B	411	-	3,3,3	0.19	0	3,3,3	0.34	0
4	DMS	B	410	-	3,3,3	0.19	0	3,3,3	0.11	0
5	EDO	A	322	-	3,3,3	0.04	0	2,2,2	0.16	0
5	EDO	B	424	-	3,3,3	0.15	0	2,2,2	0.25	0
4	DMS	B	418	-	3,3,3	0.55	0	3,3,3	0.46	0
7	PEG	A	325	-	6,6,6	0.11	0	5,5,5	0.10	0
4	DMS	A	310	-	3,3,3	0.25	0	3,3,3	0.13	0
4	DMS	A	311	-	3,3,3	0.23	0	3,3,3	0.13	0
5	EDO	B	430	-	3,3,3	0.16	0	2,2,2	0.46	0
4	DMS	B	414	-	3,3,3	0.29	0	3,3,3	0.11	0
4	DMS	A	308	-	3,3,3	0.20	0	3,3,3	0.11	0
5	EDO	A	319	-	3,3,3	0.17	0	2,2,2	0.34	0
4	DMS	A	316	-	3,3,3	0.20	0	3,3,3	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	B	428	-	-	0/1/1/1	-
5	EDO	B	431	-	-	1/1/1/1	-
6	PGE	A	324	-	-	3/7/7/7	-
5	EDO	A	320	-	-	0/1/1/1	-
8	PLP	B	401	2	-	0/6/6/8	0/1/1/1
5	EDO	B	429	-	-	0/1/1/1	-
5	EDO	B	432	-	-	0/1/1/1	-
5	EDO	B	427	-	-	1/1/1/1	-
5	EDO	A	321	-	-	0/1/1/1	-
5	EDO	A	317	-	-	1/1/1/1	-
5	EDO	B	425	-	-	1/1/1/1	-
5	EDO	A	323	-	-	1/1/1/1	-
5	EDO	B	426	-	-	1/1/1/1	-
9	V41	B	433	-	-	4/8/13/13	0/1/1/1
5	EDO	A	318	-	-	1/1/1/1	-
5	EDO	A	322	-	-	1/1/1/1	-
5	EDO	B	424	-	-	1/1/1/1	-
7	PEG	A	325	-	-	1/4/4/4	-
5	EDO	B	430	-	-	1/1/1/1	-
5	EDO	A	319	-	-	1/1/1/1	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	433	V41	C15-N19	4.26	1.40	1.33
9	B	433	V41	C16-N17	4.18	1.42	1.32
8	B	401	PLP	C4A-C4	-2.03	1.47	1.51

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	433	V41	C14-C15-N19	7.11	126.60	117.23
9	B	433	V41	C14-C16-N17	5.25	121.52	117.12
8	B	401	PLP	O4P-C5A-C5	2.95	114.88	109.36
8	B	401	PLP	C4A-C4-C5	2.72	123.75	120.94
8	B	401	PLP	O4P-P-O1P	-2.39	99.98	106.44
9	B	433	V41	O20-C16-N17	-2.36	118.88	123.04

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	B	433	V41	N13-C14-C16-N17
9	B	433	V41	N13-C14-C16-O20
9	B	433	V41	C15-C14-C16-N17
6	A	324	PGE	C6-C5-O3-C4
5	B	425	EDO	O1-C1-C2-O2
5	A	318	EDO	O1-C1-C2-O2
6	A	324	PGE	O2-C3-C4-O3
5	A	323	EDO	O1-C1-C2-O2
5	A	317	EDO	O1-C1-C2-O2
5	B	426	EDO	O1-C1-C2-O2
6	A	324	PGE	O1-C1-C2-O2
7	A	325	PEG	O2-C3-C4-O4
5	A	322	EDO	O1-C1-C2-O2
5	B	424	EDO	O1-C1-C2-O2
5	A	319	EDO	O1-C1-C2-O2
5	B	427	EDO	O1-C1-C2-O2
5	B	430	EDO	O1-C1-C2-O2
9	B	433	V41	C15-C14-C16-O20
5	B	431	EDO	O1-C1-C2-O2

There are no ring outliers.

20 monomers are involved in 44 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	431	EDO	2	0
6	A	324	PGE	3	0
8	B	401	PLP	1	0
5	B	432	EDO	1	0
4	B	421	DMS	1	0
4	B	422	DMS	1	0
5	A	321	EDO	3	0
5	A	317	EDO	7	0
5	A	323	EDO	1	0
4	B	420	DMS	3	0
4	A	315	DMS	2	0
4	A	309	DMS	2	0
4	A	307	DMS	1	0
5	B	424	EDO	3	0
4	B	418	DMS	1	0
7	A	325	PEG	1	0
4	A	310	DMS	2	0
5	B	430	EDO	7	0
4	B	414	DMS	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	319	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/268 (96%)	0.08	10 (3%) 43 49	9, 23, 42, 82	11 (4%)
2	B	396/397 (99%)	-0.20	13 (3%) 49 55	6, 18, 46, 86	17 (4%)
All	All	654/665 (98%)	-0.09	23 (3%) 47 53	6, 20, 44, 86	28 (4%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	191	LEU	4.0
2	B	397	ILE	3.6
2	B	306	PHE	3.6
2	B	159	VAL	3.1
1	A	268	ALA	2.9
1	A	234	GLY	2.8
2	B	393	ALA	2.8
1	A	190	ALA	2.7
1	A	179	ARG	2.7
2	B	165	THR	2.7
1	A	192	PRO	2.6
2	B	164	ALA	2.6
1	A	212	PHE	2.3
2	B	161	SER	2.3
1	A	72[A]	PHE	2.2
2	B	112	ALA	2.2
1	A	158	ALA	2.2
2	B	113	GLY	2.2
2	B	391	LEU	2.2
1	A	193	LEU	2.1
2	B	390	ILE	2.1
2	B	392	LYS	2.0
2	B	395	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMS	B	421	4/4	0.60	0.23	50,55,56,57	1
3	CL	B	403	1/1	0.71	0.11	84,84,84,84	0
4	DMS	B	418	4/4	0.73	0.18	24,25,28,28	1
4	DMS	B	419	4/4	0.75	0.17	55,56,58,65	0
4	DMS	A	312	4/4	0.75	0.22	51,51,52,53	4
4	DMS	B	420	4/4	0.76	0.20	34,34,38,39	4
3	CL	B	405	1/1	0.76	0.19	81,81,81,81	0
4	DMS	B	423	4/4	0.76	0.20	29,36,37,39	4
5	EDO	B	427	4/4	0.77	0.17	44,45,45,46	1
5	EDO	A	323	4/4	0.79	0.14	36,36,38,38	4
4	DMS	B	410	4/4	0.79	0.17	47,49,52,54	1
5	EDO	A	320	4/4	0.80	0.17	50,50,51,51	4
4	DMS	B	414	4/4	0.80	0.20	50,50,52,59	0
5	EDO	B	426	4/4	0.80	0.15	37,38,43,46	0
4	DMS	A	308	4/4	0.80	0.18	75,75,78,80	0
3	CL	B	408	1/1	0.83	0.15	63,63,63,63	1
7	PEG	A	325	7/7	0.83	0.15	36,37,39,40	7
5	EDO	A	317	4/4	0.84	0.14	20,26,31,32	1
5	EDO	B	429	4/4	0.84	0.13	39,42,44,45	0
6	PGE	A	324	10/10	0.84	0.13	13,27,30,36	2
3	CL	B	404	1/1	0.84	0.14	65,65,65,65	0
5	EDO	B	431	4/4	0.85	0.12	37,37,39,41	0
4	DMS	A	313	4/4	0.85	0.15	48,49,49,52	4
4	DMS	A	307	4/4	0.85	0.17	53,55,60,63	0
5	EDO	B	424	4/4	0.86	0.15	31,31,31,33	1
4	DMS	A	309	4/4	0.86	0.16	35,45,46,51	0
5	EDO	B	430	4/4	0.86	0.19	28,30,31,36	1

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMS	B	413	4/4	0.87	0.13	35,38,39,41	1
4	DMS	A	316	4/4	0.87	0.17	55,56,56,59	4
5	EDO	B	428	4/4	0.88	0.10	43,45,45,48	0
5	EDO	A	321	4/4	0.88	0.14	37,38,39,47	0
3	CL	B	409[A]	1/1	0.88	0.13	32,32,32,32	1
3	CL	B	409[B]	1/1	0.88	0.13	29,29,29,29	1
5	EDO	A	318	4/4	0.88	0.11	29,29,32,40	0
3	CL	A	303	1/1	0.88	0.15	67,67,67,67	0
9	V41	B	433	15/15	0.88	0.10	31,33,35,36	2
3	CL	A	301	1/1	0.89	0.10	42,42,42,42	0
4	DMS	B	411	4/4	0.89	0.14	25,28,29,29	4
3	CL	A	304	1/1	0.89	0.11	64,64,64,64	0
3	CL	A	305	1/1	0.89	0.18	51,51,51,51	1
5	EDO	A	322	4/4	0.90	0.12	25,29,31,33	4
4	DMS	A	314	4/4	0.90	0.14	30,30,31,33	4
3	CL	B	406	1/1	0.90	0.11	65,65,65,65	0
3	CL	B	407	1/1	0.90	0.11	72,72,72,72	0
4	DMS	A	315	4/4	0.91	0.15	34,36,37,37	4
4	DMS	B	422	4/4	0.91	0.12	26,29,40,40	1
5	EDO	B	425	4/4	0.91	0.12	29,30,31,37	0
5	EDO	A	319	4/4	0.92	0.12	28,31,33,42	0
4	DMS	B	417	4/4	0.92	0.14	61,62,62,64	0
4	DMS	A	311	4/4	0.92	0.14	41,41,42,43	4
4	DMS	B	416	4/4	0.92	0.16	38,39,39,41	4
4	DMS	B	415	4/4	0.93	0.12	44,48,49,50	4
4	DMS	A	310	4/4	0.93	0.14	28,29,29,32	4
5	EDO	B	432	4/4	0.93	0.10	22,27,28,33	4
3	CL	B	402	1/1	0.97	0.12	39,39,39,39	0
4	DMS	B	412	4/4	0.97	0.06	13,14,16,16	2
3	CL	A	306[A]	1/1	0.98	0.04	32,32,32,32	1
8	PLP	B	401	15/16	0.98	0.05	12,14,15,16	0
3	CL	A	306[B]	1/1	0.98	0.04	39,39,39,39	1
3	CL	A	302	1/1	0.99	0.02	20,20,20,20	0
10	CS	B	434[A]	1/1	0.99	0.06	30,30,30,30	1
10	CS	B	434[B]	1/1	0.99	0.06	22,22,22,22	1
10	CS	B	435	1/1	0.99	0.09	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around V41 B 433:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.