



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:02 AM UTC

PDB ID : 4XJ7 / pdb_00004xj7
Title : Crystal Structure of E112A Mutant of Stationary Phase Survival Protein (SurE) from Salmonella typhimurium soaked with AMP
Authors : Mathiharan, Y.K.; Murthy, M.R.N.
Deposited on : 2015-01-08
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	267	87% 11% .
1	B	267	90% 6% .
1	C	267	87% 7% 5%
1	D	267	87% 8% 5%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9370 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'/3'-nucleotidase SurE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	263	Total	C	N	O	S	0	15	0
			2066	1294	369	394	9			
1	B	259	Total	C	N	O	S	0	6	0
			1944	1215	344	377	8			
1	C	254	Total	C	N	O	S	0	9	0
			1948	1217	342	382	7			
1	D	254	Total	C	N	O	S	0	7	0
			1937	1208	342	379	8			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP P66881
A	-12	ARG	-	expression tag	UNP P66881
A	-11	GLY	-	expression tag	UNP P66881
A	-10	SER	-	expression tag	UNP P66881
A	-9	HIS	-	expression tag	UNP P66881
A	-8	HIS	-	expression tag	UNP P66881
A	-7	HIS	-	expression tag	UNP P66881
A	-6	HIS	-	expression tag	UNP P66881
A	-5	HIS	-	expression tag	UNP P66881
A	-4	HIS	-	expression tag	UNP P66881
A	-3	GLY	-	expression tag	UNP P66881
A	-2	MET	-	expression tag	UNP P66881
A	-1	ALA	-	expression tag	UNP P66881
A	0	SER	-	expression tag	UNP P66881
A	112	ALA	GLU	engineered mutation	UNP P66881
B	-13	MET	-	expression tag	UNP P66881
B	-12	ARG	-	expression tag	UNP P66881
B	-11	GLY	-	expression tag	UNP P66881
B	-10	SER	-	expression tag	UNP P66881
B	-9	HIS	-	expression tag	UNP P66881
B	-8	HIS	-	expression tag	UNP P66881

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	HIS	-	expression tag	UNP P66881
B	-6	HIS	-	expression tag	UNP P66881
B	-5	HIS	-	expression tag	UNP P66881
B	-4	HIS	-	expression tag	UNP P66881
B	-3	GLY	-	expression tag	UNP P66881
B	-2	MET	-	expression tag	UNP P66881
B	-1	ALA	-	expression tag	UNP P66881
B	0	SER	-	expression tag	UNP P66881
B	112	ALA	GLU	engineered mutation	UNP P66881
C	-13	MET	-	expression tag	UNP P66881
C	-12	ARG	-	expression tag	UNP P66881
C	-11	GLY	-	expression tag	UNP P66881
C	-10	SER	-	expression tag	UNP P66881
C	-9	HIS	-	expression tag	UNP P66881
C	-8	HIS	-	expression tag	UNP P66881
C	-7	HIS	-	expression tag	UNP P66881
C	-6	HIS	-	expression tag	UNP P66881
C	-5	HIS	-	expression tag	UNP P66881
C	-4	HIS	-	expression tag	UNP P66881
C	-3	GLY	-	expression tag	UNP P66881
C	-2	MET	-	expression tag	UNP P66881
C	-1	ALA	-	expression tag	UNP P66881
C	0	SER	-	expression tag	UNP P66881
C	112	ALA	GLU	engineered mutation	UNP P66881
D	-13	MET	-	expression tag	UNP P66881
D	-12	ARG	-	expression tag	UNP P66881
D	-11	GLY	-	expression tag	UNP P66881
D	-10	SER	-	expression tag	UNP P66881
D	-9	HIS	-	expression tag	UNP P66881
D	-8	HIS	-	expression tag	UNP P66881
D	-7	HIS	-	expression tag	UNP P66881
D	-6	HIS	-	expression tag	UNP P66881
D	-5	HIS	-	expression tag	UNP P66881
D	-4	HIS	-	expression tag	UNP P66881
D	-3	GLY	-	expression tag	UNP P66881
D	-2	MET	-	expression tag	UNP P66881
D	-1	ALA	-	expression tag	UNP P66881
D	0	SER	-	expression tag	UNP P66881
D	112	ALA	GLU	engineered mutation	UNP P66881

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	C	1	Total	O	P	0	0
			5	4	1		
3	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is ADENOSINE (CCD ID: ADN) (formula: C₁₀H₁₃N₅O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			19	10	5	4		
4	D	1	Total	C	N	O	0	0
			19	10	5	4		

- Molecule 5 is ADENINE (CCD ID: ADE) (formula: $C_5H_5N_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	N	0	0
			10	5	5		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	407	Total	O	0	0
			407	407		
7	B	377	Total	O	0	0
			377	377		
7	C	297	Total	O	0	0
			297	297		
7	D	304	Total	O	0	0
			304	304		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'/3'-nucleotidase SurE




- Molecule 1: 5'/3'-nucleotidase SurE



- Molecule 1: 5'/3'-nucleotidase SurE



- Molecule 1: 5'/3'-nucleotidase SurE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	160.62Å 95.78Å 94.75Å 90.00° 100.07° 90.00°	Depositor
Resolution (Å)	24.89 – 1.60 24.89 – 1.60	Depositor EDS
% Data completeness (in resolution range)	99.1 (24.89-1.60) 99.1 (24.89-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.175 , 0.208 0.177 , 0.209	Depositor DCC
R_{free} test set	9164 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9370	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, ADN, PO4, ADE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	0/2140	0.95	0/2924
1	B	0.94	0/1999	1.01	3/2733 (0.1%)
1	C	0.84	0/1998	0.89	3/2734 (0.1%)
1	D	0.83	0/1980	0.90	3/2707 (0.1%)
All	All	0.91	0/8117	0.94	9/11098 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	-4	HIS	N-CA-C	8.70	120.45	110.97
1	B	200	GLY	CA-C-N	8.58	125.92	119.66
1	B	200	GLY	C-N-CA	8.58	125.92	119.66
1	C	37	ASN	N-CA-C	6.66	120.29	110.30
1	D	251	THR	CB-CA-C	-5.88	99.36	109.65
1	D	209	GLY	CA-C-N	5.71	126.97	119.84
1	D	209	GLY	C-N-CA	5.71	126.97	119.84
1	C	108	ALA	N-CA-C	5.50	117.28	111.28
1	C	130	HIS	N-CA-C	5.25	117.11	109.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2066	0	2032	41	0
1	B	1944	0	1914	18	0
1	C	1948	0	1894	19	0
1	D	1937	0	1889	39	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	5	0	0	1	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	1	0
4	A	19	0	13	1	0
4	D	19	0	13	3	0
5	B	10	0	4	3	0
6	B	12	0	16	1	0
6	C	6	0	8	0	0
7	A	407	0	0	19	0
7	B	377	0	0	6	0
7	C	297	0	0	9	0
7	D	304	0	0	11	0
All	All	9370	0	7783	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:38:ARG:HD3	7:C:696:HOH:O	1.45	1.16
1:D:111[B]:MET:HE3	1:D:155:ILE:CD1	1.79	1.12
1:A:115:HIS:HB2	7:A:805:HOH:O	1.47	1.11
1:D:111[B]:MET:HE3	1:D:155:ILE:HD13	1.30	1.06
4:A:303:ADN:H2'	4:A:303:ADN:N3	1.67	1.04
1:D:111[B]:MET:CE	1:D:155:ILE:HD13	1.88	1.03
1:D:48[B]:GLU:HG3	7:D:426:HOH:O	1.60	0.99
1:A:36[A]:ARG:HD2	1:D:64[A]:GLN:HE21	1.25	0.98
1:A:36[A]:ARG:HD2	1:D:64[A]:GLN:NE2	1.83	0.94
1:A:111[B]:MET:HE1	1:B:231:LEU:HD13	1.55	0.87
7:A:685:HOH:O	1:B:112:ALA:HA	1.76	0.84
1:A:211[B]:ASP:HB2	7:A:450:HOH:O	1.77	0.83
1:A:111[A]:MET:HG2	1:A:155[A]:ILE:HD13	1.62	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:GLN:HG3	7:A:713:HOH:O	1.80	0.80
1:D:111[B]:MET:CE	1:D:155:ILE:CD1	2.52	0.77
1:D:64[B]:GLN:HG2	7:D:669:HOH:O	1.84	0.77
1:C:102[A]:ILE:HG23	7:C:507:HOH:O	1.88	0.73
1:D:111[B]:MET:HE3	1:D:155:ILE:HD11	1.72	0.72
1:A:231:LEU:HD12	1:B:101[B]:VAL:HG12	1.73	0.71
1:B:12:HIS:ND1	7:B:632:HOH:O	2.23	0.71
3:D:302:PO4:O3	4:D:303:ADN:H4'	1.91	0.70
1:C:111:MET:HG3	1:C:155:ILE:HD13	1.74	0.70
1:A:111[B]:MET:CE	1:B:231:LEU:HD13	2.22	0.69
1:B:200:GLY:O	5:B:303:ADE:N6	2.25	0.69
1:B:151:ARG:CB	7:B:446:HOH:O	2.42	0.68
1:D:83:ARG:NH1	7:D:592:HOH:O	2.26	0.68
1:A:111[B]:MET:HE1	1:B:231:LEU:CD1	2.23	0.67
1:A:36[A]:ARG:CD	1:D:64[A]:GLN:HE21	2.04	0.67
7:C:426:HOH:O	1:D:102[A]:ILE:HG23	1.95	0.66
1:A:107:VAL:HG12	1:A:111[A]:MET:HE2	1.78	0.65
1:D:40:GLY:HA2	4:D:303:ADN:C5'	2.27	0.64
1:A:36[A]:ARG:NH1	7:A:670:HOH:O	2.27	0.64
1:A:154:ARG:NH1	7:A:728:HOH:O	2.27	0.63
1:D:107:VAL:HG12	1:D:111[A]:MET:HE2	1.81	0.63
1:C:8[A]:ASP:HB3	1:C:68:PRO:HG3	1.83	0.60
1:D:58:ASN:ND2	7:D:596:HOH:O	2.35	0.59
1:C:8[B]:ASP:OD2	1:C:39:SER:HA	2.03	0.59
1:C:181:PRO:HB3	1:D:115:HIS:CD2	2.38	0.58
1:C:8[A]:ASP:CB	1:C:68:PRO:HG3	2.33	0.58
1:C:172:ARG:HG3	7:C:667:HOH:O	2.03	0.58
1:D:40:GLY:HA2	4:D:303:ADN:O5'	2.05	0.57
1:D:111[B]:MET:CE	1:D:229:VAL:CG1	2.84	0.56
1:D:111[B]:MET:HE2	1:D:229:VAL:CG1	2.35	0.56
1:A:147:ARG:NH1	7:A:787:HOH:O	2.38	0.56
1:D:111[B]:MET:HE1	1:D:155:ILE:HD13	1.84	0.55
1:C:130:HIS:ND1	7:C:661:HOH:O	2.32	0.55
1:A:111[A]:MET:HG2	1:A:155[A]:ILE:CD1	2.36	0.53
1:A:147:ARG:NH1	7:A:402:HOH:O	2.23	0.53
1:A:115:HIS:HD2	7:A:788:HOH:O	1.91	0.53
1:C:14:PRO:HD2	7:C:549:HOH:O	2.09	0.53
1:C:14:PRO:CD	7:C:549:HOH:O	2.56	0.52
1:C:111:MET:HG3	1:C:155:ILE:CD1	2.39	0.52
1:A:2:ARG:CZ	1:A:82:PRO:HG2	2.40	0.52
1:D:239:VAL:HG23	7:D:649:HOH:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:64[B]:GLN:NE2	7:D:694:HOH:O	2.43	0.51
1:D:167:GLN:NE2	7:D:535:HOH:O	2.44	0.51
1:A:101[A]:VAL:HG12	1:B:231:LEU:HD12	1.93	0.50
1:A:144:GLY:HA2	7:A:787:HOH:O	2.11	0.50
1:A:171[A]:ILE:HG22	1:B:250:GLY:HA3	1.93	0.50
1:B:247:VAL:HG23	1:B:249:VAL:HG23	1.93	0.50
5:B:303:ADE:H2	7:B:660:HOH:O	1.94	0.50
1:D:36:ARG:HD3	7:D:635:HOH:O	2.11	0.50
1:B:37:ASN:ND2	1:B:39:SER:H	2.09	0.50
1:C:143:ARG:NH2	7:C:589:HOH:O	2.45	0.50
1:A:115:HIS:CB	7:A:805:HOH:O	2.28	0.49
1:A:43:ASN:HD21	1:A:111[A]:MET:HE3	1.76	0.49
1:D:111[B]:MET:HE1	1:D:229:VAL:HG13	1.94	0.49
1:A:102[B]:ILE:HG13	1:A:103:TYR:CD2	2.48	0.48
1:B:-2:MET:HA	1:B:-2:MET:HE2	1.96	0.48
1:D:8:ASP:CB	1:D:68:PRO:HG3	2.43	0.48
1:D:19:LEU:O	1:D:23:LEU:HG	2.14	0.47
1:A:154:ARG:NH2	7:A:581:HOH:O	2.46	0.47
1:A:229:VAL:HG22	7:A:727:HOH:O	2.14	0.47
1:C:45[A]:LEU:HD13	1:C:69:THR:HG22	1.97	0.47
1:C:93:ALA:HB1	1:C:128:TYR:CD1	2.50	0.47
1:C:19:LEU:O	1:C:23:LEU:HG	2.15	0.47
1:D:111[B]:MET:CE	1:D:155:ILE:HD11	2.37	0.47
1:A:28:ASP:OD2	7:A:401:HOH:O	2.21	0.46
1:A:115:HIS:CG	1:B:181:PRO:HG3	2.51	0.46
1:D:8:ASP:HB2	1:D:68:PRO:HG3	1.96	0.46
1:D:111[B]:MET:CE	1:D:229:VAL:HG13	2.46	0.46
1:C:93:ALA:HB1	1:C:128:TYR:HD1	1.80	0.45
1:D:111[B]:MET:CE	1:D:229:VAL:HG12	2.45	0.45
1:D:64[B]:GLN:CD	7:D:694:HOH:O	2.60	0.45
1:B:119:PRO:HG3	1:B:150:LEU:HD23	1.98	0.45
1:C:239:VAL:HG23	7:C:428:HOH:O	2.16	0.45
1:D:64[A]:GLN:HG2	1:D:65:MET:HG2	1.97	0.45
5:B:303:ADE:C2	7:B:660:HOH:O	2.55	0.44
1:D:111[B]:MET:HE2	1:D:111[B]:MET:HB3	1.64	0.44
1:A:45[B]:LEU:HD12	1:A:45[B]:LEU:H	1.82	0.44
1:A:153:GLY:O	7:A:728:HOH:O	2.21	0.43
1:D:253:TRP:C	7:D:403:HOH:O	2.61	0.43
6:B:304:GOL:O2	7:B:777:HOH:O	2.22	0.43
1:D:83:ARG:HD2	7:D:604:HOH:O	2.18	0.42
1:A:171[B]:ILE:HG12	1:A:222:VAL:HB	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:107:VAL:HG12	1:D:111[A]:MET:CE	2.49	0.42
1:A:65:MET:HE3	7:A:571:HOH:O	2.20	0.42
1:A:8:ASP:OD2	3:A:302:PO4:O4	2.38	0.41
1:A:4:LEU:HD23	1:A:4:LEU:C	2.45	0.41
1:C:126:ASN:O	1:C:162:ASP:HB2	2.21	0.41
1:A:24:ARG:NH2	7:A:620:HOH:O	2.21	0.41
7:A:685:HOH:O	1:B:112:ALA:CA	2.53	0.41
1:A:73:TYR:CD2	1:B:199[A]:ILE:HD12	2.55	0.41
1:A:154:ARG:NE	7:A:581:HOH:O	2.53	0.41
1:A:67:THR:HB	1:A:68:PRO:HD2	2.03	0.41
1:D:102[A]:ILE:HD11	1:D:103:TYR:CZ	2.56	0.41
1:D:111[B]:MET:HE1	1:D:229:VAL:CG1	2.50	0.41
1:A:101[A]:VAL:HG13	1:A:107:VAL:HG11	2.02	0.40
1:B:239:VAL:HG23	7:B:685:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	276/267 (103%)	267 (97%)	9 (3%)	0	100	100
1	B	263/267 (98%)	254 (97%)	9 (3%)	0	100	100
1	C	261/267 (98%)	255 (98%)	6 (2%)	0	100	100
1	D	259/267 (97%)	252 (97%)	7 (3%)	0	100	100
All	All	1059/1068 (99%)	1028 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/214 (105%)	225 (100%)	0	100	100
1	B	209/214 (98%)	209 (100%)	0	100	100
1	C	209/214 (98%)	207 (99%)	2 (1%)	68	50
1	D	208/214 (97%)	207 (100%)	1 (0%)	81	70
All	All	851/856 (99%)	848 (100%)	3 (0%)	84	75

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	111	MET
1	C	143	ARG
1	D	251	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-7	HIS
1	A	-6	HIS
1	A	-4	HIS
1	A	43	ASN
1	A	92	ASN
1	A	194	ASN
1	B	37	ASN
1	B	64	GLN
1	B	96	ASN
1	B	130	HIS
1	B	167	GLN
1	C	12	HIS
1	C	30	GLN
1	C	126	ASN
1	C	194	ASN
1	D	77	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	96	ASN
1	D	115	HIS
1	D	180	HIS
1	D	194	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 14 ligands modelled in this entry, 4 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ADN	D	303	-	21,21,21	1.84	6 (28%)	31,31,31	2.36	13 (41%)
6	GOL	C	303	-	5,5,5	0.26	0	5,5,5	0.27	0
6	GOL	B	304	-	5,5,5	0.34	0	5,5,5	0.50	0
3	PO4	C	302	2	4,4,4	1.39	1 (25%)	6,6,6	1.53	2 (33%)
5	ADE	B	303	-	11,11,11	2.11	3 (27%)	15,15,15	2.55	7 (46%)
3	PO4	A	302	2	4,4,4	1.26	0	6,6,6	0.92	0
6	GOL	B	305	-	5,5,5	0.38	0	5,5,5	0.50	0
4	ADN	A	303	-	21,21,21	1.57	3 (14%)	31,31,31	2.20	11 (35%)
3	PO4	D	302	2	4,4,4	1.40	1 (25%)	6,6,6	0.69	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	B	302	2	4,4,4	1.37	0	6,6,6	0.93	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADN	D	303	-	-	4/6/22/22	0/3/3/3
6	GOL	C	303	-	-	4/4/4/4	-
6	GOL	B	304	-	-	3/4/4/4	-
5	ADE	B	303	-	-	-	0/2/2/2
6	GOL	B	305	-	-	2/4/4/4	-
4	ADN	A	303	-	-	4/6/22/22	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	303	ADN	C5-C4	5.67	1.49	1.39
5	B	303	ADE	C5-C4	5.34	1.47	1.39
4	A	303	ADN	C5-C4	4.90	1.47	1.39
4	D	303	ADN	C5-C6	3.03	1.49	1.41
5	B	303	ADE	C5-C6	2.76	1.48	1.41
4	D	303	ADN	C8-N7	2.58	1.36	1.31
3	C	302	PO4	P-O4	-2.43	1.47	1.54
4	A	303	ADN	C5-C6	2.41	1.47	1.41
4	A	303	ADN	C8-N7	2.39	1.36	1.31
4	D	303	ADN	C5-N7	-2.32	1.34	1.39
5	B	303	ADE	C5-N7	-2.19	1.35	1.39
4	D	303	ADN	O2'-C2'	2.07	1.48	1.43
3	D	302	PO4	P-O2	-2.05	1.48	1.54
4	D	303	ADN	C1'-N9	2.03	1.51	1.46

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	303	ADN	C5-C4-N3	-7.16	116.86	126.72
5	B	303	ADE	N9-C4-N3	5.10	134.95	126.69
4	D	303	ADN	N3-C4-N9	5.08	135.81	127.17
4	A	303	ADN	C5-C4-N3	-4.62	120.36	126.72
5	B	303	ADE	C5-C4-N3	-4.39	118.75	126.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	303	ADN	N3-C4-N9	4.38	134.62	127.17
4	A	303	ADN	N3-C2-N1	-4.35	122.00	128.58
4	D	303	ADN	C2-N3-C4	3.96	121.50	111.83
4	D	303	ADN	C4-C5-N7	-3.77	106.27	110.58
5	B	303	ADE	C5-N7-C8	3.67	107.61	103.48
4	A	303	ADN	C2-N3-C4	3.58	120.58	111.83
4	A	303	ADN	C4-N9-C8	3.51	109.42	105.74
4	A	303	ADN	C5'-C4'-C3'	-3.49	106.87	115.10
5	B	303	ADE	N3-C2-N1	-3.24	123.68	128.58
4	D	303	ADN	N3-C2-N1	-2.77	124.39	128.58
5	B	303	ADE	C4-C5-N7	-2.77	106.82	110.67
4	A	303	ADN	C2-N1-C6	2.68	123.14	118.73
4	A	303	ADN	C2'-C1'-N9	-2.68	106.64	113.30
4	D	303	ADN	O5'-C5'-C4'	-2.58	102.54	111.33
4	D	303	ADN	C2'-C1'-N9	2.44	119.38	113.30
4	D	303	ADN	C5-N7-C8	2.34	107.13	103.45
4	D	303	ADN	O2'-C2'-C3'	-2.33	104.33	111.82
3	C	302	PO4	O4-P-O2	2.32	115.13	107.91
4	A	303	ADN	C6-C5-N7	2.27	136.47	132.09
4	A	303	ADN	C4-C5-N7	-2.26	108.00	110.58
4	D	303	ADN	C4-N9-C1'	2.26	131.91	126.63
4	D	303	ADN	C1'-N9-C8	-2.24	122.13	127.09
4	D	303	ADN	C5'-C4'-C3'	-2.18	109.94	115.10
3	C	302	PO4	O2-P-O1	-2.10	103.52	110.95
4	D	303	ADN	O2'-C2'-C1'	2.02	117.06	110.10
5	B	303	ADE	C4-N9-C8	2.02	108.31	106.43
5	B	303	ADE	C6-C5-N7	2.01	135.97	132.09
4	A	303	ADN	O4'-C1'-N9	2.00	111.94	108.09

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	303	ADN	C2'-C1'-N9-C4
6	C	303	GOL	O1-C1-C2-C3
4	D	303	ADN	O4'-C4'-C5'-O5'
4	A	303	ADN	O4'-C4'-C5'-O5'
4	A	303	ADN	C3'-C4'-C5'-O5'
4	D	303	ADN	C3'-C4'-C5'-O5'
4	A	303	ADN	C2'-C1'-N9-C8
6	B	304	GOL	O1-C1-C2-C3
6	B	304	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	B	305	GOL	O1-C1-C2-C3
6	C	303	GOL	C1-C2-C3-O3
6	B	304	GOL	O1-C1-C2-O2
6	C	303	GOL	O1-C1-C2-O2
6	C	303	GOL	O2-C2-C3-O3
6	B	305	GOL	O1-C1-C2-O2
4	D	303	ADN	C2'-C1'-N9-C4
4	D	303	ADN	C2'-C1'-N9-C8

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	303	ADN	3	0
6	B	304	GOL	1	0
5	B	303	ADE	3	0
3	A	302	PO4	1	0
4	A	303	ADN	1	0
3	D	302	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	263/267 (98%)	-0.46	2 (0%) 82 86	8, 16, 28, 52	21 (7%)
1	B	259/267 (97%)	-0.29	2 (0%) 82 86	8, 20, 34, 60	7 (2%)
1	C	254/267 (95%)	0.13	3 (1%) 76 80	10, 26, 40, 50	14 (5%)
1	D	254/267 (95%)	-0.05	4 (1%) 70 74	11, 23, 39, 63	10 (3%)
All	All	1030/1068 (96%)	-0.17	11 (1%) 78 82	8, 22, 36, 63	52 (5%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	-5	HIS	4.5
1	B	-4	HIS	4.2
1	D	251	THR	3.4
1	C	128	TYR	3.1
1	A	-9	HIS	3.1
1	D	82	PRO	2.8
1	C	0	SER	2.8
1	A	128	TYR	2.8
1	C	54	PHE	2.4
1	D	0	SER	2.2
1	D	191	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ADN	A	303	19/19	0.81	0.18	26,39,47,48	9
4	ADN	D	303	19/19	0.81	0.17	36,42,45,45	7
5	ADE	B	303	10/10	0.82	0.16	55,57,58,58	9
6	GOL	C	303	6/6	0.84	0.18	65,66,66,67	0
6	GOL	B	305	6/6	0.87	0.12	37,39,43,46	0
6	GOL	B	304	6/6	0.88	0.14	41,44,45,46	2
3	PO4	C	302	5/5	0.95	0.08	22,24,28,29	1
2	MG	C	301	1/1	0.96	0.06	17,17,17,17	1
3	PO4	A	302	5/5	0.98	0.05	14,15,16,18	2
2	MG	B	301	1/1	0.99	0.03	17,17,17,17	0
3	PO4	B	302	5/5	0.99	0.03	15,15,16,17	0
2	MG	A	301	1/1	0.99	0.03	16,16,16,16	0
3	PO4	D	302	5/5	0.99	0.05	17,19,20,22	5
2	MG	D	301	1/1	0.99	0.05	21,21,21,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADN A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADN D 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.