



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:40 AM UTC

PDB ID : 1XKD / pdb_00001xkd
Title : Ternary complex of Isocitrate dehydrogenase from the hyperthermophile *Aeropyrum pernix*
Authors : Karlstrom, M.; Stokke, R.; Steen, I.H.; Birkeland, N.-K.; Ladenstein, R.
Deposited on : 2004-09-28
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	435	4% 80% 15% • •
1	B	435	23% 67% 26% • •

2 Entry composition ⓘ

There are 5 unique types of molecules in this entry. The entry contains 6888 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called isocitrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	427	Total	C	N	O	S	11	0	0
			3314	2100	588	613	13			
1	B	419	Total	C	N	O	S	88	0	0
			3254	2064	575	602	13			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		


- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is ISOCITRIC ACID (CCD ID: ICT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	6	7		
4	B	1	Total	C	O	0	0
			13	6	7		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	131	Total	O	0	0
			131	131		
5	B	65	Total	O	0	0
			65	65		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: isocitrate dehydrogenase



- Molecule 1: isocitrate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	107.58Å 107.58Å 171.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.70 – 2.30 39.70 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.70-2.30) 99.7 (39.70-2.30)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.09 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.226 , 0.248 0.219 , 0.241	Depositor DCC
R_{free} test set	2289 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	41.1	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6888	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAP, ICT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/3382 (0.0%)	0.99	5/4585 (0.1%)
1	B	0.73	1/3322 (0.0%)	1.00	12/4507 (0.3%)
All	All	0.75	2/6704 (0.0%)	1.00	17/9092 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	223	ASN	C-O	5.13	1.30	1.24
1	A	292	GLN	CD-NE2	-5.07	1.22	1.33

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	267	GLN	OE1-CD-NE2	-9.85	112.75	122.60
1	B	15	SER	CA-C-N	-7.28	114.35	119.66
1	B	15	SER	C-N-CA	-7.28	114.35	119.66
1	B	16	PRO	CB-CA-C	6.93	117.90	111.39
1	A	267	GLN	CG-CD-NE2	6.66	126.39	116.40
1	B	260	VAL	N-CA-C	6.43	117.74	108.48
1	B	251	VAL	CB-CA-C	-6.24	103.72	112.14
1	B	363	SER	N-CA-C	-5.84	104.99	111.36
1	B	380	ILE	N-CA-C	-5.74	104.92	110.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	380	ILE	CA-C-N	5.72	127.77	120.56
1	B	380	ILE	C-N-CA	5.72	127.77	120.56
1	A	62	VAL	N-CA-CB	5.58	118.13	110.54
1	A	272	GLY	N-CA-C	-5.38	107.68	115.27
1	B	70	ARG	N-CA-C	5.33	117.52	109.41
1	B	424	ALA	N-CA-C	5.15	118.20	109.76
1	A	143	GLN	CB-CA-C	-5.10	100.11	110.17
1	B	268	GLU	CB-CG-CD	5.05	121.18	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	335	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3314	0	3337	66	0
1	B	3254	0	3273	86	0
2	A	2	0	0	0	0
3	A	48	0	25	1	0
3	B	48	0	25	6	0
4	A	13	0	4	0	0
4	B	13	0	4	2	0
5	A	131	0	0	4	0
5	B	65	0	0	7	0
All	All	6888	0	6668	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:LYS:HE3	1:B:422:ASP:HA	1.42	1.01
1:A:143:GLN:HE21	1:A:143:GLN:H	1.02	0.99
1:B:324:ILE:HG12	1:B:343:HIS:HB3	1.44	0.99
1:A:141:TYR:H	1:A:143:GLN:HE22	1.07	0.94
1:B:231:MET:HE2	1:B:309:ASN:HB3	1.52	0.91
3:B:1003:NAP:C4N	4:B:1004:ICT:H2	2.08	0.82
1:A:173:HIS:HD2	5:A:1078:HOH:O	1.63	0.81
1:B:262:THR:HG22	1:B:264:GLN:H	1.46	0.81
1:A:139:ARG:NH2	1:A:370:GLU:OE2	2.13	0.80
1:A:143:GLN:H	1:A:143:GLN:NE2	1.80	0.79
1:A:238:LYS:HD3	5:B:1064:HOH:O	1.84	0.77
1:A:246:ARG:HH22	1:B:116:THR:HG23	1.50	0.75
1:A:246:ARG:HH22	1:B:116:THR:CG2	2.00	0.74
1:A:141:TYR:N	1:A:143:GLN:HE22	1.85	0.74
1:B:245:MET:HE1	5:B:1032:HOH:O	1.88	0.72
1:A:296:ARG:CG	1:A:296:ARG:HH11	2.03	0.71
1:B:205:SER:O	1:B:209:THR:HG23	1.91	0.70
1:A:274:ARG:HG3	1:A:274:ARG:O	1.92	0.69
1:A:210:ARG:NH1	1:A:251:VAL:HG13	2.09	0.68
1:A:188:GLU:OE1	1:B:180:ARG:NH1	2.26	0.68
1:B:46:VAL:HG11	1:B:355:ILE:HD13	1.77	0.66
1:A:246:ARG:HH12	1:B:116:THR:HG23	1.62	0.64
1:B:231:MET:HE2	1:B:309:ASN:CB	2.26	0.64
1:A:257:ARG:NH2	1:A:265:GLU:OE1	2.32	0.63
1:A:291:GLN:HE22	1:B:324:ILE:HD12	1.62	0.62
1:B:143:GLN:HB2	1:B:398:LEU:HD22	1.79	0.62
1:A:330:MET:HB2	1:A:366:LEU:HD13	1.81	0.62
1:B:368:ILE:HD13	1:B:372:MET:SD	2.42	0.60
1:A:246:ARG:NH2	1:B:116:THR:HG23	2.17	0.59
1:B:64:LYS:HE3	1:B:422:ASP:CA	2.28	0.59
1:A:141:TYR:H	1:A:143:GLN:NE2	1.90	0.59
1:A:328:ALA:HB2	1:A:362:LEU:HB3	1.85	0.58
1:B:254:GLU:OE2	1:B:255:LYS:HE3	2.04	0.57
1:B:157:ILE:HD13	1:B:314:SER:HA	1.85	0.57
1:A:232:HIS:CE1	1:B:114:VAL:HG11	2.41	0.56
1:A:291:GLN:NE2	1:B:324:ILE:HD12	2.20	0.56
1:A:262:THR:HG22	1:A:265:GLU:H	1.70	0.56
1:A:232:HIS:HE1	1:B:114:VAL:HG11	1.70	0.56
1:B:326:MET:HE1	1:B:356:ASN:HD21	1.72	0.55
1:B:33:PRO:C	1:B:35:ASN:H	2.15	0.55
1:B:47:GLY:O	1:B:51:VAL:HG23	2.06	0.55
1:B:77:LEU:HB3	1:B:95:THR:HG23	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:339:ALA:HB2	1:B:367:LEU:HB2	1.89	0.54
1:A:149:TYR:OH	1:B:401:HIS:HD2	1.90	0.54
1:A:180:ARG:CG	1:A:180:ARG:HH11	2.20	0.54
1:A:34:ASP:OD1	1:A:70:ARG:HD3	2.08	0.54
1:A:296:ARG:HH11	1:A:296:ARG:HG2	1.71	0.54
3:B:1003:NAP:C5N	4:B:1004:ICT:H2	2.38	0.54
1:A:290:LEU:HD23	1:A:313:ILE:HD12	1.91	0.53
1:B:131:LEU:HD21	1:B:336:ILE:HG12	1.89	0.53
1:B:219:TRP:O	1:B:223:ASN:ND2	2.39	0.53
1:B:326:MET:HE2	1:B:358:SER:HB2	1.91	0.52
1:A:332:MET:HE2	1:A:371:PHE:CD1	2.45	0.52
1:B:345:THR:HG22	1:B:347:PRO:HD3	1.90	0.52
1:B:408:LEU:HB3	1:B:412:GLU:HG3	1.92	0.52
1:B:292:GLN:HE22	1:B:296:ARG:HD3	1.74	0.52
1:B:17:PRO:HD2	1:B:37:VAL:CG2	2.40	0.52
1:A:103:ARG:HD3	1:A:335:GLY:O	2.09	0.51
1:B:34:ASP:C	1:B:36:PRO:HD3	2.35	0.51
1:A:25:TYR:CD2	1:A:335:GLY:HA3	2.45	0.51
1:B:344:GLY:HA3	3:B:1003:NAP:C6N	2.40	0.51
1:A:180:ARG:HH11	1:A:180:ARG:HG3	1.76	0.51
1:A:246:ARG:NH1	1:B:116:THR:HG23	2.26	0.51
1:A:291:GLN:HG3	1:B:319:ALA:HB2	1.93	0.51
1:B:40:PHE:CD2	1:B:74:TRP:HB3	2.47	0.50
1:B:10:THR:C	1:B:94:ALA:HB2	2.37	0.50
1:A:126:ARG:NH2	1:A:340:GLU:OE2	2.44	0.50
1:B:57:VAL:HA	1:B:418:ILE:HD11	1.94	0.50
1:B:46:VAL:HG22	1:B:345:THR:O	2.12	0.49
1:A:242:GLY:O	1:A:246:ARG:HG3	2.12	0.49
1:B:157:ILE:HD13	1:B:314:SER:CA	2.43	0.49
1:B:326:MET:HE1	1:B:398:LEU:HD11	1.95	0.49
1:B:109:PRO:HB3	1:B:344:GLY:HA2	1.95	0.49
1:A:282:ASN:C	1:A:282:ASN:HD22	2.20	0.48
1:B:262:THR:HG22	1:B:264:GLN:N	2.23	0.48
1:B:132:TYR:HB2	5:B:1027:HOH:O	2.13	0.48
1:B:318:SER:HB2	1:B:324:ILE:HG22	1.96	0.48
1:B:58:VAL:CG1	1:B:74:TRP:HZ2	2.27	0.48
1:B:135:ILE:HD12	1:B:158:PHE:CE1	2.49	0.47
1:A:180:ARG:HG3	1:A:180:ARG:NH1	2.30	0.47
1:A:196:ASP:HA	5:A:1078:HOH:O	2.15	0.47
1:B:35:ASN:N	1:B:36:PRO:HD3	2.29	0.47
1:B:262:THR:O	1:B:266:VAL:HG23	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:ARG:HH11	1:A:296:ARG:HG3	1.75	0.47
1:B:157:ILE:CD1	1:B:314:SER:HA	2.45	0.46
1:B:173:HIS:HD2	5:B:1025:HOH:O	1.97	0.46
1:A:177:GLU:HA	1:A:180:ARG:NH1	2.31	0.46
1:A:291:GLN:NE2	1:B:324:ILE:H	2.14	0.46
1:B:326:MET:CE	1:B:356:ASN:HD21	2.28	0.46
1:B:215:ARG:NH1	1:B:218:GLU:OE2	2.49	0.46
1:A:5:ALA:O	1:A:6:SER:HB3	2.16	0.45
1:A:57:VAL:HA	1:A:418:ILE:HD11	1.98	0.45
1:B:17:PRO:HD2	1:B:37:VAL:HG22	1.98	0.45
1:B:93:LYS:HD2	1:B:93:LYS:HA	1.65	0.45
1:A:57:VAL:HA	1:A:418:ILE:CD1	2.46	0.45
1:B:282:ASN:C	1:B:282:ASN:HD22	2.25	0.45
1:B:324:ILE:HG12	1:B:343:HIS:CB	2.32	0.45
1:B:389:VAL:C	1:B:391:SER:H	2.24	0.45
5:A:1073:HOH:O	1:B:308:LEU:HD21	2.17	0.44
1:B:32:VAL:HA	1:B:33:PRO:HD3	1.79	0.44
1:B:378:LYS:O	1:B:382:GLU:HG3	2.17	0.44
1:A:205:SER:HA	1:B:197:ALA:HA	2.00	0.44
1:B:262:THR:HG21	5:B:1061:HOH:O	2.17	0.44
1:B:324:ILE:HD11	3:B:1003:NAP:C8A	2.48	0.44
1:B:156:VAL:HG21	1:B:219:TRP:HE1	1.83	0.44
1:A:292:GLN:HB3	1:A:300:TYR:CE2	2.53	0.44
1:A:107:LYS:NZ	1:A:340:GLU:OE1	2.51	0.43
1:A:397:ASP:HB3	3:A:1001:NAP:H2A	1.99	0.43
1:B:356:ASN:HB3	3:B:1003:NAP:N1A	2.34	0.43
1:A:134:ASN:HD21	1:A:136:ARG:HE	1.64	0.43
1:A:153:VAL:HG13	1:A:155:MET:HE3	1.99	0.43
1:A:378:LYS:O	1:A:382:GLU:HG3	2.19	0.42
1:A:219:TRP:HH2	1:A:366:LEU:CD2	2.32	0.42
1:B:209:THR:HG22	5:B:1033:HOH:O	2.20	0.42
1:A:348:LYS:HG2	5:A:1031:HOH:O	2.18	0.42
1:A:177:GLU:HA	1:A:180:ARG:HH12	1.84	0.42
1:A:273:VAL:O	1:A:274:ARG:C	2.62	0.42
1:A:198:GLY:HA3	1:B:239:TYR:O	2.20	0.42
1:A:210:ARG:CZ	1:A:251:VAL:HG13	2.49	0.42
1:A:40:PHE:HA	1:A:106:LEU:O	2.20	0.42
1:B:160:GLU:HB2	1:B:212:LEU:HD22	2.01	0.41
1:B:263:GLU:C	1:B:265:GLU:H	2.28	0.41
1:A:257:ARG:O	1:A:257:ARG:HD3	2.20	0.41
1:B:7:PRO:HA	1:B:8:PRO:HD3	1.81	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:20:GLY:HA3	1:B:73:VAL:HG21	2.01	0.41
1:B:160:GLU:HG3	5:B:1033:HOH:O	2.20	0.41
1:B:397:ASP:CG	3:B:1003:NAP:H2A	2.46	0.41
1:B:412:GLU:HA	1:B:415:GLU:HG2	2.02	0.41
1:B:260:VAL:HG22	1:B:281:VAL:CG2	2.49	0.41
1:B:17:PRO:CG	1:B:75:TRP:HB2	2.51	0.41
1:B:33:PRO:C	1:B:35:ASN:N	2.79	0.41
1:A:134:ASN:HD21	1:A:136:ARG:NE	2.18	0.41
1:A:274:ARG:O	1:A:274:ARG:CG	2.66	0.41
1:A:291:GLN:HE22	1:B:324:ILE:H	1.70	0.40
1:A:180:ARG:CG	1:A:180:ARG:NH1	2.84	0.40
1:A:149:TYR:OH	1:B:401:HIS:CD2	2.72	0.40
1:B:133:ALA:HB1	1:B:135:ILE:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/435 (97%)	406 (96%)	15 (4%)	2 (0%)	24	31
1	B	415/435 (95%)	382 (92%)	29 (7%)	4 (1%)	12	15
All	All	838/870 (96%)	788 (94%)	44 (5%)	6 (1%)	18	23

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	120	SER
1	B	268	GLU
1	A	6	SER
1	B	69	SER
1	B	350	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	390	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	344/350 (98%)	314 (91%)	30 (9%)	9	12
1	B	339/350 (97%)	304 (90%)	35 (10%)	7	8
All	All	683/700 (98%)	618 (90%)	65 (10%)	8	10

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	29	SER
1	A	62	VAL
1	A	85	GLU
1	A	139	ARG
1	A	143	GLN
1	A	156	VAL
1	A	180	ARG
1	A	183	ARG
1	A	215	ARG
1	A	217	LEU
1	A	222	ARG
1	A	226	THR
1	A	245	MET
1	A	251	VAL
1	A	257	ARG
1	A	260	VAL
1	A	262	THR
1	A	266	VAL
1	A	269	LYS
1	A	274	ARG
1	A	282	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	296	ARG
1	A	321	VAL
1	A	354	LEU
1	A	362	LEU
1	A	366	LEU
1	A	367	LEU
1	A	375	ARG
1	A	434	ARG
1	B	31	ARG
1	B	52	GLU
1	B	55	LEU
1	B	56	LYS
1	B	73	VAL
1	B	85	GLU
1	B	89	GLU
1	B	93	LYS
1	B	101	LEU
1	B	103	ARG
1	B	111	GLU
1	B	116	THR
1	B	183	ARG
1	B	192	SER
1	B	217	LEU
1	B	222	ARG
1	B	238	LYS
1	B	251	VAL
1	B	257	ARG
1	B	260	VAL
1	B	264	GLN
1	B	276	GLU
1	B	282	ASN
1	B	290	LEU
1	B	315	ASP
1	B	324	ILE
1	B	326	MET
1	B	336	ILE
1	B	345	THR
1	B	370	GLU
1	B	375	ARG
1	B	381	VAL
1	B	385	ILE
1	B	400	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	414	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	ASN
1	A	143	GLN
1	A	147	HIS
1	A	173	HIS
1	A	225	ASN
1	A	282	ASN
1	A	288	ASN
1	A	291	GLN
1	A	292	GLN
1	B	134	ASN
1	B	173	HIS
1	B	225	ASN
1	B	264	GLN
1	B	282	ASN
1	B	288	ASN
1	B	292	GLN
1	B	401	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ICT	B	1004	2	12,12,12	1.10	1 (8%)	13,16,16	1.32	2 (15%)
3	NAP	A	1001	-	50,52,52	1.83	8 (16%)	71,80,80	1.61	11 (15%)
3	NAP	B	1003	-	50,52,52	1.79	4 (8%)	71,80,80	1.10	5 (7%)
4	ICT	A	1002	2	12,12,12	1.17	0	13,16,16	1.34	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ICT	B	1004	2	-	5/16/16/16	-
3	NAP	A	1001	-	-	13/35/67/67	0/5/5/5
3	NAP	B	1003	-	-	13/35/67/67	0/5/5/5
4	ICT	A	1002	2	-	5/16/16/16	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	NAP	O7N-C7N	9.73	1.42	1.24
3	B	1003	NAP	O7N-C7N	9.54	1.41	1.24
3	B	1003	NAP	PN-O3	4.05	1.63	1.59
3	B	1003	NAP	PA-O3	3.94	1.63	1.59
3	B	1003	NAP	C2N-N1N	3.76	1.39	1.35
3	A	1001	NAP	PA-O3	3.22	1.63	1.59
3	A	1001	NAP	C2A-N3A	3.01	1.39	1.33
3	A	1001	NAP	C2N-N1N	2.53	1.37	1.35
3	A	1001	NAP	C2A-N1A	2.33	1.38	1.33
3	A	1001	NAP	PN-O3	2.32	1.62	1.59
3	A	1001	NAP	C5A-N7A	-2.22	1.35	1.39
3	A	1001	NAP	P2B-O2B	2.12	1.63	1.59
4	B	1004	ICT	O6-C6	-2.01	1.24	1.30

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	NAP	N3A-C2A-N1A	-5.60	120.11	128.58
3	A	1001	NAP	C5A-C4A-N3A	-4.97	119.88	126.72
3	A	1001	NAP	C5A-N7A-C8A	3.66	109.20	103.45
3	A	1001	NAP	N9A-C8A-N7A	-3.64	108.77	113.94
3	A	1001	NAP	C2A-N3A-C4A	3.44	120.24	111.83
3	A	1001	NAP	N3A-C4A-N9A	3.42	132.98	127.17
3	A	1001	NAP	O7N-C7N-C3N	-2.94	116.00	119.60
3	B	1003	NAP	C2B-C1B-N9A	2.72	118.23	113.75
3	A	1001	NAP	P2B-O2B-C2B	2.72	130.69	123.43
3	B	1003	NAP	O2B-C2B-C1B	-2.71	100.54	110.05
3	A	1001	NAP	C3N-C7N-N7N	2.65	121.00	117.74
3	A	1001	NAP	C4A-C5A-N7A	-2.51	107.72	110.58
3	B	1003	NAP	C4D-O4D-C1D	2.50	112.21	109.92
3	B	1003	NAP	O2A-PA-O3	2.39	113.72	107.27
4	B	1004	ICT	O2-C1-C2	2.38	119.93	113.31
4	A	1002	ICT	O7-C2-C1	-2.37	105.62	110.69
3	B	1003	NAP	C4N-C3N-C7N	-2.33	114.71	121.06
3	A	1001	NAP	C6A-C5A-C4A	2.21	120.20	117.18
4	B	1004	ICT	O4-C5-C4	2.12	120.60	114.00
4	A	1002	ICT	O5-C6-C3	-2.07	118.13	123.01
4	A	1002	ICT	C4-C3-C6	-2.02	108.03	111.25

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1001	NAP	C5D-O5D-PN-O3
3	A	1001	NAP	C5D-O5D-PN-O1N
3	A	1001	NAP	C5D-O5D-PN-O2N
3	A	1001	NAP	O4D-C1D-N1N-C2N
3	A	1001	NAP	O4D-C1D-N1N-C6N
3	A	1001	NAP	C2D-C1D-N1N-C2N
3	A	1001	NAP	C2D-C1D-N1N-C6N
3	B	1003	NAP	O4D-C1D-N1N-C2N
3	B	1003	NAP	O4D-C1D-N1N-C6N
3	B	1003	NAP	C2D-C1D-N1N-C2N
3	B	1003	NAP	C2N-C3N-C7N-O7N
3	B	1003	NAP	C2N-C3N-C7N-N7N
4	A	1002	ICT	C2-C3-C4-C5
4	A	1002	ICT	C6-C3-C4-C5
4	B	1004	ICT	C2-C3-C4-C5

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	1004	ICT	C6-C3-C4-C5
3	B	1003	NAP	C4N-C3N-C7N-O7N
3	B	1003	NAP	C4N-C3N-C7N-N7N
3	A	1001	NAP	C3B-C2B-O2B-P2B
3	A	1001	NAP	O4D-C4D-C5D-O5D
3	A	1001	NAP	C3D-C4D-C5D-O5D
3	B	1003	NAP	O4D-C4D-C5D-O5D
4	B	1004	ICT	C4-C3-C6-O6
3	B	1003	NAP	O4B-C4B-C5B-O5B
3	B	1003	NAP	PN-O3-PA-O5B
4	A	1002	ICT	O7-C2-C3-C4
3	B	1003	NAP	C3D-C4D-C5D-O5D
3	A	1001	NAP	C2N-C3N-C7N-N7N
4	B	1004	ICT	C4-C3-C6-O5
3	A	1001	NAP	C2N-C3N-C7N-O7N
3	B	1003	NAP	C2D-C1D-N1N-C6N
3	A	1001	NAP	C1B-C2B-O2B-P2B
3	B	1003	NAP	C3B-C4B-C5B-O5B
4	A	1002	ICT	C3-C4-C5-O3
4	A	1002	ICT	C3-C4-C5-O4
4	B	1004	ICT	C3-C4-C5-O4


There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1004	ICT	2	0
3	A	1001	NAP	1	0
3	B	1003	NAP	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	427/435 (98%)	0.42	17 (3%) 42 44	14, 24, 39, 47	3 (0%)
1	B	419/435 (96%)	1.38	101 (24%) 2 2	10, 29, 37, 42	21 (5%)
All	All	846/870 (97%)	0.90	118 (13%) 6 7	10, 26, 38, 47	24 (2%)

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	419	ALA	4.8
1	B	16	PRO	4.7
1	B	30	LEU	4.7
1	B	381	VAL	4.6
1	B	69	SER	4.6
1	B	372	MET	4.5
1	B	294	ILE	4.3
1	B	114	VAL	4.3
1	B	17	PRO	4.3
1	B	18	PRO	4.2
1	B	368	ILE	4.1
1	B	68	GLY	4.0
1	B	7	PRO	3.8
1	B	65	VAL	3.8
1	A	114	VAL	3.7
1	B	420	TYR	3.6
1	B	295	THR	3.6
1	B	140	TYR	3.6
1	B	293	ILE	3.6
1	B	23	VAL	3.5
1	B	57	VAL	3.4
1	B	290	LEU	3.4
1	B	62	VAL	3.3
1	B	221	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	316	ALA	3.2
1	B	117	GLY	3.2
1	B	101	LEU	3.1
1	B	219	TRP	3.1
1	B	256	PHE	3.1
1	B	317	ALA	3.1
1	B	35	ASN	3.0
1	B	373	GLY	3.0
1	B	374	TRP	3.0
1	B	424	ALA	3.0
1	A	276	GLU	2.9
1	B	14	LEU	2.9
1	B	145	ALA	2.9
1	B	116	THR	2.9
1	B	147	HIS	2.9
1	B	227	VAL	2.9
1	B	405	VAL	2.9
1	B	354	LEU	2.8
1	B	320	LEU	2.8
1	A	249	TYR	2.8
1	B	253	LEU	2.8
1	A	246	ARG	2.8
1	B	288	ASN	2.7
1	B	118	TYR	2.7
1	B	60	ALA	2.7
1	B	260	VAL	2.7
1	A	428	GLU	2.7
1	B	257	ARG	2.7
1	B	247	TRP	2.7
1	B	28	GLY	2.6
1	B	355	ILE	2.6
1	B	264	GLN	2.6
1	A	5	ALA	2.6
1	B	188	GLU	2.6
1	B	353	ASP	2.6
1	A	272	GLY	2.6
1	A	119	ARG	2.6
1	B	70	ARG	2.6
1	B	32	VAL	2.6
1	A	271	GLY	2.5
1	B	153	VAL	2.5
1	B	380	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	422	ASP	2.5
1	B	426	LEU	2.5
1	A	433	LYS	2.5
1	B	319	ALA	2.5
1	B	323	GLY	2.5
1	B	403	PRO	2.5
1	B	377	VAL	2.4
1	B	22	LEU	2.4
1	B	261	VAL	2.4
1	B	210	ARG	2.4
1	A	434	ARG	2.4
1	B	286	ALA	2.4
1	B	371	PHE	2.4
1	B	398	LEU	2.4
1	B	142	GLY	2.3
1	B	51	VAL	2.3
1	B	19	GLY	2.3
1	A	321	VAL	2.3
1	B	207	PHE	2.3
1	B	209	THR	2.3
1	B	45	GLY	2.2
1	B	139	ARG	2.2
1	B	102	ALA	2.2
1	B	73	VAL	2.2
1	B	369	GLY	2.2
1	B	120	SER	2.2
1	B	217	LEU	2.2
1	A	425	ASP	2.2
1	B	223	ASN	2.1
1	B	109	PRO	2.1
1	A	186	ALA	2.1
1	B	21	SER	2.1
1	A	336	ILE	2.1
1	B	90	LEU	2.1
1	B	385	ILE	2.1
1	B	291	GLN	2.1
1	B	395	THR	2.1
1	B	416	THR	2.1
1	B	55	LEU	2.1
1	A	196	ASP	2.1
1	B	266	VAL	2.1
1	B	40	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	352	LYS	2.0
1	B	162	THR	2.0
1	B	330	MET	2.0
1	A	258	GLU	2.0
1	B	270	TYR	2.0
1	B	289	MET	2.0
1	B	401	HIS	2.0
1	B	408	LEU	2.0
1	B	425	ASP	2.0
1	B	348	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAP	A	1001	48/48	0.68	0.16	26,31,35,37	0
3	NAP	B	1003	48/48	0.84	0.12	27,31,33,34	0
4	ICT	A	1002	13/13	0.86	0.09	25,29,31,32	0
4	ICT	B	1004	13/13	0.88	0.16	20,24,27,29	0
2	CA	A	1005	1/1	0.94	0.05	30,30,30,30	0
2	CA	A	1006	1/1	0.99	0.08	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAP B 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.