



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:03 AM UTC

PDB ID : 4XKF / pdb_00004xkf
Title : Crystal structure of hemagglutinin from Taiwan (2013) H6N1 influenza virus
in complex with LSTa
Authors : Tzarum, N.; Zhu, X.; Wilson, I.A.
Deposited on : 2015-01-11
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	2% 77% 19% ..
1	C	333	2% 79% 18% ..
1	E	333	2% 74% 22% ...
2	B	180	2% 81% 14% ..
2	D	180	2% 83% 13% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	180	2% 81% 15% .
3	G	3	100%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hemagglutinin HA1 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	0	0	0
			2591	1642	441	495	13			
1	C	326	Total	C	N	O	S	0	0	0
			2569	1629	437	490	13			
1	E	325	Total	C	N	O	S	0	0	0
			2563	1626	437	487	13			

- Molecule 2 is a protein called Hemagglutinin HA2 chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	173	Total	C	N	O	S	0	0	0
			1393	868	244	274	7			
2	D	173	Total	C	N	O	S	0	0	0
			1393	868	244	274	7			
2	F	172	Total	C	N	O	S	0	0	0
			1385	862	243	273	7			

- Molecule 3 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	3	Total	C	N	O	0	0	0
			46	25	2	19			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		
4	F	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	34	Total	O	0	0
			34	34		
5	B	13	Total	O	0	0
			13	13		
5	C	42	Total	O	0	0
			42	42		
5	D	8	Total	O	0	0
			8	8		
5	E	25	Total	O	0	0
			25	25		
5	F	18	Total	O	0	0
			18	18		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin HA1 chain




- Molecule 1: Hemagglutinin HA1 chain




- Molecule 1: Hemagglutinin HA1 chain








• Molecule 2: Hemagglutinin HA2 chain



• Molecule 2: Hemagglutinin HA2 chain



• Molecule 2: Hemagglutinin HA2 chain



PRO
ARG

• Molecule 3: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
GAL2
STA3

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	185.74Å 99.27Å 133.44Å 90.00° 126.45° 90.00°	Depositor
Resolution (Å)	49.64 – 2.45 49.64 – 2.45	Depositor EDS
% Data completeness (in resolution range)	98.8 (49.64-2.45) 95.3 (49.64-2.45)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.45Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.211 , 0.253 0.216 , 0.256	Depositor DCC
R_{free} test set	3600 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtriage
Anisotropy	0.770	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12164	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, NAG, SIA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.62	0/2652	1.18	15/3608 (0.4%)
1	C	0.67	1/2629 (0.0%)	1.00	9/3576 (0.3%)
1	E	0.65	1/2624 (0.0%)	0.95	7/3567 (0.2%)
2	B	0.69	0/1421	0.91	5/1913 (0.3%)
2	D	0.65	0/1421	0.97	6/1913 (0.3%)
2	F	0.66	0/1413	0.92	0/1902
All	All	0.66	2/12160 (0.0%)	1.01	42/16479 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	2
1	E	0	2
All	All	0	5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	47	LYS	C-N	-7.74	1.22	1.33
1	E	77	ASP	CA-C	-5.80	1.45	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	LEU	CA-C-N	22.73	158.50	122.81
1	A	186	LEU	C-N-CA	22.73	158.50	122.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	187	ASP	O-C-N	18.86	147.70	123.19
1	A	186	LEU	O-C-N	-17.45	101.80	122.22
1	A	297	VAL	N-CA-C	11.85	121.67	110.53
1	C	46	GLN	CA-C-N	11.51	141.21	121.64
1	C	46	GLN	C-N-CA	11.51	141.21	121.64
1	C	46	GLN	O-C-N	-10.58	109.83	123.16
1	A	114	SER	N-CA-C	7.82	122.54	112.92
1	E	78	LEU	N-CA-C	7.81	123.83	111.81
2	B	1	GLY	N-CA-C	-7.46	91.66	113.30
2	B	2	ILE	N-CA-C	7.12	117.91	110.72
1	E	77	ASP	N-CA-C	-6.77	96.07	107.99
2	D	2	ILE	N-CA-C	6.66	117.45	110.72
1	A	298	SER	CA-C-N	6.27	125.97	119.64
1	A	298	SER	C-N-CA	6.27	125.97	119.64
1	A	296	ASN	N-CA-C	6.19	118.11	111.36
1	E	197	SER	N-CA-C	-6.18	101.32	110.46
1	E	323	VAL	CA-C-N	5.98	125.89	119.85
1	E	323	VAL	C-N-CA	5.98	125.89	119.85
2	D	172	GLY	N-CA-C	-5.79	105.17	113.86
2	D	1	GLY	N-CA-C	-5.61	97.04	113.30
1	A	12	LYS	CD-CE-NZ	5.59	129.79	111.90
1	C	32	LYS	CA-C-N	-5.58	114.64	123.12
1	C	32	LYS	C-N-CA	-5.58	114.64	123.12
2	D	66	VAL	N-CA-C	5.56	117.93	108.86
2	D	2	ILE	CB-CA-C	-5.55	104.56	112.22
1	A	187	ASP	CA-C-N	-5.54	111.26	120.68
1	A	187	ASP	C-N-CA	-5.54	111.26	120.68
1	C	135	VAL	N-CA-C	-5.50	95.59	111.00
2	B	2	ILE	CB-CA-C	-5.40	104.77	112.22
1	C	270	SER	N-CA-C	5.37	117.01	108.79
1	E	77	ASP	CA-C-N	5.29	131.05	123.17
1	E	77	ASP	C-N-CA	5.29	131.05	123.17
2	D	127	ARG	CB-CA-C	-5.25	110.50	116.54
1	C	286	GLY	N-CA-C	5.24	117.19	110.96
1	A	139	CYS	CA-C-N	-5.20	114.88	120.03
1	A	139	CYS	C-N-CA	-5.20	114.88	120.03
2	B	31	GLY	N-CA-C	5.14	117.52	110.69
2	B	29	SER	N-CA-C	-5.10	105.22	111.75
1	C	301	TRP	N-CA-C	5.08	115.23	108.38
1	A	20	ASN	N-CA-C	5.07	115.23	108.38

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	114	SER	Peptide
1	C	134	GLY	Peptide
1	C	47	LYS	Mainchain
1	E	77	ASP	Mainchain,Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2591	0	2535	62	1
1	C	2569	0	2516	49	1
1	E	2563	0	2506	72	0
2	B	1393	0	1309	22	0
2	D	1393	0	1307	19	0
2	F	1385	0	1296	20	0
3	G	46	0	40	5	0
4	A	28	0	26	0	0
4	D	14	0	13	0	0
4	E	28	0	26	0	0
4	F	14	0	13	0	0
5	A	34	0	0	1	0
5	B	13	0	0	1	0
5	C	42	0	0	4	0
5	D	8	0	0	1	0
5	E	25	0	0	4	0
5	F	18	0	0	4	0
All	All	12164	0	11587	230	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:LEU:CD1	1:C:79:LEU:HD12	1.34	1.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:LEU:CD1	1:C:79:LEU:CD1	1.87	1.47
1:C:78:LEU:HD12	1:C:79:LEU:CD1	1.49	1.30
1:C:78:LEU:HD11	1:C:79:LEU:CD1	1.57	1.21
1:A:63:ASP:O	1:A:93:ALA:HB1	1.47	1.15
1:C:78:LEU:HD11	1:C:79:LEU:HD11	1.17	1.14
2:F:17:MET:SD	2:F:23:GLY:HA3	1.88	1.11
2:B:134:GLY:O	5:B:202:HOH:O	1.74	1.05
2:B:17:MET:SD	2:B:23:GLY:HA3	1.97	1.03
1:E:78:LEU:HD13	1:E:78:LEU:H	1.26	1.00
1:E:115:GLY:HA2	1:E:262:SER:HA	1.43	0.99
2:F:172:GLY:O	5:F:315:HOH:O	1.86	0.93
2:F:19:ASP:OD1	5:F:301:HOH:O	1.88	0.91
1:C:134:GLY:HA3	1:C:135:VAL:HB	1.57	0.86
1:A:263:THR:HA	1:A:263(A):ASN:HB3	1.60	0.82
2:D:67:ASP:OD1	5:D:306:HOH:O	1.98	0.81
1:E:154:ILE:O	5:E:506:HOH:O	1.98	0.81
1:E:135:VAL:CG2	1:E:146:SER:HA	2.09	0.81
2:F:51:LYS:NZ	2:F:107:THR:OG1	2.14	0.80
1:E:43:LEU:HD21	1:E:296:ASN:ND2	1.95	0.80
1:A:320:LEU:HD12	1:A:321:ARG:O	1.81	0.80
1:E:293:THR:HG21	2:F:56:ILE:HG12	1.65	0.79
1:E:135:VAL:CG2	1:E:146:SER:CA	2.62	0.78
1:E:135:VAL:HG21	1:E:145:SER:O	1.84	0.78
1:A:63:ASP:O	1:A:93:ALA:CB	2.30	0.77
1:E:186:LEU:HD23	1:E:227:ARG:HB2	1.67	0.77
2:B:75:ARG:N	1:E:107:GLU:OE2	2.18	0.76
1:A:263:THR:HA	1:A:263(A):ASN:CB	2.16	0.76
1:C:28:THR:HG22	1:C:30:LEU:H	1.52	0.74
1:A:263:THR:OG1	1:A:263(A):ASN:HB3	1.90	0.72
1:A:135:VAL:CG1	1:A:145:SER:HB3	2.20	0.71
1:E:135:VAL:HG23	1:E:146:SER:HA	1.72	0.71
1:A:327:ALA:O	1:A:328:THR:HG22	1.91	0.71
1:A:288:LEU:HD11	1:A:295:GLN:HG3	1.70	0.71
3:G:3:SIA:O10	3:G:3:SIA:O7	2.08	0.70
1:C:78:LEU:CD1	1:C:79:LEU:HD13	2.18	0.70
1:C:160:THR:O	5:C:439:HOH:O	2.10	0.70
1:E:135:VAL:HG23	1:E:146:SER:CA	2.22	0.69
1:E:77:ASP:HB3	1:E:80:LEU:HD22	1.74	0.69
2:F:94:TYR:OH	5:F:304:HOH:O	2.10	0.68
1:E:131:THR:HG23	1:E:152:VAL:HG11	1.75	0.68
2:F:128:ASP:OD1	2:F:159:TYR:OH	2.08	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:295:GLN:OE1	1:A:298:SER:N	2.22	0.67
1:A:135:VAL:HG12	1:A:145:SER:HB3	1.77	0.67
1:A:56:LYS:HB3	1:A:85:SER:HB3	1.75	0.67
1:E:135:VAL:HG23	1:E:146:SER:C	2.20	0.67
1:E:15:ILE:HD11	2:F:122:VAL:HG21	1.78	0.66
1:A:135:VAL:HG13	1:A:145:SER:C	2.21	0.65
1:A:320:LEU:CD1	1:A:321:ARG:O	2.45	0.65
1:C:43:LEU:HD21	1:C:296:ASN:ND2	2.12	0.65
1:E:131:THR:O	5:E:513:HOH:O	2.15	0.64
1:A:263:THR:CA	1:A:263(A):ASN:HB3	2.28	0.64
1:E:77:ASP:CB	1:E:80:LEU:HD22	2.27	0.64
1:E:135:VAL:HG22	1:E:145:SER:C	2.24	0.63
1:A:152:VAL:HG23	1:A:255:TRP:HB2	1.81	0.63
1:A:288:LEU:CD1	1:A:295:GLN:HG3	2.28	0.63
1:C:47:LYS:HE3	1:C:49:LYS:HE3	1.80	0.62
1:C:117:ARG:NH2	1:C:119:GLU:OE1	2.33	0.61
1:E:288:LEU:HD21	1:E:297:VAL:HG21	1.81	0.61
1:E:135:VAL:CG2	1:E:145:SER:C	2.73	0.61
1:E:78:LEU:H	1:E:78:LEU:CD1	2.02	0.61
1:E:43:LEU:HD21	1:E:296:ASN:HD22	1.66	0.61
1:E:320:LEU:HD12	1:E:321:ARG:O	2.01	0.61
1:C:264:LYS:NZ	2:D:64:GLU:OE1	2.34	0.60
2:F:60:ASN:O	2:F:62:GLN:NE2	2.34	0.60
1:E:221:PRO:O	1:E:229:ARG:NH2	2.34	0.60
2:D:2:ILE:HG23	2:D:3:PHE:N	2.16	0.59
1:E:63:ASP:OD1	1:E:63:ASP:O	2.20	0.58
1:E:186:LEU:CD2	1:E:227:ARG:HB2	2.33	0.58
2:D:2:ILE:HG21	2:D:109:ASP:OD1	2.03	0.58
1:A:186:LEU:HD11	3:G:1:NAG:H61	1.85	0.58
1:C:154:ILE:O	5:C:408:HOH:O	2.17	0.58
1:C:78:LEU:CD1	1:C:79:LEU:HD11	1.89	0.57
1:A:12:LYS:HE2	2:B:27:GLU:OE1	2.04	0.57
1:A:70:ILE:HD13	1:A:112:ILE:HD11	1.87	0.57
3:G:3:SIA:HO7	3:G:3:SIA:C10	2.14	0.57
1:A:183:HIS:HB2	1:A:252:ILE:HD11	1.86	0.57
1:C:78:LEU:HD12	1:C:79:LEU:HD12	0.60	0.56
1:E:78:LEU:HD13	1:E:78:LEU:N	2.08	0.56
1:C:204:MET:HG2	1:C:245:VAL:HG22	1.87	0.56
1:E:135:VAL:CG2	1:E:145:SER:O	2.53	0.56
1:A:203:ARG:O	1:A:204:MET:HG3	2.06	0.55
1:E:54:ILE:HG22	1:E:55:MET:N	2.22	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:152:VAL:HG23	1:E:255:TRP:HB2	1.88	0.55
2:D:171:GLN:HA	2:D:173:ILE:HG22	1.88	0.55
1:E:123:MET:HE1	1:E:178:TYR:HB2	1.88	0.55
1:C:159:ALA:HB1	1:C:160:THR:HG22	1.89	0.55
1:A:201:TYR:CE2	1:A:248:ASN:HB2	2.42	0.55
1:C:280:THR:HG22	5:C:422:HOH:O	2.06	0.54
1:A:153:TRP:CH2	3:G:3:SIA:H7	2.43	0.54
1:E:144:ILE:HD11	1:E:146:SER:HB2	1.89	0.54
1:A:71:LEU:O	1:A:148:TYR:HB3	2.08	0.54
1:A:83:SER:HB2	1:A:117:ARG:HH11	1.72	0.54
2:B:151:SER:OG	2:B:157:TYR:HA	2.08	0.54
1:C:12:LYS:HG2	2:D:27:GLU:HB3	1.90	0.53
1:C:28:THR:HG22	1:C:30:LEU:N	2.22	0.53
2:B:11:GLU:HG3	2:B:135:ASN:OD1	2.08	0.53
1:E:156:LYS:HB2	1:E:194:LEU:O	2.10	0.52
1:A:116:GLU:HB2	1:A:263:THR:HB	1.91	0.52
1:C:66:ILE:HG13	1:C:89:GLU:OE2	2.10	0.52
1:E:135:VAL:HG22	1:E:146:SER:N	2.24	0.52
1:A:137:ASN:HD21	3:G:2:GAL:H4	1.75	0.51
1:A:288:LEU:HD21	1:A:297:VAL:HG21	1.91	0.51
2:B:2:ILE:HG12	2:B:2:ILE:O	2.10	0.51
1:E:115:GLY:CA	1:E:262:SER:HA	2.28	0.51
1:E:56:LYS:HD2	1:E:85:SER:HB3	1.92	0.51
1:E:281:CYS:SG	1:E:288:LEU:HB2	2.49	0.51
1:C:12:LYS:HE2	2:D:27:GLU:OE1	2.11	0.51
1:A:51:PHE:CE2	1:A:272:LEU:HB2	2.45	0.50
1:E:135:VAL:HG21	1:E:146:SER:HA	1.92	0.50
1:C:218:ALA:O	1:C:220:ARG:NH1	2.44	0.50
1:C:61:LEU:HA	1:C:79:LEU:HD21	1.94	0.50
1:A:187:ASP:HB3	1:A:189:THR:N	2.26	0.50
1:A:187:ASP:HB3	1:A:189:THR:H	1.77	0.49
2:B:28:ASN:O	2:B:31:GLY:N	2.45	0.49
1:A:61:LEU:HD12	1:A:89:GLU:HB2	1.94	0.49
1:A:201:TYR:CD2	1:A:248:ASN:HB2	2.47	0.49
2:D:99:LEU:HD13	2:F:98:LEU:HD21	1.95	0.49
1:C:133:ARG:NH1	1:C:157(A):ASP:OD1	2.45	0.49
1:E:123:MET:HE1	1:E:178:TYR:CB	2.42	0.49
2:F:123:LYS:NZ	2:F:132:ASP:OD2	2.46	0.49
2:F:19:ASP:OD1	2:F:19:ASP:N	2.36	0.49
1:C:295:GLN:HG2	1:C:306:PRO:HG2	1.95	0.48
2:F:3:PHE:CE1	2:F:113:ALA:HB2	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:186:LEU:HA	1:E:218:ALA:O	2.13	0.48
1:C:12:LYS:NZ	2:D:25:HIS:NE2	2.60	0.48
1:E:52:CYS:SG	1:E:287:VAL:HG21	2.53	0.48
1:E:320:LEU:CD1	1:E:321:ARG:O	2.60	0.48
2:B:82:LYS:NZ	2:B:86:ASP:OD2	2.42	0.48
2:D:145:ASP:HB3	2:D:148:CYS:H	1.78	0.48
1:E:134:GLY:O	5:E:509:HOH:O	2.20	0.48
1:C:220:ARG:NE	5:C:420:HOH:O	2.42	0.47
1:E:135:VAL:CG2	1:E:146:SER:N	2.76	0.47
2:F:165:GLU:O	2:F:169:ASN:ND2	2.44	0.47
1:E:54:ILE:HD11	1:E:282:GLN:HB2	1.96	0.47
1:A:47:LYS:HD3	1:A:297:VAL:CG1	2.44	0.47
1:E:206:THR:HG22	1:E:243:LEU:HA	1.95	0.47
1:C:125(A):LYS:HE3	1:C:255:TRP:CZ2	2.49	0.47
2:D:9:PHE:O	2:D:135:ASN:HA	2.15	0.47
2:D:27:GLU:HG3	2:D:32:SER:HB3	1.97	0.47
2:B:106:ARG:HH22	2:D:105:GLU:CD	2.20	0.47
1:C:159:ALA:HB1	1:C:160:THR:CG2	2.45	0.47
1:E:78:LEU:C	1:E:78:LEU:HD22	2.39	0.47
1:C:221:PRO:O	1:C:229:ARG:NH2	2.47	0.47
1:E:323:VAL:O	1:E:323:VAL:HG13	2.15	0.47
1:E:78:LEU:CD1	1:E:78:LEU:N	2.73	0.46
1:C:143:THR:OG1	1:C:144:ILE:HD12	2.14	0.46
1:A:107:GLU:OE2	2:D:75:ARG:N	2.34	0.46
1:A:281:CYS:HB2	1:A:304:GLU:O	2.16	0.46
2:B:148:CYS:O	2:B:151:SER:HB3	2.16	0.46
1:E:70:ILE:HD13	1:E:179:PHE:CZ	2.51	0.46
2:B:2:ILE:HG23	2:B:3:PHE:N	2.31	0.46
1:C:216:GLU:O	1:C:220:ARG:NH2	2.46	0.46
1:E:13:ILE:HD13	2:F:152:VAL:HG11	1.96	0.46
1:E:28:THR:HG22	2:F:104:ASN:HB3	1.98	0.46
2:D:2:ILE:CG2	2:D:109:ASP:OD1	2.64	0.45
2:B:28:ASN:O	2:B:29:SER:C	2.60	0.45
1:C:12:LYS:HE3	2:D:25:HIS:NE2	2.31	0.45
1:A:12:LYS:HG2	2:B:27:GLU:HB3	1.97	0.45
1:A:45:ASN:HB2	1:A:296:ASN:HD22	1.82	0.45
1:A:161:TYR:CD1	1:A:248:ASN:O	2.70	0.45
1:A:20:ASN:OD1	1:A:22:SER:HB3	2.17	0.45
2:B:3:PHE:CE2	2:B:113:ALA:HB2	2.52	0.45
2:D:2:ILE:HG23	2:D:3:PHE:H	1.81	0.45
1:A:229:ARG:HD2	5:E:510:HOH:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:100:GLY:HA3	1:E:230:ILE:O	2.17	0.45
2:B:2:ILE:CG2	2:B:109:ASP:OD1	2.65	0.44
1:C:170:ASN:ND2	1:C:176:ILE:HD12	2.32	0.44
1:A:231:ASP:HB3	1:A:233:TYR:CE2	2.52	0.44
1:E:131:THR:O	1:E:131:THR:HG22	2.17	0.44
1:E:157:THR:HG22	1:E:158:SER:H	1.82	0.44
1:A:136:THR:O	1:A:145:SER:HA	2.17	0.44
1:C:144:ILE:HG22	1:C:145:SER:H	1.83	0.44
1:E:78:LEU:C	1:E:78:LEU:CD2	2.91	0.44
1:A:125(A):LYS:CD	1:A:131:THR:HG21	2.47	0.44
1:A:44:GLU:O	1:A:296:ASN:HB2	2.18	0.44
1:E:200:LYS:HD2	1:E:248:ASN:ND2	2.32	0.44
1:A:45:ASN:CB	1:A:296:ASN:HD22	2.31	0.43
1:C:78:LEU:HD12	1:C:78:LEU:C	2.43	0.43
2:B:124:SER:O	2:B:127:ARG:NE	2.51	0.43
2:D:17:MET:HE1	2:D:24:TYR:N	2.33	0.43
1:A:29:LEU:HD23	1:A:29:LEU:HA	1.81	0.43
1:E:161:TYR:CZ	1:E:249:GLY:HA2	2.53	0.43
1:A:113:GLY:C	1:A:115:GLY:HA3	2.44	0.43
1:C:51:PHE:HB3	1:C:86:TYR:OH	2.19	0.43
1:C:74:PRO:HG3	1:C:147:PHE:O	2.18	0.43
1:E:284:ILE:HG23	1:E:285:THR:HG23	2.01	0.43
2:F:17:MET:SD	2:F:23:GLY:CA	2.82	0.43
2:D:73:LEU:HD23	2:D:73:LEU:HA	1.91	0.42
1:A:138:ALA:HB2	1:A:226:GLN:HE21	1.83	0.42
1:C:52:CYS:SG	1:C:287:VAL:HG21	2.59	0.42
1:E:125(A):LYS:HE2	1:E:131:THR:HG22	2.02	0.42
1:C:156:LYS:HD2	1:C:159:ALA:HA	2.02	0.42
1:A:100:GLY:HA3	1:A:230:ILE:O	2.20	0.42
1:A:125(A):LYS:HD3	1:A:131:THR:HG21	2.01	0.42
1:A:156:LYS:HE3	1:A:156:LYS:HB3	1.86	0.42
1:C:186:LEU:HD13	1:C:227:ARG:HB2	2.01	0.42
1:C:133:ARG:O	1:C:134:GLY:C	2.63	0.42
1:E:320:LEU:HD12	1:E:320:LEU:C	2.45	0.42
1:A:131:THR:C	5:A:532:HOH:O	2.63	0.41
1:A:238:ARG:H	1:A:238:ARG:HG3	1.69	0.41
1:C:326:ILE:HD12	1:C:326:ILE:N	2.35	0.41
1:E:25:GLN:OE1	1:E:33:ASN:ND2	2.52	0.41
2:F:25:HIS:NE2	5:F:303:HOH:O	2.12	0.41
1:A:201:TYR:H	1:A:248:ASN:HB3	1.85	0.41
2:B:28:ASN:N	2:B:31:GLY:O	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:54:ILE:HD11	1:E:282:GLN:CB	2.50	0.41
1:E:195:TYR:HB3	1:E:200:LYS:HZ2	1.85	0.41
1:E:204:MET:HG2	1:E:245:VAL:HG22	2.01	0.41
2:B:168:LEU:HD23	2:B:168:LEU:HA	1.81	0.41
2:F:38:ARG:HH11	2:F:42:GLN:HB2	1.85	0.41
2:B:141:TRP:CE2	2:B:170:ARG:HG3	2.56	0.41
1:E:58:PRO:HG2	1:E:274:ILE:HD13	2.02	0.41
1:E:134:GLY:HA3	1:E:153:TRP:HB3	2.01	0.41
1:A:125(A):LYS:HE3	1:A:255:TRP:CH2	2.56	0.41
2:B:73:LEU:HD23	2:B:73:LEU:HA	1.91	0.41
1:A:156:LYS:HD2	1:A:159:ALA:HA	2.02	0.41
1:A:114:SER:N	1:A:115:GLY:HA3	2.36	0.41
1:C:98:TYR:O	1:C:232:TYR:OH	2.36	0.41
1:C:51:PHE:CE2	1:C:272:LEU:HB2	2.56	0.40
1:C:78:LEU:HD12	1:C:79:LEU:N	2.36	0.40
1:E:281:CYS:HB2	1:E:304:GLU:O	2.21	0.40
1:A:47:LYS:HD3	1:A:297:VAL:HG13	2.03	0.40
1:A:135:VAL:CG1	1:A:145:SER:C	2.94	0.40
1:C:307:LYS:HB2	1:C:307:LYS:HE2	1.99	0.40
1:E:108:LEU:HB2	1:E:234:TRP:NE1	2.36	0.40
2:F:58:LYS:HA	2:F:58:LYS:HD3	1.77	0.40
1:A:310:LYS:HE2	2:B:89:LEU:HD21	2.03	0.40
1:E:48:GLU:CD	1:E:289:ARG:HH21	2.29	0.40
1:E:264:LYS:HZ3	1:E:264:LYS:HG2	1.78	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:ALA:O	1:C:137:ASN:OD1[3_555]	2.01	0.19

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/333 (98%)	311 (96%)	14 (4%)	0	100	100
1	C	322/333 (97%)	313 (97%)	9 (3%)	0	100	100
1	E	321/333 (96%)	306 (95%)	14 (4%)	1 (0%)	36	44
2	B	171/180 (95%)	165 (96%)	6 (4%)	0	100	100
2	D	171/180 (95%)	167 (98%)	4 (2%)	0	100	100
2	F	170/180 (94%)	162 (95%)	8 (5%)	0	100	100
All	All	1480/1539 (96%)	1424 (96%)	55 (4%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	80(A)	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/291 (99%)	282 (98%)	6 (2%)	47	60
1	C	285/291 (98%)	278 (98%)	7 (2%)	42	54
1	E	284/291 (98%)	280 (99%)	4 (1%)	59	70
2	B	147/153 (96%)	146 (99%)	1 (1%)	76	83
2	D	147/153 (96%)	147 (100%)	0	100	100
2	F	146/153 (95%)	145 (99%)	1 (1%)	76	83
All	All	1297/1332 (97%)	1278 (98%)	19 (2%)	57	69

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	43	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	53	LYS
1	A	280	THR
1	A	295	GLN
1	A	328	THR
2	B	2	ILE
1	C	79	LEU
1	C	81	ASP
1	C	94	GLN
1	C	155	VAL
1	C	264	LYS
1	C	288	LEU
1	C	316	LEU
1	E	78	LEU
1	E	133	ARG
1	E	200	LYS
1	E	252	ILE
2	F	2	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	A	226	GLN
1	A	296	ASN
2	B	60	ASN
2	B	117	ASN
1	C	33	ASN
1	C	325	GLN
2	D	163	GLN
1	E	25	GLN
1	E	33	ASN
1	E	226	GLN
1	E	296	ASN
2	F	50	ASN
2	F	57	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	G	1	3	15,15,15	0.48	0	21,21,21	2.63	5 (23%)
3	GAL	G	2	3	11,11,12	0.89	0	15,15,17	2.40	5 (33%)
3	SIA	G	3	3	20,20,21	1.04	2 (10%)	21,28,31	1.33	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3	-	3/6/26/26	0/1/1/1
3	GAL	G	2	3	-	2/2/19/22	0/1/1/1
3	SIA	G	3	3	-	4/18/34/38	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	3	SIA	O1B-C1	-2.28	1.23	1.30
3	G	3	SIA	C5-N5	-2.10	1.42	1.45

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	NAG	C1-C2-N2	-9.70	99.49	110.73
3	G	2	GAL	C1-C2-C3	6.24	118.73	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	2	GAL	O5-C5-C6	3.79	115.05	107.66
3	G	2	GAL	C1-O5-C5	3.77	117.24	112.19
3	G	1	NAG	C3-C2-N2	-3.69	103.81	110.62
3	G	1	NAG	O5-C5-C6	-3.62	97.47	106.44
3	G	1	NAG	O4-C4-C3	-2.77	103.85	110.38
3	G	1	NAG	C6-C5-C4	-2.75	106.28	113.02
3	G	3	SIA	O9-C9-C8	-2.60	105.69	111.16
3	G	3	SIA	C6-C5-N5	-2.57	106.80	110.91
3	G	2	GAL	O2-C2-C1	-2.47	103.57	109.22
3	G	3	SIA	O4-C4-C5	2.27	115.00	109.84
3	G	3	SIA	C9-C8-C7	2.07	116.40	112.17
3	G	2	GAL	O6-C6-C5	-2.03	104.42	111.33

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	G	1	NAG	C8-C7-N2-C2
3	G	1	NAG	O7-C7-N2-C2
3	G	3	SIA	O6-C6-C7-O7
3	G	2	GAL	C4-C5-C6-O6
3	G	3	SIA	C7-C8-C9-O9
3	G	3	SIA	O8-C8-C9-O9
3	G	2	GAL	O5-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
3	G	3	SIA	O6-C6-C7-C8

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	3	SIA	3	0
3	G	2	GAL	1	0
3	G	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	F	201	2	14,14,15	0.49	0	17,19,21	0.89	1 (5%)
4	NAG	D	201	2	14,14,15	0.51	0	17,19,21	0.91	1 (5%)
4	NAG	E	401	1	14,14,15	0.45	0	17,19,21	1.59	3 (17%)
4	NAG	E	402	1	14,14,15	0.98	1 (7%)	17,19,21	1.07	1 (5%)
4	NAG	A	402	1	14,14,15	0.61	0	17,19,21	0.83	0
4	NAG	A	401	1	14,14,15	0.54	0	17,19,21	1.03	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	F	201	2	-	2/6/23/26	0/1/1/1
4	NAG	D	201	2	-	2/6/23/26	0/1/1/1
4	NAG	E	401	1	-	4/6/23/26	0/1/1/1
4	NAG	E	402	1	-	2/6/23/26	0/1/1/1
4	NAG	A	402	1	-	0/6/23/26	0/1/1/1
4	NAG	A	401	1	-	5/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	402	NAG	O5-C1	-3.17	1.38	1.43

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	401	NAG	O5-C5-C6	-3.50	100.86	107.66
4	E	402	NAG	C2-N2-C7	-3.14	118.69	122.90
4	E	401	NAG	C6-C5-C4	-3.01	105.64	113.02
4	A	401	NAG	O5-C5-C6	-2.97	101.89	107.66
4	E	401	NAG	C1-O5-C5	2.85	116.01	112.19
4	F	201	NAG	C1-O5-C5	2.73	115.85	112.19
4	D	201	NAG	C1-O5-C5	2.65	115.74	112.19

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	401	NAG	C1-C2-N2-C7
4	A	401	NAG	C8-C7-N2-C2
4	A	401	NAG	O7-C7-N2-C2
4	D	201	NAG	C8-C7-N2-C2
4	D	201	NAG	O7-C7-N2-C2
4	E	401	NAG	C8-C7-N2-C2
4	E	401	NAG	O7-C7-N2-C2
4	E	402	NAG	C8-C7-N2-C2
4	E	402	NAG	O7-C7-N2-C2
4	E	401	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	401	NAG	O5-C5-C6-O6
4	E	401	NAG	C4-C5-C6-O6
4	A	401	NAG	C4-C5-C6-O6
4	F	201	NAG	C8-C7-N2-C2
4	F	201	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/333 (98%)	0.17	7 (2%) 63 64	32, 50, 64, 79	0
1	C	326/333 (97%)	0.08	8 (2%) 58 59	33, 46, 62, 87	0
1	E	325/333 (97%)	0.13	6 (1%) 67 68	33, 48, 62, 82	0
2	B	173/180 (96%)	0.02	3 (1%) 69 70	32, 42, 59, 73	0
2	D	173/180 (96%)	0.06	3 (1%) 69 70	33, 45, 63, 82	0
2	F	172/180 (95%)	0.10	4 (2%) 61 62	31, 45, 63, 79	0
All	All	1498/1539 (97%)	0.11	31 (2%) 63 64	31, 47, 63, 87	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	1	GLY	7.3
2	B	1	GLY	6.3
2	F	1	GLY	6.0
1	A	9	PRO	3.6
1	E	159	ALA	3.4
2	F	2	ILE	3.4
2	F	172	GLY	3.2
1	C	159	ALA	3.2
1	C	327	ALA	3.1
1	C	92	ASN	3.0
1	C	12	LYS	3.0
1	C	197	SER	2.8
1	A	263	THR	2.8
2	D	173	ILE	2.7
1	A	12	LYS	2.7
1	C	134	GLY	2.6
1	E	78	LEU	2.6
1	C	326	ILE	2.6
1	E	77	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	214	SER	2.4
2	F	66	VAL	2.4
1	E	325	GLN	2.3
1	C	79	LEU	2.3
1	A	263(A)	ASN	2.2
1	A	55	MET	2.2
1	A	238	ARG	2.2
1	E	9	PRO	2.2
1	E	76	CYS	2.2
2	B	168	LEU	2.2
2	D	2	ILE	2.1
2	B	2	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	G	1	15/15	0.50	0.15	80,88,93,99	0
3	GAL	G	2	11/12	0.76	0.14	64,76,79,84	0
3	SIA	G	3	20/21	0.86	0.11	57,61,69,71	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	401	14/15	0.21	0.20	79,87,93,95	0
4	NAG	F	201	14/15	0.30	0.20	68,73,80,81	0
4	NAG	D	201	14/15	0.55	0.18	74,83,88,95	0
4	NAG	E	401	14/15	0.59	0.15	86,94,105,107	0
4	NAG	E	402	14/15	0.66	0.16	76,83,93,97	0
4	NAG	A	402	14/15	0.82	0.10	65,70,75,77	0

6.5 Other polymers [i](#)

There are no such residues in this entry.