



Full wwPDB EM Validation Report ⓘ

Mar 29, 2026 – 02:54 PM UTC

PDB ID : 7XK3 / pdb_00007xk3
EMDB ID : EMD-33242
Title : Cryo-EM structure of Na⁺-pumping NADH-ubiquinone oxidoreductase from *Vibrio cholerae*, state 1
Authors : Kishikawa, J.; Ishikawa, M.; Masuya, T.; Murai, M.; Barquera, B.; Miyoshi, H.
Deposited on : 2022-04-19
Resolution : 3.10 Å (reported)
Based on initial model : 4P6V

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	446	
2	B	415	
3	C	257	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	210	73% 24%
5	E	198	77% 23%
6	F	414	18% 82% 17%

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 14846 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Na(+)-translocating NADH-quinone reductase subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	446	Total	C	N	O	S	1	0
			3421	2168	585	651	17		

- Molecule 2 is a protein called Na(+)-translocating NADH-quinone reductase subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	387	Total	C	N	O	S	0	0
			2964	1960	481	501	22		

- Molecule 3 is a protein called Na(+)-translocating NADH-quinone reductase subunit C.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	251	Total	C	N	O	S	0	0
			1902	1204	327	367	4		

- Molecule 4 is a protein called Na(+)-translocating NADH-quinone reductase subunit D.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	204	Total	C	N	O	S	0	0
			1562	1037	247	268	10		

- Molecule 5 is a protein called Na(+)-translocating NADH-quinone reductase subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	198	Total	C	N	O	S	0	0
			1511	1013	230	257	11		


- Molecule 6 is a protein called Na(+)-translocating NADH-quinone reductase subunit F.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	408	Total	C	N	O	S	0	0
			3165	2027	519	595	24		

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
F	409	HIS	-	expression tag	UNP A5F5Y4
F	410	HIS	-	expression tag	UNP A5F5Y4
F	411	HIS	-	expression tag	UNP A5F5Y4
F	412	HIS	-	expression tag	UNP A5F5Y4
F	413	HIS	-	expression tag	UNP A5F5Y4
F	414	HIS	-	expression tag	UNP A5F5Y4

- Molecule 7 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $\text{C}_{17}\text{H}_{21}\text{N}_4\text{O}_9\text{P}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
7	B	1	Total 30	C 17	N 4	O 8	P 1	0
7	C	1	Total 30	C 17	N 4	O 8	P 1	0

- Molecule 8 is RIBOFLAVIN (CCD ID: RBF) (formula: $C_{17}H_{20}N_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
8	B	1	Total	C	N	O	0
			27	17	4	6	

- Molecule 9 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (CCD ID: PEE) (formula: $C_{41}H_{78}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
9	B	1	Total	C	N	O	P	0
			51	41	1	8	1	
9	B	1	Total	C	N	O	P	0
			51	41	1	8	1	

- Molecule 10 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms			AltConf
10	B	1	Total	C	O	0
			35	24	11	
10	D	1	Total	C	O	0
			35	24	11	

- Molecule 11 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
11	D	1	Total 4	Fe 2	S 2	0
11	F	1	Total 4	Fe 2	S 2	0

- Molecule 12 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
12	E	1	Total 1	Ca 1	0

- Molecule 13 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $\text{C}_{27}\text{H}_{33}\text{N}_9\text{O}_{15}\text{P}_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
13	F	1	Total	C	N	O	P	0
			53	27	9	15	2	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Na(+)-translocating NADH-quinone reductase subunit A



- Molecule 2: Na(+)-translocating NADH-quinone reductase subunit B




- Molecule 3: Na(+)-translocating NADH-quinone reductase subunit C




- Molecule 4: Na(+)-translocating NADH-quinone reductase subunit D

Chain D:  73% 24%




- Molecule 5: Na(+)-translocating NADH-quinone reductase subunit E

Chain E:  77% 23%



- Molecule 6: Na(+)-translocating NADH-quinone reductase subunit F

Chain F:  18% 82% 17%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	82790	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	65	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.872	Depositor
Minimum map value	-2.620	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.098	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	281.6, 281.6, 281.6	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.88, 0.88, 0.88	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, FMN, RBF, LMT, CA, PEE, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.16	0/3485	0.34	0/4722
2	B	0.71	11/3053 (0.4%)	0.79	10/4160 (0.2%)
3	C	0.49	3/1934 (0.2%)	0.59	5/2610 (0.2%)
4	D	0.22	0/1594	0.43	0/2164
5	E	0.15	0/1544	0.32	0/2094
6	F	0.13	0/3243	0.32	0/4389
All	All	0.39	14/14853 (0.1%)	0.50	15/20139 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	239	SER	CA-CB	-8.02	1.42	1.53
3	C	228	SER	CA-CB	-7.02	1.42	1.53
3	C	147	SER	CA-CB	-6.47	1.43	1.53
2	B	269	PRO	C-O	-6.03	1.16	1.23
2	B	383	MET	C-O	-5.94	1.17	1.24
2	B	221	SER	CA-CB	-5.85	1.43	1.53
3	C	222	SER	CA-CB	-5.79	1.45	1.53
2	B	217	PRO	C-O	-5.78	1.18	1.23
2	B	218	ALA	CA-CB	-5.55	1.46	1.54
2	B	381	GLY	C-O	-5.52	1.16	1.23
2	B	385	ALA	CA-CB	-5.51	1.44	1.53
2	B	168	LEU	C-O	-5.25	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	271	SER	CA-CB	-5.25	1.44	1.53
2	B	271	SER	C-O	-5.01	1.17	1.23

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	225	THR	N-CA-C	-7.39	104.29	113.38
2	B	169	ILE	N-CA-C	-6.68	105.83	112.17
2	B	238	LEU	N-CA-C	-6.67	104.77	113.17
2	B	213	PHE	CB-CA-C	-6.30	100.14	110.85
2	B	213	PHE	CA-CB-CG	6.26	120.06	113.80
3	C	178	GLY	N-CA-C	-6.19	105.37	115.46
2	B	217	PRO	N-CA-C	6.03	120.95	114.68
2	B	167	ALA	O-C-N	-6.02	114.15	122.46
2	B	206	LEU	N-CA-C	-5.66	106.21	113.23
2	B	236	THR	CB-CA-C	5.57	120.28	110.36
3	C	172	GLU	CA-C-O	-5.33	115.15	121.60
3	C	174	PRO	N-CA-CB	-5.33	97.66	103.25
3	C	224	ALA	CB-CA-C	-5.32	104.48	111.82
2	B	383	MET	N-CA-C	-5.27	105.62	111.36
2	B	270	GLY	CA-C-O	-5.17	116.36	121.48

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	215	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3421	0	3467	44	0
2	B	2964	0	2951	28	0
3	C	1902	0	1910	15	0
4	D	1562	0	1650	31	0
5	E	1511	0	1588	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	3165	0	3105	44	0
7	B	30	0	19	0	0
7	C	30	0	19	0	0
8	B	27	0	20	3	0
9	B	102	0	164	9	0
10	B	35	0	46	2	0
10	D	35	0	45	1	0
11	D	4	0	0	0	0
11	F	4	0	0	1	0
12	E	1	0	0	1	0
13	F	53	0	31	3	0
All	All	14846	0	15015	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:17:MET:CE	12:E:201:CA:CA	1.26	1.08
5:E:33:LYS:HG2	5:E:161:ARG:HH21	1.52	0.73
4:D:126:GLU:HB3	4:D:129:PRO:HD2	1.72	0.72
4:D:49:MET:HG2	4:D:138:GLY:HA3	1.73	0.68
2:B:213:PHE:HA	2:B:220:ILE:HG21	1.75	0.68
6:F:138:ILE:HD13	6:F:151:LYS:HG2	1.76	0.68
6:F:144:ALA:HB3	6:F:147:ILE:HB	1.77	0.67
6:F:36:THR:HG22	6:F:48:VAL:HG22	1.77	0.66
5:E:161:ARG:NH1	5:E:179:THR:OG1	2.28	0.66
2:B:313:ASN:HD21	2:B:326:PRO:HA	1.60	0.66
6:F:138:ILE:HD11	6:F:153:ALA:HB2	1.76	0.66
3:C:16:ILE:HG12	6:F:16:LEU:HD21	1.79	0.65
6:F:215:ALA:O	6:F:289:ARG:NH1	2.28	0.64
6:F:377:MET:HE1	6:F:388:ILE:HG13	1.78	0.64
1:A:430:GLU:OE1	2:B:43:ARG:NE	2.31	0.64
1:A:115:ARG:NE	1:A:186:THR:OG1	2.30	0.62
6:F:185:PRO:HD2	6:F:188:TYR:HD2	1.63	0.62
1:A:116:ASP:O	1:A:120:THR:HG23	2.01	0.61
1:A:115:ARG:HH21	1:A:186:THR:HA	1.66	0.60
1:A:56:ILE:HD11	1:A:59:GLU:HG3	1.83	0.60
6:F:210:ARG:NE	13:F:502:FAD:O1P	2.36	0.59
4:D:183:LEU:HD13	5:E:191:MET:HE1	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:184:ALA:HB1	5:E:22:PHE:HZ	1.68	0.58
6:F:178:LYS:NZ	6:F:201:GLU:OE1	2.36	0.58
6:F:35:ILE:HG23	6:F:118:ASP:HA	1.85	0.58
6:F:231:ALA:HB3	6:F:243:GLY:HA3	1.84	0.58
4:D:24:GLN:O	4:D:26:LEU:N	2.37	0.58
13:F:502:FAD:H8A	13:F:502:FAD:H52A	1.84	0.58
3:C:129:ASP:O	3:C:132:LYS:NZ	2.37	0.58
6:F:302:LYS:HD2	6:F:332:ASN:HD21	1.66	0.58
6:F:243:GLY:HA2	13:F:502:FAD:H51A	1.86	0.57
4:D:101:LEU:HB3	4:D:105:VAL:HG23	1.87	0.57
4:D:11:VAL:HG23	4:D:132:ILE:HG23	1.87	0.57
1:A:161:ALA:HB2	1:A:263:SER:HB3	1.86	0.56
2:B:274:GLU:HG3	2:B:275:VAL:N	2.21	0.56
1:A:229:PRO:O	2:B:411:ARG:NH1	2.39	0.56
4:D:126:GLU:HG3	4:D:127:PRO:HD2	1.86	0.56
2:B:52:ASP:OD1	2:B:52:ASP:N	2.38	0.55
4:D:56:ASN:HB3	4:D:130:SER:HB3	1.88	0.55
1:A:24:LYS:NZ	1:A:290:GLU:OE2	2.37	0.55
4:D:133:ASP:O	4:D:137:ASN:ND2	2.38	0.55
6:F:359:LEU:HD23	6:F:390:MET:HE1	1.87	0.55
1:A:215:HIS:ND1	1:A:215:HIS:O	2.40	0.55
1:A:72:VAL:HG21	1:A:94:VAL:HG22	1.90	0.54
1:A:8:LEU:HD11	1:A:345:PHE:HZ	1.73	0.54
1:A:216:PRO:HG2	1:A:385:PRO:HD3	1.89	0.54
1:A:31:LEU:HD12	1:A:57:LEU:HD12	1.89	0.54
1:A:271:LYS:O	1:A:273:ARG:NH1	2.40	0.54
5:E:28:PHE:O	5:E:32:SER:OG	2.20	0.53
5:E:103:PRO:HA	5:E:106:TYR:HB3	1.90	0.53
2:B:70:TRP:CD1	2:B:276:SER:HB2	2.43	0.53
5:E:65:LYS:HB3	5:E:68:ALA:HB2	1.90	0.53
4:D:11:VAL:HG12	4:D:12:LEU:HD22	1.91	0.53
1:A:415:GLU:OE2	1:A:436:ARG:NE	2.38	0.53
9:B:503:PEE:H41	10:B:504:LMT:H122	1.92	0.52
4:D:44:MET:HE2	4:D:101:LEU:HD22	1.92	0.52
10:D:302:LMT:H2O1	10:D:302:LMT:H6'	1.57	0.52
1:A:57:LEU:HD11	1:A:92:ILE:HD11	1.91	0.52
3:C:81:GLY:O	3:C:250:LYS:NZ	2.42	0.52
5:E:89:ALA:O	5:E:93:ILE:HG13	2.09	0.52
6:F:184:VAL:HG23	6:F:189:ARG:HG2	1.92	0.51
2:B:54:LYS:HA	2:B:157:GLU:HG3	1.92	0.51
5:E:42:GLY:HA3	5:E:151:MET:HG3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:LEU:HD12	1:A:250:LEU:HD22	1.91	0.51
1:A:367:THR:HG22	2:B:41:THR:HG22	1.93	0.51
6:F:171:GLU:HG3	6:F:209:ILE:HG22	1.92	0.51
6:F:275:GLU:OE2	6:F:363:TYR:OH	2.26	0.51
4:D:18:ASN:HD22	4:D:23:LEU:HD23	1.75	0.50
6:F:177:VAL:HG11	6:F:251:SER:HB2	1.93	0.50
1:A:7:GLY:HA3	1:A:216:PRO:HD3	1.94	0.50
3:C:114:LYS:HD3	3:C:143:ASN:HD22	1.77	0.50
2:B:238:LEU:HD23	2:B:325:MET:HE1	1.94	0.50
1:A:215:HIS:O	1:A:215:HIS:CG	2.65	0.49
9:B:503:PEE:H27	10:B:504:LMT:H123	1.94	0.49
6:F:68:SER:OG	11:F:501:FES:S1	2.65	0.49
1:A:173:ALA:HB2	1:A:249:GLN:HE21	1.77	0.49
2:B:215:ALA:HB1	4:D:178:ASN:OD1	2.11	0.49
6:F:47:ILE:HD12	6:F:62:ALA:HB1	1.95	0.49
4:D:26:LEU:HD22	4:D:112:CYS:HB3	1.94	0.49
4:D:104:PHE:HA	4:D:107:LEU:HB2	1.95	0.49
1:A:309:ALA:HB1	1:A:314:ALA:HA	1.95	0.49
2:B:100:TRP:HA	2:B:103:TRP:NE1	2.27	0.49
3:C:20:LEU:O	3:C:24:ILE:HG12	2.13	0.49
1:A:384:MET:HG2	1:A:390:PRO:HG3	1.94	0.48
3:C:7:SER:O	3:C:11:THR:HG23	2.13	0.48
6:F:217:TYR:CE2	6:F:219:GLU:HB2	2.48	0.48
9:B:505:PEE:H29	9:B:505:PEE:H36	1.54	0.48
5:E:17:MET:SD	5:E:146:SER:HB3	2.54	0.48
2:B:206:LEU:HD22	2:B:383:MET:HB3	1.96	0.48
6:F:286:ALA:HB3	6:F:287:PRO:HD3	1.96	0.48
6:F:137:VAL:HG21	6:F:252:LEU:HD12	1.95	0.48
4:D:71:ARG:HD2	4:D:123:MET:HE2	1.95	0.47
1:A:32:LEU:HD11	1:A:315:TYR:HB2	1.97	0.47
1:A:402:SER:HB3	1:A:442:ILE:HD11	1.97	0.47
5:E:5:ILE:O	5:E:9:VAL:HG22	2.15	0.47
5:E:48:VAL:HG12	5:E:122:ILE:HG12	1.96	0.47
6:F:79:CYS:O	6:F:110:ALA:N	2.40	0.47
8:B:502:RBF:HC3'	8:B:502:RBF:N1	2.29	0.47
4:D:60:SER:OG	4:D:127:PRO:HA	2.14	0.47
1:A:384:MET:HE3	1:A:386:LEU:HB2	1.95	0.47
6:F:39:ILE:HB	6:F:123:LEU:HD12	1.96	0.47
1:A:16:PRO:HA	1:A:272:PRO:HB2	1.96	0.47
2:B:394:PRO:HG3	5:E:163:LYS:HD2	1.97	0.47
2:B:100:TRP:HA	2:B:103:TRP:CD1	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:ARG:NH2	2:B:41:THR:O	2.37	0.46
1:A:134:ARG:HG3	1:A:224:MET:SD	2.55	0.46
5:E:63:VAL:HG12	5:E:64:LEU:HD23	1.96	0.46
1:A:278:VAL:HG22	1:A:279:MET:H	1.80	0.46
3:C:40:ASN:ND2	4:D:92:ALA:O	2.48	0.46
6:F:296:LEU:HD11	6:F:333:PHE:HB2	1.98	0.45
9:B:503:PEE:H35	9:B:503:PEE:H30	1.71	0.45
9:B:505:PEE:H39	9:B:505:PEE:H33	1.67	0.45
5:E:51:ILE:HG22	5:E:90:LEU:HD13	1.98	0.45
1:A:97:ASP:N	1:A:97:ASP:OD1	2.50	0.45
2:B:406:LYS:HB3	2:B:406:LYS:HE2	1.68	0.45
5:E:91:VAL:HG11	5:E:117:THR:HA	1.99	0.45
6:F:228:VAL:HG21	6:F:249:ILE:HG21	1.98	0.45
1:A:283:LEU:O	1:A:287:VAL:HG22	2.18	0.44
5:E:17:MET:HE1	5:E:121:ALA:O	2.18	0.44
2:B:395:LEU:HD12	2:B:395:LEU:HA	1.81	0.44
3:C:9:LYS:HA	3:C:9:LYS:HD3	1.89	0.44
6:F:94:GLU:HG2	6:F:109:LEU:HB2	2.00	0.44
3:C:53:ALA:HB2	3:C:137:ILE:HD11	1.99	0.44
2:B:157:GLU:CD	2:B:157:GLU:H	2.26	0.44
4:D:45:THR:HG22	4:D:49:MET:HE2	1.99	0.44
3:C:48:LYS:O	3:C:52:VAL:HG23	2.17	0.44
1:A:185:THR:C	1:A:187:GLY:H	2.25	0.44
4:D:128:ILE:HB	4:D:129:PRO:HD3	2.00	0.43
5:E:23:LEU:HD13	5:E:124:GLY:HA3	2.00	0.43
1:A:110:LEU:HD23	1:A:110:LEU:HA	1.89	0.43
1:A:304:LEU:HB3	1:A:419:ALA:HB1	2.00	0.43
6:F:26:LYS:HE2	6:F:26:LYS:HB2	1.81	0.43
4:D:30:SER:O	4:D:34:VAL:HG22	2.18	0.43
1:A:70:SER:OG	1:A:72:VAL:O	2.36	0.43
2:B:206:LEU:HD13	2:B:383:MET:HA	1.99	0.43
2:B:281:MET:HE1	9:B:503:PEE:H24	2.00	0.43
9:B:503:PEE:H7	9:B:503:PEE:H49	1.79	0.43
6:F:252:LEU:O	6:F:253:LYS:HD3	2.19	0.43
4:D:25:VAL:O	4:D:28:VAL:HG23	2.18	0.43
4:D:40:THR:HG22	4:D:97:ILE:HG23	2.01	0.43
1:A:422:THR:HG23	1:A:430:GLU:HA	2.01	0.43
4:D:107:LEU:HD23	5:E:123:PHE:HD2	1.83	0.43
5:E:14:ILE:HD13	5:E:193:PHE:HB3	1.99	0.43
6:F:138:ILE:H	6:F:138:ILE:HD12	1.84	0.42
2:B:364:ILE:HD13	2:B:386:ILE:HG12	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:168:LEU:HD22	4:D:177:PRO:HD3	2.01	0.42
6:F:148:LYS:HG2	6:F:250:TRP:CE2	2.54	0.42
5:E:8:LEU:O	5:E:12:ILE:HG13	2.19	0.42
6:F:170:ILE:HG12	6:F:260:ILE:HG22	2.01	0.42
6:F:275:GLU:HB3	6:F:373:CYS:HB3	2.00	0.42
3:C:24:ILE:HD13	6:F:8:VAL:HG21	2.02	0.42
5:E:144:PHE:O	5:E:148:VAL:HG23	2.20	0.42
2:B:123:LEU:O	2:B:127:THR:HG23	2.19	0.42
9:B:503:PEE:H18	9:B:503:PEE:H23	1.81	0.42
6:F:245:MET:HE3	6:F:249:ILE:HG12	2.01	0.42
6:F:403:LEU:H	6:F:403:LEU:HD23	1.85	0.42
1:A:216:PRO:HB2	1:A:385:PRO:HG3	2.01	0.42
2:B:76:GLY:HA3	2:B:121:LYS:O	2.20	0.42
3:C:192:LYS:HA	3:C:192:LYS:HD3	1.91	0.42
6:F:230:ILE:HB	6:F:250:TRP:CZ2	2.55	0.42
1:A:156:THR:OG1	1:A:215:HIS:HD2	2.03	0.42
6:F:216:ASN:HA	6:F:289:ARG:HH12	1.85	0.42
3:C:176:LEU:HA	3:C:176:LEU:HD12	1.77	0.41
3:C:34:ARG:O	3:C:38:LYS:HG3	2.21	0.41
5:E:173:LEU:HD22	5:E:177:GLY:HA3	2.02	0.41
6:F:136:THR:HG22	6:F:257:LYS:HD3	2.02	0.41
6:F:114:ALA:HB1	6:F:116:LYS:NZ	2.35	0.41
1:A:337:TRP:CZ3	2:B:58:ILE:HG13	2.55	0.41
2:B:343:MET:HA	8:B:502:RBF:O4	2.21	0.41
5:E:134:TYR:HB3	5:E:138:GLU:HB2	2.03	0.41
1:A:122:LEU:HD23	1:A:122:LEU:HA	1.92	0.41
1:A:154:MET:HA	1:A:163:PRO:HG2	2.02	0.41
1:A:225:HIS:CE1	1:A:387:ASP:H	2.39	0.41
2:B:83:LEU:HD11	2:B:102:TYR:CZ	2.56	0.41
2:B:203:ASN:OD1	8:B:502:RBF:N3	2.54	0.41
9:B:505:PEE:H60	9:B:505:PEE:H67	1.89	0.41
4:D:19:ASN:HB3	4:D:22:ALA:HB3	2.02	0.41
3:C:41:ALA:HA	4:D:95:TYR:CE2	2.56	0.40
5:E:49:LEU:HD21	5:E:122:ILE:HA	2.03	0.40
5:E:53:VAL:HB	5:E:54:PRO:HD3	2.03	0.40
1:A:28:LYS:HB2	1:A:28:LYS:HE3	1.78	0.40
4:D:139:LEU:HD23	4:D:139:LEU:HA	1.94	0.40
6:F:185:PRO:O	6:F:189:ARG:HG3	2.21	0.40
4:D:38:LEU:N	4:D:153:GLU:OE1	2.36	0.40
4:D:84:ILE:O	4:D:88:GLN:HG2	2.22	0.40
5:E:173:LEU:HD23	5:E:173:LEU:HA	1.87	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:F:296:LEU:HD13	6:F:326:LEU:HD22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/446 (100%)	426 (96%)	18 (4%)	1 (0%)	43	73
2	B	385/415 (93%)	372 (97%)	13 (3%)	0	100	100
3	C	249/257 (97%)	243 (98%)	4 (2%)	2 (1%)	16	47
4	D	202/210 (96%)	194 (96%)	8 (4%)	0	100	100
5	E	196/198 (99%)	190 (97%)	6 (3%)	0	100	100
6	F	406/414 (98%)	393 (97%)	13 (3%)	0	100	100
All	All	1883/1940 (97%)	1818 (96%)	62 (3%)	3 (0%)	44	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	175	GLY
1	A	216	PRO
3	C	174	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	376/376 (100%)	376 (100%)	0	100	100
2	B	296/320 (92%)	292 (99%)	4 (1%)	59	76
3	C	200/205 (98%)	199 (100%)	1 (0%)	81	85
4	D	171/176 (97%)	167 (98%)	4 (2%)	44	70
5	E	165/165 (100%)	165 (100%)	0	100	100
6	F	337/343 (98%)	337 (100%)	0	100	100
All	All	1545/1585 (98%)	1536 (99%)	9 (1%)	76	83

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	209	ARG
2	B	274	GLU
2	B	380	GLU
2	B	383	MET
3	C	173	THR
4	D	169	ILE
4	D	171	ASN
4	D	209	LYS
4	D	210	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	HIS
1	A	88	GLN
1	A	99	GLN
1	A	215	HIS
1	A	249	GLN
1	A	343	ASN
1	A	379	ASN
2	B	78	GLN
2	B	91	GLN
2	B	178	GLN
2	B	219	GLN
2	B	240	GLN
2	B	243	GLN
2	B	313	ASN
2	B	354	ASN
3	C	37	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	46	GLN
3	C	51	GLN
3	C	68	ASN
3	C	143	ASN
3	C	216	HIS
4	D	18	ASN
4	D	75	GLN
4	D	100	GLN
4	D	176	GLN
4	D	205	GLN
5	E	56	ASN
5	E	119	ASN
6	F	176	HIS
6	F	295	GLN
6	F	332	ASN
6	F	384	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	LMT	D	302	-	36,36,36	1.17	6 (16%)	47,47,47	1.15	3 (6%)
11	FES	D	301	-	0,4,4	-	-	-	-	-
9	PEE	B	503	-	50,50,50	1.15	6 (12%)	53,55,55	1.16	4 (7%)
7	FMN	C	301	3	29,32,33	1.12	1 (3%)	41,47,50	0.93	1 (2%)
7	FMN	B	501	2	29,32,33	1.12	1 (3%)	41,47,50	0.88	3 (7%)
9	PEE	B	505	-	50,50,50	1.17	6 (12%)	53,55,55	1.17	5 (9%)
13	FAD	F	502	-	58,58,58	0.35	0	85,89,89	0.29	0
8	RBF	B	502	-	29,29,29	2.91	10 (34%)	42,43,43	1.91	10 (23%)
11	FES	F	501	-	0,4,4	-	-	-	-	-
10	LMT	B	504	-	36,36,36	1.20	6 (16%)	47,47,47	1.07	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	LMT	D	302	-	-	7/21/61/61	0/2/2/2
11	FES	D	301	-	-	-	0/1/1/1
9	PEE	B	503	-	-	27/54/54/54	-
7	FMN	C	301	3	-	7/15/17/18	0/3/3/3
7	FMN	B	501	2	-	10/15/17/18	0/3/3/3
9	PEE	B	505	-	-	26/54/54/54	-
13	FAD	F	502	-	-	8/34/50/50	0/6/6/6
8	RBF	B	502	-	-	10/14/14/14	0/3/3/3
11	FES	F	501	-	-	-	0/1/1/1
10	LMT	B	504	-	-	7/21/61/61	0/2/2/2

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	502	RBF	C4A-N5	6.79	1.45	1.30
8	B	502	RBF	C10-N1	6.67	1.46	1.33
8	B	502	RBF	C5A-N5	5.45	1.49	1.39
8	B	502	RBF	C2-N1	4.97	1.47	1.36
8	B	502	RBF	C9A-N10	4.96	1.49	1.41
8	B	502	RBF	C2-N3	4.41	1.48	1.39
9	B	505	PEE	C39-C38	3.80	1.53	1.31
9	B	503	PEE	C39-C38	3.78	1.53	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	503	PEE	C18-C19	3.78	1.53	1.31
9	B	505	PEE	C18-C19	3.75	1.53	1.31
8	B	502	RBF	C10-N10	3.68	1.45	1.37
8	B	502	RBF	C4-N3	3.66	1.45	1.38
7	C	301	FMN	C2-N3	-3.18	1.32	1.39
8	B	502	RBF	O2-C2	-3.02	1.18	1.24
8	B	502	RBF	O4-C4	-2.75	1.18	1.23
9	B	505	PEE	O2-C2	-2.71	1.40	1.46
7	B	501	FMN	C2-N3	-2.60	1.33	1.39
10	D	302	LMT	O3'-C3'	-2.53	1.36	1.43
10	B	504	LMT	O3'-C3'	-2.43	1.36	1.43
9	B	505	PEE	O3-C30	2.41	1.40	1.33
10	D	302	LMT	O2'-C2'	-2.40	1.37	1.43
9	B	503	PEE	O2-C2	-2.37	1.41	1.46
10	B	504	LMT	O3B-C3B	-2.35	1.37	1.43
9	B	503	PEE	O3-C30	2.35	1.40	1.33
10	B	504	LMT	O2B-C2B	-2.33	1.37	1.43
10	D	302	LMT	O2B-C2B	-2.24	1.37	1.43
10	D	302	LMT	O1'-C1'	-2.20	1.36	1.40
10	D	302	LMT	O3B-C3B	-2.19	1.37	1.43
9	B	503	PEE	O3-C3	-2.18	1.40	1.45
9	B	503	PEE	O2-C10	2.18	1.40	1.34
9	B	505	PEE	O2-C10	2.13	1.40	1.34
9	B	505	PEE	O3-C3	-2.12	1.40	1.45
10	B	504	LMT	O5'-C5'	-2.08	1.39	1.44
10	B	504	LMT	O4'-C4B	-2.06	1.37	1.43
10	D	302	LMT	O4'-C4B	-2.01	1.38	1.43
10	B	504	LMT	O1'-C1'	-2.00	1.36	1.40

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	502	RBF	C7M-C7-C6	-6.54	108.05	119.57
8	B	502	RBF	C7M-C7-C8	5.56	132.11	120.76
9	B	503	PEE	O2-C10-C11	4.04	120.22	111.48
9	B	505	PEE	O2-C10-C11	3.99	120.11	111.48
8	B	502	RBF	C4-N3-C2	-3.50	119.43	125.64
10	D	302	LMT	C1'-O5'-C5'	-3.40	107.08	113.72
8	B	502	RBF	C4A-C4-N3	2.78	120.33	113.25
9	B	505	PEE	O3-C30-C31	2.67	119.96	111.83
9	B	503	PEE	O3-C30-C31	2.65	119.92	111.83
8	B	502	RBF	C4A-C10-N10	2.64	120.26	116.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	501	FMN	C4'-C3'-C2'	-2.62	109.22	113.57
10	B	504	LMT	C1'-O5'-C5'	-2.61	108.62	113.72
8	B	502	RBF	C4'-C3'-C2'	-2.58	109.27	113.57
8	B	502	RBF	O4-C4-C4A	-2.51	119.91	126.53
8	B	502	RBF	C5A-C9A-N10	2.48	120.21	117.97
10	B	504	LMT	C2'-C3'-C4'	2.46	115.27	109.68
8	B	502	RBF	C10-C4A-N5	-2.31	120.08	124.81
10	D	302	LMT	O5B-C5B-C4B	2.27	113.80	109.70
10	B	504	LMT	C1'-C2'-C3'	2.23	114.71	110.01
7	B	501	FMN	C4-N3-C2	-2.23	121.68	125.64
7	C	301	FMN	C4-N3-C2	-2.20	121.73	125.64
8	B	502	RBF	C9A-C5A-N5	-2.19	120.13	122.45
9	B	505	PEE	C17-C18-C19	-2.12	108.97	124.83
7	B	501	FMN	C4A-C4-N3	2.10	118.59	113.25
9	B	503	PEE	C40-C39-C38	-2.06	109.39	124.83
9	B	503	PEE	C17-C18-C19	-2.06	109.41	124.83
9	B	505	PEE	C37-C38-C39	-2.03	109.63	124.83
10	D	302	LMT	O1'-C1'-C2'	2.02	111.34	108.27
9	B	505	PEE	C40-C39-C38	-2.01	109.74	124.83

There are no chirality outliers.

All (102) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	501	FMN	C1'-C2'-C3'-O3'
7	B	501	FMN	C1'-C2'-C3'-C4'
7	B	501	FMN	C2'-C3'-C4'-C5'
7	B	501	FMN	O3'-C3'-C4'-O4'
7	B	501	FMN	O3'-C3'-C4'-C5'
7	B	501	FMN	C3'-C4'-C5'-O5'
7	B	501	FMN	O4'-C4'-C5'-O5'
7	C	301	FMN	N10-C1'-C2'-O2'
7	C	301	FMN	C1'-C2'-C3'-O3'
7	C	301	FMN	C1'-C2'-C3'-C4'
7	C	301	FMN	O2'-C2'-C3'-O3'
7	C	301	FMN	C3'-C4'-C5'-O5'
7	C	301	FMN	O4'-C4'-C5'-O5'
8	B	502	RBF	N10-C1'-C2'-C3'
8	B	502	RBF	C2'-C3'-C4'-C5'
8	B	502	RBF	O3'-C3'-C4'-O4'
8	B	502	RBF	O3'-C3'-C4'-C5'
8	B	502	RBF	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	502	RBF	O4'-C4'-C5'-O5'
9	B	503	PEE	C1-O3P-P-O2P
9	B	503	PEE	C1-O3P-P-O1P
9	B	503	PEE	C1-O3P-P-O4P
9	B	505	PEE	C4-O4P-P-O3P
9	B	505	PEE	C4-O4P-P-O2P
9	B	505	PEE	O4P-C4-C5-N
9	B	505	PEE	O5-C30-O3-C3
9	B	505	PEE	C31-C30-O3-C3
13	F	502	FAD	N10-C1'-C2'-O2'
13	F	502	FAD	N10-C1'-C2'-C3'
13	F	502	FAD	C2'-C3'-C4'-C5'
13	F	502	FAD	O3'-C3'-C4'-C5'
13	F	502	FAD	C5'-O5'-P-O1P
9	B	503	PEE	O5-C30-O3-C3
10	D	302	LMT	O5B-C1B-O1B-C4'
9	B	503	PEE	C31-C30-O3-C3
10	D	302	LMT	C4'-C5'-C6'-O6'
13	F	502	FAD	O3'-C3'-C4'-O4'
9	B	503	PEE	C11-C10-O2-C2
9	B	505	PEE	C11-C10-O2-C2
7	B	501	FMN	C2'-C3'-C4'-O4'
8	B	502	RBF	C2'-C3'-C4'-O4'
13	F	502	FAD	C2'-C3'-C4'-O4'
9	B	505	PEE	O4-C10-O2-C2
10	D	302	LMT	O5'-C5'-C6'-O6'
9	B	505	PEE	C19-C20-C21-C22
9	B	503	PEE	O4-C10-O2-C2
7	C	301	FMN	O2'-C2'-C3'-C4'
9	B	505	PEE	C30-C31-C32-C33
7	B	501	FMN	O2'-C2'-C3'-O3'
9	B	505	PEE	C37-C38-C39-C40
9	B	505	PEE	C10-C11-C12-C13
9	B	503	PEE	C30-C31-C32-C33
10	D	302	LMT	C5'-C4'-O1B-C1B
9	B	505	PEE	C20-C21-C22-C23
7	B	501	FMN	O2'-C2'-C3'-C4'
10	B	504	LMT	O5B-C5B-C6B-O6B
10	B	504	LMT	O5'-C5'-C6'-O6'
9	B	505	PEE	C32-C33-C34-C35
10	D	302	LMT	O5B-C5B-C6B-O6B
9	B	503	PEE	C19-C20-C21-C22

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	B	503	PEE	C35-C36-C37-C38
10	B	504	LMT	C11-C10-C9-C8
9	B	503	PEE	O3P-C1-C2-O2
10	B	504	LMT	C6-C7-C8-C9
9	B	503	PEE	C14-C15-C16-C17
9	B	503	PEE	C17-C18-C19-C20
10	D	302	LMT	C3'-C4'-O1B-C1B
10	B	504	LMT	C2-C1-O1'-C1'
9	B	505	PEE	C34-C35-C36-C37
9	B	503	PEE	C1-C2-C3-O3
9	B	503	PEE	C32-C33-C34-C35
9	B	503	PEE	O2-C2-C3-O3
8	B	502	RBF	O2'-C2'-C3'-C4'
8	B	502	RBF	C1'-C2'-C3'-O3'
9	B	503	PEE	C43-C44-C45-C46
9	B	503	PEE	C3-C2-O2-C10
10	B	504	LMT	C9-C10-C11-C12
9	B	505	PEE	O2-C2-C3-O3
9	B	503	PEE	O3P-C1-C2-C3
9	B	505	PEE	C1-C2-C3-O3
9	B	505	PEE	C4-O4P-P-O1P
13	F	502	FAD	C5'-O5'-P-O3P
9	B	503	PEE	C2-C1-O3P-P
9	B	505	PEE	C21-C22-C23-C24
9	B	503	PEE	C33-C34-C35-C36
9	B	503	PEE	C23-C24-C25-C26
10	D	302	LMT	C2-C1-O1'-C1'
9	B	503	PEE	C34-C35-C36-C37
9	B	505	PEE	C43-C44-C45-C46
9	B	505	PEE	C41-C42-C43-C44
10	B	504	LMT	O5'-C1'-O1'-C1
9	B	503	PEE	C44-C45-C46-C47
8	B	502	RBF	O2'-C2'-C3'-O3'
9	B	503	PEE	C36-C37-C38-C39
9	B	503	PEE	C37-C38-C39-C40
9	B	505	PEE	C40-C41-C42-C43
9	B	503	PEE	C38-C39-C40-C41
9	B	505	PEE	C16-C17-C18-C19
9	B	505	PEE	C31-C32-C33-C34
9	B	505	PEE	O3P-C1-C2-O2
9	B	505	PEE	C36-C37-C38-C39
9	B	505	PEE	C38-C39-C40-C41


There are no ring outliers.


7 monomers are involved in 17 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	D	302	LMT	1	0
9	B	503	PEE	6	0
9	B	505	PEE	3	0
13	F	502	FAD	3	0
8	B	502	RBF	3	0
11	F	501	FES	1	0
10	B	504	LMT	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33242. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 155




Y Index: 139




Z Index: 144


6.3.2 Raw map



X Index: 155



Y Index: 139




Z Index: 144


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_33242_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 81 nm³; this corresponds to an approximate mass of 73 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.05	3.41	3.08
Unmasked-calculated*	3.60	4.24	3.63

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.60 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33242 and PDB model 7XK3. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8100	0.5670
A	0.9020	0.5950
B	0.9050	0.6050
C	0.7470	0.5620
D	0.8200	0.5740
E	0.8150	0.5720
F	0.6510	0.4980

1.0

0.0

<0.0