



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:35 PM UTC

PDB ID : 5XLW / pdb_00005xlw
Title : Mycobacterium tuberculosis Pantothenate kinase mutant F247A/F254A
Authors : Paul, A.; Kumar, P.; Surolia, A.; Vijayan, M.
Deposited on : 2017-05-11
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	312	10% 75% 19% • •
1	B	312	6% 70% 18% • • 8%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4963 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pantothenate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	287	Total	C	N	O	S	0	0	0
			2245	1438	401	401	5			
1	A	306	Total	C	N	O	S	0	2	0
			2417	1541	437	433	6			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	247	ALA	PHE	engineered mutation	UNP P9WPA7
B	254	ALA	PHE	engineered mutation	UNP P9WPA7
A	247	ALA	PHE	engineered mutation	UNP P9WPA7
A	254	ALA	PHE	engineered mutation	UNP P9WPA7

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0

- Molecule 3 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	96	Total	O	0	0
			96	96		
6	A	82	Total	O	0	0
			82	82		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pantothenate kinase



• Molecule 1: Pantothenate kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	119.33Å 119.33Å 127.44Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.55 – 2.26 43.55 – 2.26	Depositor EDS
% Data completeness (in resolution range)	99.5 (43.55-2.26) 99.5 (43.55-2.26)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.09 (at 2.27Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.191 , 0.228 0.197 , 0.230	Depositor DCC
R_{free} test set	2500 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	37.0	Xtriage
Anisotropy	0.345	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.028 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4963	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, 1PE, EDO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.29	5/2482 (0.2%)	1.22	10/3385 (0.3%)
1	B	1.35	10/2296 (0.4%)	1.23	8/3129 (0.3%)
All	All	1.32	15/4778 (0.3%)	1.23	18/6514 (0.3%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	194	HIS	C-O	-8.73	1.19	1.23
1	B	286	LEU	C-O	-8.72	1.16	1.24
1	B	208	THR	CA-C	-6.67	1.44	1.52
1	B	194	HIS	C-O	-6.66	1.20	1.23
1	A	178	SER	CA-C	-6.45	1.44	1.52
1	B	209	GLY	N-CA	6.38	1.53	1.44
1	B	216	ASP	CA-C	-5.66	1.44	1.52
1	B	209	GLY	C-O	5.60	1.31	1.24
1	B	202	GLY	C-O	-5.48	1.17	1.24
1	A	51	GLU	CA-C	5.42	1.59	1.52
1	A	177	TYR	C-O	-5.24	1.17	1.23
1	A	255	HIS	N-CA	5.10	1.52	1.46
1	B	50	GLU	C-O	-5.08	1.18	1.24
1	B	224	VAL	C-O	5.07	1.29	1.24
1	B	180	LEU	N-CA	-5.04	1.40	1.46

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	286	LEU	CA-C-N	-6.90	112.69	119.87
1	A	286	LEU	C-N-CA	-6.90	112.69	119.87
1	B	209	GLY	CA-C-N	-6.86	111.27	119.84
1	B	209	GLY	C-N-CA	-6.86	111.27	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	35	VAL	N-CA-C	-6.60	104.42	110.82
1	A	54	LEU	CA-C-N	-6.56	112.23	119.19
1	A	54	LEU	C-N-CA	-6.56	112.23	119.19
1	B	212	LEU	N-CA-C	-6.47	98.69	108.46
1	A	299	ASP	CB-CA-C	-6.43	95.23	110.02
1	A	228	ILE	CB-CA-C	-6.27	103.68	112.14
1	A	194	HIS	CB-CA-C	-5.84	107.05	111.20
1	A	29	LEU	N-CA-C	5.78	118.38	109.07
1	B	123	VAL	CB-CA-C	5.66	118.81	110.77
1	B	53	TYR	N-CA-C	5.51	118.22	111.82
1	B	109	VAL	N-CA-CB	5.49	118.01	110.54
1	B	202	GLY	N-CA-C	5.32	118.48	110.18
1	A	131	PHE	N-CA-C	-5.12	106.43	113.30
1	A	222	LEU	CB-CA-C	-5.01	98.92	109.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2417	0	2390	47	0
1	B	2245	0	2216	37	0
2	A	32	0	48	4	0
2	B	48	0	72	7	0
3	B	16	0	22	0	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
5	A	7	0	10	0	0
6	A	82	0	0	4	0
6	B	96	0	0	4	0
All	All	4963	0	4758	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:THR:HA	1:A:213:MET:CE	2.00	0.92
1:A:139:GLN:HE21	1:A:139:GLN:HA	1.35	0.90
1:B:210:PRO:HA	1:A:208:THR:CG2	2.02	0.89
1:A:208:THR:HA	1:A:213:MET:HE2	1.56	0.86
1:B:210:PRO:HA	1:A:208:THR:HG21	1.59	0.84
1:A:133:TYR:HB2	1:A:138:LEU:HD13	1.59	0.82
1:A:310:ARG:NH1	6:A:501:HOH:O	2.11	0.82
1:A:139:GLN:HA	1:A:139:GLN:NE2	1.90	0.81
1:B:204:ASN:H	1:B:204:ASN:HD22	1.29	0.78
1:A:30:THR:HG22	1:A:33:GLU:H	1.47	0.78
1:B:133:TYR:HB2	1:B:138:LEU:HD13	1.68	0.73
1:A:30:THR:HB	1:A:33:GLU:OE1	1.88	0.73
1:A:38:ARG:HD3	6:A:561:HOH:O	1.93	0.69
1:A:208:THR:HA	1:A:213:MET:HE1	1.73	0.69
1:A:209:GLY:H	1:A:213:MET:CE	2.09	0.65
1:B:160:ARG:CD	2:B:411:EDO:H21	2.28	0.64
1:A:207:GLN:HB3	2:A:407:EDO:H11	1.79	0.63
1:B:29:LEU:HD22	1:B:29:LEU:N	2.13	0.63
1:A:23:MET:HB2	6:A:532:HOH:O	1.99	0.63
1:B:208:THR:HA	1:B:213:MET:CE	2.29	0.63
2:B:405:EDO:H21	6:B:510:HOH:O	2.00	0.62
1:A:7:PRO:HA	2:A:408:EDO:H22	1.84	0.59
1:A:29:LEU:CD2	1:A:33:GLU:HB3	2.33	0.58
1:B:204:ASN:H	1:B:204:ASN:ND2	2.00	0.58
1:B:15:ARG:NH2	1:B:48:GLU:OE2	2.38	0.57
1:A:15:ARG:NH2	1:A:48:GLU:OE2	2.38	0.56
1:B:61:HIS:HD2	1:B:120:HIS:NE2	2.03	0.56
1:B:12:GLU:HG2	1:B:308:ARG:HG2	1.87	0.55
1:B:160:ARG:CD	2:B:411:EDO:C2	2.86	0.54
1:B:204:ASN:HD22	1:B:204:ASN:N	1.98	0.54
1:B:29:LEU:HD13	1:B:50:GLU:HG3	1.91	0.53
1:B:208:THR:HA	1:B:213:MET:HE3	1.89	0.53
1:B:263:SER:O	1:B:267:VAL:HG23	2.09	0.53
1:B:170:ASP:O	1:B:193:ARG:HA	2.09	0.51
1:A:22:ARG:O	1:A:23:MET:HB2	2.11	0.51
1:A:12:GLU:OE2	1:A:308:ARG:NE	2.38	0.51
1:B:278:ARG:HB3	1:B:279:PRO:HD3	1.93	0.50
1:A:45:ASP:OD1	1:A:45:ASP:C	2.52	0.50
1:A:208:THR:HG22	1:A:208:THR:O	2.12	0.50
1:A:209:GLY:N	1:A:213:MET:CE	2.74	0.50
1:B:301:ASP:O	1:B:302:HIS:HB2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:GLN:HG3	1:B:123:VAL:HG22	1.95	0.49
1:B:179:HIS:HB2	2:B:409:EDO:H22	1.95	0.48
1:A:43:GLN:OE1	1:A:43:GLN:N	2.28	0.47
1:B:81:PRO:HG2	1:B:84:ASN:HB2	1.96	0.47
1:A:54:LEU:HB3	1:A:55:PRO:CD	2.45	0.47
1:B:77:PHE:O	1:A:23:MET:HA	2.14	0.47
1:B:29:LEU:CD1	1:B:50:GLU:HG3	2.44	0.47
1:B:139:GLN:O	1:B:140:ARG:C	2.57	0.47
1:A:243:ARG:HD2	1:A:243:ARG:C	2.40	0.47
1:A:54:LEU:HB3	1:A:55:PRO:HD3	1.96	0.47
1:A:289:ARG:HE	2:A:406:EDO:H22	1.80	0.47
1:A:119[B]:HIS:H	1:A:119[B]:HIS:CD2	2.33	0.47
1:A:29:LEU:HD22	1:A:33:GLU:HB3	1.98	0.46
1:B:23:MET:HE2	6:B:563:HOH:O	2.14	0.46
1:B:229:GLU:H	1:B:229:GLU:CD	2.24	0.46
1:A:196:ASP:C	1:A:197:ILE:HG13	2.42	0.45
1:B:54:LEU:CB	1:B:55:PRO:HD3	2.47	0.45
1:A:122:ARG:HG2	1:A:122:ARG:HH21	1.82	0.45
1:A:209:GLY:O	1:A:210:PRO:O	2.35	0.44
1:B:211:THR:H	1:A:208:THR:HG21	1.81	0.44
1:B:222:LEU:HD23	1:B:296:LEU:HD22	1.98	0.44
1:B:27:LEU:HD23	6:B:577:HOH:O	2.18	0.43
2:B:411:EDO:O2	2:B:412:EDO:H22	2.17	0.43
1:B:59:LEU:HD12	1:B:59:LEU:HA	1.85	0.43
1:A:10:TYR:OH	6:A:502:HOH:O	2.14	0.43
1:A:117:TRP:HB2	1:A:120:HIS:CE1	2.54	0.43
1:A:22:ARG:O	1:A:23:MET:CB	2.65	0.42
1:A:271:GLU:OE2	1:A:271:GLU:HA	2.19	0.42
1:B:213:MET:H	1:B:213:MET:HG2	1.78	0.42
1:B:105:THR:O	1:B:109:VAL:HG13	2.20	0.42
1:B:56:LEU:HD11	1:B:296:LEU:HD11	2.02	0.42
2:B:405:EDO:C2	6:B:510:HOH:O	2.63	0.42
1:A:151:GLU:OE1	1:A:151:GLU:N	2.35	0.41
1:B:17:GLN:O	1:B:21:LEU:HG	2.20	0.41
1:A:209:GLY:H	1:A:213:MET:HE3	1.85	0.41
1:A:87:ARG:HB2	1:A:88:PRO:HD2	2.02	0.41
1:A:243:ARG:O	1:A:244:THR:C	2.63	0.41
1:A:261:SER:O	1:A:262:ASP:C	2.64	0.41
1:A:289:ARG:HE	2:A:406:EDO:C2	2.33	0.40
1:B:175:PRO:O	2:B:405:EDO:H22	2.22	0.40
1:A:145:HIS:CD2	1:A:145:HIS:H	2.40	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:VAL:HG21	1:A:214:VAL:CG2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	306/312 (98%)	290 (95%)	9 (3%)	7 (2%)	5	2
1	B	283/312 (91%)	272 (96%)	9 (3%)	2 (1%)	18	17
All	All	589/624 (94%)	562 (95%)	18 (3%)	9 (2%)	8	4

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	211	THR
1	A	22	ARG
1	A	23	MET
1	A	26	PRO
1	A	211	THR
1	A	248	ALA
1	A	30	THR
1	A	210	PRO
1	B	25	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/268 (94%)	229 (90%)	24 (10%)	8	6
1	B	231/268 (86%)	205 (89%)	26 (11%)	5	3
All	All	484/536 (90%)	434 (90%)	50 (10%)	7	5

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	11	VAL
1	B	29	LEU
1	B	34	LEU
1	B	37	LEU
1	B	40	LEU
1	B	43	GLN
1	B	46	LEU
1	B	50	GLU
1	B	54	LEU
1	B	56	LEU
1	B	59	LEU
1	B	78	LEU
1	B	80	GLU
1	B	109	VAL
1	B	110	LEU
1	B	123	VAL
1	B	138	LEU
1	B	156	ARG
1	B	198	LEU
1	B	204	ASN
1	B	210	PRO
1	B	213	MET
1	B	217	LEU
1	B	229	GLU
1	B	296	LEU
1	B	312	LEU
1	A	11	VAL
1	A	15	ARG
1	A	21	LEU
1	A	24	SER
1	A	25	THR
1	A	27	LEU
1	A	30	THR
1	A	37	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	47	LEU
1	A	56	LEU
1	A	62	LEU
1	A	80	GLU
1	A	110	LEU
1	A	138	LEU
1	A	139	GLN
1	A	142	ASN
1	A	143	LEU
1	A	198	LEU
1	A	207	GLN
1	A	208	THR
1	A	213	MET
1	A	217	LEU
1	A	228	ILE
1	A	293	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	61	HIS
1	B	111	GLN
1	B	142	ASN
1	B	179	HIS
1	B	181	HIS
1	B	204	ASN
1	B	284	ASN
1	A	139	GLN
1	A	145	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	405	-	3,3,3	0.44	0	2,2,2	0.43	0
2	EDO	A	406	-	3,3,3	0.59	0	2,2,2	0.18	0
2	EDO	A	404	-	3,3,3	0.65	0	2,2,2	0.20	0
2	EDO	A	403	-	3,3,3	0.65	0	2,2,2	0.22	0
2	EDO	A	409	-	3,3,3	0.37	0	2,2,2	0.49	0
4	SO4	B	414	-	4,4,4	0.56	0	6,6,6	0.61	0
2	EDO	A	402	-	3,3,3	0.46	0	2,2,2	0.46	0
4	SO4	A	410	-	4,4,4	0.57	0	6,6,6	0.74	0
2	EDO	B	410	-	3,3,3	0.48	0	2,2,2	0.25	0
4	SO4	B	415	-	4,4,4	0.63	0	6,6,6	0.39	0
2	EDO	B	405	-	3,3,3	0.41	0	2,2,2	0.36	0
2	EDO	B	402	-	3,3,3	0.44	0	2,2,2	0.17	0
2	EDO	B	401	-	3,3,3	0.67	0	2,2,2	0.14	0
2	EDO	B	409	-	3,3,3	0.51	0	2,2,2	0.07	0
2	EDO	B	411	-	3,3,3	0.40	0	2,2,2	0.28	0
2	EDO	B	407	-	3,3,3	0.55	0	2,2,2	0.52	0
2	EDO	B	404	-	3,3,3	0.61	0	2,2,2	0.21	0
2	EDO	A	408	-	3,3,3	0.50	0	2,2,2	0.27	0
2	EDO	B	406	-	3,3,3	0.67	0	2,2,2	0.35	0
2	EDO	B	408	-	3,3,3	0.66	0	2,2,2	0.09	0
4	SO4	A	411	-	4,4,4	0.65	0	6,6,6	0.95	0
2	EDO	B	412	-	3,3,3	0.40	0	2,2,2	0.58	0
5	PEG	A	401	-	6,6,6	0.56	0	5,5,5	0.70	0
2	EDO	B	403	-	3,3,3	0.56	0	2,2,2	0.25	0
2	EDO	A	407	-	3,3,3	0.55	0	2,2,2	0.74	0
3	1PE	B	413	-	15,15,15	0.70	0	14,14,14	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	405	-	-	0/1/1/1	-
2	EDO	A	406	-	-	0/1/1/1	-
2	EDO	A	404	-	-	1/1/1/1	-
2	EDO	A	403	-	-	1/1/1/1	-
2	EDO	A	409	-	-	0/1/1/1	-
2	EDO	A	402	-	-	0/1/1/1	-
2	EDO	B	410	-	-	0/1/1/1	-
2	EDO	B	405	-	-	1/1/1/1	-
2	EDO	B	402	-	-	1/1/1/1	-
2	EDO	B	401	-	-	1/1/1/1	-
2	EDO	B	409	-	-	0/1/1/1	-
2	EDO	B	411	-	-	0/1/1/1	-
2	EDO	B	407	-	-	1/1/1/1	-
2	EDO	B	404	-	-	1/1/1/1	-
2	EDO	A	408	-	-	1/1/1/1	-
2	EDO	B	406	-	-	1/1/1/1	-
2	EDO	B	408	-	-	1/1/1/1	-
2	EDO	B	412	-	-	1/1/1/1	-
5	PEG	A	401	-	-	2/4/4/4	-
2	EDO	B	403	-	-	0/1/1/1	-
2	EDO	A	407	-	-	1/1/1/1	-
3	1PE	B	413	-	-	8/13/13/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	413	1PE	OH6-C15-C25-OH5
3	B	413	1PE	OH4-C13-C23-OH3
5	A	401	PEG	O1-C1-C2-O2
5	A	401	PEG	O2-C3-C4-O4
3	B	413	1PE	OH2-C12-C22-OH3
2	B	407	EDO	O1-C1-C2-O2
2	B	404	EDO	O1-C1-C2-O2
2	B	405	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	408	EDO	O1-C1-C2-O2
2	A	403	EDO	O1-C1-C2-O2
2	A	407	EDO	O1-C1-C2-O2
2	B	406	EDO	O1-C1-C2-O2
2	A	404	EDO	O1-C1-C2-O2
3	B	413	1PE	C15-C25-OH5-C14
3	B	413	1PE	C16-C26-OH6-C15
2	B	401	EDO	O1-C1-C2-O2
2	B	412	EDO	O1-C1-C2-O2
3	B	413	1PE	C25-C15-OH6-C26
3	B	413	1PE	OH7-C16-C26-OH6
2	B	402	EDO	O1-C1-C2-O2
2	A	408	EDO	O1-C1-C2-O2
3	B	413	1PE	C13-C23-OH3-C22

There are no ring outliers.

7 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	406	EDO	2	0
2	B	405	EDO	3	0
2	B	409	EDO	1	0
2	B	411	EDO	3	0
2	A	408	EDO	1	0
2	B	412	EDO	1	0
2	A	407	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	306/312 (98%)	0.40	32 (10%)	11 11	19, 39, 76, 122	2 (0%)
1	B	287/312 (91%)	0.15	20 (6%)	22 21	20, 35, 70, 101	0
All	All	593/624 (95%)	0.28	52 (8%)	15 14	19, 38, 75, 122	2 (0%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	26	PRO	7.2
1	A	27	LEU	7.2
1	A	210	PRO	6.4
1	A	25	THR	5.4
1	B	7	PRO	5.3
1	A	211	THR	5.2
1	B	29	LEU	5.0
1	A	248	ALA	4.7
1	B	210	PRO	4.5
1	B	211	THR	4.5
1	A	7	PRO	4.3
1	A	29	LEU	4.3
1	B	24	SER	4.3
1	A	24	SER	4.3
1	B	242	MET	4.2
1	B	209	GLY	4.0
1	A	119[A]	HIS	3.8
1	A	247	ALA	3.7
1	A	256	HIS	3.7
1	B	212	LEU	3.5
1	A	212	LEU	3.5
1	A	82	GLN	3.4
1	A	28	ALA	3.4
1	A	250	PRO	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	251	GLU	3.1
1	A	209	GLY	3.1
1	B	43	GLN	3.1
1	B	25	THR	3.0
1	B	263	SER	2.8
1	B	262	ASP	2.8
1	A	255	HIS	2.8
1	A	171	TYR	2.8
1	B	23	MET	2.8
1	B	39	GLY	2.8
1	B	27	LEU	2.7
1	A	246	ALA	2.6
1	B	20	ALA	2.6
1	A	208	THR	2.6
1	A	83	GLN	2.5
1	B	26	PRO	2.5
1	B	40	LEU	2.4
1	A	253	HIS	2.4
1	A	139	GLN	2.4
1	A	42	GLU	2.3
1	A	257	TYR	2.3
1	A	79	GLY	2.3
1	A	145	HIS	2.2
1	A	299	ASP	2.2
1	B	208	THR	2.2
1	A	23	MET	2.1
1	A	22	ARG	2.1
1	B	21	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	A	408	4/4	0.77	0.22	71,76,84,84	0
2	EDO	A	403	4/4	0.80	0.21	70,72,73,75	0
2	EDO	B	401	4/4	0.81	0.26	60,65,65,73	0
2	EDO	B	403	4/4	0.81	0.35	66,72,76,82	0
2	EDO	B	408	4/4	0.82	0.21	74,82,85,86	0
2	EDO	B	409	4/4	0.84	0.23	69,76,82,84	0
2	EDO	A	405	4/4	0.85	0.15	65,65,66,68	0
2	EDO	A	409	4/4	0.85	0.24	71,74,74,75	0
2	EDO	A	402	4/4	0.86	0.18	46,55,61,62	0
2	EDO	B	412	4/4	0.86	0.19	62,64,70,71	0
2	EDO	A	404	4/4	0.86	0.17	52,60,62,63	0
2	EDO	A	407	4/4	0.87	0.21	58,67,68,72	0
2	EDO	B	410	4/4	0.88	0.19	57,59,60,61	0
2	EDO	B	411	4/4	0.90	0.16	56,57,57,64	0
2	EDO	B	404	4/4	0.90	0.16	59,66,71,73	0
2	EDO	A	406	4/4	0.90	0.18	60,60,69,73	0
2	EDO	B	407	4/4	0.91	0.15	44,50,53,54	0
2	EDO	B	402	4/4	0.93	0.20	50,52,52,56	0
2	EDO	B	406	4/4	0.93	0.15	50,52,54,55	0
3	1PE	B	413	16/16	0.93	0.13	41,51,66,69	0
4	SO4	A	410	5/5	0.93	0.14	64,66,72,73	0
2	EDO	B	405	4/4	0.94	0.28	37,57,65,68	0
5	PEG	A	401	7/7	0.94	0.14	52,55,65,70	0
4	SO4	B	415	5/5	0.97	0.12	50,54,56,58	0
4	SO4	A	411	5/5	0.99	0.04	21,27,31,32	0
4	SO4	B	414	5/5	1.00	0.03	21,22,25,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.