



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:28 PM UTC

PDB ID : 1XMN / pdb_00001xmn
Title : Crystal structure of thrombin bound to heparin
Authors : Carter, W.J.; Cama, E.; Huntington, J.A.
Deposited on : 2004-10-04
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	36	8% 67% 19% 14%
1	C	36	14% 72% 17% 11%
1	E	36	6% 64% 11% 6% 19%
1	G	36	3% 78% 8% 14%
2	B	259	6% 79% 19% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	259	
2	F	259	
2	H	259	
3	I	6	
4	J	2	
5	K	5	
6	L	2	
6	M	2	
7	N	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	J	1	X	-	-	-
6	NAG	L	1	X	-	-	-
6	NAG	M	1	X	-	-	-
7	NAG	N	1	X	-	-	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 10416 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Thrombin light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	31	Total	C	N	O	S	0	0	0
			249	154	40	54	1			
1	C	32	Total	C	N	O	S	0	0	0
			248	154	41	52	1			
1	E	29	Total	C	N	O	S	0	0	0
			236	148	38	49	1			
1	G	31	Total	C	N	O	S	0	0	0
			247	153	40	53	1			

- Molecule 2 is a protein called Thrombin heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	0	0
			2053	1310	360	369	14			
2	D	254	Total	C	N	O	S	0	0	0
			2048	1307	360	367	14			
2	F	254	Total	C	N	O	S	0	0	0
			2039	1302	354	369	14			
2	H	253	Total	C	N	O	S	0	0	0
			2035	1300	356	365	14			

- Molecule 3 is an oligosaccharide called 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	I	6	Total	C	N	O	S	0	0	0
			105	36	3	57	9			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	J	2	Total	C	N	O		0	0	0
			28	16	2	10				

- Molecule 5 is an oligosaccharide called 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	K	5	Total	C	N	O	S	0	0	0
			89	30	3	48	8			


- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	L	2	Total	C	N	O		0	0	0
			28	16	2	10				
6	M	2	Total	C	N	O		0	0	0
			28	16	2	10				


- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a

cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	N	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 8 is D-phenylalanyl-N-[(2S,3S)-6-{[amino(iminio)methyl]amino}-1-chloro-2-hydroxyhexan-3-yl]-L-prolinamide (CCD ID: 0G6) (formula: C₂₁H₃₄ClN₆O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			30	21	6	3		
8	D	1	Total	C	N	O	0	0
			30	21	6	3		
8	F	1	Total	C	N	O	0	0
			30	21	6	3		
8	H	1	Total	C	N	O	0	0
			30	21	6	3		

- Molecule 9 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	Na	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	D	1	Total	Na	0	0
			1	1		
9	F	1	Total	Na	0	0
			1	1		
9	H	1	Total	Na	0	0
			1	1		

- Molecule 10 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			6	3	3		
10	B	1	Total	C	O	0	0
			6	3	3		
10	D	1	Total	C	O	0	0
			6	3	3		
10	D	1	Total	C	O	0	0
			6	3	3		
10	F	1	Total	C	O	0	0
			6	3	3		
10	F	1	Total	C	O	0	0
			6	3	3		
10	F	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	18	Total 18	O 18	0	0
11	B	188	Total 188	O 188	0	0
11	C	20	Total 20	O 20	0	0
11	D	199	Total 199	O 199	0	0
11	E	20	Total 20	O 20	0	0
11	F	133	Total 133	O 133	0	0
11	G	18	Total 18	O 18	0	0
11	H	154	Total 154	O 154	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Thrombin light chain





- Molecule 1: Thrombin light chain




- Molecule 1: Thrombin light chain




- Molecule 1: Thrombin light chain






- Molecule 2: Thrombin heavy chain







- Molecule 2: Thrombin heavy chain



- Molecule 2: Thrombin heavy chain



- Molecule 2: Thrombin heavy chain



- Molecule 3: 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid




IDS1
SGN2
IDS3
SGN4
IDS5
SGN6

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAG1
MAG2

- Molecule 5: 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose

Chain K:  100%

SGN1
IDS2
SGN3
IDS4
SGN5

- Molecule 6: 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50%  50%

MAG1
MDG2

- Molecule 6: 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
MDG2

- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  20%  40%  40%

MAG1
MAG2
BMA3
MAN4
MAN5

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.91Å 80.84Å 114.14Å 90.00° 101.05° 90.00°	Depositor
Resolution (Å)	36.60 – 1.85 36.60 – 1.85	Depositor EDS
% Data completeness (in resolution range)	96.1 (36.60-1.85) 96.1 (36.60-1.85)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 1.85Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.209 , 0.234 0.211 , 0.235	Depositor DCC
R_{free} test set	2411 reflections (2.03%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10416	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, SGN, NDG, 0G6, NA, GOL, IDS, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/251	0.85	1/334 (0.3%)
1	C	0.37	0/250	0.89	1/333 (0.3%)
1	E	0.35	0/238	0.89	1/317 (0.3%)
1	G	0.37	0/249	0.89	1/331 (0.3%)
2	B	0.42	1/2107 (0.0%)	0.96	10/2853 (0.4%)
2	D	0.43	1/2102 (0.0%)	0.94	7/2846 (0.2%)
2	F	0.40	1/2093 (0.0%)	0.96	15/2833 (0.5%)
2	H	0.44	1/2089 (0.0%)	0.98	6/2828 (0.2%)
All	All	0.42	4/9379 (0.0%)	0.95	42/12675 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	D	0	1
2	F	0	1
2	H	0	1
All	All	0	4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	57	HIS	CD2-NE2	-6.98	1.30	1.37
2	H	57	HIS	CD2-NE2	-6.98	1.30	1.37
2	F	57	HIS	CD2-NE2	-6.88	1.30	1.37
2	D	57	HIS	CD2-NE2	-6.71	1.30	1.37

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	14(A)	LYS	N-CA-C	7.92	120.81	111.71
2	B	195	SER	O-C-N	7.82	132.51	122.97
1	G	14(A)	LYS	N-CA-C	7.03	120.96	112.38
2	F	57	HIS	CA-CB-CG	6.98	120.78	113.80
2	D	190	ALA	N-CA-C	-6.95	99.59	110.36
2	H	57	HIS	CA-CB-CG	6.87	120.67	113.80
2	D	57	HIS	CA-CB-CG	6.71	120.51	113.80
2	B	57	HIS	CA-CB-CG	6.70	120.50	113.80
2	F	97(A)	GLU	N-CA-C	6.69	121.30	111.34
2	B	190	ALA	N-CA-C	-6.57	100.18	110.36
1	A	14(A)	LYS	N-CA-C	6.54	120.36	112.38
1	E	14(A)	LYS	N-CA-C	6.53	120.35	112.38
2	H	190	ALA	N-CA-C	-6.48	101.19	110.59
2	B	75	ARG	N-CA-C	6.46	119.14	110.35
2	B	231	VAL	N-CA-C	6.29	116.45	110.42
2	H	199	PHE	N-CA-C	-6.26	96.90	107.99
2	H	77(A)	ARG	N-CA-C	6.15	119.14	110.23
2	F	231	VAL	N-CA-C	6.09	116.27	110.42
2	B	215	TRP	N-CA-C	6.04	116.53	108.38
2	F	151	GLN	CA-C-N	6.00	126.34	119.92
2	F	151	GLN	C-N-CA	6.00	126.34	119.92
2	F	199	PHE	N-CA-C	-5.89	97.72	108.02
2	B	199	PHE	N-CA-C	-5.76	97.80	107.99
2	D	123	LEU	N-CA-C	-5.71	102.43	110.31
2	F	190	ALA	N-CA-C	-5.68	101.56	110.36
2	F	153	SER	N-CA-C	-5.65	106.06	113.12
2	D	199	PHE	N-CA-C	-5.63	98.03	107.99
2	H	123	LEU	N-CA-C	-5.49	102.74	110.31
2	F	215	TRP	N-CA-C	5.36	115.62	108.38
2	D	231	VAL	N-CA-C	5.34	115.97	110.36
2	H	231	VAL	N-CA-C	5.33	115.54	110.42
2	F	195	SER	CA-C-N	-5.32	114.69	122.46
2	F	195	SER	C-N-CA	-5.32	114.69	122.46
2	F	64	LEU	N-CA-C	5.29	117.45	109.41
2	B	64	LEU	N-CA-C	5.24	117.37	109.41
2	D	70	LYS	N-CA-C	5.23	118.22	110.48
2	B	123	LEU	N-CA-C	-5.23	103.09	110.31
2	F	195	SER	O-C-N	5.22	129.29	122.87
2	D	215	TRP	N-CA-C	5.20	115.40	108.38
2	F	43	GLY	N-CA-C	-5.12	104.49	112.58
2	B	43	GLY	N-CA-C	-5.11	104.51	112.58
2	F	41	LEU	N-CA-C	5.01	117.51	111.40

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	57	HIS	Mainchain
2	D	57	HIS	Mainchain
2	F	57	HIS	Mainchain
2	H	57	HIS	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	249	0	243	4	0
1	C	248	0	239	3	0
1	E	236	0	233	3	0
1	G	247	0	241	2	0
2	B	2053	0	1994	43	0
2	D	2048	0	1993	38	0
2	F	2039	0	1975	53	0
2	H	2035	0	1981	55	0
3	I	105	0	33	0	0
4	J	28	0	25	0	0
5	K	89	0	29	0	0
6	L	28	0	24	0	0
6	M	28	0	24	0	0
7	N	61	0	52	5	0
8	B	30	0	31	1	0
8	D	30	0	31	1	0
8	F	30	0	31	2	0
8	H	30	0	31	1	0
9	B	1	0	0	0	0
9	D	1	0	0	0	0
9	F	1	0	0	0	0
9	H	1	0	0	0	0
10	B	12	0	16	1	0
10	D	12	0	16	1	0
10	F	18	0	24	1	0
10	H	6	0	8	0	0
11	A	18	0	0	0	0
11	B	188	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	C	20	0	0	0	0
11	D	199	0	0	3	0
11	E	20	0	0	0	0
11	F	133	0	0	3	0
11	G	18	0	0	0	0
11	H	154	0	0	5	0
All	All	10416	0	9274	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:40:LEU:HB2	2:F:73:ARG:HH21	1.19	1.05
7:N:3:BMA:H2	7:N:4:MAN:H2	1.40	1.03
2:H:73:ARG:HB2	2:H:141:TRP:CD1	2.08	0.89
2:H:73:ARG:HG3	11:H:3115:HOH:O	1.78	0.82
2:H:139:THR:HG22	2:H:157:VAL:HG22	1.60	0.81
2:B:147(B):THR:HG22	2:B:147(D):ASN:H	1.46	0.80
2:H:74:THR:CG2	2:H:75:ARG:HG3	2.10	0.80
1:C:5:PRO:HA	1:C:9:LYS:HD2	1.65	0.78
2:B:50:ARG:NH2	2:B:107:LYS:HE2	2.01	0.76
2:F:144:LEU:HD21	2:F:152:PRO:HG3	1.68	0.73
2:H:74:THR:HG22	2:H:75:ARG:HG3	1.70	0.73
2:B:50:ARG:HH21	2:B:107:LYS:HE2	1.54	0.72
2:F:40:LEU:HB2	2:F:73:ARG:NH2	2.02	0.71
2:H:60(I):THR:HG22	2:H:63:ASP:OD2	1.90	0.70
2:H:144:LEU:HD21	2:H:152:PRO:HG3	1.74	0.70
1:A:5:PRO:HA	1:A:9:LYS:HD2	1.76	0.67
2:F:73:ARG:HG3	11:F:3080:HOH:O	1.95	0.67
2:F:32:MET:SD	2:F:70:LYS:HD3	2.36	0.66
2:F:73:ARG:HD3	2:F:74:THR:HG23	1.76	0.66
2:F:152:PRO:HG2	11:F:3012:HOH:O	1.95	0.66
2:H:73:ARG:HD3	2:H:73:ARG:C	2.21	0.66
2:H:67:ARG:HG3	2:H:82:ILE:HG22	1.77	0.66
2:B:73:ARG:HD3	2:B:152:PRO:O	1.96	0.66
2:F:73:ARG:HD3	2:F:73:ARG:C	2.21	0.66
2:F:34:PHE:CE1	2:F:67:ARG:HD3	2.32	0.65
1:A:14(D):ARG:O	1:A:14(H):GLU:HG3	1.95	0.64
2:F:204(B):ASN:C	2:F:204(B):ASN:HD22	2.05	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:126:ARG:HG3	2:B:126:ARG:HH11	1.62	0.63
2:H:74:THR:HG23	2:H:75:ARG:HG3	1.81	0.62
2:F:164:GLU:H	2:F:164:GLU:CD	2.08	0.62
2:D:60(I):THR:HG22	2:D:63:ASP:OD2	2.01	0.61
2:D:77(A):ARG:CZ	2:D:78:ASN:H	2.13	0.61
2:H:144:LEU:CD2	2:H:152:PRO:HG3	2.31	0.61
2:H:73:ARG:O	2:H:73:ARG:CD	2.50	0.60
2:D:151:GLN:HB3	2:D:152:PRO:HD2	1.84	0.60
2:F:75:ARG:O	2:F:76:TYR:O	2.20	0.60
2:H:204(B):ASN:C	2:H:204(B):ASN:HD22	2.11	0.59
2:B:60(I):THR:HG22	2:B:63:ASP:OD2	2.02	0.59
2:F:144:LEU:CD2	2:F:152:PRO:HG3	2.33	0.59
2:B:126:ARG:HD3	2:H:240:LYS:HG3	1.85	0.58
2:D:32:MET:SD	2:D:70:LYS:HD3	2.43	0.58
2:F:73:ARG:N	2:F:153:SER:O	2.37	0.58
2:D:144:LEU:HD21	2:D:152:PRO:HB3	1.84	0.58
2:B:99:LEU:HD21	8:B:1:OG6:HB21	1.86	0.57
7:N:3:BMA:H2	7:N:4:MAN:C2	2.27	0.57
2:B:173:ARG:HG2	2:B:173:ARG:HH11	1.69	0.57
1:C:14(D):ARG:O	1:C:14(H):GLU:HG3	2.04	0.57
2:F:73:ARG:HH11	2:F:74:THR:HG21	1.68	0.57
2:H:152:PRO:HG2	11:H:3019:HOH:O	2.03	0.57
2:F:74:THR:O	2:F:75:ARG:HD2	2.05	0.57
2:F:97:ARG:HG3	11:F:3064:HOH:O	2.05	0.57
2:H:32:MET:SD	2:H:70:LYS:HD3	2.46	0.56
2:B:126:ARG:CD	2:H:240:LYS:HG3	2.36	0.56
2:F:73:ARG:NH1	2:F:74:THR:HG21	2.21	0.56
2:F:17:VAL:HG12	2:F:18:GLU:HG2	1.88	0.56
2:F:204(B):ASN:ND2	2:F:206:ARG:H	2.03	0.56
2:F:71:HIS:HB3	2:F:77:GLU:OE2	2.06	0.55
2:F:73:ARG:HH11	2:F:74:THR:CG2	2.20	0.55
2:H:50:ARG:HH21	2:H:107:LYS:HE2	1.71	0.55
2:B:151:GLN:HE21	2:B:152:PRO:HD2	1.70	0.55
2:D:73:ARG:HB2	2:D:141:TRP:CD1	2.41	0.55
2:B:244:GLN:HG3	2:H:126:ARG:HH11	1.72	0.55
2:B:75:ARG:HG3	2:B:76:TYR:N	2.22	0.54
2:D:60(I):THR:HG22	2:D:63:ASP:CG	2.32	0.54
2:D:77(A):ARG:HA	2:D:77(A):ARG:HE	1.72	0.54
2:H:85:LEU:HD22	2:H:85:LEU:N	2.23	0.54
2:B:151:GLN:NE2	2:B:152:PRO:HD2	2.23	0.53
2:B:60(I):THR:HG22	2:B:63:ASP:CG	2.34	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:85:LEU:HD12	2:H:106:MET:HB3	1.90	0.53
2:D:77(A):ARG:NE	2:D:78:ASN:H	2.06	0.53
2:H:73:ARG:O	2:H:73:ARG:NE	2.41	0.53
2:D:77(A):ARG:HA	2:D:77(A):ARG:NE	2.24	0.52
2:H:127:GLU:HG2	11:H:3135:HOH:O	2.08	0.52
2:B:34:PHE:CE1	2:B:67:ARG:HD3	2.45	0.52
2:H:178:ASP:O	2:H:233:ARG:NE	2.40	0.52
2:F:73:ARG:HD3	2:F:73:ARG:O	2.09	0.52
2:H:73:ARG:C	2:H:73:ARG:CD	2.79	0.52
10:B:1008:GOL:H2	11:B:3107:HOH:O	2.09	0.51
2:H:99:LEU:HD21	8:H:1:OG6:HB21	1.91	0.51
2:D:77(A):ARG:HD3	2:D:78:ASN:OD1	2.10	0.51
2:H:74:THR:CG2	2:H:75:ARG:N	2.74	0.51
2:B:244:GLN:HG3	2:H:126:ARG:NH1	2.25	0.50
2:B:73:ARG:NH1	2:B:151:GLN:HB3	2.26	0.50
2:H:22:ALA:HB2	2:H:157:VAL:HG23	1.94	0.50
2:B:60(A):TYR:CE2	2:B:60(C):PRO:HB2	2.46	0.50
2:B:173:ARG:HG2	2:B:173:ARG:NH1	2.27	0.49
2:D:82:ILE:HG23	11:D:3150:HOH:O	2.11	0.49
2:F:178:ASP:O	2:F:233:ARG:NE	2.38	0.49
2:H:94:TYR:CZ	2:H:96:TRP:HB3	2.47	0.49
2:B:32:MET:HG2	2:B:141:TRP:CZ3	2.47	0.49
2:D:204(B):ASN:HD22	2:D:204(B):ASN:C	2.21	0.49
7:N:3:BMA:C2	7:N:4:MAN:H2	2.17	0.49
2:D:164:GLU:CD	2:D:164:GLU:H	2.21	0.49
2:H:25:GLY:O	2:H:28:PRO:HD3	2.12	0.49
2:F:246:GLY:O	2:F:247:GLU:HG3	2.13	0.49
2:H:60(I):THR:HG22	2:H:63:ASP:CG	2.38	0.48
2:H:132:ALA:HB1	2:H:164:GLU:OE2	2.14	0.48
2:B:204(B):ASN:C	2:B:204(B):ASN:HD22	2.21	0.48
2:D:99:LEU:HD21	8:D:1:OG6:HB21	1.95	0.48
2:F:73:ARG:NH1	2:F:74:THR:CG2	2.77	0.48
2:H:124:PRO:HB3	2:H:210:MET:SD	2.54	0.48
2:B:94:TYR:CE2	2:B:96:TRP:HB3	2.49	0.47
2:H:71:HIS:HB3	2:H:77:GLU:OE2	2.14	0.47
2:F:72:SER:OG	2:F:75:ARG:NH1	2.47	0.47
2:F:94:TYR:CZ	2:F:96:TRP:HB3	2.49	0.47
2:H:126:ARG:HA	2:H:232:PHE:CZ	2.48	0.47
2:F:132:ALA:HB1	2:F:164:GLU:OE2	2.14	0.47
2:F:204(B):ASN:HD22	2:F:206:ARG:H	1.62	0.47
2:D:94:TYR:CZ	2:D:96:TRP:HB3	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:147(A):TRP:HZ2	2:D:221(A):ARG:NH2	2.13	0.47
2:H:73:ARG:HB2	2:H:141:TRP:NE1	2.30	0.47
2:D:86:GLU:HB2	2:D:109:LYS:HA	1.96	0.47
2:D:109:LYS:NZ	11:D:3191:HOH:O	2.47	0.47
2:B:126:ARG:HG3	2:B:126:ARG:NH1	2.29	0.47
2:B:32:MET:SD	2:B:70:LYS:HD3	2.54	0.46
2:F:40:LEU:CB	2:F:73:ARG:HH21	2.08	0.46
2:B:73:ARG:HB2	2:B:141:TRP:CD1	2.50	0.46
2:B:129(B):SER:HB2	2:B:204(A):PHE:HE2	1.80	0.46
2:F:204(B):ASN:C	2:F:204(B):ASN:ND2	2.73	0.46
2:B:147:THR:HG22	2:B:147(B):THR:H	1.81	0.46
2:B:36(A):SER:HA	2:B:37:PRO:C	2.40	0.46
2:D:85:LEU:HD22	2:D:106:MET:HB3	1.97	0.46
2:H:204(B):ASN:C	2:H:204(B):ASN:ND2	2.73	0.45
2:D:25:GLY:O	2:D:28:PRO:HD3	2.17	0.45
2:B:50:ARG:HH21	2:B:107:LYS:CE	2.26	0.45
2:H:219:GLY:HA3	2:H:221(A):ARG:NE	2.31	0.45
2:D:75:ARG:H	2:D:75:ARG:CD	2.29	0.45
2:F:25:GLY:O	2:F:28:PRO:HD3	2.16	0.45
2:H:67:ARG:NH2	11:H:3072:HOH:O	2.51	0.44
7:N:3:BMA:C2	7:N:4:MAN:C2	2.93	0.44
2:B:70:LYS:HE3	2:B:72:SER:O	2.17	0.44
2:D:50:ARG:NH2	2:D:107:LYS:HE2	2.31	0.44
2:H:109:LYS:HE3	2:H:109:LYS:HB2	1.85	0.44
2:B:136:GLY:HA3	2:B:199:PHE:CE1	2.53	0.44
2:F:211:GLY:HA2	2:F:231:VAL:HG23	2.00	0.43
2:H:74:THR:HG23	2:H:75:ARG:N	2.32	0.43
1:A:14(K):ILE:N	1:A:14(K):ILE:HD12	2.32	0.43
2:D:73:ARG:O	2:D:73:ARG:HG2	2.18	0.43
2:B:73:ARG:CZ	2:B:151:GLN:HB3	2.48	0.43
2:D:60(A):TYR:CE2	2:D:60(C):PRO:HB2	2.53	0.43
2:F:40:LEU:HD22	2:F:73:ARG:HE	1.83	0.43
2:F:60(B):PRO:HB2	2:F:60(C):PRO:HD3	2.00	0.43
2:B:126:ARG:NE	2:H:240:LYS:HG3	2.34	0.43
1:E:1:CYS:C	2:F:122:CYS:SG	3.01	0.43
2:H:204(B):ASN:ND2	2:H:206:ARG:H	2.17	0.43
2:D:29:TRP:CG	2:D:121:VAL:HB	2.54	0.43
2:F:235:LYS:HE2	2:F:239:GLN:NE2	2.34	0.43
2:F:36(A):SER:HA	2:F:37:PRO:C	2.42	0.43
2:B:61:GLU:HG2	2:B:87:LYS:HA	2.01	0.43
1:C:14:ASP:HB2	2:D:26:MET:HE3	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:61:GLU:OE2	10:D:1004:GOL:H2	2.18	0.43
2:D:32:MET:HG2	2:D:141:TRP:CZ3	2.54	0.43
2:D:126:ARG:HA	2:D:232:PHE:CZ	2.54	0.42
2:F:22:ALA:O	2:F:71:HIS:HE1	2.02	0.42
2:B:94:TYR:CZ	2:B:96:TRP:HB3	2.53	0.42
2:F:29:TRP:CG	2:F:121:VAL:HB	2.54	0.42
2:B:109:LYS:HE3	2:B:109:LYS:HB2	1.93	0.42
2:D:75:ARG:CD	2:D:75:ARG:N	2.82	0.42
2:F:181:PHE:HB2	10:F:1007:GOL:H12	2.01	0.42
2:F:230:HIS:CE1	2:F:233:ARG:HG3	2.54	0.42
2:D:67:ARG:HG2	2:D:82:ILE:HG22	2.02	0.42
2:H:230:HIS:CE1	2:H:233:ARG:HG3	2.53	0.42
2:D:75:ARG:N	2:D:75:ARG:HD2	2.35	0.42
1:G:1(D):GLY:HA3	2:H:114:PHE:HE2	1.84	0.42
2:B:203:SER:HB3	2:B:204(B):ASN:ND2	2.35	0.41
2:F:77:GLU:O	2:F:77(A):ARG:O	2.38	0.41
2:H:136:GLY:HA3	2:H:199:PHE:CZ	2.55	0.41
2:D:136:GLY:HA3	2:D:199:PHE:CE1	2.54	0.41
2:H:164:GLU:HB3	2:H:166:PRO:HD2	2.02	0.41
2:B:18:GLU:HA	2:B:18:GLU:OE1	2.21	0.41
2:F:136:GLY:HA3	2:F:199:PHE:CE1	2.55	0.41
2:H:195:SER:HA	2:H:213:VAL:HB	2.02	0.41
1:G:1:CYS:C	2:H:122:CYS:SG	3.04	0.41
2:B:164:GLU:H	2:B:164:GLU:CD	2.28	0.41
1:E:1(C):GLU:CD	1:E:1(C):GLU:N	2.79	0.41
2:F:53:LEU:HD11	2:F:103:ILE:HD11	2.02	0.41
2:D:60(F):LYS:NZ	11:D:3138:HOH:O	2.50	0.41
2:D:136:GLY:HA3	2:D:199:PHE:CZ	2.56	0.41
2:F:18:GLU:HB2	2:F:188:GLY:HA2	2.02	0.41
2:F:165:ARG:HB3	2:F:166:PRO:HD3	2.02	0.41
2:H:73:ARG:CB	2:H:141:TRP:CD1	2.93	0.41
2:F:136:GLY:HA3	2:F:199:PHE:CZ	2.56	0.41
2:H:29:TRP:CG	2:H:121:VAL:HB	2.56	0.41
2:B:50:ARG:HH12	2:B:109:LYS:C	2.29	0.40
2:B:144:LEU:HD21	2:B:152:PRO:HB3	2.02	0.40
2:F:60(D):TRP:CH2	8:F:1:OG6:HD21	2.56	0.40
1:E:4:ARG:HA	1:E:5:PRO:HD3	1.94	0.40
2:F:75:ARG:O	2:F:76:TYR:C	2.64	0.40
2:H:136:GLY:HA3	2:H:199:PHE:CE1	2.56	0.40
7:N:2:NAG:O3	7:N:5:MAN:O2	2.32	0.40
2:D:132:ALA:HB1	2:D:164:GLU:OE2	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:16:ILE:N	2:F:194:ASP:OD2	2.55	0.40
2:F:99:LEU:HD21	8:F:1:OG6:HB21	2.04	0.40
1:A:1:CYS:C	2:B:122:CYS:SG	3.04	0.40
2:D:61:GLU:HG3	2:D:88:ILE:HG13	2.04	0.40
2:H:97:ARG:HG3	11:H:3103:HOH:O	2.21	0.40
2:H:212:ILE:HB	2:H:229:THR:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	29/36 (81%)	26 (90%)	3 (10%)	0	100	100
1	C	30/36 (83%)	27 (90%)	3 (10%)	0	100	100
1	E	27/36 (75%)	26 (96%)	1 (4%)	0	100	100
1	G	29/36 (81%)	27 (93%)	2 (7%)	0	100	100
2	B	252/259 (97%)	245 (97%)	7 (3%)	0	100	100
2	D	250/259 (96%)	246 (98%)	4 (2%)	0	100	100
2	F	250/259 (96%)	234 (94%)	13 (5%)	3 (1%)	10	2
2	H	249/259 (96%)	241 (97%)	6 (2%)	2 (1%)	16	6
All	All	1116/1180 (95%)	1072 (96%)	39 (4%)	5 (0%)	30	17

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	76	TYR
2	F	77(A)	ARG
2	H	73	ARG
2	H	76	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	73	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	28/31 (90%)	28 (100%)	0	100	100
1	C	26/31 (84%)	26 (100%)	0	100	100
1	E	26/31 (84%)	23 (88%)	3 (12%)	5	1
1	G	27/31 (87%)	27 (100%)	0	100	100
2	B	218/225 (97%)	213 (98%)	5 (2%)	44	30
2	D	218/225 (97%)	216 (99%)	2 (1%)	70	64
2	F	217/225 (96%)	211 (97%)	6 (3%)	38	23
2	H	217/225 (96%)	213 (98%)	4 (2%)	51	40
All	All	977/1024 (95%)	957 (98%)	20 (2%)	48	36

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	33	LEU
2	B	75	ARG
2	B	86	GLU
2	B	99	LEU
2	B	233	ARG
2	D	33	LEU
2	D	99	LEU
1	E	1(C)	GLU
1	E	1(A)	ASP
1	E	1	CYS
2	F	33	LEU
2	F	64	LEU
2	F	74	THR
2	F	75	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	99	LEU
2	F	109	LYS
2	H	33	LEU
2	H	73	ARG
2	H	99	LEU
2	H	153	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	143	ASN
2	B	151	GLN
2	B	179	ASN
2	B	204(B)	ASN
2	B	209	GLN
2	D	38	GLN
2	D	143	ASN
2	D	147(D)	ASN
2	D	151	GLN
2	D	179	ASN
2	D	204(B)	ASN
2	F	38	GLN
2	F	71	HIS
2	F	143	ASN
2	F	151	GLN
2	F	204(B)	ASN
2	F	239	GLN
2	F	244	GLN
2	H	38	GLN
2	H	62	ASN
2	H	71	HIS
2	H	143	ASN
2	H	151	GLN
2	H	179	ASN
2	H	204(B)	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

22 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	IDS	I	1	3	17,17,17	1.38	3 (17%)	22,26,26	3.39	6 (27%)
3	SGN	I	2	3	19,19,20	1.53	2 (10%)	23,29,31	2.13	5 (21%)
3	IDS	I	3	3	16,16,17	1.46	3 (18%)	16,24,26	1.18	1 (6%)
3	SGN	I	4	3	19,19,20	1.60	2 (10%)	23,29,31	2.03	5 (21%)
3	IDS	I	5	3	16,16,17	1.52	3 (18%)	16,24,26	1.81	2 (12%)
3	SGN	I	6	3	18,18,20	1.61	3 (16%)	17,27,31	1.22	1 (5%)
4	NAG	J	1	2,4	14,14,15	0.68	0	17,19,21	0.80	1 (5%)
4	NAG	J	2	4	14,14,15	0.67	0	17,19,21	0.93	2 (11%)
5	SGN	K	1	5	20,20,20	1.40	3 (15%)	25,31,31	1.78	2 (8%)
5	IDS	K	2	5	16,16,17	1.46	3 (18%)	16,24,26	1.21	2 (12%)
5	SGN	K	3	5	19,19,20	1.49	2 (10%)	23,29,31	1.88	5 (21%)
5	IDS	K	4	5	16,16,17	1.38	3 (18%)	16,24,26	1.16	1 (6%)
5	SGN	K	5	5	18,18,20	1.62	3 (16%)	17,27,31	1.21	1 (5%)
6	NAG	L	1	2,6	14,14,15	0.59	0	17,19,21	0.77	1 (5%)
6	NDG	L	2	6	14,14,15	0.62	0	17,19,21	0.70	0
6	NAG	M	1	2,6	14,14,15	0.71	0	17,19,21	0.74	1 (5%)
6	NDG	M	2	6	14,14,15	0.68	0	17,19,21	0.73	1 (5%)
7	NAG	N	1	2,7	14,14,15	0.56	0	17,19,21	0.89	0
7	NAG	N	2	7	14,14,15	0.55	0	17,19,21	0.78	1 (5%)
7	BMA	N	3	7	11,11,12	0.56	0	15,15,17	0.35	0
7	MAN	N	4	7	11,11,12	0.60	0	15,15,17	0.59	0
7	MAN	N	5	7	11,11,12	0.56	0	15,15,17	0.76	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IDS	I	1	3	-	3/9/29/29	0/1/1/1
3	SGN	I	2	3	-	9/11/28/31	0/1/1/1
3	IDS	I	3	3	-	2/9/26/29	0/1/1/1
3	SGN	I	4	3	-	5/11/28/31	0/1/1/1
3	IDS	I	5	3	-	0/9/26/29	0/1/1/1
3	SGN	I	6	3	-	6/11/24/31	0/1/1/1
4	NAG	J	1	2,4	1/1/5/7	4/6/23/26	0/1/1/1
4	NAG	J	2	4	-	4/6/23/26	0/1/1/1
5	SGN	K	1	5	-	2/11/31/31	0/1/1/1
5	IDS	K	2	5	-	3/9/26/29	0/1/1/1
5	SGN	K	3	5	-	2/11/28/31	0/1/1/1
5	IDS	K	4	5	-	0/9/26/29	0/1/1/1
5	SGN	K	5	5	-	3/11/24/31	0/1/1/1
6	NAG	L	1	2,6	1/1/5/7	4/6/23/26	0/1/1/1
6	NDG	L	2	6	-	4/6/23/26	0/1/1/1
6	NAG	M	1	2,6	1/1/5/7	4/6/23/26	0/1/1/1
6	NDG	M	2	6	-	4/6/23/26	0/1/1/1
7	NAG	N	1	2,7	1/1/5/7	4/6/23/26	0/1/1/1
7	NAG	N	2	7	-	4/6/23/26	0/1/1/1
7	BMA	N	3	7	-	0/2/19/22	0/1/1/1
7	MAN	N	4	7	-	2/2/19/22	1/1/1/1
7	MAN	N	5	7	-	2/2/19/22	1/1/1/1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	4	SGN	S1-N2	4.89	1.65	1.59
5	K	5	SGN	S1-N2	4.57	1.65	1.59
3	I	6	SGN	S1-N2	4.47	1.65	1.59
5	K	3	SGN	S1-N2	4.43	1.65	1.59
5	K	1	SGN	S1-N2	4.20	1.64	1.59
3	I	2	SGN	S1-N2	4.09	1.64	1.59
3	I	5	IDS	O2-C2	-3.94	1.41	1.47
5	K	2	IDS	O2-C2	-3.39	1.42	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	K	4	IDS	O2-C2	-3.20	1.42	1.47
3	I	1	IDS	C1-C2	3.18	1.55	1.52
3	I	2	SGN	C1-C2	3.11	1.56	1.52
3	I	3	IDS	O2-C2	-3.10	1.42	1.47
3	I	3	IDS	C1-C2	2.92	1.56	1.51
5	K	4	IDS	O6B-C6	-2.92	1.21	1.30
3	I	5	IDS	O6B-C6	-2.92	1.21	1.30
3	I	3	IDS	O6B-C6	-2.86	1.21	1.30
5	K	2	IDS	O6B-C6	-2.85	1.21	1.30
3	I	1	IDS	O6B-C6	-2.80	1.21	1.30
3	I	4	SGN	C1-C2	2.71	1.56	1.52
5	K	2	IDS	C1-C2	2.65	1.55	1.51
3	I	6	SGN	C1-C2	2.58	1.55	1.52
3	I	1	IDS	C4-C5	2.57	1.57	1.53
5	K	3	SGN	C1-C2	2.56	1.55	1.52
5	K	5	SGN	C1-C2	2.46	1.55	1.52
3	I	5	IDS	C1-C2	2.42	1.55	1.51
5	K	4	IDS	C1-C2	2.32	1.55	1.51
5	K	5	SGN	C3-C2	2.24	1.55	1.52
3	I	6	SGN	C3-C2	2.20	1.55	1.52
5	K	1	SGN	C1-C2	2.01	1.55	1.52
5	K	1	SGN	C4-C5	2.01	1.57	1.53

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1	IDS	O4-C4-C5	10.90	134.65	109.76
3	I	1	IDS	O4-C4-C3	-8.63	90.02	110.38
3	I	4	SGN	O4-C4-C5	6.77	125.99	109.32
5	K	1	SGN	O4-C4-C3	6.66	126.08	110.38
3	I	5	IDS	O4-C4-C3	5.93	124.36	110.38
5	K	3	SGN	O4-C4-C5	5.92	123.91	109.32
3	I	2	SGN	O4-C4-C5	-5.74	95.18	109.32
3	I	2	SGN	O4-C4-C3	-5.53	97.33	110.38
3	I	1	IDS	C2-O2-S	5.52	132.28	119.04
3	I	4	SGN	O1S-S1-O2S	-3.39	112.81	120.36
3	I	6	SGN	O1S-S1-O2S	-3.39	112.82	120.36
5	K	1	SGN	O1S-S1-O2S	-3.37	112.86	120.36
5	K	5	SGN	O1S-S1-O2S	-3.34	112.93	120.36
5	K	3	SGN	O1S-S1-O2S	-3.33	112.96	120.36
3	I	2	SGN	O1S-S1-O2S	-3.26	113.11	120.36
5	K	3	SGN	C1-O5-C5	3.17	116.44	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	4	SGN	C1-O5-C5	3.17	116.43	112.19
3	I	2	SGN	C1-O5-C5	3.15	116.41	112.19
3	I	1	IDS	O6B-C6-O6A	-2.90	117.50	124.08
3	I	3	IDS	O6B-C6-O6A	-2.78	117.77	124.08
5	K	2	IDS	O6B-C6-O6A	-2.74	117.87	124.08
5	K	4	IDS	O6B-C6-O6A	-2.74	117.87	124.08
3	I	5	IDS	O6B-C6-O6A	-2.73	117.88	124.08
3	I	1	IDS	C1-O5-C5	2.71	116.20	112.22
3	I	4	SGN	O4-C4-C3	-2.69	104.05	110.38
7	N	5	MAN	C1-O5-C5	2.41	115.42	112.19
6	M	1	NAG	C2-N2-C7	-2.37	119.73	122.90
5	K	3	SGN	O4-C4-C3	-2.36	104.80	110.38
5	K	3	SGN	C4-C3-C2	-2.33	107.61	111.02
6	M	2	NDG	C2-N2-C7	-2.32	119.80	122.90
6	L	1	NAG	C2-N2-C7	-2.29	119.83	122.90
4	J	1	NAG	C2-N2-C7	-2.28	119.84	122.90
4	J	2	NAG	C2-N2-C7	-2.24	119.89	122.90
4	J	2	NAG	C1-O5-C5	2.17	115.09	112.19
7	N	2	NAG	C2-N2-C7	-2.15	120.02	122.90
3	I	2	SGN	C4-C3-C2	-2.14	107.88	111.02
3	I	1	IDS	O6B-C6-C5	2.10	121.21	113.64
3	I	4	SGN	C4-C3-C2	-2.07	107.98	111.02
5	K	2	IDS	C4-C3-C2	2.07	113.99	110.23

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	J	1	NAG	C1
6	L	1	NAG	C1
6	M	1	NAG	C1
7	N	1	NAG	C1

All (71) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	I	1	IDS	C3-C2-O2-S
3	I	1	IDS	C4-C5-C6-O6A
3	I	1	IDS	C4-C5-C6-O6B
3	I	2	SGN	C4-C5-C6-O6
3	I	2	SGN	O5-C5-C6-O6
3	I	2	SGN	C2-N2-S1-O2S
3	I	2	SGN	C2-N2-S1-O3S

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	I	2	SGN	C6-O6-S2-O6S
3	I	4	SGN	C2-N2-S1-O2S
3	I	4	SGN	C2-N2-S1-O3S
3	I	6	SGN	C2-N2-S1-O2S
3	I	6	SGN	C2-N2-S1-O3S
4	J	2	NAG	C8-C7-N2-C2
4	J	2	NAG	O7-C7-N2-C2
5	K	1	SGN	O5-C5-C6-O6
5	K	1	SGN	C2-N2-S1-O2S
5	K	2	IDS	C2-O2-S-O1S
5	K	2	IDS	C2-O2-S-O2S
5	K	3	SGN	C2-N2-S1-O2S
5	K	5	SGN	C2-N2-S1-O2S
5	K	5	SGN	C2-N2-S1-O3S
6	L	1	NAG	C8-C7-N2-C2
6	L	1	NAG	O7-C7-N2-C2
6	L	2	NDG	C8-C7-N2-C2
6	L	2	NDG	O7-C7-N2-C2
6	M	2	NDG	C8-C7-N2-C2
6	M	2	NDG	O7-C7-N2-C2
7	N	1	NAG	C8-C7-N2-C2
7	N	1	NAG	O7-C7-N2-C2
6	M	2	NDG	C4-C5-C6-O6
6	L	1	NAG	O5-C5-C6-O6
7	N	4	MAN	O5-C5-C6-O6
4	J	1	NAG	C8-C7-N2-C2
4	J	1	NAG	O7-C7-N2-C2
6	M	2	NDG	O5-C5-C6-O6
4	J	2	NAG	O5-C5-C6-O6
7	N	4	MAN	C4-C5-C6-O6
7	N	5	MAN	O5-C5-C6-O6
7	N	1	NAG	O5-C5-C6-O6
6	L	1	NAG	C4-C5-C6-O6
6	M	1	NAG	O5-C5-C6-O6
6	M	1	NAG	C8-C7-N2-C2
7	N	5	MAN	C4-C5-C6-O6
6	M	1	NAG	O7-C7-N2-C2
7	N	2	NAG	C8-C7-N2-C2
7	N	2	NAG	O7-C7-N2-C2
7	N	2	NAG	O5-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6
7	N	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	I	6	SGN	C6-O6-S2-O6S
3	I	4	SGN	C1-C2-N2-S1
4	J	2	NAG	C4-C5-C6-O6
3	I	2	SGN	C6-O6-S2-O4S
3	I	2	SGN	C6-O6-S2-O5S
5	K	5	SGN	C2-N2-S1-O1S
6	M	1	NAG	C4-C5-C6-O6
5	K	2	IDS	C2-O2-S-O3S
4	J	1	NAG	O5-C5-C6-O6
3	I	3	IDS	C3-C2-O2-S
6	L	2	NDG	C4-C5-C6-O6
7	N	2	NAG	C4-C5-C6-O6
6	L	2	NDG	O5-C5-C6-O6
3	I	4	SGN	C3-C2-N2-S1
3	I	2	SGN	C2-N2-S1-O1S
3	I	4	SGN	C2-N2-S1-O1S
3	I	6	SGN	C2-N2-S1-O1S
3	I	6	SGN	C6-O6-S2-O4S
3	I	6	SGN	C6-O6-S2-O5S
5	K	3	SGN	C3-C2-N2-S1
3	I	2	SGN	C3-C2-N2-S1
3	I	3	IDS	C1-C2-O2-S



All (2) ring outliers are listed below:



Mol	Chain	Res	Type	Atoms
7	N	4	MAN	C1-C2-C3-C4-C5-O5
7	N	5	MAN	C1-C2-C3-C4-C5-O5


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	N	4	MAN	4	0
7	N	3	BMA	4	0
7	N	5	MAN	1	0
7	N	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	GOL	H	1005	-	5,5,5	0.75	0	5,5,5	0.49	0
8	OG6	D	1	2	30,31,32	1.04	0	37,41,42	1.04	2 (5%)
10	GOL	D	1002	-	5,5,5	0.71	0	5,5,5	0.49	0
8	OG6	H	1	2	30,31,32	1.05	1 (3%)	37,41,42	1.04	2 (5%)
8	OG6	F	1	2	30,31,32	1.06	0	37,41,42	1.07	3 (8%)
10	GOL	F	1003	-	5,5,5	0.75	0	5,5,5	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	GOL	B	1001	-	5,5,5	0.72	0	5,5,5	0.45	0
10	GOL	F	1006	-	5,5,5	0.78	0	5,5,5	0.43	0
10	GOL	F	1007	-	5,5,5	0.69	0	5,5,5	0.42	0
10	GOL	B	1008	-	5,5,5	0.73	0	5,5,5	0.48	0
8	0G6	B	1	2	30,31,32	1.05	1 (3%)	37,41,42	1.01	2 (5%)
10	GOL	D	1004	-	5,5,5	0.75	0	5,5,5	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GOL	H	1005	-	-	3/4/4/4	-
8	0G6	D	1	2	-	1/31/41/43	0/2/2/2
10	GOL	D	1002	-	-	4/4/4/4	-
8	0G6	H	1	2	-	1/31/41/43	0/2/2/2
8	0G6	F	1	2	-	1/31/41/43	0/2/2/2
10	GOL	F	1003	-	-	0/4/4/4	-
10	GOL	B	1001	-	-	0/4/4/4	-
10	GOL	F	1006	-	-	1/4/4/4	-
10	GOL	F	1007	-	-	2/4/4/4	-
10	GOL	B	1008	-	-	1/4/4/4	-
8	0G6	B	1	2	-	1/31/41/43	0/2/2/2
10	GOL	D	1004	-	-	1/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	1	0G6	O-C	2.13	1.26	1.22
8	H	1	0G6	C3-C2	2.00	1.57	1.51

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	1	0G6	O-C-CA	-2.52	114.97	119.61
8	F	1	0G6	O-C-CA	-2.42	115.15	119.61
8	H	1	0G6	O-C-CA	-2.35	115.28	119.61
8	B	1	0G6	O-C-CA	-2.35	115.29	119.61
8	F	1	0G6	CA-C-N1	2.28	123.26	118.74
8	D	1	0G6	CA-C-N1	2.27	123.22	118.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	1	0G6	CA-C-N1	2.20	123.10	118.74
8	B	1	0G6	CA-C-N1	2.07	122.84	118.74
8	F	1	0G6	CB1-CA1-C1	2.05	115.57	111.21

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	D	1002	GOL	O1-C1-C2-C3
10	F	1007	GOL	O1-C1-C2-C3
10	D	1002	GOL	C1-C2-C3-O3
10	F	1006	GOL	O1-C1-C2-C3
10	H	1005	GOL	O1-C1-C2-C3
10	H	1005	GOL	C1-C2-C3-O3
10	D	1002	GOL	O1-C1-C2-O2
10	F	1007	GOL	O1-C1-C2-O2
10	H	1005	GOL	O1-C1-C2-O2
10	D	1004	GOL	O2-C2-C3-O3
10	B	1008	GOL	C1-C2-C3-O3
8	B	1	0G6	O2-C2-CA2-CB2
8	D	1	0G6	O2-C2-CA2-CB2
8	F	1	0G6	O2-C2-CA2-CB2
8	H	1	0G6	O2-C2-CA2-CB2
10	D	1002	GOL	O2-C2-C3-O3


There are no ring outliers.


7 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	1	0G6	1	0
8	H	1	0G6	1	0
8	F	1	0G6	2	0
10	F	1007	GOL	1	0
10	B	1008	GOL	1	0
8	B	1	0G6	1	0
10	D	1004	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	31/36 (86%)	0.55	3 (9%) 13 13	21, 28, 60, 64	0
1	C	32/36 (88%)	0.66	5 (15%) 5 5	20, 30, 53, 56	0
1	E	29/36 (80%)	0.57	2 (6%) 23 25	24, 32, 44, 55	0
1	G	31/36 (86%)	0.61	1 (3%) 50 54	20, 28, 51, 57	0
2	B	256/259 (98%)	0.09	16 (6%) 26 28	14, 24, 41, 65	0
2	D	254/259 (98%)	0.08	17 (6%) 24 26	14, 24, 41, 60	0
2	F	254/259 (98%)	0.41	15 (5%) 28 31	16, 30, 49, 65	0
2	H	253/259 (97%)	0.35	19 (7%) 20 22	14, 28, 47, 62	0
All	All	1140/1180 (96%)	0.27	78 (6%) 23 25	14, 27, 47, 65	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	74	THR	6.5
1	G	1(D)	GLY	5.3
2	H	150	GLY	5.1
2	H	74	THR	4.9
2	B	74	THR	4.7
2	F	73	ARG	4.6
2	F	150	GLY	4.6
2	H	76	TYR	4.2
2	H	147(B)	THR	4.2
1	C	1(D)	GLY	4.1
2	F	77(A)	ARG	4.0
2	H	75	ARG	4.0
2	D	72	SER	3.9
1	A	1(D)	GLY	3.9
2	H	186(C)	GLY	3.8
2	D	151	GLN	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	150	GLY	3.6
2	F	75	ARG	3.6
2	F	76	TYR	3.5
2	F	147(B)	THR	3.4
2	D	74	THR	3.4
2	H	73	ARG	3.4
2	D	147(C)	ALA	3.3
2	B	75	ARG	3.2
2	F	186(C)	GLY	3.1
2	F	78	ASN	3.0
2	D	186(C)	GLY	3.0
2	B	204(A)	PHE	3.0
2	D	77(A)	ARG	3.0
2	B	151	GLN	2.9
2	B	246	GLY	2.8
2	B	147(A)	TRP	2.7
2	F	151	GLN	2.7
2	F	246	GLY	2.7
2	B	149	LYS	2.7
1	A	1(E)	SER	2.7
2	D	147(D)	ASN	2.6
2	B	186(C)	GLY	2.6
2	B	76	TYR	2.5
2	F	152	PRO	2.5
2	H	38	GLN	2.5
2	H	204(A)	PHE	2.5
1	C	1(C)	GLU	2.5
2	H	186(A)	ASP	2.5
2	F	186(A)	ASP	2.4
2	D	75	ARG	2.4
1	C	1(E)	SER	2.4
2	B	147(D)	ASN	2.4
2	B	72	SER	2.4
2	H	152	PRO	2.3
2	H	186(D)	LYS	2.3
2	H	151	GLN	2.3
2	B	147(C)	ALA	2.3
2	D	147	THR	2.3
2	H	78	ASN	2.3
2	H	60(E)	ASP	2.3
2	H	126	ARG	2.2
1	E	1(C)	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	14(L)	ASP	2.2
2	B	147	THR	2.2
2	D	204(A)	PHE	2.2
1	C	14(K)	ILE	2.2
1	E	1(B)	ALA	2.2
2	F	204(A)	PHE	2.1
2	H	147	THR	2.1
2	H	72	SER	2.1
2	B	73	ARG	2.1
2	D	78	ASN	2.1
2	D	127	GLU	2.1
1	A	14(L)	ASP	2.1
2	D	147(A)	TRP	2.1
2	D	38	GLN	2.1
2	D	73	ARG	2.1
2	D	126	ARG	2.1
2	D	246	GLY	2.0
2	F	147	THR	2.0
2	H	60(I)	THR	2.0
2	B	126	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MAN	N	4	11/12	0.02	0.18	106,107,108,108	0
7	MAN	N	5	11/12	0.33	0.17	110,112,112,112	0
7	BMA	N	3	11/12	0.34	0.18	100,103,106,108	0
5	SGN	K	5	18/20	0.43	0.20	100,102,103,104	0
3	SGN	I	6	18/20	0.45	0.21	102,104,105,105	0
6	NDG	L	2	14/15	0.50	0.18	65,68,69,69	0
4	NAG	J	2	14/15	0.50	0.18	69,72,75,75	0
3	IDS	I	5	16/17	0.51	0.20	99,100,102,102	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	IDS	I	1	17/17	0.51	0.22	98,100,103,104	0
5	IDS	K	2	16/17	0.53	0.18	100,103,105,105	0
5	SGN	K	3	19/20	0.54	0.22	98,100,102,103	0
5	SGN	K	1	20/20	0.54	0.20	105,110,116,116	0
7	NAG	N	2	14/15	0.57	0.16	83,87,90,94	0
6	NDG	M	2	14/15	0.58	0.14	68,70,70,72	0
3	IDS	I	3	16/17	0.60	0.16	97,98,101,101	0
7	NAG	N	1	14/15	0.62	0.17	63,68,71,77	0
3	SGN	I	4	19/20	0.63	0.18	96,98,101,101	0
3	SGN	I	2	19/20	0.64	0.17	94,97,101,101	0
5	IDS	K	4	16/17	0.68	0.17	97,98,98,100	0
6	NAG	M	1	14/15	0.69	0.15	54,58,64,65	0
4	NAG	J	1	14/15	0.73	0.17	51,54,58,64	0
6	NAG	L	1	14/15	0.75	0.15	49,53,59,61	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
10	GOL	D	1004	6/6	0.55	0.22	66,67,68,68	0
10	GOL	F	1006	6/6	0.72	0.18	55,57,58,59	0
10	GOL	F	1007	6/6	0.75	0.18	50,53,54,55	0
10	GOL	B	1008	6/6	0.85	0.17	58,58,59,59	0
10	GOL	F	1003	6/6	0.85	0.14	38,40,42,43	0
10	GOL	H	1005	6/6	0.86	0.13	37,41,41,44	0
10	GOL	B	1001	6/6	0.90	0.12	29,32,34,35	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	GOL	D	1002	6/6	0.93	0.10	27,32,33,34	0
8	OG6	F	1	30/31	0.93	0.08	25,28,30,31	0
8	OG6	H	1	30/31	0.94	0.08	20,22,26,26	0
8	OG6	B	1	30/31	0.96	0.07	17,19,24,24	0
8	OG6	D	1	30/31	0.96	0.06	14,19,21,22	0
9	NA	B	3004	1/1	0.96	0.06	28,28,28,28	0
9	NA	D	3001	1/1	0.96	0.06	26,26,26,26	0
9	NA	F	3002	1/1	0.97	0.09	37,37,37,37	0
9	NA	H	3003	1/1	0.97	0.05	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 0G6 H 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 0G6 B 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 0G6 D 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.