



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:44 AM UTC

PDB ID : 1XOM / pdb_00001xom
Title : Catalytic Domain Of Human Phosphodiesterase 4D In Complex With Cilomilast
Authors : Card, G.L.; England, B.P.; Suzuki, Y.; Fong, D.; Powell, B.; Lee, B.; Luu, C.; Tabrizizad, M.; Gillette, S.; Ibrahim, P.N.; Artis, D.R.; Bollag, G.; Milburn, M.V.; Kim, S.-H.; Schlessinger, J.; Zhang, K.Y.J.
Deposited on : 2004-10-06
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	7% 90% 7%
1	B	349	27% 89% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	716	-	-	X	-
5	EDO	B	713	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6068 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	326	Total	C	N	O	S	4	6	0
			2655	1678	450	511	16			
1	B	321	Total	C	N	O	S	0	9	0
			2633	1668	446	503	16			

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	MET	-	initiating methionine	UNP Q08499
A	66	GLY	-	cloning artifact	UNP Q08499
A	67	SER	-	cloning artifact	UNP Q08499
A	68	SER	-	cloning artifact	UNP Q08499
A	69	HIS	-	expression tag	UNP Q08499
A	70	HIS	-	expression tag	UNP Q08499
A	71	HIS	-	expression tag	UNP Q08499
A	72	HIS	-	expression tag	UNP Q08499
A	73	HIS	-	expression tag	UNP Q08499
A	74	HIS	-	expression tag	UNP Q08499
A	75	SER	-	cloning artifact	UNP Q08499
A	76	SER	-	cloning artifact	UNP Q08499
A	77	GLY	-	cloning artifact	UNP Q08499
A	78	LEU	-	cloning artifact	UNP Q08499
A	79	VAL	-	cloning artifact	UNP Q08499
A	80	PRO	-	cloning artifact	UNP Q08499
A	81	ARG	-	cloning artifact	UNP Q08499
A	82	GLY	-	cloning artifact	UNP Q08499
A	83	SER	-	cloning artifact	UNP Q08499
A	84	HIS	-	cloning artifact	UNP Q08499
A	85	MET	-	cloning artifact	UNP Q08499
B	65	MET	-	initiating methionine	UNP Q08499
B	66	GLY	-	cloning artifact	UNP Q08499
B	67	SER	-	cloning artifact	UNP Q08499
B	68	SER	-	cloning artifact	UNP Q08499

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	69	HIS	-	expression tag	UNP Q08499
B	70	HIS	-	expression tag	UNP Q08499
B	71	HIS	-	expression tag	UNP Q08499
B	72	HIS	-	expression tag	UNP Q08499
B	73	HIS	-	expression tag	UNP Q08499
B	74	HIS	-	expression tag	UNP Q08499
B	75	SER	-	cloning artifact	UNP Q08499
B	76	SER	-	cloning artifact	UNP Q08499
B	77	GLY	-	cloning artifact	UNP Q08499
B	78	LEU	-	cloning artifact	UNP Q08499
B	79	VAL	-	cloning artifact	UNP Q08499
B	80	PRO	-	cloning artifact	UNP Q08499
B	81	ARG	-	cloning artifact	UNP Q08499
B	82	GLY	-	cloning artifact	UNP Q08499
B	83	SER	-	cloning artifact	UNP Q08499
B	84	HIS	-	cloning artifact	UNP Q08499
B	85	MET	-	cloning artifact	UNP Q08499


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0

- Molecule 4 is CILOMILAST (CCD ID: CIO) (formula: C₂₀H₂₅NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			50	40	2	8		
4	B	1	Total	C	N	O	0	1
			50	40	2	8		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	299	Total O 299 299	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	297	Total 297	O 297	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.49Å 78.97Å 164.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.65 – 1.55 81.65 – 1.55	Depositor EDS
% Data completeness (in resolution range)	99.1 (81.65-1.55) 99.1 (81.65-1.55)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 1.55Å)	Xtriage
Refinement program	REFMAC 5.1.25	Depositor
R, R_{free}	0.183 , 0.205 0.238 , 0.259	Depositor DCC
R_{free} test set	5683 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	15.2	Xtriage
Anisotropy	0.310	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 42.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6068	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ZN, CIO, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	1/2735 (0.0%)	0.81	1/3716 (0.0%)
1	B	0.47	0/2728	0.79	0/3704
All	All	0.47	1/5463 (0.0%)	0.80	1/7420 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	87	GLU	CB-CG	-6.00	1.34	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	87	GLU	CA-CB-CG	8.53	131.16	114.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2655	0	2606	12	2
1	B	2633	0	2589	9	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	50	0	48	0	0
4	B	50	0	48	0	0
5	A	36	0	54	6	0
5	B	44	0	66	7	0
6	A	299	0	0	1	2
6	B	297	0	0	2	0
All	All	6068	0	5411	22	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (22) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:406:TYR:OH	5:B:713:EDO:H22	1.77	0.84
1:A:395:ILE:HD12	5:A:716:EDO:H22	1.68	0.74
1:A:178[B]:THR:HG23	5:A:716:EDO:H11	1.78	0.64
1:B:88:GLN:N	6:B:2066:HOH:O	2.38	0.56
1:A:219:LEU:HD23	1:A:222[B]:MET:CE	2.39	0.53
1:A:222[B]:MET:HE3	1:A:223:TYR:CE2	2.46	0.50
1:A:392:ALA:CA	5:A:716:EDO:H12	2.43	0.49
1:A:175:LEU:O	1:A:178[A]:THR:HG23	2.13	0.47
1:B:330:ARG:HB3	5:B:713:EDO:H11	1.98	0.45
1:B:175:LEU:O	1:B:178[B]:THR:HG23	2.17	0.45
5:B:701:EDO:H22	5:B:713:EDO:H21	1.99	0.45
1:B:334:ASP:OD1	5:B:713:EDO:H12	2.17	0.45
1:A:392:ALA:HB2	5:A:716:EDO:H12	1.98	0.44
1:A:154:HIS:O	1:A:157:VAL:HG22	2.16	0.44
1:B:238:PHE:CD1	5:B:717:EDO:H22	2.53	0.44
1:A:222[B]:MET:HE1	6:A:1200:HOH:O	2.20	0.41
1:A:222[B]:MET:SD	1:B:222[B]:MET:HE2	2.61	0.41
1:A:178[B]:THR:CG2	5:A:716:EDO:H11	2.50	0.41
1:B:275[A]:LYS:NZ	6:B:2268:HOH:O	2.29	0.40
1:B:330:ARG:CB	5:B:713:EDO:H11	2.50	0.40
1:A:395:ILE:CD1	5:A:716:EDO:H22	2.46	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:GLU:OE1	6:A:1133:HOH:O[4_455]	1.24	0.96
1:A:87:GLU:CD	6:A:1133:HOH:O[4_455]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/349 (95%)	326 (99%)	4 (1%)	0	100	100
1	B	326/349 (93%)	322 (99%)	4 (1%)	0	100	100
All	All	656/698 (94%)	648 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/318 (96%)	301 (99%)	3 (1%)	68	47
1	B	303/318 (95%)	299 (99%)	4 (1%)	61	36
All	All	607/636 (95%)	600 (99%)	7 (1%)	68	40

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	GLU
1	A	127	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	182	GLU
1	B	178[A]	THR
1	B	178[B]	THR
1	B	299	LEU
1	B	302	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	88	GLN
1	A	245	ASN
1	A	250	GLN
1	A	321	ASN
1	A	361	HIS
1	A	389	HIS
1	A	393	GLN
1	B	88	GLN
1	B	245	ASN
1	B	250	GLN
1	B	308	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 4 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	B	711	-	3,3,3	0.25	0	2,2,2	0.39	0
5	EDO	A	720	-	3,3,3	0.24	0	2,2,2	0.45	0
5	EDO	A	702	-	3,3,3	0.23	0	2,2,2	0.45	0
4	CIO	B	601[A]	-	27,27,27	1.12	2 (7%)	34,38,38	1.13	3 (8%)
5	EDO	A	707	-	3,3,3	0.28	0	2,2,2	0.57	0
5	EDO	B	705	-	3,3,3	0.26	0	2,2,2	0.37	0
4	CIO	B	601[B]	-	27,27,27	1.15	3 (11%)	34,38,38	1.08	4 (11%)
4	CIO	A	603[A]	-	27,27,27	1.00	2 (7%)	34,38,38	1.11	3 (8%)
5	EDO	B	701	-	3,3,3	0.23	0	2,2,2	0.40	0
5	EDO	B	714	-	3,3,3	0.27	0	2,2,2	0.33	0
5	EDO	A	712	-	3,3,3	0.25	0	2,2,2	0.35	0
4	CIO	A	603[B]	-	27,27,27	1.16	3 (11%)	34,38,38	1.22	4 (11%)
5	EDO	B	706	-	3,3,3	0.26	0	2,2,2	0.40	0
5	EDO	A	716	-	3,3,3	0.26	0	2,2,2	0.20	0
5	EDO	A	719	-	3,3,3	0.24	0	2,2,2	0.48	0
5	EDO	B	717	-	3,3,3	0.25	0	2,2,2	0.42	0
5	EDO	B	721	-	3,3,3	0.27	0	2,2,2	0.37	0
5	EDO	A	703	-	3,3,3	0.25	0	2,2,2	0.43	0
5	EDO	A	715	-	3,3,3	0.23	0	2,2,2	0.43	0
5	EDO	B	710	-	3,3,3	0.25	0	2,2,2	0.37	0
5	EDO	B	713	-	3,3,3	0.28	0	2,2,2	0.52	0
5	EDO	B	709	-	3,3,3	0.25	0	2,2,2	0.35	0
5	EDO	A	704	-	3,3,3	0.25	0	2,2,2	0.32	0
5	EDO	B	718	-	3,3,3	0.26	0	2,2,2	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	B	711	-	-	1/1/1/1	-
5	EDO	A	720	-	-	0/1/1/1	-
5	EDO	A	702	-	-	0/1/1/1	-
4	CIO	B	601[A]	-	-	1/16/38/38	0/3/3/3
5	EDO	A	707	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	B	705	-	-	0/1/1/1	-
4	CIO	B	601[B]	-	-	3/16/38/38	0/3/3/3
4	CIO	A	603[A]	-	-	1/16/38/38	0/3/3/3
5	EDO	B	701	-	-	0/1/1/1	-
5	EDO	B	714	-	-	0/1/1/1	-
5	EDO	A	712	-	-	0/1/1/1	-
4	CIO	A	603[B]	-	-	0/16/38/38	0/3/3/3
5	EDO	B	706	-	-	0/1/1/1	-
5	EDO	A	716	-	-	0/1/1/1	-
5	EDO	A	719	-	-	0/1/1/1	-
5	EDO	B	717	-	-	0/1/1/1	-
5	EDO	B	721	-	-	0/1/1/1	-
5	EDO	A	703	-	-	0/1/1/1	-
5	EDO	A	715	-	-	0/1/1/1	-
5	EDO	B	710	-	-	1/1/1/1	-
5	EDO	B	713	-	-	1/1/1/1	-
5	EDO	B	709	-	-	1/1/1/1	-
5	EDO	A	704	-	-	1/1/1/1	-
5	EDO	B	718	-	-	1/1/1/1	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603[B]	CIO	C2-C1	-3.90	1.53	1.55
4	B	601[B]	CIO	C2-C1	-3.54	1.53	1.55
4	B	601[A]	CIO	C2-C1	-3.46	1.53	1.55
4	B	601[B]	CIO	C6-C1	-3.35	1.53	1.55
4	B	601[A]	CIO	C6-C1	-3.11	1.53	1.55
4	A	603[A]	CIO	C2-C1	-2.84	1.53	1.55
4	A	603[A]	CIO	C6-C1	-2.71	1.53	1.55
4	A	603[B]	CIO	C6-C1	-2.70	1.53	1.55
4	A	603[B]	CIO	C1-C7	-2.24	1.51	1.53
4	B	601[B]	CIO	C1-C7	-2.00	1.51	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603[B]	CIO	C2-C1-C6	3.76	110.61	107.74
4	B	601[A]	CIO	C8-C7-C1	3.53	124.78	121.03
4	A	603[A]	CIO	C8-C7-C1	3.34	124.58	121.03
4	A	603[A]	CIO	C12-O11-C10	3.28	122.32	117.51
4	A	603[B]	CIO	C12-O11-C10	3.15	122.13	117.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	601[A]	CIO	C12-O11-C10	3.06	122.00	117.51
4	B	601[B]	CIO	O11-C10-C13	3.01	119.48	115.40
4	A	603[B]	CIO	O11-C10-C13	2.44	118.72	115.40
4	B	601[B]	CIO	C2-C1-C6	2.36	109.54	107.74
4	A	603[A]	CIO	O25-C23-C4	2.34	120.24	114.16
4	B	601[B]	CIO	O25-C23-C4	2.25	120.00	114.16
4	B	601[B]	CIO	C12-O11-C10	2.10	120.60	117.51
4	B	601[A]	CIO	O25-C23-C4	2.08	119.56	114.16
4	A	603[B]	CIO	O25-C23-C4	2.05	119.46	114.16

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	601[B]	CIO	C13-C10-O11-C12
5	B	709	EDO	O1-C1-C2-O2
5	B	710	EDO	O1-C1-C2-O2
5	B	713	EDO	O1-C1-C2-O2
5	B	718	EDO	O1-C1-C2-O2
4	B	601[B]	CIO	C9-C10-O11-C12
5	A	707	EDO	O1-C1-C2-O2
5	B	711	EDO	O1-C1-C2-O2
5	A	704	EDO	O1-C1-C2-O2
4	B	601[B]	CIO	O25-C23-C4-C5
4	B	601[A]	CIO	O25-C23-C4-C5
4	A	603[A]	CIO	O25-C23-C4-C5


There are no ring outliers.


5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	701	EDO	1	0
5	A	716	EDO	6	0
5	B	717	EDO	1	0
5	B	713	EDO	5	0
5	B	709	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	326/349 (93%)	0.44	23 (7%)	22 25	3, 9, 20, 33	7 (2%)
1	B	321/349 (91%)	1.70	93 (28%)	1 1	10, 17, 32, 41	9 (2%)
All	All	647/698 (92%)	1.07	116 (17%)	3 4	3, 13, 28, 41	16 (2%)

All (116) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	300	LEU	8.4
1	B	293	THR	8.1
1	B	301	ASP	7.7
1	B	299	LEU	7.2
1	B	362	ASN	6.2
1	B	303	TYR	6.0
1	B	297	VAL	5.7
1	B	298	LEU	5.7
1	B	411	PRO	5.5
1	B	351	GLY	5.5
1	B	363	ALA	5.3
1	B	410	ILE	5.1
1	B	349	GLU	4.9
1	A	86	THR	4.7
1	B	342	ARG	4.7
1	B	93	ALA	4.6
1	B	183	ALA	4.3
1	B	292	VAL	4.3
1	B	409	THR	4.3
1	B	140	ASP	4.3
1	A	293	THR	4.2
1	B	218	GLU	4.0
1	B	88	GLN	3.9
1	B	306	ARG	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	286	MET	3.8
1	B	304	SER	3.7
1	B	302	ASN	3.5
1	A	287	VAL	3.5
1	B	89	GLU	3.4
1	B	184	VAL	3.4
1	B	361	HIS	3.4
1	B	340	PHE	3.3
1	B	90	ASP	3.3
1	B	375	TYR	3.3
1	B	127	GLN	3.2
1	B	364[A]	SER	3.1
1	A	292	VAL	3.1
1	B	305	ASP	3.1
1	B	353	GLU	3.0
1	B	288	GLU	3.0
1	A	351	GLY	2.9
1	B	308	GLN	2.9
1	B	388	VAL	2.9
1	A	130	ASP	2.8
1	B	221	LEU	2.8
1	B	287	VAL	2.7
1	B	285	THR	2.7
1	A	90	ASP	2.7
1	B	255	LYS	2.7
1	B	212	LEU	2.6
1	B	398	THR	2.6
1	B	243	GLU	2.6
1	B	356	PRO	2.6
1	B	99	VAL	2.6
1	B	214	ASN	2.6
1	A	349	GLU	2.6
1	B	91	VAL	2.6
1	B	359	ASP	2.5
1	B	216	ASN	2.5
1	A	294	SER	2.5
1	B	352	MET	2.5
1	A	363	ALA	2.4
1	B	354	ILE	2.4
1	A	289	THR	2.4
1	A	133	LYS	2.4
1	B	136	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	281	ALA	2.4
1	B	157	VAL	2.4
1	B	365	VAL	2.4
1	B	132	LEU	2.4
1	B	181	LEU	2.4
1	A	295	SER	2.4
1	B	254	LYS	2.4
1	A	87	GLU	2.4
1	B	252	LEU	2.3
1	A	296	GLY	2.3
1	B	137	ILE	2.3
1	B	241	LEU	2.3
1	A	375	TYR	2.3
1	B	348	ARG	2.3
1	B	350	ARG	2.3
1	B	277	MET	2.3
1	B	245	ASN	2.3
1	A	140	ASP	2.2
1	B	253	THR	2.2
1	B	111	GLU	2.2
1	B	182	GLU	2.2
1	B	289	THR	2.2
1	B	404	GLU	2.2
1	B	185	PHE	2.2
1	B	395	ILE	2.2
1	B	385	ALA	2.2
1	B	389	HIS	2.2
1	A	298	LEU	2.1
1	B	180	ALA	2.1
1	B	125	ILE	2.1
1	B	139	VAL	2.1
1	A	183	ALA	2.1
1	A	327	GLN	2.1
1	B	307	ILE	2.1
1	B	94	LYS	2.1
1	B	347	GLU	2.1
1	B	309	VAL	2.1
1	B	392	ALA	2.1
1	B	258	GLN	2.1
1	B	357	MET	2.1
1	B	384	TRP	2.1
1	B	394	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	285	THR	2.0
1	B	120	VAL	2.0
1	B	244	GLU	2.0
1	B	98	ASP	2.0
1	A	411	PRO	2.0
1	A	244	GLU	2.0
1	B	135	PHE	2.0
1	B	96	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	B	706	4/4	0.66	0.22	33,33,33,35	0
5	EDO	A	703	4/4	0.75	0.22	39,39,39,39	0
5	EDO	B	714	4/4	0.76	0.19	29,31,31,32	0
5	EDO	A	704	4/4	0.77	0.19	36,36,36,36	0
5	EDO	A	719	4/4	0.77	0.20	32,34,34,35	0
5	EDO	B	717	4/4	0.77	0.24	42,42,43,43	0
5	EDO	A	715	4/4	0.78	0.21	34,35,35,36	0
5	EDO	B	710	4/4	0.78	0.15	47,47,48,48	0
5	EDO	B	721	4/4	0.80	0.17	41,41,42,42	0
5	EDO	A	712	4/4	0.81	0.20	39,40,40,40	0
5	EDO	B	711	4/4	0.82	0.17	33,34,34,35	0
5	EDO	B	705	4/4	0.82	0.14	29,31,32,33	0
5	EDO	B	709	4/4	0.83	0.21	42,43,43,43	0
5	EDO	B	718	4/4	0.85	0.16	38,39,39,39	0
5	EDO	A	716	4/4	0.86	0.14	33,35,36,38	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	A	720	4/4	0.87	0.14	36,36,36,37	0
5	EDO	A	707	4/4	0.87	0.16	31,31,31,31	0
4	CIO	B	601[B]	25/25	0.88	0.13	17,18,21,21	25
4	CIO	B	601[A]	25/25	0.88	0.13	13,19,23,26	25
5	EDO	A	702	4/4	0.91	0.10	26,27,27,27	0
4	CIO	A	603[A]	25/25	0.91	0.12	16,20,25,26	25
4	CIO	A	603[B]	25/25	0.91	0.12	18,19,21,21	25
5	EDO	B	701	4/4	0.92	0.13	26,28,30,32	0
5	EDO	B	713	4/4	0.93	0.14	26,27,28,28	0
2	ZN	A	1001	1/1	0.99	0.08	13,13,13,13	0
3	MG	A	1002	1/1	0.99	0.17	8,8,8,8	0
2	ZN	B	2001	1/1	1.00	0.08	12,12,12,12	0
3	MG	B	2002	1/1	1.00	0.11	7,7,7,7	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CIO B 601 (B):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CIO B 601 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CIO A 603 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CIO A 603 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.