



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 07:59 AM UTC

PDB ID : 2XON / pdb_00002xon
Title : Structure of TmCBM61 in complex with beta-1,4-galactotriose at 1.4 Å resolution
Authors : Cid, M.; Lodberg-Pedersen, H.; Kaneko, S.; Coutinho, P.M.; Henrissat, B.; Willats, W.G.T.; Boraston, A.B.
Deposited on : 2010-08-20
Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.40-1.40)
Clashscore	190562	2660 (1.40-1.40)
Ramachandran outliers	187476	2611 (1.40-1.40)
Sidechain outliers	187428	2610 (1.40-1.40)
RSRZ outliers	180081	2561 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	152	 84% 12% 5%
1	L	152	 80% 16% . .
2	B	3	 33% 33% 33%
2	C	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	1168	-	-	X	-
5	EDO	A	1169	-	-	X	-
5	EDO	A	1183	-	-	X	-
5	EDO	L	1175	-	-	X	-
5	EDO	L	1176	-	-	X	-
5	EDO	L	1178	-	-	X	-
5	EDO	L	1179	-	-	X	-

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 3225 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ARABINOGALACTAN ENDO-1,4-BETA-GALACTOSIDA SE.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
1	A	145	1253	814	209	230	0	16	0
1	L	146	1240	799	207	234	0	11	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	GLY	-	expression tag	UNP Q9X0S8
A	16	SER	-	expression tag	UNP Q9X0S8
A	17	HIS	-	expression tag	UNP Q9X0S8
A	18	MET	-	expression tag	UNP Q9X0S8
A	19	ALA	-	expression tag	UNP Q9X0S8
A	20	SER	-	expression tag	UNP Q9X0S8
L	15	GLY	-	expression tag	UNP Q9X0S8
L	16	SER	-	expression tag	UNP Q9X0S8
L	17	HIS	-	expression tag	UNP Q9X0S8
L	18	MET	-	expression tag	UNP Q9X0S8
L	19	ALA	-	expression tag	UNP Q9X0S8
L	20	SER	-	expression tag	UNP Q9X0S8

- Molecule 2 is an oligosaccharide called beta-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace	
			Total	C				O
2	B	3	34	18	16	0	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	3	Total	C	O	0	0	0
			34	18	16			

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	L	1	Total	Ca	0	0
			1	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 3 2 1	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0
5	L	1	Total C O 4 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	285	Total O 285 285	0	0
6	L	268	Total O 268 268	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ARABINO GALACTAN ENDO-1,4-BETA-GALACTOSIDASE

Chain A: 



- Molecule 1: ARABINO GALACTAN ENDO-1,4-BETA-GALACTOSIDASE

Chain L: 



- Molecule 2: beta-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain B: 



- Molecule 2: beta-D-galactopyranose-(1-4)-beta-D-galactopyranose-(1-4)-beta-D-galactopyranose

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	48.90Å 61.85Å 55.53Å 90.00° 105.14° 90.00°	Depositor
Resolution (Å)	34.26 – 1.40 34.26 – 1.40	Depositor EDS
% Data completeness (in resolution range)	95.0 (34.26-1.40) 95.0 (34.26-1.40)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.35 (at 1.40Å)	Xtrriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.116 , 0.167 0.130 , 0.172	Depositor DCC
R_{free} test set	3009 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	12.5	Xtrriage
Anisotropy	0.223	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	3225	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, EDO, SO4, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.19	1/1333 (0.1%)	1.00	0/1802
1	L	1.19	2/1301 (0.2%)	1.05	1/1756 (0.1%)
All	All	1.19	3/2634 (0.1%)	1.02	1/3558 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	82	GLU	CD-OE2	-8.25	1.09	1.25
1	L	97	GLU	C-N	6.48	1.42	1.33
1	A	114	ARG	CG-CD	-5.09	1.37	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	99	GLY	N-CA-C	6.25	123.94	115.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	165	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1253	0	1262	17	2
1	L	1240	0	1213	38	0
2	B	34	0	30	2	0
2	C	34	0	30	2	0
3	A	1	0	0	0	0
3	L	1	0	0	0	0
4	A	5	0	0	0	0
4	L	5	0	0	0	0
5	A	60	0	90	23	0
5	L	39	0	57	30	2
6	A	285	0	0	20	0
6	L	268	0	0	16	0
All	All	3225	0	2682	83	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:90[A]:VAL:HG22	1:L:162:LEU:HD13	1.23	1.15
1:L:90[A]:VAL:CG2	1:L:162:LEU:HD13	1.85	1.06
1:A:21:SER:N	6:A:2004:HOH:O	1.87	1.06
1:A:71[A]:GLU:OE1	6:A:2128:HOH:O	1.87	0.91
1:L:90[A]:VAL:HG22	1:L:162:LEU:CD1	2.00	0.91
1:L:166[B]:GLU:OE2	1:L:166[B]:GLU:CA	2.26	0.82
5:A:1168:EDO:H12	5:A:1169:EDO:C1	2.11	0.79
5:A:1175:EDO:H21	6:A:2267:HOH:O	1.84	0.77
5:L:1177:EDO:H21	6:L:2081:HOH:O	1.83	0.77
1:L:164:ARG:HE	5:L:1175:EDO:C2	1.98	0.77
1:A:21:SER:CA	6:A:2004:HOH:O	2.28	0.77
5:L:1178:EDO:H22	2:C:3:GAL:O4	1.87	0.75
1:A:21:SER:HA	6:A:2004:HOH:O	1.86	0.74
1:L:164:ARG:HE	5:L:1175:EDO:H22	1.52	0.74
5:L:1178:EDO:C1	6:L:2251:HOH:O	2.36	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90[A]:VAL:HG22	1:A:162:LEU:HD13	1.70	0.73
1:A:116[B]:VAL:HG21	6:A:2206:HOH:O	1.86	0.73
1:L:117[B]:GLU:OE1	6:L:2181:HOH:O	2.07	0.73
5:A:1183:EDO:H21	6:A:2275:HOH:O	1.88	0.71
1:L:87:VAL:HB	5:L:1175:EDO:H11	1.73	0.71
1:L:71:GLU:HG2	6:L:2134:HOH:O	1.90	0.70
5:L:1178:EDO:H21	6:L:2261:HOH:O	1.92	0.70
5:A:1183:EDO:H12	6:A:2282:HOH:O	1.90	0.70
1:L:166[A]:GLU:OE2	6:L:2240:HOH:O	2.09	0.69
5:A:1168:EDO:C1	5:A:1169:EDO:C1	2.71	0.69
5:A:1168:EDO:H12	5:A:1169:EDO:H11	1.73	0.69
1:A:116[B]:VAL:CG2	6:A:2206:HOH:O	2.41	0.68
5:A:1168:EDO:H12	5:A:1169:EDO:H12	1.75	0.68
5:L:1178:EDO:H12	6:L:2251:HOH:O	1.93	0.68
5:A:1183:EDO:C2	6:A:2275:HOH:O	2.42	0.68
1:L:132[B]:ARG:NH1	5:L:1179:EDO:H22	2.10	0.66
1:A:118[B]:VAL:HG22	6:A:2181:HOH:O	1.96	0.66
5:A:1168:EDO:C1	5:A:1169:EDO:H12	2.27	0.65
1:L:118[B]:VAL:HG12	6:L:2186:HOH:O	1.96	0.64
5:L:1178:EDO:H11	6:L:2251:HOH:O	1.96	0.63
1:L:164:ARG:HH21	5:L:1175:EDO:H21	1.63	0.63
1:A:39[B]:ARG:HE	5:A:1173:EDO:C1	2.11	0.62
5:A:1176:EDO:O2	6:A:2270:HOH:O	2.15	0.61
1:L:132[B]:ARG:HH12	5:L:1179:EDO:H22	1.65	0.61
1:L:164:ARG:NE	5:L:1175:EDO:H22	2.16	0.60
5:A:1184:EDO:H12	6:A:2276:HOH:O	2.02	0.58
1:L:89:ARG:NH1	1:L:132[A]:ARG:HD3	2.19	0.58
1:L:87:VAL:H	5:L:1175:EDO:H22	1.67	0.58
1:L:90[A]:VAL:CG2	1:L:162:LEU:CD1	2.68	0.57
1:L:132[B]:ARG:HH12	5:L:1179:EDO:C2	2.19	0.56
1:A:90[A]:VAL:CG2	1:A:162:LEU:HD13	2.36	0.54
1:A:106[A]:VAL:HG12	1:A:143:ILE:CD1	2.37	0.54
1:L:89:ARG:NH2	5:L:1176:EDO:O2	2.40	0.54
5:L:1173:EDO:H22	6:L:2157:HOH:O	2.07	0.53
1:L:36:SER:OG	5:L:1174:EDO:H21	2.09	0.53
1:L:165:GLU:O	5:L:1175:EDO:O1	2.25	0.53
1:L:89:ARG:HH21	5:L:1176:EDO:C2	2.22	0.52
1:A:54:PRO:HG3	5:A:1171:EDO:H12	1.92	0.51
1:L:117[B]:GLU:CD	6:L:2181:HOH:O	2.53	0.51
1:A:117[B]:GLU:OE2	6:A:2182:HOH:O	2.20	0.50
1:L:37:PRO:HA	5:L:1174:EDO:H21	1.92	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:89:ARG:HD2	5:L:1176:EDO:H21	1.93	0.49
1:L:130:GLU:OE2	5:L:1176:EDO:H22	2.12	0.49
1:L:37:PRO:HA	5:L:1174:EDO:C2	2.43	0.48
5:A:1183:EDO:H11	2:B:3:GAL:O4	2.13	0.48
1:L:71:GLU:CG	6:L:2134:HOH:O	2.56	0.48
1:L:164:ARG:HH21	5:L:1175:EDO:C2	2.27	0.48
5:L:1178:EDO:H11	2:C:3:GAL:H2	1.95	0.47
1:L:85:ALA:HB2	6:L:2218:HOH:O	2.14	0.47
1:A:39[B]:ARG:HE	5:A:1173:EDO:H11	1.78	0.46
1:A:130:GLU:OE2	5:A:1176:EDO:C1	2.63	0.46
1:L:116:VAL:HG21	5:L:1179:EDO:H12	1.98	0.46
5:A:1183:EDO:C1	6:A:2282:HOH:O	2.55	0.46
5:A:1173:EDO:H12	6:A:2038:HOH:O	2.16	0.45
1:A:117[B]:GLU:CD	6:A:2182:HOH:O	2.59	0.45
1:L:26:LYS:HE2	6:L:2014:HOH:O	2.17	0.45
1:A:106[A]:VAL:HG12	1:A:143:ILE:HD12	2.00	0.44
1:L:130:GLU:OE1	1:L:132[A]:ARG:NE	2.38	0.43
5:A:1168:EDO:H11	5:A:1169:EDO:C1	2.49	0.43
5:A:1175:EDO:C2	6:A:2267:HOH:O	2.55	0.43
5:A:1184:EDO:H22	6:A:2284:HOH:O	2.19	0.43
5:A:1183:EDO:H22	2:B:3:GAL:H2	2.01	0.42
5:L:1178:EDO:C2	6:L:2261:HOH:O	2.59	0.42
1:L:87:VAL:H	5:L:1175:EDO:C2	2.32	0.42
1:L:89:ARG:HH21	5:L:1176:EDO:H21	1.83	0.41
5:A:1185:EDO:O2	6:A:2276:HOH:O	2.15	0.41
1:L:46:ALA:O	1:L:67:PHE:HA	2.20	0.41
1:L:166[A]:GLU:HG3	6:L:2242:HOH:O	2.20	0.41

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:GLU:OE1	5:L:1180:EDO:O2[1_556]	1.88	0.32
1:A:142:LYS:NZ	5:L:1172:EDO:C1[2_656]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	159/152 (105%)	158 (99%)	1 (1%)	0	100	100
1	L	154/152 (101%)	153 (99%)	1 (1%)	0	100	100
All	All	313/304 (103%)	311 (99%)	2 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/128 (109%)	135 (97%)	4 (3%)	37	9
1	L	135/128 (106%)	131 (97%)	4 (3%)	36	8
All	All	274/256 (107%)	266 (97%)	8 (3%)	43	9

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45[A]	LYS
1	A	45[B]	LYS
1	A	47	VAL
1	A	60	GLN
1	L	47	VAL
1	L	60	GLN
1	L	98[A]	LYS
1	L	98[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	L	27	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	B	1	2	12,12,12	0.68	0	17,17,17	1.03	2 (11%)
2	GAL	B	2	2	11,11,12	0.90	0	15,15,17	0.86	0
2	GAL	B	3	2	11,11,12	0.69	0	15,15,17	0.90	1 (6%)
2	GAL	C	1	2	12,12,12	0.98	1 (8%)	17,17,17	1.11	1 (5%)
2	GAL	C	2	2	11,11,12	0.63	0	15,15,17	1.03	1 (6%)
2	GAL	C	3	2	11,11,12	0.62	0	15,15,17	1.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	B	1	2	-	0/2/22/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	B	2	2	-	0/2/19/22	0/1/1/1
2	GAL	B	3	2	-	1/2/19/22	0/1/1/1
2	GAL	C	1	2	-	0/2/22/22	0/1/1/1
2	GAL	C	2	2	-	0/2/19/22	0/1/1/1
2	GAL	C	3	2	-	1/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1	GAL	O5-C5	-2.37	1.38	1.44

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	GAL	O2-C2-C3	2.40	116.04	110.38
2	B	3	GAL	O2-C2-C1	-2.17	104.25	109.22
2	C	2	GAL	O5-C5-C6	2.16	111.86	107.66
2	B	1	GAL	C1-C2-C3	-2.05	106.17	110.36
2	B	1	GAL	O1-C1-C2	2.00	114.79	108.98

There are no chirality outliers.

All (2) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	C	3	GAL	O5-C5-C6-O6
2	B	3	GAL	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	3	GAL	2	0
2	B	3	GAL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 29 ligands modelled in this entry, 2 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	A	1178	-	3,3,3	0.28	0	2,2,2	1.38	0
5	EDO	L	1174	-	3,3,3	0.84	0	2,2,2	0.98	0
5	EDO	A	1183	-	3,3,3	0.41	0	2,2,2	0.28	0
5	EDO	A	1177	-	3,3,3	0.55	0	2,2,2	0.52	0
5	EDO	A	1170	-	3,3,3	0.33	0	2,2,2	0.23	0
5	EDO	L	1180	-	3,3,3	0.28	0	2,2,2	0.81	0
5	EDO	A	1184	-	3,3,3	0.69	0	2,2,2	0.14	0
5	EDO	A	1169	-	3,3,3	0.43	0	2,2,2	0.75	0
4	SO4	A	1167	-	4,4,4	0.84	0	6,6,6	1.05	0
4	SO4	L	1171	-	4,4,4	1.09	0	6,6,6	1.13	0
5	EDO	L	1181	-	3,3,3	0.56	0	2,2,2	0.86	0
5	EDO	A	1179	-	3,3,3	0.18	0	2,2,2	1.77	0
5	EDO	L	1179	-	3,3,3	0.33	0	2,2,2	0.28	0
5	EDO	L	1172	-	3,3,3	0.23	0	2,2,2	0.59	0
5	EDO	L	1175	-	3,3,3	0.33	0	2,2,2	0.17	0
5	EDO	L	1176	-	3,3,3	0.29	0	2,2,2	1.73	1 (50%)
5	EDO	L	1177	-	2,2,3	0.45	0	1,1,2	0.99	0
5	EDO	A	1168	-	3,3,3	0.58	0	2,2,2	0.78	0
5	EDO	A	1185	-	3,3,3	0.23	0	2,2,2	0.23	0
5	EDO	A	1172	-	3,3,3	1.35	0	2,2,2	1.19	0
5	EDO	A	1176	-	3,3,3	0.34	0	2,2,2	0.40	0
5	EDO	A	1174	-	3,3,3	0.60	0	2,2,2	0.10	0
5	EDO	A	1175	-	3,3,3	0.28	0	2,2,2	0.61	0
5	EDO	L	1173	-	3,3,3	0.36	0	2,2,2	0.24	0
5	EDO	L	1178	-	3,3,3	0.38	0	2,2,2	0.46	0
5	EDO	A	1173	-	3,3,3	0.62	0	2,2,2	0.46	0
5	EDO	A	1171	-	3,3,3	0.69	0	2,2,2	1.93	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1178	-	-	1/1/1/1	-
5	EDO	L	1174	-	-	1/1/1/1	-
5	EDO	A	1183	-	-	0/1/1/1	-
5	EDO	A	1177	-	-	0/1/1/1	-
5	EDO	A	1170	-	-	1/1/1/1	-
5	EDO	L	1180	-	-	1/1/1/1	-
5	EDO	A	1184	-	-	1/1/1/1	-
5	EDO	A	1169	-	-	1/1/1/1	-
5	EDO	L	1181	-	-	0/1/1/1	-
5	EDO	A	1179	-	-	1/1/1/1	-
5	EDO	L	1179	-	-	1/1/1/1	-
5	EDO	L	1172	-	-	0/1/1/1	-
5	EDO	L	1175	-	-	0/1/1/1	-
5	EDO	L	1176	-	-	1/1/1/1	-
5	EDO	A	1168	-	-	0/1/1/1	-
5	EDO	A	1185	-	-	1/1/1/1	-
5	EDO	A	1172	-	-	1/1/1/1	-
5	EDO	A	1176	-	-	1/1/1/1	-
5	EDO	A	1174	-	-	0/1/1/1	-
5	EDO	A	1175	-	-	1/1/1/1	-
5	EDO	L	1173	-	-	0/1/1/1	-
5	EDO	L	1178	-	-	0/1/1/1	-
5	EDO	A	1173	-	-	1/1/1/1	-
5	EDO	A	1171	-	-	0/1/1/1	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	1176	EDO	O1-C1-C2	-2.34	94.53	112.39
5	A	1171	EDO	O1-C1-C2	-2.23	95.40	112.39

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1169	EDO	O1-C1-C2-O2
5	A	1170	EDO	O1-C1-C2-O2
5	A	1179	EDO	O1-C1-C2-O2
5	A	1184	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	1185	EDO	O1-C1-C2-O2
5	L	1180	EDO	O1-C1-C2-O2
5	L	1174	EDO	O1-C1-C2-O2
5	A	1176	EDO	O1-C1-C2-O2
5	A	1173	EDO	O1-C1-C2-O2
5	A	1178	EDO	O1-C1-C2-O2
5	L	1176	EDO	O1-C1-C2-O2
5	A	1172	EDO	O1-C1-C2-O2
5	A	1175	EDO	O1-C1-C2-O2
5	L	1179	EDO	O1-C1-C2-O2

There are no ring outliers.

18 monomers are involved in 55 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	L	1174	EDO	3	0
5	A	1183	EDO	6	0
5	L	1180	EDO	0	1
5	A	1184	EDO	2	0
5	A	1169	EDO	6	0
5	L	1179	EDO	4	0
5	L	1172	EDO	0	1
5	L	1175	EDO	9	0
5	L	1176	EDO	5	0
5	L	1177	EDO	1	0
5	A	1168	EDO	6	0
5	A	1185	EDO	1	0
5	A	1176	EDO	2	0
5	A	1175	EDO	2	0
5	L	1173	EDO	1	0
5	L	1178	EDO	7	0
5	A	1173	EDO	3	0
5	A	1171	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	145/152 (95%)	-0.67	0 100 100	6, 12, 18, 32	20 (13%)
1	L	146/152 (96%)	-0.67	0 100 100	5, 11, 19, 21	16 (10%)
All	All	291/304 (95%)	-0.67	0 100 100	5, 12, 19, 32	36 (12%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GAL	B	1	12/12	-	-	16,20,24,30	0
2	GAL	B	2	11/12	-	-	12,13,15,22	0
2	GAL	B	3	11/12	-	-	9,10,11,13	0
2	GAL	C	1	12/12	0.95	0.07	19,24,31,35	0
2	GAL	C	2	11/12	0.98	0.04	13,14,18,25	0
2	GAL	C	3	11/12	0.99	0.03	11,12,13,13	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	A	1168	4/4	0.59	0.17	24,32,36,43	1
5	EDO	L	1177	3/4	0.64	0.21	30,30,36,36	0
5	EDO	A	1177	4/4	0.66	0.18	43,44,44,44	0
5	EDO	A	1174	4/4	0.67	0.13	58,58,58,59	0
5	EDO	A	1173	4/4	0.73	0.15	32,34,38,42	1
5	EDO	L	1174	4/4	0.79	0.14	35,36,38,39	0
5	EDO	L	1175	4/4	0.79	0.14	38,41,42,44	0
5	EDO	L	1173	4/4	0.79	0.17	12,14,14,19	4
5	EDO	A	1169	4/4	0.81	0.19	17,19,19,24	4
5	EDO	A	1185	4/4	0.82	0.16	18,21,21,21	4
5	EDO	L	1176	4/4	0.84	0.15	18,21,22,23	4
5	EDO	L	1180	4/4	0.84	0.14	45,45,45,48	0
5	EDO	L	1179	4/4	0.84	0.11	31,36,37,39	0
5	EDO	A	1184	4/4	0.85	0.11	31,33,33,36	0
5	EDO	L	1172	4/4	0.85	0.17	22,23,24,25	4
5	EDO	A	1170	4/4	0.87	0.13	19,20,22,26	4
5	EDO	A	1178	4/4	0.87	0.11	25,28,29,33	0
5	EDO	A	1183	4/4	0.89	0.14	18,19,22,23	4
5	EDO	A	1176	4/4	0.90	0.16	16,23,23,29	4
5	EDO	A	1171	4/4	0.90	0.15	8,18,18,19	4
5	EDO	A	1172	4/4	0.93	0.09	24,28,30,30	0
5	EDO	A	1175	4/4	0.93	0.11	20,21,22,24	4
5	EDO	L	1178	4/4	0.95	0.07	26,31,32,33	0
5	EDO	A	1179	4/4	0.95	0.11	19,28,30,31	2
5	EDO	L	1181	4/4	0.95	0.12	12,16,19,23	4
4	SO4	L	1171	5/5	0.96	0.07	10,11,14,14	5
4	SO4	A	1167	5/5	0.97	0.06	9,12,13,15	5
3	CA	L	1170	1/1	1.00	0.03	11,11,11,11	0
3	CA	A	1166	1/1	1.00	0.03	9,9,9,9	0

6.5 Other polymers [i](#)

There are no such residues in this entry.