



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:24 PM UTC

PDB ID : 8XQV / pdb_00008xqv
Title : Crystal structure of AtHPPD-YH23025 complex
Authors : Dong, J.; Lin, H.-Y.; Yang, G.-F.
Deposited on : 2024-01-05
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	403	74% 20% 6%
1	B	403	3% 73% 20% 6%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 4-hydroxyphenylpyruvate dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	0	1	0
			2878	1832	491	543	12			
1	B	378	Total	C	N	O	S	0	0	0
			2836	1804	481	539	12			

- Molecule 2 is COBALT (II) ION (CCD ID: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Co	0	0
			1	1		
2	B	1	Total	Co	0	0
			1	1		

- Molecule 3 is 4-[[1,6-dimethyl-2,5-bis(oxidanylidene)-7-(2-oxidanyl-6-oxidanylidene-cyclohexen-1-yl)carbonyl-3 {H}-1,4-benzodiazepin-4-yl]methyl]benzenecarbonitrile (CCD ID: A1LWU) (formula: C₂₆H₂₃N₃O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			34	26	3	5		
3	B	1	Total	C	N	O	0	0
			34	26	3	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	49	Total	O	0	0
			49	49		
4	B	28	Total	O	0	0
			28	28		

- Molecule 1: 4-hydroxyphenylpyruvate dioxygenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.45Å 83.85Å 75.05Å 90.00° 96.90° 90.00°	Depositor
Resolution (Å)	34.18 – 2.70 34.18 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.1 (34.18-2.70) 99.1 (34.18-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.68Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.186 , 0.260 0.191 , 0.259	Depositor DCC
R_{free} test set	1005 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtriage
Anisotropy	0.617	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5861	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.68 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.5701e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CO, A1LWU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/2950	0.63	0/3993
1	B	0.50	1/2902 (0.0%)	0.61	0/3940
All	All	0.47	1/5852 (0.0%)	0.62	0/7933

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	217	LEU	CA-C	-5.62	1.46	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2878	0	2776	58	0
1	B	2836	0	2682	54	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	34	0	0	5	0
3	B	34	0	0	6	0
4	A	49	0	0	3	0
4	B	28	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5861	0	5458	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:502:A1LWU:N07	3:A:502:A1LWU:C04	1.68	1.52
3:B:502:A1LWU:N07	3:B:502:A1LWU:C04	1.69	1.48
1:A:372:ASP:HB3	1:A:374:GLN:H	1.44	0.81
1:B:375:GLY:HA3	1:B:416:CYS:SG	2.21	0.79
1:A:267:SER:HB3	1:A:282:ASN:HD22	1.53	0.74
3:A:502:A1LWU:C04	3:A:502:A1LWU:C26	2.65	0.74
1:A:262:GLU:HG3	1:A:264:GLY:H	1.51	0.73
3:B:502:A1LWU:C04	3:B:502:A1LWU:C26	2.66	0.72
1:A:372:ASP:HB2	1:A:417:GLY:HA2	1.71	0.71
1:A:423:ASN:HA	1:A:426:GLU:HB2	1.74	0.69
1:A:321:ARG:NH1	1:A:361:GLU:OE1	2.27	0.68
1:A:349:ARG:NH2	1:A:369:VAL:O	2.28	0.66
1:A:45:LYS:HG3	1:A:46:ARG:H	1.60	0.66
1:B:372:ASP:HB2	1:B:417:GLY:HA2	1.77	0.66
1:B:170:LEU:HD12	1:B:204:PRO:HD2	1.83	0.61
3:A:502:A1LWU:N07	3:A:502:A1LWU:C03	2.57	0.61
1:B:394:GLU:OE2	1:B:396:ILE:HD11	2.02	0.60
3:B:502:A1LWU:N07	3:B:502:A1LWU:C03	2.60	0.60
1:A:103:TYR:O	1:A:129:ARG:NH2	2.34	0.59
1:A:45:LYS:HD3	1:A:145:GLU:CD	2.27	0.59
1:B:312:MET:HE1	1:B:398:ARG:HG3	1.84	0.59
1:B:402:MET:SD	1:B:412:GLN:HB2	2.43	0.58
1:B:181:LEU:HB3	1:B:185:VAL:O	2.03	0.58
1:A:45:LYS:CG	1:A:145:GLU:HB3	2.34	0.58
3:A:502:A1LWU:C26	3:A:502:A1LWU:C03	2.82	0.58
1:A:105:PRO:HD3	1:A:129:ARG:HH21	1.69	0.57
1:B:176:ILE:HD12	1:B:189:TYR:O	2.05	0.57
3:B:502:A1LWU:C26	3:B:502:A1LWU:C03	2.83	0.57
1:A:234:LEU:HB2	1:A:283:GLU:HB3	1.86	0.57
1:B:338:PRO:HB3	1:B:427:LEU:HD21	1.89	0.55
1:B:349:ARG:NH2	1:B:369:VAL:O	2.40	0.55
1:A:376:THR:HB	1:A:399:VAL:HG13	1.89	0.55
1:A:176:ILE:HD11	1:A:188:ARG:HD3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:ASP:OD1	1:B:151:SER:HB2	2.08	0.54
1:A:105:PRO:HD3	1:A:129:ARG:NH2	2.24	0.53
1:A:45:LYS:CG	1:A:46:ARG:H	2.21	0.53
1:A:352:ASP:OD2	1:A:371:ARG:NH1	2.39	0.52
1:B:46:ARG:NH1	1:B:276:MET:HG3	2.24	0.52
1:A:302:GLU:OE2	1:B:104:SER:OG	2.25	0.52
1:A:372:ASP:HB3	1:A:375:GLY:H	1.74	0.52
3:B:502:A1LWU:O21	3:B:502:A1LWU:O15	2.27	0.51
1:A:97:PHE:HB3	1:A:99:PHE:CE1	2.46	0.51
1:A:91:THR:HG22	1:A:96:ARG:HG2	1.93	0.50
1:B:320:LEU:HD11	1:B:380:ILE:HD13	1.92	0.50
1:A:133:SER:HB2	1:B:129:ARG:HE	1.77	0.50
1:A:45:LYS:HD3	1:A:145:GLU:HB3	1.93	0.50
1:A:341:THR:HG21	1:A:434:TYR:HB2	1.93	0.50
1:A:121:PRO:HG3	1:A:168:ILE:HG21	1.93	0.49
1:A:122:SER:OG	1:A:178:GLU:OE2	2.23	0.49
1:A:119:SER:O	4:A:601:HOH:O	2.20	0.49
1:A:170:LEU:HD13	4:A:601:HOH:O	2.12	0.48
1:B:51:GLU:HB3	1:B:141:ALA:HB3	1.95	0.48
1:A:301:ASN:O	1:A:302:GLU:HB2	2.13	0.48
1:B:321:ARG:NH2	1:B:361:GLU:OE1	2.46	0.48
1:A:346:LEU:HD23	1:A:359:ILE:HG23	1.96	0.47
1:B:87:SER:HA	1:B:99:PHE:O	2.14	0.47
1:B:91:THR:HA	1:B:95:LEU:O	2.14	0.47
1:A:341:THR:HG21	1:A:430:SER:O	2.13	0.47
1:A:57:ALA:N	1:B:387:ASP:OD2	2.47	0.47
1:A:71:ARG:O	1:A:90:LEU:HA	2.13	0.47
1:A:149:ALA:HB3	1:A:175:THR:HG22	1.96	0.47
1:B:48:HIS:O	1:B:96:ARG:HD2	2.14	0.47
1:A:381:PHE:CD2	1:A:394:GLU:HB2	2.50	0.46
1:A:45:LYS:CD	1:A:145:GLU:HB3	2.46	0.46
1:A:341:THR:HG23	1:A:430:SER:HB2	1.97	0.46
1:A:133:SER:HB2	1:B:129:ARG:NE	2.31	0.46
1:B:53:TRP:CE3	1:B:128:CYS:HA	2.51	0.46
1:A:40:ASP:HB2	1:A:273:ASN:ND2	2.30	0.46
1:B:215:PHE:C	1:B:215:PHE:CD1	2.94	0.46
1:B:331:GLY:HA3	4:B:618:HOH:O	2.16	0.46
1:B:78:LEU:HG	1:B:103:TYR:CZ	2.52	0.45
1:A:63:ARG:HD3	1:A:63:ARG:C	2.41	0.45
1:A:231:VAL:O	1:A:283:GLU:HA	2.16	0.45
1:B:77:ASP:HB2	1:B:103:TYR:OH	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:338:PRO:HB3	1:A:427:LEU:HD11	1.98	0.45
1:A:208:ARG:NH2	4:A:612:HOH:O	2.49	0.44
1:A:334:PHE:HA	1:A:382:THR:HA	1.98	0.44
1:B:217:LEU:HD23	1:B:217:LEU:HA	1.72	0.44
1:B:316:ILE:HB	1:B:397:GLN:HB2	2.00	0.44
1:B:318:ARG:NH1	4:B:604:HOH:O	2.49	0.44
1:B:338:PRO:HG2	1:B:343:TYR:CE1	2.53	0.44
1:B:396:ILE:HD12	1:B:396:ILE:HG23	1.67	0.44
1:A:104:SER:OG	1:A:106:SER:OG	2.27	0.44
1:A:70:MET:HG2	1:A:92:SER:HB2	1.99	0.44
1:B:307:GLN:O	1:B:391:ILE:HA	2.17	0.43
1:B:176:ILE:HD11	1:B:188:ARG:HG2	2.00	0.43
1:B:320:LEU:HD21	1:B:380:ILE:HG21	1.99	0.43
1:B:374:GLN:HB2	1:B:401:CYS:SG	2.59	0.43
1:A:307:GLN:O	1:A:391:ILE:HA	2.19	0.42
1:A:53:TRP:CE3	1:A:128:CYS:HA	2.54	0.42
1:A:341:THR:CG2	1:A:434:TYR:HB2	2.49	0.42
1:A:66:TRP:CZ2	1:A:326:ARG:HG2	2.54	0.42
1:B:53:TRP:CE2	1:B:140:ARG:HG2	2.54	0.42
1:B:143:ALA:HA	1:B:188:ARG:HB3	2.01	0.42
1:B:162:ILE:HG21	1:B:180:LYS:HD2	2.02	0.42
1:B:343:TYR:O	1:B:346:LEU:HB2	2.20	0.42
1:A:248:HIS:HE1	1:A:272:SER:O	2.02	0.42
1:B:161:ALA:HB2	1:B:244:PHE:CG	2.55	0.42
3:B:502:A1LWU:C12	3:B:502:A1LWU:O23	2.68	0.42
1:B:238:LEU:HD11	1:B:268:ALA:HB3	2.02	0.41
1:A:135:HIS:ND1	1:A:301:ASN:O	2.44	0.41
1:B:269:VAL:HA	1:B:280:PRO:HA	2.00	0.41
1:A:78:LEU:HG	1:A:103:TYR:CZ	2.56	0.41
1:A:346:LEU:HD12	1:A:346:LEU:HA	1.83	0.41
1:A:176:ILE:HD12	1:A:189:TYR:O	2.20	0.41
1:B:139:VAL:HG11	1:B:306:LEU:HD13	2.02	0.41
1:B:396:ILE:HA	1:B:396:ILE:HD13	1.77	0.41
1:A:176:ILE:HD12	1:A:176:ILE:HA	1.89	0.41
1:B:381:PHE:CD2	1:B:394:GLU:HB2	2.55	0.41
1:B:398:ARG:HD3	1:B:416:CYS:O	2.21	0.41
1:A:87:SER:HA	1:A:99:PHE:O	2.21	0.40
3:A:502:A1LWU:O23	3:A:502:A1LWU:C12	2.67	0.40
1:B:142:VAL:O	1:B:187:LEU:HD12	2.21	0.40
1:B:214:SER:O	1:B:214:SER:OG	2.31	0.40
1:B:165:SER:HB3	1:B:178:GLU:HB2	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:345:ASN:O	1:B:349:ARG:HG2	2.20	0.40
1:B:346:LEU:HD23	1:B:346:LEU:HA	1.76	0.40
1:B:369:VAL:HG22	1:B:378:LEU:HD22	2.03	0.40
1:B:211:ASP:OD2	1:B:211:ASP:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	370/403 (92%)	346 (94%)	24 (6%)	0	100	100
1	B	370/403 (92%)	341 (92%)	28 (8%)	1 (0%)	36	60
All	All	740/806 (92%)	687 (93%)	52 (7%)	1 (0%)	48	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	216	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/339 (90%)	305 (100%)	1 (0%)	86	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	295/339 (87%)	291 (99%)	4 (1%)	59	82
All	All	601/678 (89%)	596 (99%)	5 (1%)	73	88

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	CYS
1	B	54	CYS
1	B	213	SER
1	B	219	TYR
1	B	413	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	282	ASN
1	A	293	GLN
1	B	59	ASN
1	B	171	ASN
1	B	412	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	A1LWU	B	502	2	34,37,37	5.62	23 (67%)	43,54,54	2.68	19 (44%)
3	A1LWU	A	502	2	34,37,37	5.50	23 (67%)	43,54,54	2.88	21 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1LWU	B	502	2	-	2/14/48/48	0/4/4/4
3	A1LWU	A	502	2	-	5/14/48/48	0/4/4/4

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	A1LWU	C08-N07	15.68	1.62	1.37
3	A	502	A1LWU	C08-N07	14.92	1.61	1.37
3	A	502	A1LWU	C05-C06	11.27	1.57	1.40
3	B	502	A1LWU	C05-C06	11.16	1.57	1.40
3	A	502	A1LWU	C01-C06	10.26	1.53	1.40
3	B	502	A1LWU	C04-N07	10.05	1.69	1.42
3	B	502	A1LWU	C01-C06	9.83	1.52	1.40
3	A	502	A1LWU	C04-N07	9.40	1.68	1.42
3	A	502	A1LWU	C02-C01	7.83	1.51	1.39
3	B	502	A1LWU	C03-C02	7.45	1.50	1.38
3	B	502	A1LWU	C02-C01	7.20	1.50	1.39
3	A	502	A1LWU	C03-C02	7.10	1.50	1.38
3	A	502	A1LWU	C05-C04	7.07	1.54	1.41
3	B	502	A1LWU	C32-C31	7.01	1.50	1.38
3	B	502	A1LWU	C05-C04	6.98	1.54	1.41
3	B	502	A1LWU	C29-C28	6.93	1.50	1.38
3	A	502	A1LWU	C32-C31	6.57	1.49	1.38
3	A	502	A1LWU	C29-C28	6.49	1.49	1.38
3	B	502	A1LWU	C03-C04	6.43	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	A1LWU	C03-C04	6.07	1.49	1.39
3	A	502	A1LWU	C32-C27	5.26	1.49	1.38
3	B	502	A1LWU	C28-C27	5.23	1.49	1.38
3	B	502	A1LWU	C32-C27	5.12	1.49	1.38
3	B	502	A1LWU	C31-C30	5.07	1.49	1.39
3	A	502	A1LWU	C29-C30	5.05	1.49	1.39
3	A	502	A1LWU	C28-C27	4.66	1.48	1.38
3	A	502	A1LWU	C31-C30	4.63	1.48	1.39
3	B	502	A1LWU	C29-C30	4.45	1.48	1.39
3	A	502	A1LWU	O22-C20	-4.21	1.14	1.23
3	B	502	A1LWU	O23-C11	-4.19	1.14	1.22
3	B	502	A1LWU	C14-C16	4.06	1.51	1.39
3	B	502	A1LWU	O22-C20	-4.04	1.14	1.23
3	A	502	A1LWU	O23-C11	-4.01	1.14	1.22
3	B	502	A1LWU	C30-C33	3.79	1.52	1.44
3	B	502	A1LWU	O25-C08	-3.72	1.14	1.23
3	A	502	A1LWU	C14-C16	3.52	1.49	1.39
3	A	502	A1LWU	C26-N07	-3.46	1.40	1.46
3	A	502	A1LWU	O25-C08	-3.23	1.16	1.23
3	B	502	A1LWU	O21-C16	2.94	1.40	1.32
3	A	502	A1LWU	C30-C33	2.76	1.50	1.44
3	B	502	A1LWU	C14-C20	2.46	1.51	1.45
3	A	502	A1LWU	O21-C16	2.46	1.39	1.32
3	A	502	A1LWU	C14-C20	2.45	1.51	1.45
3	A	502	A1LWU	O15-C13	-2.41	1.18	1.23
3	B	502	A1LWU	C26-N07	-2.21	1.43	1.46
3	B	502	A1LWU	C19-C20	-2.05	1.48	1.50

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	A1LWU	C27-C24-N10	6.44	123.28	113.15
3	B	502	A1LWU	C12-C06-C01	-6.28	112.92	122.29
3	A	502	A1LWU	C17-C16-C14	-6.04	116.42	122.90
3	A	502	A1LWU	O23-C11-N10	-5.97	114.59	122.36
3	B	502	A1LWU	O23-C11-N10	-5.95	114.62	122.36
3	A	502	A1LWU	C04-C05-C06	-5.94	111.89	119.20
3	B	502	A1LWU	C04-C05-C06	-5.91	111.94	119.20
3	A	502	A1LWU	C12-C06-C01	-5.50	114.08	122.29
3	B	502	A1LWU	C06-C01-C13	4.60	126.72	121.92
3	A	502	A1LWU	C03-C04-N07	-4.54	108.69	119.06
3	B	502	A1LWU	C27-C24-N10	4.51	120.25	113.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	A1LWU	C03-C04-N07	-4.35	109.14	119.06
3	B	502	A1LWU	C17-C16-C14	-4.17	118.42	122.90
3	A	502	A1LWU	C02-C01-C06	4.16	123.71	120.74
3	A	502	A1LWU	C24-N10-C11	4.13	122.84	119.84
3	A	502	A1LWU	C02-C01-C13	-3.70	110.98	119.37
3	A	502	A1LWU	C03-C04-C05	3.65	126.87	118.92
3	B	502	A1LWU	C02-C01-C13	-3.65	111.08	119.37
3	B	502	A1LWU	C24-N10-C11	3.65	122.49	119.84
3	B	502	A1LWU	C18-C19-C20	-3.33	107.18	113.57
3	A	502	A1LWU	C06-C01-C13	3.22	125.28	121.92
3	B	502	A1LWU	C03-C04-C05	3.17	125.83	118.92
3	A	502	A1LWU	O21-C16-C14	-3.09	115.89	121.95
3	B	502	A1LWU	O22-C20-C19	-3.04	115.88	120.87
3	B	502	A1LWU	C18-C17-C16	-2.98	109.42	112.49
3	A	502	A1LWU	C24-C27-C32	-2.92	115.36	120.75
3	A	502	A1LWU	C29-C28-C27	-2.80	117.32	121.00
3	A	502	A1LWU	O21-C16-C17	2.79	120.84	114.43
3	B	502	A1LWU	O21-C16-C17	2.68	120.58	114.43
3	A	502	A1LWU	C03-C02-C01	-2.68	116.44	120.86
3	B	502	A1LWU	C19-C20-C14	2.62	121.78	116.94
3	A	502	A1LWU	C12-C06-C05	2.46	125.24	121.39
3	B	502	A1LWU	C12-C06-C05	2.29	124.98	121.39
3	A	502	A1LWU	O25-C08-N07	-2.20	117.74	121.56
3	A	502	A1LWU	C32-C27-C28	2.20	121.50	118.23
3	A	502	A1LWU	C18-C17-C16	2.20	114.75	112.49
3	A	502	A1LWU	O25-C08-C09	2.12	125.73	121.16
3	B	502	A1LWU	C03-C02-C01	-2.08	117.44	120.86
3	B	502	A1LWU	C24-C27-C28	-2.03	117.02	120.75
3	B	502	A1LWU	C02-C01-C06	2.02	122.18	120.74

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	A1LWU	C27-C24-N10-C11
3	B	502	A1LWU	C27-C24-N10-C09
3	B	502	A1LWU	C27-C24-N10-C11
3	A	502	A1LWU	C27-C24-N10-C09
3	A	502	A1LWU	N10-C24-C27-C28
3	A	502	A1LWU	N10-C24-C27-C32
3	A	502	A1LWU	C06-C01-C13-O15


There are no ring outliers.

2 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	A1LWU	6	0
3	A	502	A1LWU	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1LWU B 502




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	377/403 (93%)	0.19	4 (1%) 78 76	17, 32, 54, 70	1 (0%)
1	B	378/403 (93%)	0.34	13 (3%) 48 44	18, 39, 65, 84	0
All	All	755/806 (93%)	0.27	17 (2%) 61 58	17, 35, 62, 84	1 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	53	TRP	3.2
1	B	112	ILE	2.9
1	B	201	GLU	2.8
1	A	171	ASN	2.8
1	B	354	LEU	2.3
1	A	263	SER	2.3
1	A	436	LYS	2.3
1	B	210	GLU	2.3
1	B	124	ASP	2.2
1	B	386	GLY	2.2
1	B	292	SER	2.2
1	B	262	GLU	2.1
1	B	399	VAL	2.1
1	A	72	PHE	2.1
1	B	114	PRO	2.1
1	B	245	THR	2.0
1	B	115	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	A1LWU	A	502	34/34	0.88	0.13	22,32,50,52	0
3	A1LWU	B	502	34/34	0.90	0.13	21,36,50,55	0
2	CO	B	501	1/1	0.98	0.06	31,31,31,31	0
2	CO	A	501	1/1	0.99	0.05	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1LWU A 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1LWU B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.