



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:56 AM UTC

PDB ID : 4XRX / pdb_00004xrx
Title : Crystal structure of a metabolic reductase with (E)-5-((1-methyl-5-oxo-2-thioxoimidazolidin-4-ylidene)methyl)pyridin-2(1H)-one
Authors : Zheng, B.; Wu, F.; Jiang, H.; Kogiso, M.; Yao, Y.; Zhou, C.; Li, X.; Song, Y.
Deposited on : 2015-01-21
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	69% 23% 6%
1	B	414	60% 28% 5% 7%

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	390	Total 3102	C 1979	N 527	O 578	S 18	0	0	0
1	B	386	Total 3061	C 1952	N 518	O 573	S 18	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	HIS	ARG	engineered mutation	UNP O75874
B	132	HIS	ARG	engineered mutation	UNP O75874

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 5-[(E)-(1-methyl-5-oxo-2-thioxoimidazolidin-4-ylidene)methyl]pyridin-2(1H)-one (CCD ID: 42V) (formula: C₁₀H₉N₃O₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			16	10	3	2	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	82.41Å 82.41Å 304.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.26 – 3.20 46.26 – 3.20	Depositor EDS
% Data completeness (in resolution range)	96.0 (46.26-3.20) 96.1 (46.26-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.191 , 0.277 0.191 , 0.277	Depositor DCC
R_{free} test set	898 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	49.2	Xtriage
Anisotropy	0.080	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6275	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 42V, NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/3166	1.01	5/4264 (0.1%)
1	B	0.80	0/3124	1.02	12/4210 (0.3%)
All	All	0.78	0/6290	1.01	17/8474 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	ILE	N-CA-C	7.65	118.39	110.36
1	A	117	ILE	N-CA-C	7.31	115.42	107.60
1	B	297	CYS	CA-C-N	7.01	126.53	119.24
1	B	297	CYS	C-N-CA	7.01	126.53	119.24
1	A	176	GLY	N-CA-C	-6.04	105.54	112.79
1	B	32	PHE	CA-C-N	-6.03	113.91	119.82
1	B	32	PHE	C-N-CA	-6.03	113.91	119.82
1	A	215	ILE	N-CA-C	6.01	116.79	110.72
1	B	173	GLU	N-CA-C	-5.78	106.88	114.04
1	B	56	VAL	CB-CA-C	-5.57	103.93	112.05
1	A	234	GLN	N-CA-C	5.55	121.93	112.99
1	B	69	VAL	N-CA-C	5.53	115.82	107.75
1	B	330	ILE	N-CA-C	5.48	115.62	110.30
1	B	144	PHE	N-CA-C	5.45	116.26	108.74
1	B	130	ILE	N-CA-C	5.33	116.38	108.23
1	B	145	VAL	N-CA-C	5.23	121.08	113.39
1	A	337	THR	N-CA-C	5.03	116.84	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3102	0	3097	64	0
1	B	3061	0	3049	77	0
2	A	48	0	26	3	0
2	B	48	0	26	1	0
3	A	16	0	9	3	0
All	All	6275	0	6207	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:502:42V:H7	3:A:502:42V:O01	1.52	1.08
1:A:180:MET:CE	1:B:216:LEU:HD21	1.90	1.01
1:A:180:MET:HE2	1:B:216:LEU:HD21	1.54	0.87
1:A:151:LYS:HE3	1:A:171:ASN:ND2	1.89	0.87
1:A:151:LYS:HE3	1:A:171:ASN:HD22	1.39	0.86
1:A:180:MET:HE3	1:B:216:LEU:HD21	1.63	0.81
1:A:200:ALA:HA	1:A:266:ILE:HD12	1.66	0.77
1:B:7:GLY:HA3	1:B:37:LEU:HD23	1.72	0.71
1:B:68:ASN:HA	1:B:302:THR:HG23	1.73	0.70
1:A:7:GLY:HA3	1:A:37:LEU:HD23	1.75	0.68
1:A:22:ILE:HD11	1:A:327:THR:HB	1.77	0.65
1:A:68:ASN:HA	1:A:302:THR:HG23	1.77	0.65
3:A:502:42V:H7	3:A:502:42V:C01	2.26	0.63
1:B:211:THR:HB	1:B:220:ASP:HB3	1.82	0.62
1:A:330:ILE:CD1	1:A:363:SER:HB3	2.30	0.62
1:A:309:HIS:HD2	1:A:310:GLY:O	1.84	0.61
1:A:314:ARG:NE	2:A:501:NDP:O3X	2.23	0.60
1:B:43:ASP:HB3	1:B:48:ASN:ND2	2.17	0.60
1:A:177:GLY:HA2	1:B:186:ASP:OD1	2.02	0.60
1:A:219:TYR:CD1	1:B:178:VAL:HG13	2.38	0.59
1:A:200:ALA:HA	1:A:266:ILE:CD1	2.32	0.59
1:A:13:MET:HE1	1:A:64:ILE:HD11	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:GLY:HA2	1:B:124:TRP:HB2	1.83	0.58
1:B:18:MET:HB2	1:B:316:TYR:HB2	1.86	0.57
1:A:330:ILE:HD12	1:A:363:SER:HB3	1.84	0.57
1:B:116:ASN:HD22	1:B:116:ASN:H	1.52	0.57
1:A:48:ASN:O	1:A:52:THR:HG23	2.05	0.56
1:A:257:GLN:O	1:A:261:SER:HB3	2.05	0.56
1:B:248:HIS:CD2	1:B:249:ARG:N	2.73	0.56
1:B:32:PHE:N	1:B:33:PRO:CD	2.68	0.56
1:B:374:LYS:HD2	1:B:391:TYR:CZ	2.41	0.55
1:A:3:LYS:C	1:A:3:LYS:HD3	2.32	0.54
1:B:235:TYR:C	1:B:237:SER:N	2.64	0.54
1:A:75:THR:O	2:A:501:NDP:H2N	2.07	0.54
1:B:197:PHE:CD2	1:B:207:LEU:HD23	2.43	0.54
1:B:231:TYR:HD1	1:B:235:TYR:HB2	1.73	0.54
1:B:235:TYR:C	1:B:237:SER:H	2.15	0.54
1:B:9:SER:OG	1:B:40:HIS:HE1	1.92	0.53
1:A:83:VAL:HA	1:A:88:LEU:HD12	1.89	0.53
1:B:190:GLU:HG2	1:B:230:ILE:HD11	1.91	0.53
1:A:7:GLY:HA3	1:A:37:LEU:CD2	2.39	0.53
1:A:240:GLU:C	1:A:242:GLN:H	2.17	0.53
1:A:381:LYS:O	1:A:385:ASN:HB2	2.09	0.53
1:B:248:HIS:CG	1:B:249:ARG:N	2.77	0.52
1:A:85:GLU:OE2	1:A:317:ARG:NH2	2.41	0.52
1:A:199:MET:HE2	1:A:296:VAL:HG21	1.90	0.52
1:B:240:GLU:C	1:B:242:GLN:H	2.19	0.51
1:A:13:MET:CE	1:A:64:ILE:HD11	2.40	0.51
1:B:52:THR:OG1	1:B:56:VAL:HG22	2.11	0.51
1:B:309:HIS:CE1	1:B:331:ALA:HB3	2.46	0.51
1:A:97:GLY:HA2	3:A:502:42V:C07	2.41	0.50
1:B:306:GLU:HG3	1:B:307:ALA:O	2.11	0.50
1:A:211:THR:OG1	1:A:248:HIS:CE1	2.65	0.50
1:B:199:MET:HG3	1:B:266:ILE:HD12	1.94	0.50
1:B:22:ILE:HD11	1:B:327:THR:HB	1.94	0.49
1:A:249:ARG:NH1	1:A:253:ASP:HB3	2.27	0.49
1:B:128:ILE:HG23	1:B:265:PHE:CE1	2.47	0.49
1:B:227:PHE:O	1:B:228:GLN:C	2.56	0.49
1:A:246:TYR:CG	1:A:247:GLU:N	2.81	0.48
1:A:141:ALA:HB2	1:A:182:MET:HE3	1.94	0.48
1:A:251:ILE:O	1:A:255:VAL:HG23	2.13	0.48
1:A:18:MET:HB2	1:A:316:TYR:HB2	1.94	0.48
1:B:11:VAL:O	1:B:70:GLY:HA2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:LEU:C	1:B:290:MET:H	2.21	0.48
1:A:249:ARG:HH11	1:A:253:ASP:HB3	1.79	0.47
1:A:180:MET:HE3	1:B:216:LEU:CD2	2.40	0.47
1:B:43:ASP:O	1:B:48:ASN:ND2	2.41	0.47
1:B:209:LEU:HD13	1:B:227:PHE:CE2	2.50	0.47
1:A:25:LEU:HB3	1:A:398:MET:HE2	1.97	0.47
1:B:12:GLU:HG3	1:B:41:SER:HA	1.96	0.47
1:B:53:ASN:O	1:B:55:GLN:N	2.48	0.47
1:B:200:ALA:HA	1:B:266:ILE:HG13	1.97	0.46
1:B:309:HIS:HD2	1:B:310:GLY:O	1.98	0.46
1:A:113:ILE:HD11	1:A:127:PRO:HA	1.97	0.46
1:B:79:ASP:O	1:B:83:VAL:HG23	2.15	0.46
1:B:77:THR:HA	1:B:78:PRO:HD3	1.73	0.46
1:A:199:MET:HG3	1:A:266:ILE:HD13	1.98	0.46
1:A:64:ILE:O	1:A:65:LYS:C	2.59	0.45
1:A:121:VAL:HG12	1:A:123:GLY:H	1.81	0.45
1:A:194:HIS:O	1:A:195:SER:C	2.59	0.45
1:B:53:ASN:C	1:B:55:GLN:H	2.25	0.45
1:B:239:PHE:O	1:B:244:ILE:CG2	2.65	0.45
1:A:298:PRO:C	1:A:300:GLY:H	2.24	0.45
1:A:334:PHE:O	1:A:338:ARG:HG2	2.17	0.45
1:A:360:GLU:O	1:A:363:SER:HB2	2.15	0.45
1:B:373:THR:OG1	1:B:375:ASP:OD1	2.26	0.45
1:B:242:GLN:C	1:B:244:ILE:HG22	2.42	0.44
1:B:397:PHE:CZ	1:B:401:LEU:HD21	2.52	0.44
1:B:7:GLY:HA2	1:B:352:LEU:HD22	1.99	0.44
1:B:200:ALA:CA	1:B:266:ILE:HG13	2.48	0.44
1:B:246:TYR:CG	1:B:247:GLU:N	2.86	0.44
1:A:211:THR:OG1	1:A:248:HIS:HE1	2.00	0.43
1:A:298:PRO:C	1:A:300:GLY:N	2.76	0.43
1:B:309:HIS:HE1	1:B:331:ALA:HB3	1.83	0.43
1:B:105:GLY:HA3	1:B:297:CYS:HA	2.01	0.43
1:B:23:TRP:CD2	1:B:73:CYS:HB2	2.54	0.43
1:B:98:THR:O	1:B:102:ILE:HG12	2.18	0.43
1:B:93:LYS:O	1:B:94:SER:C	2.61	0.43
1:A:149:PRO:HB2	1:B:159:SER:OG	2.19	0.43
1:B:14:GLN:O	1:B:44:LEU:HB2	2.19	0.43
1:B:75:THR:O	2:B:501:NDP:H2N	2.18	0.43
1:B:254:MET:C	1:B:256:ALA:N	2.77	0.43
1:B:297:CYS:HB3	1:B:298:PRO:HD2	2.01	0.42
1:B:235:TYR:O	1:B:237:SER:N	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:ASN:OD1	1:B:330:ILE:HG12	2.19	0.42
1:A:383:LEU:HB3	1:A:384:PRO:HD3	2.01	0.42
1:B:71:VAL:HG11	1:B:336:TRP:HA	2.02	0.42
1:A:246:TYR:CD2	1:A:247:GLU:N	2.85	0.42
1:B:104:GLY:O	1:B:295:LEU:HD11	2.20	0.42
1:B:230:ILE:HG22	1:B:235:TYR:HE1	1.84	0.42
1:A:144:PHE:HE1	1:B:154:ILE:HD13	1.84	0.42
1:A:340:LEU:HD23	1:A:340:LEU:HA	1.86	0.42
1:A:376:LEU:O	1:A:379:CYS:HB2	2.20	0.42
1:B:121:VAL:O	1:B:122:SER:C	2.63	0.42
1:A:401:LEU:HD23	1:A:401:LEU:HA	1.62	0.42
1:B:207:LEU:HD13	1:B:266:ILE:HB	2.02	0.41
1:A:219:TYR:HB2	1:B:143:ASP:HB2	2.02	0.41
1:B:358:ALA:O	1:B:361:GLU:HB2	2.21	0.41
1:A:64:ILE:HD13	1:A:304:GLU:HG3	2.01	0.41
1:B:383:LEU:C	1:B:385:ASN:H	2.28	0.41
1:A:219:TYR:CE1	1:B:178:VAL:HG13	2.55	0.41
1:A:223:PHE:O	1:A:224:LYS:C	2.63	0.41
1:B:20:ARG:O	1:B:24:GLU:HG2	2.21	0.41
1:B:46:ILE:HG13	1:B:88:LEU:HD21	2.03	0.41
1:B:289:GLY:HA3	1:B:328:ASN:HB3	2.01	0.41
1:A:78:PRO:HG2	1:A:92:TRP:O	2.20	0.40
1:A:393:ASN:O	1:A:394:THR:C	2.64	0.40
1:A:196:SER:HB3	1:A:207:LEU:HD21	2.03	0.40
1:A:310:GLY:HA3	2:A:501:NDP:C6N	2.51	0.40
1:B:372:MET:HB2	1:B:376:LEU:HD12	2.02	0.40
1:A:186:ASP:O	1:A:187:LYS:C	2.65	0.40
1:B:249:ARG:HG3	1:B:250:LEU:H	1.86	0.40
1:B:253:ASP:OD1	1:B:253:ASP:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/414 (93%)	340 (88%)	41 (11%)	3 (1%)	16	50
1	B	380/414 (92%)	328 (86%)	45 (12%)	7 (2%)	6	34
All	All	764/828 (92%)	668 (87%)	86 (11%)	10 (1%)	9	40

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	363	SER
1	B	54	ASP
1	B	236	LYS
1	B	174	GLU
1	A	241	ALA
1	A	299	ASP
1	B	241	ALA
1	B	256	ALA
1	B	184	ASN
1	B	255	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/350 (95%)	312 (94%)	20 (6%)	17	50
1	B	328/350 (94%)	295 (90%)	33 (10%)	7	30
All	All	660/700 (94%)	607 (92%)	53 (8%)	11	40

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	75	THR
1	A	117	ILE
1	A	119	ARG
1	A	120	LEU
1	A	122	SER
1	A	125	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	139	TYR
1	A	140	ARG
1	A	163	GLN
1	A	178	VAL
1	A	185	GLN
1	A	244	ILE
1	A	255	VAL
1	A	261	SER
1	A	292	THR
1	A	303	VAL
1	A	304	GLU
1	A	312	VAL
1	A	327	THR
1	A	373	THR
1	B	9	SER
1	B	12	GLU
1	B	14	GLN
1	B	28	GLU
1	B	56	VAL
1	B	68	ASN
1	B	81	LYS
1	B	106	THR
1	B	112	ILE
1	B	116	ASN
1	B	125	VAL
1	B	130	ILE
1	B	145	VAL
1	B	165	VAL
1	B	166	THR
1	B	168	LEU
1	B	178	VAL
1	B	180	MET
1	B	184	ASN
1	B	215	ILE
1	B	216	LEU
1	B	234	GLN
1	B	237	SER
1	B	244	ILE
1	B	251	ILE
1	B	257	GLN
1	B	266	ILE
1	B	291	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	293	SER
1	B	295	LEU
1	B	302	THR
1	B	312	VAL
1	B	332	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	HIS
1	A	132	HIS
1	A	170	HIS
1	A	248	HIS
1	A	257	GLN
1	A	309	HIS
1	B	40	HIS
1	B	48	ASN
1	B	116	ASN
1	B	133	HIS
1	B	228	GLN
1	B	248	HIS
1	B	309	HIS
1	B	348	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NDP	B	501	-	51,52,52	1.25	5 (9%)	71,80,80	1.55	8 (11%)
2	NDP	A	501	-	51,52,52	1.21	6 (11%)	71,80,80	1.82	15 (21%)
3	42V	A	502	-	16,17,17	3.82	9 (56%)	19,24,24	2.35	7 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	B	501	-	-	14/34/77/77	0/5/5/5
2	NDP	A	501	-	-	9/34/77/77	0/5/5/5
3	42V	A	502	-	-	1/3/20/20	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	42V	C02-N02	7.73	1.51	1.37
3	A	502	42V	O-C08	6.70	1.37	1.24
3	A	502	42V	C03-N02	6.12	1.47	1.36
3	A	502	42V	C04-C02	5.03	1.49	1.37
2	B	501	NDP	C5A-C4A	4.96	1.47	1.39
2	A	501	NDP	C5A-C4A	4.72	1.47	1.39
3	A	502	42V	C09-N	4.68	1.44	1.36
3	A	502	42V	C09-C05	3.79	1.42	1.36
2	A	501	NDP	C5A-N7A	-2.92	1.33	1.39
3	A	502	42V	C04-C05	2.85	1.52	1.45
3	A	502	42V	C07-C06	2.69	1.41	1.35
2	B	501	NDP	C5A-N7A	-2.55	1.34	1.39
2	B	501	NDP	C5A-C6A	2.43	1.47	1.41
2	B	501	NDP	C8A-N7A	2.39	1.36	1.31
2	B	501	NDP	C6N-C5N	2.38	1.40	1.33
2	A	501	NDP	C6N-C5N	2.35	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NDP	C2N-C3N	2.19	1.41	1.35
3	A	502	42V	C08-N	2.09	1.40	1.37
2	A	501	NDP	C8A-N7A	2.07	1.35	1.31
2	A	501	NDP	C5A-C6A	2.01	1.46	1.41

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NDP	C5A-C4A-N3A	-6.35	117.97	126.72
2	B	501	NDP	C5A-C4A-N3A	-5.89	118.61	126.72
2	A	501	NDP	N3A-C4A-N9A	5.69	136.84	127.17
3	A	502	42V	C09-N-C08	-4.99	120.32	124.13
2	B	501	NDP	N3A-C4A-N9A	4.93	135.55	127.17
3	A	502	42V	C04-C02-C01	4.84	132.94	122.99
2	A	501	NDP	C2B-C1B-N9A	-4.62	106.14	113.75
2	B	501	NDP	C2A-N3A-C4A	3.92	121.39	111.83
2	B	501	NDP	N3A-C2A-N1A	-3.84	122.77	128.58
2	A	501	NDP	C2A-N3A-C4A	3.79	121.08	111.83
3	A	502	42V	C07-C08-N	3.70	120.03	115.39
2	A	501	NDP	N3A-C2A-N1A	-3.55	123.20	128.58
2	A	501	NDP	O3-PN-O1N	-3.55	100.02	110.70
3	A	502	42V	O-C08-C07	-3.44	119.23	125.16
2	A	501	NDP	N6A-C6A-N1A	2.74	124.49	118.38
3	A	502	42V	C-N01-C03	-2.41	121.97	124.37
2	A	501	NDP	C4A-N9A-C8A	2.37	108.22	105.74
2	B	501	NDP	C4A-C5A-N7A	-2.35	107.89	110.58
2	A	501	NDP	C5A-C6A-N6A	-2.34	117.50	123.29
2	A	501	NDP	C5A-N7A-C8A	2.33	107.11	103.45
2	A	501	NDP	C4A-C5A-N7A	-2.33	107.92	110.58
2	A	501	NDP	O2N-PN-O1N	2.31	123.19	112.44
2	A	501	NDP	O3X-P2B-O2X	2.24	116.20	107.80
3	A	502	42V	C06-C07-C08	-2.21	118.53	120.66
2	A	501	NDP	O4D-C1D-N1N	2.19	112.26	108.08
3	A	502	42V	S-C03-N01	2.17	129.33	127.03
2	B	501	NDP	O4D-C1D-C2D	-2.16	101.99	106.62
2	B	501	NDP	C2D-C1D-N1N	2.16	118.61	113.31
2	A	501	NDP	O2B-P2B-O1X	-2.04	102.05	109.33
2	B	501	NDP	C5A-N7A-C8A	2.02	106.62	103.45

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NDP	C5B-O5B-PA-O1A
2	A	501	NDP	C5B-O5B-PA-O2A
2	A	501	NDP	C5D-O5D-PN-O1N
2	A	501	NDP	O4D-C4D-C5D-O5D
2	B	501	NDP	C5B-O5B-PA-O2A
2	B	501	NDP	C5B-O5B-PA-O3
2	B	501	NDP	C5D-O5D-PN-O3
2	B	501	NDP	O4D-C4D-C5D-O5D
2	B	501	NDP	C3D-C4D-C5D-O5D
3	A	502	42V	N02-C02-C04-C05
2	A	501	NDP	C3D-C4D-C5D-O5D
2	B	501	NDP	O4D-C1D-N1N-C2N
2	A	501	NDP	O4D-C1D-N1N-C2N
2	A	501	NDP	C5B-O5B-PA-O3
2	B	501	NDP	C5B-O5B-PA-O1A
2	B	501	NDP	C5D-O5D-PN-O1N
2	B	501	NDP	C1B-C2B-O2B-P2B
2	A	501	NDP	C2B-O2B-P2B-O3X
2	B	501	NDP	C2B-O2B-P2B-O3X
2	A	501	NDP	C2B-O2B-P2B-O1X
2	B	501	NDP	C2B-O2B-P2B-O1X
2	B	501	NDP	PA-O3-PN-O5D
2	B	501	NDP	O4B-C4B-C5B-O5B
2	B	501	NDP	PA-O3-PN-O2N


There are no ring outliers.


3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	NDP	1	0
2	A	501	NDP	3	0
3	A	502	42V	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	390/414 (94%)	-0.38	3 (0%)	82 67	24, 40, 79, 105	0
1	B	386/414 (93%)	-0.31	3 (0%)	82 67	22, 41, 88, 104	0
All	All	776/828 (93%)	-0.35	6 (0%)	82 67	22, 40, 84, 105	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	139	TYR	3.7
1	A	120	LEU	3.3
1	B	412	ALA	2.6
1	B	259	MET	2.5
1	B	123	GLY	2.4
1	A	123	GLY	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	42V	A	502	16/16	0.87	0.13	78,85,91,92	0
2	NDP	B	501	48/48	0.97	0.06	23,28,33,34	0
2	NDP	A	501	48/48	0.97	0.07	26,34,41,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.