



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:22 AM UTC

PDB ID : 2XS1 / pdb_00002xs1
Title : Crystal Structure of ALIX in complex with the SIVmac239 PYKEVTEDL Late Domain
Authors : Zhai, Q.; Landesman, M.; Robinson, H.; Sundquist, W.I.; Hill, C.P.
Deposited on : 2010-09-24
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	704	6% 73% 23% ..
2	B	20	10% 65% 5% 5% 25%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5672 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROGRAMMED CELL DEATH 6-INTERACTING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	697	Total	C	N	O	S	0	0	0
			5486	3461	938	1069	18			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	GLY	-	expression tag	UNP Q8WUM4
A	-4	ILE	-	expression tag	UNP Q8WUM4
A	-3	ASP	-	expression tag	UNP Q8WUM4
A	-2	PRO	-	expression tag	UNP Q8WUM4
A	-1	PHE	-	expression tag	UNP Q8WUM4
A	0	THR	-	expression tag	UNP Q8WUM4
A	268	TYR	LYS	engineered mutation	UNP Q8WUM4
A	269	TYR	LYS	engineered mutation	UNP Q8WUM4

- Molecule 2 is a protein called GAG POLYPROTEIN.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	15	Total	C	N	O	0	0	0
			128	82	20	26			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	58	Total	O	0	0
			58	58		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PROGRAMMED CELL DEATH 6-INTERACTING PROTEIN



• Molecule 2: GAG POLYPROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	145.28Å 99.27Å 72.52Å 90.00° 106.62° 90.00°	Depositor
Resolution (Å)	35.44 – 2.30 35.44 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.4 (35.44-2.30) 97.4 (35.44-2.30)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.16 (at 2.29Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.205 , 0.252 0.202 , 0.248	Depositor DCC
R_{free} test set	2156 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	47.3	Xtriage
Anisotropy	0.383	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 68.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5672	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/5570	0.81	0/7523
2	B	0.42	0/130	0.70	0/175
All	All	0.50	0/5700	0.80	0/7698

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5486	0	5532	139	0
2	B	128	0	125	4	0
3	A	58	0	0	0	0
All	All	5672	0	5657	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:GLN:HE21	1:A:339:LYS:H	1.09	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:ILE:H	1:A:194:GLN:HE22	1.01	0.94
1:A:5:ILE:H	1:A:194:GLN:NE2	1.78	0.81
1:A:626:LEU:HD23	1:A:629:ILE:HD11	1.65	0.79
1:A:37:ALA:O	1:A:41:ARG:HD3	1.84	0.78
1:A:29:TYR:HB3	1:A:30:PRO:CD	2.18	0.73
1:A:20:PRO:HG2	1:A:91:LEU:HD13	1.71	0.72
1:A:154:GLN:NE2	1:A:339:LYS:H	1.86	0.71
1:A:10:LYS:HZ1	1:A:179:ILE:HG23	1.56	0.69
1:A:17:LEU:HD13	1:A:46:LEU:HG	1.75	0.69
1:A:142:ASN:HD22	1:A:145:GLY:H	1.40	0.67
1:A:547:GLU:O	1:A:551:VAL:HG23	1.95	0.67
1:A:81:LYS:O	1:A:358:MET:HE2	1.95	0.67
1:A:644:ASN:ND2	1:A:644:ASN:H	1.93	0.66
1:A:544:GLN:O	1:A:544:GLN:HG3	1.96	0.65
1:A:405:ILE:HG23	1:A:549:VAL:HG13	1.80	0.64
1:A:142:ASN:ND2	1:A:145:GLY:H	1.95	0.64
1:A:21:LEU:O	1:A:25:ILE:HG12	1.97	0.64
1:A:5:ILE:N	1:A:194:GLN:HE22	1.84	0.63
1:A:517:ARG:O	1:A:521:VAL:HG23	1.98	0.62
1:A:29:TYR:HB3	1:A:30:PRO:HD3	1.81	0.62
1:A:370:TYR:CE2	1:A:374:LYS:HE3	2.35	0.62
1:A:625:LEU:O	1:A:629:ILE:HG12	2.00	0.62
1:A:10:LYS:NZ	1:A:179:ILE:HG23	2.15	0.61
1:A:233:TYR:O	1:A:234:LYS:HB2	2.02	0.60
1:A:440:LEU:HB3	1:A:441:PRO:HD3	1.83	0.60
1:A:142:ASN:HD21	1:A:144:GLU:HB3	1.67	0.59
1:A:158:GLY:HA3	1:A:341:THR:O	2.03	0.59
1:A:112:ALA:O	1:A:113:LEU:HD12	2.01	0.59
1:A:173:ARG:HG2	1:A:174:GLU:N	2.18	0.59
1:A:220:ALA:HB3	1:A:252:MET:HE2	1.86	0.58
1:A:75:ILE:HD11	1:A:116:LEU:HD11	1.86	0.58
1:A:572:ASP:O	1:A:576:VAL:HG23	2.04	0.58
1:A:12:THR:HG22	1:A:54:VAL:HG12	1.85	0.57
1:A:683:ILE:HD11	2:B:56:ASN:ND2	2.20	0.57
1:A:408:VAL:O	1:A:539:PRO:HB3	2.06	0.56
1:A:52:ALA:O	1:A:56:ARG:HG3	2.05	0.56
1:A:447:ASN:HD22	1:A:684:LEU:HD12	1.69	0.56
1:A:193:ALA:HB2	1:A:223:TYR:HB3	1.88	0.56
1:A:590:GLN:HG2	1:A:591:ASP:OD1	2.06	0.56
1:A:593:VAL:CG1	1:A:594:ILE:N	2.69	0.56
1:A:220:ALA:CB	1:A:252:MET:HE2	2.36	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:541:LYS:C	1:A:543:MET:H	2.13	0.55
1:A:683:ILE:HD11	2:B:56:ASN:CG	2.32	0.55
1:A:96:LYS:HG2	1:A:110:LYS:HG2	1.89	0.54
1:A:354:LEU:HB2	1:A:355:PHE:CD2	2.42	0.54
1:A:19:LYS:HB3	1:A:20:PRO:HD3	1.90	0.54
1:A:627:LYS:O	1:A:631:VAL:HG23	2.08	0.53
1:A:12:THR:HG22	1:A:54:VAL:CG1	2.39	0.53
1:A:17:LEU:HD23	1:A:91:LEU:HD21	1.89	0.53
1:A:548:VAL:HG11	1:A:636:PHE:HB2	1.91	0.53
1:A:13:SER:OG	1:A:94:THR:HB	2.09	0.52
1:A:676:PHE:CE1	2:B:48:VAL:HG13	2.44	0.52
1:A:409:SER:C	1:A:411:ASP:H	2.18	0.52
1:A:462:GLU:OE1	1:A:489:ARG:NH1	2.40	0.51
1:A:541:LYS:C	1:A:543:MET:N	2.67	0.51
1:A:355:PHE:CD2	1:A:355:PHE:N	2.78	0.51
1:A:377:LEU:C	1:A:377:LEU:HD23	2.36	0.51
1:A:33:GLY:O	1:A:36:GLN:HG3	2.11	0.51
1:A:81:LYS:HD3	1:A:358:MET:HB3	1.93	0.51
1:A:42:ALA:HB1	1:A:354:LEU:HB3	1.93	0.51
1:A:3:THR:O	1:A:248:LYS:HE2	2.11	0.50
1:A:542:THR:O	1:A:546:SER:HB3	2.11	0.50
1:A:9:LEU:HD12	1:A:58:LEU:HD13	1.92	0.50
1:A:535:PRO:HG2	1:A:648:LEU:HG	1.92	0.50
1:A:31:SER:C	1:A:33:GLY:H	2.20	0.50
1:A:164:LYS:HB2	1:A:184:VAL:HG23	1.94	0.50
1:A:34:GLU:O	1:A:37:ALA:HB3	2.12	0.49
1:A:587:ALA:O	1:A:591:ASP:HB2	2.12	0.49
1:A:22:VAL:HG22	1:A:40:CYS:SG	2.52	0.49
1:A:12:THR:CG2	1:A:54:VAL:HG11	2.43	0.49
1:A:443:LEU:HD22	1:A:446:ARG:NH2	2.28	0.48
1:A:72:TYR:O	1:A:75:ILE:HG22	2.14	0.48
1:A:89:ILE:HG13	1:A:89:ILE:O	2.12	0.48
1:A:363:VAL:HG21	1:A:585:LEU:HD23	1.96	0.48
1:A:96:LYS:CG	1:A:110:LYS:HG2	2.44	0.48
1:A:593:VAL:HG12	1:A:594:ILE:N	2.28	0.48
1:A:92:THR:HG23	1:A:114:ALA:HB2	1.95	0.48
1:A:24:PHE:C	1:A:24:PHE:CD2	2.91	0.48
1:A:640:LYS:HG2	1:A:641:GLN:H	1.78	0.48
1:A:37:ALA:O	1:A:41:ARG:CD	2.58	0.48
1:A:93:PHE:O	1:A:112:ALA:HA	2.14	0.48
1:A:440:LEU:CB	1:A:441:PRO:HD3	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:ARG:HG2	1:A:174:GLU:H	1.78	0.47
1:A:124:LEU:O	1:A:127:CYS:HB2	2.15	0.47
1:A:583:LYS:HG2	1:A:599:LEU:HD11	1.97	0.47
1:A:28:THR:HG22	1:A:28:THR:O	2.13	0.46
1:A:405:ILE:CG2	1:A:549:VAL:HG13	2.43	0.46
1:A:474:GLU:HA	1:A:477:GLN:HE21	1.81	0.46
1:A:82:PHE:HB2	1:A:84:PHE:CE1	2.51	0.45
1:A:12:THR:HG21	1:A:54:VAL:HG11	1.98	0.45
1:A:694:ILE:O	1:A:698:ARG:HG2	2.15	0.45
1:A:420:LYS:O	1:A:424:VAL:HG23	2.17	0.45
1:A:30:PRO:HB2	1:A:33:GLY:HA3	1.99	0.44
1:A:640:LYS:HG2	1:A:641:GLN:N	2.33	0.44
1:A:391:LEU:O	1:A:395:VAL:HG23	2.17	0.44
1:A:288:ALA:O	1:A:292:ASP:HB3	2.17	0.44
1:A:242:PHE:HB3	1:A:243:PRO:CD	2.47	0.44
1:A:405:ILE:O	1:A:405:ILE:HG22	2.18	0.44
1:A:527:GLU:N	1:A:528:PRO:CD	2.80	0.44
1:A:453:GLU:OE1	1:A:456:ARG:NH1	2.51	0.43
1:A:548:VAL:CG1	1:A:636:PHE:HB2	2.48	0.43
1:A:366:SER:HB3	1:A:596:GLU:HB3	1.99	0.43
1:A:658:THR:HG22	1:A:662:ASN:ND2	2.32	0.43
1:A:25:ILE:HD12	1:A:39:TYR:HB3	2.01	0.43
1:A:457:LEU:HD23	1:A:457:LEU:HA	1.81	0.43
1:A:555:LEU:HB3	1:A:629:ILE:HG23	2.00	0.43
1:A:588:LEU:O	1:A:591:ASP:O	2.37	0.43
1:A:12:THR:CG2	1:A:54:VAL:CG1	2.96	0.43
1:A:29:TYR:CD1	1:A:35:GLU:HG3	2.54	0.42
1:A:178:ASP:OD1	1:A:179:ILE:N	2.51	0.42
1:A:20:PRO:CG	1:A:91:LEU:HD13	2.45	0.42
1:A:46:LEU:HD22	1:A:78:ILE:HD11	2.01	0.42
1:A:82:PHE:HA	1:A:83:PRO:HD3	1.79	0.42
1:A:61:HIS:CD2	1:A:63:GLY:H	2.37	0.42
1:A:94:THR:HG23	1:A:112:ALA:HB2	2.01	0.42
1:A:594:ILE:O	1:A:594:ILE:HG22	2.20	0.42
1:A:370:TYR:CZ	1:A:374:LYS:HE3	2.55	0.42
1:A:416:SER:O	1:A:420:LYS:HG3	2.21	0.41
1:A:552:LEU:HD12	1:A:629:ILE:HG22	2.03	0.41
1:A:9:LEU:HD12	1:A:58:LEU:HD22	2.02	0.41
1:A:10:LYS:NZ	1:A:178:ASP:OD2	2.53	0.41
1:A:438:LYS:O	1:A:441:PRO:HD2	2.20	0.41
1:A:461:GLU:HG3	1:A:695:VAL:HG13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:GLU:HA	1:A:175:PRO:HD3	1.85	0.41
1:A:564:LYS:O	1:A:564:LYS:HG3	2.21	0.41
1:A:173:ARG:CG	1:A:174:GLU:N	2.81	0.41
1:A:19:LYS:CB	1:A:20:PRO:HD3	2.50	0.41
1:A:491:GLU:O	1:A:492:GLY:C	2.63	0.41
1:A:25:ILE:O	1:A:29:TYR:HD2	2.03	0.41
1:A:36:GLN:H	1:A:36:GLN:HG2	1.48	0.41
1:A:426:GLU:C	1:A:428:GLY:H	2.29	0.41
1:A:617:GLU:O	1:A:621:LYS:HB2	2.21	0.41
1:A:644:ASN:H	1:A:644:ASN:HD22	1.69	0.41
1:A:522:LEU:HD23	1:A:656:LEU:HD21	2.04	0.40
1:A:676:PHE:CE1	2:B:48:VAL:CG1	3.04	0.40
1:A:40:CYS:O	1:A:44:GLU:HG2	2.21	0.40
1:A:552:LEU:HD13	1:A:632:SER:HB3	2.04	0.40
1:A:588:LEU:HD12	1:A:588:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	695/704 (99%)	670 (96%)	23 (3%)	2 (0%)	36	46
2	B	13/20 (65%)	12 (92%)	1 (8%)	0	100	100
All	All	708/724 (98%)	682 (96%)	24 (3%)	2 (0%)	36	46

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	234	LYS
1	A	19	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	600/606 (99%)	569 (95%)	31 (5%)	21	31
2	B	15/20 (75%)	14 (93%)	1 (7%)	15	21
All	All	615/626 (98%)	583 (95%)	32 (5%)	21	31

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	THR
1	A	21	LEU
1	A	22	VAL
1	A	36	GLN
1	A	78	ILE
1	A	89	ILE
1	A	90	CYS
1	A	92	THR
1	A	104	LEU
1	A	109	VAL
1	A	212	ILE
1	A	293	GLU
1	A	345	VAL
1	A	355	PHE
1	A	408	VAL
1	A	417	ILE
1	A	437	ILE
1	A	542	THR
1	A	546	SER
1	A	547	GLU
1	A	552	LEU
1	A	560	ASP
1	A	564	LYS
1	A	596	GLU
1	A	599	LEU
1	A	618	SER
1	A	629	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	637	SER
1	A	642	SER
1	A	644	ASN
1	A	692	SER
2	B	48	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	HIS
1	A	87	ASN
1	A	139	ASN
1	A	142	ASN
1	A	154	GLN
1	A	194	GLN
1	A	278	GLN
1	A	384	GLN
1	A	415	GLN
1	A	427	GLN
1	A	447	ASN
1	A	477	GLN
1	A	538	ASN
1	A	616	GLN
1	A	643	ASN
1	A	644	ASN
1	A	662	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	697/704 (99%)	0.40	44 (6%) 26 28	30, 70, 140, 193	0
2	B	15/20 (75%)	1.05	2 (13%) 7 8	68, 89, 124, 125	0
All	All	712/724 (98%)	0.42	46 (6%) 25 27	30, 71, 139, 193	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	104	LEU	7.0
1	A	105	PHE	4.4
1	A	102	GLY	4.3
1	A	103	SER	4.3
1	A	540	ALA	3.9
1	A	233	TYR	3.8
1	A	30	PRO	3.7
1	A	58	LEU	3.7
1	A	92	THR	3.5
1	A	640	LYS	3.2
1	A	551	VAL	3.2
1	A	57	PRO	3.1
1	A	24	PHE	3.1
1	A	2	ALA	3.0
1	A	91	LEU	3.0
1	A	240	GLU	3.0
1	A	592	GLY	3.0
1	A	599	LEU	2.9
1	A	593	VAL	2.9
1	A	106	GLY	2.9
1	A	109	VAL	2.8
2	B	42	GLU	2.8
1	A	631	VAL	2.8
1	A	543	MET	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	21	LEU	2.7
1	A	96	LYS	2.7
1	A	90	CYS	2.7
1	A	61	HIS	2.6
2	B	53	LEU	2.5
1	A	89	ILE	2.5
1	A	236	THR	2.4
1	A	541	LYS	2.4
1	A	37	ALA	2.4
1	A	17	LEU	2.4
1	A	3	THR	2.4
1	A	31	SER	2.4
1	A	85	SER	2.3
1	A	172	SER	2.3
1	A	59	ASP	2.3
1	A	20	PRO	2.3
1	A	372	GLN	2.3
1	A	16	ASP	2.2
1	A	93	PHE	2.1
1	A	544	GLN	2.1
1	A	15	VAL	2.1
1	A	19	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.