



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 05:18 PM UTC

PDB ID : 6XS3 / pdb_00006xs3
Title : X-ray structure of the monoclinic crystal form at 2.48 Å resolution of lipase from *Thermomyces (Humicola) lanuginosa* at 298 K
Authors : McPherson, A.
Deposited on : 2020-07-14
Resolution : 2.48 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	291	85%7%8%
1	B	291	83%9%8%
1	C	291	85%7%8%
1	D	291	85%8%8%
1	E	291	85%7%8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	291	% 85% 8% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OCA	A	301	-	-	X	X
2	OCA	B	301	-	-	X	-
2	OCA	C	301	-	-	X	X
2	OCA	D	301	-	-	X	-
2	OCA	E	301	-	-	X	-
5	LTV	A	304	X	-	-	-
5	LTV	F	304	X	-	-	-
6	PO4	A	305	-	-	X	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 25618 atoms, of which 12108 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	269	Total	C	H	N	O	S	0	6	0
			4097	1323	1999	360	409	6			
1	B	269	Total	C	H	N	O	S	0	5	0
			4106	1327	2004	364	405	6			
1	C	269	Total	C	H	N	O	S	0	9	0
			4140	1332	2021	368	413	6			
1	E	269	Total	C	H	N	O	S	0	5	0
			4092	1325	1990	362	409	6			
1	D	269	Total	C	H	N	O	S	0	6	0
			4115	1332	2003	364	410	6			
1	F	269	Total	C	H	N	O	S	0	8	0
			4130	1335	2013	366	410	6			

- Molecule 2 is OCTANOIC ACID (CAPRYLIC ACID) (CCD ID: OCA) (formula: $C_8H_{16}O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 9 8 1	0	0
2	B	1	Total C O 9 8 1	0	0
2	C	1	Total C O 9 8 1	0	0
2	E	1	Total C O 9 8 1	0	0
2	D	1	Total C O 9 8 1	0	0
2	F	1	Total C O 7 6 1	0	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ca 1 1	0	0
3	B	2	Total Ca 2 2	0	0
3	C	2	Total Ca 2 2	0	0
3	E	1	Total Ca 1 1	0	0
3	D	1	Total Ca 1 1	0	0
3	F	1	Total Ca 1 1	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
4	B	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
4	C	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
4	E	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
4	D	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
4	F	1	Total	C	H	N	O	0	0
			27	8	13	1	5		

- Molecule 5 is 2-hydroxy-3-(octadecanoyloxy)propyl pentacosanoate (CCD ID: LTV) (formula: $C_{46}H_{90}O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			36	31	5		
5	B	1	Total	C	O	0	0
			43	38	5		
5	C	1	Total	C	O	0	0
			41	36	5		
5	E	1	Total	C	O	0	0
			48	43	5		
5	D	1	Total	C	O	0	0
			51	46	5		
5	F	1	Total	C	O	0	0
			42	37	5		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		
6	E	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	80	Total	O	0	0
			80	80		
7	B	79	Total	O	0	0
			79	79		
7	C	80	Total	O	0	1
			81	81		
7	E	52	Total	O	0	0
			52	52		
7	D	56	Total	O	0	0
			56	56		
7	F	81	Total	O	0	1
			82	82		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Lipase

Chain A: 




• Molecule 1: Lipase

Chain B: 



• Molecule 1: Lipase

Chain C: 




• Molecule 1: Lipase

Chain E: 







● Molecule 1: Lipase



● Molecule 1: Lipase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.19Å 91.37Å 124.32Å 90.00° 94.70° 90.00°	Depositor
Resolution (Å)	51.27 – 2.48 51.27 – 2.48	Depositor EDS
% Data completeness (in resolution range)	99.5 (51.27-2.48) 99.5 (51.27-2.48)	Depositor EDS
R_{merge}	0.29	Depositor
R_{sym}	0.29	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 2.48Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.178 , 0.213 0.179 , 0.214	Depositor DCC
R_{free} test set	3026 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.243	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	25618	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, CA, OCA, NAG, LTV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/2169	0.36	0/2950
1	B	0.16	0/2167	0.38	0/2950
1	C	0.23	0/2200	0.37	0/2991
1	D	0.15	0/2182	0.35	0/2970
1	E	0.14	0/2171	0.35	0/2956
1	F	0.14	0/2196	0.35	0/2989
All	All	0.17	0/13085	0.36	0/17806

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	2
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	108	ARG	Sidechain
1	D	118[A]	ARG	Sidechain
1	D	118[B]	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2098	1999	1994	29	0
1	B	2102	2004	2001	27	0
1	C	2119	2021	2007	35	0
1	D	2112	2003	2009	31	0
1	E	2102	1990	1987	31	0
1	F	2117	2013	2001	25	0
2	A	9	0	15	16	0
2	B	9	0	14	12	0
2	C	9	0	15	20	0
2	D	9	0	13	10	0
2	E	9	0	13	15	0
2	F	7	0	8	2	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	14	13	13	0	0
4	B	14	13	13	0	0
4	C	14	13	13	0	0
4	D	14	13	13	0	0
4	E	14	13	13	0	0
4	F	14	13	13	3	0
5	A	36	0	0	13	0
5	B	43	0	0	6	0
5	C	41	0	0	4	0
5	D	51	0	0	1	0
5	E	48	0	0	3	0
5	F	42	0	0	3	0
6	A	5	0	0	2	0
6	B	10	0	0	1	0
6	D	5	0	0	1	0
6	E	5	0	0	1	0
7	A	80	0	0	5	0
7	B	79	0	0	5	0
7	C	81	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	56	0	0	6	0
7	E	52	0	0	1	0
7	F	82	0	0	3	0
All	All	13510	12108	12155	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:146:SER:OG	2:E:301:OCA:C1	1.76	1.33
1:D:87[B]:GLU:OE1	7:D:401:HOH:O	1.60	1.20
2:D:301:OCA:H83	1:F:90:ILE:HD12	1.16	1.13
1:C:259:LEU:CD2	2:C:301:OCA:H72	1.81	1.10
1:C:259:LEU:HD21	2:C:301:OCA:C7	1.84	1.07
1:C:259:LEU:HD22	2:C:301:OCA:H72	1.38	1.04
1:D:18:ALA:HA	1:D:265:ILE:CD1	1.89	1.03
1:E:146:SER:HG	2:E:301:OCA:C1	1.66	1.03
1:B:96:ASP:OD1	1:C:227:LEU:CD2	2.08	1.02
2:D:301:OCA:H83	1:F:90:ILE:CD1	1.90	1.01
1:E:258:HIS:NE2	2:E:301:OCA:O1	1.93	1.01
1:D:18:ALA:CA	1:D:265:ILE:CD1	2.38	1.01
1:C:259:LEU:HD21	2:C:301:OCA:C8	1.93	0.98
2:D:301:OCA:C8	1:F:90:ILE:HD12	1.93	0.98
1:B:96:ASP:OD1	1:C:227:LEU:HD21	1.64	0.96
1:C:259:LEU:CD2	2:C:301:OCA:C7	2.43	0.95
1:C:259:LEU:HD21	2:C:301:OCA:H82	1.49	0.92
1:E:146:SER:OG	1:E:258:HIS:NE2	2.02	0.92
1:E:258:HIS:NE2	2:E:301:OCA:C1	2.33	0.92
1:C:21:TYR:OH	2:C:301:OCA:H42	1.70	0.91
1:A:259:LEU:HD21	2:A:301:OCA:H82	1.53	0.90
1:A:57:ASP:OD1	7:A:401:HOH:O	1.90	0.90
1:D:18:ALA:HA	1:D:265:ILE:HD12	1.51	0.89
2:D:301:OCA:C8	1:F:90:ILE:CD1	2.51	0.88
1:A:99[A]:GLU:HG3	1:A:108:ARG:HH11	1.39	0.85
1:D:27:ASP:HA	7:D:409:HOH:O	1.76	0.85
1:B:96:ASP:OD1	1:C:227:LEU:HD22	1.79	0.83
1:E:146:SER:OG	1:E:258:HIS:CE1	2.32	0.82
1:A:98[A]:LYS:NZ	1:A:111:ASP:OD1	2.12	0.82
1:D:18:ALA:CA	1:D:265:ILE:HD12	2.07	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:146:SER:CB	2:E:301:OCA:C1	2.57	0.81
1:A:98[A]:LYS:NZ	1:A:111:ASP:CG	2.38	0.81
2:A:301:OCA:H81	1:D:93:LEU:HD13	1.61	0.81
1:E:146:SER:HG	1:E:258:HIS:CE1	1.98	0.81
2:D:301:OCA:H61	7:D:408:HOH:O	1.79	0.80
2:A:301:OCA:H52	5:A:304:LTV:C6	2.11	0.80
1:E:258:HIS:CD2	2:E:301:OCA:O1	2.34	0.80
1:D:18:ALA:HA	1:D:265:ILE:HD11	1.61	0.80
1:E:89[B]:TRP:CH2	1:E:93:LEU:HD11	2.17	0.80
1:D:18:ALA:CB	1:D:265:ILE:HD12	2.13	0.79
1:D:18:ALA:HB2	1:D:265:ILE:CD1	2.13	0.79
1:D:18:ALA:CA	1:D:265:ILE:HD11	2.12	0.79
1:B:244:THR:O	7:B:401:HOH:O	2.03	0.77
1:D:18:ALA:CB	1:D:265:ILE:CD1	2.63	0.77
2:A:301:OCA:H83	5:A:304:LTV:C5	2.15	0.76
2:C:301:OCA:H83	5:C:305:LTV:C30	2.16	0.75
1:A:83:SER:OG	2:A:301:OCA:O1	2.04	0.73
1:B:30:ALA:O	7:B:402:HOH:O	2.07	0.72
2:B:301:OCA:H41	5:B:306:LTV:C31	2.16	0.72
1:C:266:GLY:HA3	2:C:301:OCA:C5	2.18	0.71
1:A:98[A]:LYS:HZ2	1:A:111:ASP:CG	1.98	0.71
6:A:305:PO4:O3	7:A:402:HOH:O	2.08	0.71
1:B:57:ASP:OD1	7:B:403:HOH:O	2.08	0.71
1:D:18:ALA:N	1:D:265:ILE:HD11	2.05	0.70
1:D:45:GLU:OE1	7:D:402:HOH:O	2.09	0.70
1:E:21:TYR:CE1	2:E:301:OCA:H72	2.26	0.70
1:E:84:ARG:HE	2:E:301:OCA:H71	1.56	0.70
1:A:99[A]:GLU:CG	1:A:108:ARG:HH11	2.03	0.69
1:D:18:ALA:HB2	1:D:265:ILE:HD13	1.75	0.69
1:C:83:SER:N	2:C:301:OCA:O1	2.24	0.69
1:F:57[B]:ASP:OD1	7:F:401:HOH:O	2.10	0.69
1:A:37:THR:OG1	7:A:403:HOH:O	2.10	0.68
1:E:89[B]:TRP:CZ2	1:E:93:LEU:HD11	2.28	0.68
1:E:84:ARG:HB2	2:E:301:OCA:H71	1.75	0.67
1:A:259:LEU:CD2	2:A:301:OCA:H82	2.23	0.67
1:C:269:LEU:OXT	7:C:401:HOH:O	2.11	0.67
1:F:33:ASN:HD21	4:F:303:NAG:C1	2.08	0.66
1:B:57:ASP:OD1	7:B:404:HOH:O	2.13	0.66
1:D:83:SER:H	2:D:301:OCA:H21	1.60	0.66
1:D:18:ALA:N	1:D:265:ILE:CD1	2.59	0.65
2:A:301:OCA:H61	5:A:304:LTV:C5	2.26	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98[A]:LYS:HZ1	1:A:111:ASP:CG	2.03	0.64
1:A:99[A]:GLU:HG3	1:A:108:ARG:NH1	2.12	0.64
1:D:266:GLY:O	2:D:301:OCA:H71	1.98	0.64
6:D:305:PO4:O4	7:D:401:HOH:O	2.15	0.64
1:C:266:GLY:HA3	2:C:301:OCA:H51	1.79	0.64
1:C:266:GLY:HA3	2:C:301:OCA:H52	1.78	0.64
1:F:33:ASN:HD21	4:F:303:NAG:C2	2.11	0.63
1:D:214:SER:O	7:D:404:HOH:O	2.15	0.62
2:A:301:OCA:H83	5:A:304:LTV:C7	2.29	0.62
1:C:259:LEU:CD2	2:C:301:OCA:H61	2.29	0.62
1:A:209:ARG:N	6:A:305:PO4:O1	2.31	0.62
1:C:21:TYR:CZ	2:C:301:OCA:H42	2.35	0.62
1:C:146:SER:OG	1:C:147:LEU:N	2.33	0.61
1:C:259:LEU:CD2	2:C:301:OCA:C6	2.78	0.61
1:A:258:HIS:NE2	2:A:301:OCA:H22	2.15	0.60
1:F:269:LEU:OXT	7:F:402:HOH:O	2.16	0.60
2:A:301:OCA:C8	1:D:93:LEU:HD13	2.31	0.60
1:C:259:LEU:HD21	2:C:301:OCA:C6	2.31	0.60
2:C:301:OCA:H83	5:C:305:LTV:C29	2.32	0.58
1:D:18:ALA:HB2	1:D:265:ILE:HD12	1.80	0.58
1:B:130:ASP:OD1	1:B:133:ARG:NH2	2.36	0.58
5:A:304:LTV:C35	1:F:254:ASP:OD2	2.52	0.58
1:C:130:ASP:OD1	1:C:133[A]:ARG:NH2	2.39	0.55
5:A:304:LTV:C35	1:F:254:ASP:CG	2.80	0.54
1:A:146:SER:HB2	1:A:258:HIS:CE1	2.43	0.54
1:D:17:SER:C	1:D:265:ILE:HD11	2.33	0.54
1:F:1:GLU:OE2	1:F:232:ARG:NH1	2.38	0.54
1:A:179:ARG:NH1	7:A:405:HOH:O	2.29	0.53
1:A:266:GLY:HA3	2:A:301:OCA:H62	1.90	0.53
1:B:259:LEU:CD2	2:B:301:OCA:H82	2.38	0.53
1:C:90:ILE:HD12	2:E:301:OCA:C8	2.39	0.53
1:B:259:LEU:HD22	2:B:301:OCA:H82	1.90	0.52
1:B:259:LEU:HD21	2:B:301:OCA:H62	1.92	0.52
1:D:145:HIS:CD2	1:D:265:ILE:HG21	2.44	0.52
1:A:210:GLU:OE2	5:A:304:LTV:C34	2.58	0.52
1:F:266:GLY:HA3	2:F:301:OCA:H51	1.93	0.51
1:F:45:GLU:OE2	7:F:403:HOH:O	2.19	0.51
1:C:99[A]:GLU:HG3	1:C:108[A]:ARG:HH11	1.77	0.50
1:E:89[B]:TRP:CH2	1:E:93:LEU:CD1	2.93	0.50
1:D:83:SER:N	2:D:301:OCA:H21	2.26	0.50
1:E:162:ASN:ND2	7:E:404:HOH:O	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:SER:OG	1:A:147:LEU:N	2.44	0.49
5:B:306:LTV:C34	1:E:89[B]:TRP:CH2	2.96	0.49
1:E:89[B]:TRP:CZ3	1:E:93:LEU:HD11	2.47	0.49
1:A:98[B]:LYS:NZ	1:A:118:ARG:HE	2.11	0.49
5:A:304:LTV:C5	1:D:89[B]:TRP:CH2	2.95	0.49
1:D:102:ASP:OD2	1:D:118[B]:ARG:NH1	2.45	0.49
1:B:179:ARG:NH1	7:B:411:HOH:O	2.45	0.48
1:B:83:SER:H	2:B:301:OCA:H21	1.78	0.48
5:B:306:LTV:C34	1:E:89[B]:TRP:CZ3	2.96	0.48
1:C:99[A]:GLU:HG2	7:C:478:HOH:O	2.13	0.48
1:A:210:GLU:OE2	5:A:304:LTV:C33	2.62	0.48
1:C:90:ILE:HD12	2:E:301:OCA:H81	1.96	0.48
1:B:1:GLU:OE2	1:B:232:ARG:NH1	2.47	0.48
1:B:36:CYS:HB3	1:B:40:ALA:HB3	1.96	0.47
2:A:301:OCA:H83	5:A:304:LTV:C6	2.45	0.47
1:F:89[A]:TRP:HE1	5:F:304:LTV:C2	2.27	0.47
1:B:83:SER:HB2	2:B:301:OCA:H21	1.95	0.47
1:C:90:ILE:CD1	2:E:301:OCA:H83	2.45	0.47
1:E:21:TYR:CD1	2:E:301:OCA:H72	2.48	0.47
1:B:94:ASN:HB2	7:C:425:HOH:O	2.15	0.46
1:F:261:TYR:HB2	1:F:265[B]:ILE:HD12	1.96	0.46
1:A:87[A]:GLU:OE1	7:A:404:HOH:O	2.20	0.46
2:A:301:OCA:C6	5:A:304:LTV:C5	2.93	0.46
2:D:301:OCA:H82	5:D:304:LTV:C32	2.45	0.46
1:E:108:ARG:NH2	6:E:305:PO4:O2	2.39	0.46
1:B:261:TYR:HB2	1:B:265[B]:ILE:HD12	1.98	0.46
1:A:98[A]:LYS:HZ2	1:A:98[A]:LYS:HG3	1.24	0.46
1:A:259:LEU:CD2	2:A:301:OCA:C8	2.92	0.45
5:B:306:LTV:C36	1:E:89[B]:TRP:CZ3	2.99	0.45
1:E:89[A]:TRP:CH2	5:E:304:LTV:C23	3.00	0.45
1:F:146:SER:HB2	1:F:258:HIS:CE1	2.51	0.45
5:E:304:LTV:C13	5:E:304:LTV:C9	2.95	0.44
1:C:259:LEU:HD21	2:C:301:OCA:H61	1.96	0.44
1:E:89[B]:TRP:CE3	1:E:90:ILE:HD13	2.53	0.44
5:F:304:LTV:C5	5:F:304:LTV:C1	2.96	0.44
1:C:36:CYS:HB3	1:C:40:ALA:HB3	1.99	0.44
1:E:129:GLU:OE2	1:E:162:ASN:ND2	2.48	0.44
1:F:146:SER:OG	1:F:147:LEU:N	2.42	0.44
1:A:102:ASP:OD1	1:A:102:ASP:N	2.50	0.43
1:B:203:VAL:HG21	1:B:258:HIS:CE1	2.53	0.43
1:C:48:ASP:OD1	7:C:402:HOH:O	2.21	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:21:TYR:OH	2:F:301:OCA:H32	2.17	0.43
1:E:89[B]:TRP:CZ3	1:E:93:LEU:CD1	3.01	0.43
1:E:146:SER:HB3	2:E:301:OCA:C1	2.47	0.43
1:B:83:SER:H	2:B:301:OCA:C2	2.31	0.43
1:E:202:ILE:HB	1:E:253:PRO:HB2	2.01	0.43
5:E:304:LTV:C41	5:E:304:LTV:C45	2.96	0.43
5:F:304:LTV:C10	5:F:304:LTV:C14	2.95	0.43
1:B:96:ASP:CG	1:C:227:LEU:HD22	2.43	0.42
1:B:259:LEU:CD2	2:B:301:OCA:H62	2.49	0.42
1:C:259:LEU:HD22	2:C:301:OCA:C7	2.22	0.42
1:C:261:TYR:O	1:C:262:PHE:HB2	2.19	0.42
1:B:89[A]:TRP:HE1	5:B:306:LTV:C35	2.32	0.42
1:B:206:LEU:HA	1:B:207:PRO:C	2.45	0.42
1:A:21:TYR:OH	1:A:82:GLY:HA3	2.19	0.42
1:A:86[A]:ILE:CD1	1:D:86:ILE:HD11	2.50	0.42
2:C:301:OCA:H83	5:C:305:LTV:C32	2.49	0.42
5:A:304:LTV:C35	1:F:254:ASP:OD1	2.68	0.42
1:D:26:ASN:HB3	1:D:56:GLU:HB3	2.02	0.42
1:F:36:CYS:HB3	1:F:40:ALA:HB3	2.01	0.42
1:C:92:ASN:HB3	5:C:305:LTV:C20	2.50	0.41
1:C:198:HIS:O	1:C:199:THR:C	2.63	0.41
1:D:255:ILE:HB	1:D:256:PRO:HD3	2.01	0.41
1:F:33:ASN:ND2	4:F:303:NAG:C1	2.78	0.41
1:F:146:SER:HB2	1:F:258:HIS:NE2	2.36	0.41
1:B:209:ARG:N	6:B:302:PO4:O3	2.51	0.41
1:E:238:ILE:HD13	1:E:246:GLY:HA3	2.02	0.41
1:F:203:VAL:HG21	1:F:258:HIS:CE1	2.55	0.41
1:D:208:PRO:HB2	1:D:210:GLU:OE1	2.19	0.41
1:F:261:TYR:O	1:F:262:PHE:HB2	2.20	0.41
1:D:266:GLY:C	2:D:301:OCA:H71	2.46	0.41
1:B:255:ILE:HB	1:B:256:PRO:HD3	2.03	0.41
1:C:99[A]:GLU:H	1:C:99[A]:GLU:CD	2.28	0.41
1:E:198:HIS:O	1:E:199:THR:C	2.64	0.41
2:A:301:OCA:C8	5:A:304:LTV:C7	2.98	0.41
1:B:35:THR:HA	1:B:45:GLU:HG2	2.03	0.41
5:B:306:LTV:C23	5:B:306:LTV:C20	3.00	0.40
1:F:261:TYR:C	1:F:263:GLY:H	2.29	0.40
1:A:258:HIS:NE2	2:A:301:OCA:C2	2.84	0.40
1:A:261:TYR:O	1:A:262:PHE:HB2	2.22	0.40
1:E:266:GLY:O	2:E:301:OCA:C8	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/291 (94%)	265 (97%)	8 (3%)	0	100	100
1	B	272/291 (94%)	261 (96%)	11 (4%)	0	100	100
1	C	276/291 (95%)	268 (97%)	7 (2%)	1 (0%)	30	46
1	D	273/291 (94%)	261 (96%)	12 (4%)	0	100	100
1	E	272/291 (94%)	264 (97%)	8 (3%)	0	100	100
1	F	275/291 (94%)	267 (97%)	8 (3%)	0	100	100
All	All	1641/1746 (94%)	1586 (97%)	54 (3%)	1 (0%)	48	66

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	199	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/239 (95%)	224 (99%)	2 (1%)	70	86
1	B	224/239 (94%)	223 (100%)	1 (0%)	84	92
1	C	228/239 (95%)	227 (100%)	1 (0%)	84	92
1	D	226/239 (95%)	224 (99%)	2 (1%)	70	86
1	E	225/239 (94%)	220 (98%)	5 (2%)	45	70
1	F	228/239 (95%)	227 (100%)	1 (0%)	84	92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1357/1434 (95%)	1345 (99%)	12 (1%)	73 86

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98[A]	LYS
1	A	98[B]	LYS
1	B	215	HIS
1	C	215	HIS
1	E	98	LYS
1	E	146	SER
1	E	215	HIS
1	E	223	LYS
1	E	239	GLU
1	D	98	LYS
1	D	215	HIS
1	F	215	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	162	ASN
1	B	71	ASN
1	B	233	ASN
1	E	11	ASN
1	E	25	ASN
1	D	233	ASN
1	F	11	ASN
1	F	33	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 8 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	303	1	14,14,15	1.28	1 (7%)	17,19,21	0.89	1 (5%)
5	LTV	C	305	-	40,40,50	1.00	2 (5%)	42,42,52	0.93	2 (4%)
4	NAG	D	303	-	14,14,15	0.18	0	17,19,21	0.62	0
5	LTV	E	304	-	47,47,50	0.91	2 (4%)	49,49,52	0.92	2 (4%)
2	OCA	A	301	1	7,8,9	0.50	0	6,7,9	0.87	0
4	NAG	B	305	1	14,14,15	0.37	0	17,19,21	0.48	0
6	PO4	E	305	-	4,4,4	0.96	0	6,6,6	0.50	0
4	NAG	E	303	-	14,14,15	0.19	0	17,19,21	0.45	0
6	PO4	B	302	-	4,4,4	0.94	0	6,6,6	0.46	0
2	OCA	E	301	-	7,8,9	0.60	0	6,7,9	1.08	0
5	LTV	B	306	2	42,42,50	1.00	2 (4%)	44,44,52	1.03	2 (4%)
5	LTV	F	304	-	41,41,50	0.98	2 (4%)	43,43,52	0.98	2 (4%)
5	LTV	D	304	2	50,50,50	0.91	2 (4%)	52,52,52	0.87	2 (3%)
6	PO4	B	307	-	4,4,4	0.96	0	6,6,6	0.46	0
6	PO4	D	305	-	4,4,4	0.93	0	6,6,6	0.41	0
4	NAG	C	304	-	14,14,15	0.30	0	17,19,21	0.42	0
4	NAG	F	303	-	14,14,15	0.35	0	17,19,21	0.57	0
2	OCA	C	301	-	7,8,9	0.51	0	6,7,9	1.10	0
2	OCA	D	301	1,5	7,8,9	0.48	0	6,7,9	0.96	0
6	PO4	A	305	-	4,4,4	0.96	0	6,6,6	0.48	0
2	OCA	F	301	-	5,6,9	0.57	0	4,5,9	0.74	0
5	LTV	A	304	-	35,35,50	1.10	2 (5%)	37,37,52	1.08	2 (5%)
2	OCA	B	301	1,5	7,8,9	0.51	0	6,7,9	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	305	1	-	0/6/23/26	0/1/1/1
4	NAG	A	303	1	-	0/6/23/26	0/1/1/1
4	NAG	E	303	-	-	1/6/23/26	0/1/1/1
2	OCA	E	301	-	-	4/6/6/7	-
5	LTV	A	304	-	1/1/3/3	20/36/36/51	-
2	OCA	B	301	1,5	-	4/6/6/7	-
2	OCA	F	301	-	-	4/4/4/7	-
5	LTV	C	305	-	-	21/41/41/51	-
4	NAG	C	304	-	-	0/6/23/26	0/1/1/1
4	NAG	F	303	-	-	4/6/23/26	0/1/1/1
5	LTV	B	306	2	-	25/43/43/51	-
4	NAG	D	303	-	-	1/6/23/26	0/1/1/1
2	OCA	C	301	-	-	4/6/6/7	-
2	OCA	D	301	1,5	-	5/6/6/7	-
5	LTV	F	304	-	1/1/3/3	22/42/42/51	-
5	LTV	D	304	2	-	29/51/51/51	-
5	LTV	E	304	-	-	34/48/48/51	-
2	OCA	A	301	1	-	5/6/6/7	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	303	NAG	O5-C1	-4.55	1.36	1.43
5	A	304	LTV	O1-C17	4.47	1.46	1.33
5	B	306	LTV	O3-C21	4.40	1.46	1.33
5	B	306	LTV	O1-C17	4.35	1.46	1.33
5	D	304	LTV	O1-C17	4.34	1.46	1.33
5	A	304	LTV	O3-C21	4.32	1.45	1.33
5	C	305	LTV	O3-C21	4.29	1.45	1.33
5	F	304	LTV	O3-C21	4.29	1.45	1.33
5	D	304	LTV	O3-C21	4.24	1.45	1.33
5	C	305	LTV	O1-C17	4.23	1.45	1.33
5	E	304	LTV	O1-C17	4.20	1.45	1.33
5	F	304	LTV	O1-C17	4.12	1.45	1.33
5	E	304	LTV	O3-C21	4.10	1.45	1.33

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	304	LTV	O1-C17-C16	3.10	121.30	111.83
5	B	306	LTV	O3-C21-C22	2.99	120.94	111.83
5	A	304	LTV	O3-C21-C22	2.95	120.83	111.83
5	C	305	LTV	O3-C21-C22	2.81	120.41	111.83
5	F	304	LTV	O3-C21-C22	2.73	120.17	111.83
5	B	306	LTV	O1-C17-C16	2.73	120.17	111.83
5	E	304	LTV	O1-C17-C16	2.58	119.69	111.83
5	D	304	LTV	O1-C17-C16	2.51	119.47	111.83
4	A	303	NAG	C3-C4-C5	2.49	114.75	110.23
5	D	304	LTV	O3-C21-C22	2.39	119.12	111.83
5	F	304	LTV	C15-C16-C17	-2.25	105.43	113.69
5	C	305	LTV	O1-C17-C16	2.19	118.53	111.83
5	E	304	LTV	O3-C21-C22	2.17	118.45	111.83

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	304	LTV	C19
5	F	304	LTV	C19

All (183) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	OCA	O1-C1-C2-C3
2	A	301	OCA	C1-C2-C3-C4
2	C	301	OCA	O1-C1-C2-C3
2	E	301	OCA	O1-C1-C2-C3
2	E	301	OCA	C1-C2-C3-C4
2	D	301	OCA	O1-C1-C2-C3
2	F	301	OCA	O1-C1-C2-C3
2	F	301	OCA	C1-C2-C3-C4
5	A	304	LTV	C18-C19-C20-O3
5	A	304	LTV	O-C17-O1-C18
5	A	304	LTV	C16-C17-O1-C18
5	E	304	LTV	O1-C18-C19-C20
5	D	304	LTV	O1-C18-C19-O2
5	C	305	LTV	O-C17-O1-C18
5	D	304	LTV	O-C17-O1-C18
5	C	305	LTV	C16-C17-O1-C18
5	D	304	LTV	C16-C17-O1-C18
5	A	304	LTV	O4-C21-O3-C20
5	B	306	LTV	O4-C21-O3-C20
5	E	304	LTV	O-C17-O1-C18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	F	304	LTV	O4-C21-O3-C20
5	B	306	LTV	C22-C21-O3-C20
5	E	304	LTV	C16-C17-O1-C18
5	F	304	LTV	C22-C21-O3-C20
5	A	304	LTV	C22-C21-O3-C20
5	B	306	LTV	C16-C17-O1-C18
5	E	304	LTV	C22-C21-O3-C20
5	B	306	LTV	O-C17-O1-C18
5	E	304	LTV	O4-C21-O3-C20
5	A	304	LTV	O2-C19-C20-O3
4	F	303	NAG	O5-C5-C6-O6
5	D	304	LTV	C22-C21-O3-C20
5	D	304	LTV	C35-C36-C37-C38
5	E	304	LTV	C36-C37-C38-C39
5	C	305	LTV	C27-C28-C29-C30
5	B	306	LTV	O1-C18-C19-C20
5	B	306	LTV	C31-C32-C33-C34
5	E	304	LTV	C10-C11-C12-C13
5	B	306	LTV	O1-C18-C19-O2
5	E	304	LTV	O1-C18-C19-O2
4	F	303	NAG	C4-C5-C6-O6
4	F	303	NAG	C8-C7-N2-C2
4	F	303	NAG	O7-C7-N2-C2
5	F	304	LTV	C11-C12-C13-C14
5	A	304	LTV	C12-C13-C14-C15
5	E	304	LTV	C5-C6-C7-C8
5	D	304	LTV	O4-C21-O3-C20
5	A	304	LTV	C14-C15-C16-C17
2	C	301	OCA	C3-C4-C5-C6
5	D	304	LTV	C38-C39-C40-C41
5	E	304	LTV	C21-C22-C23-C24
5	F	304	LTV	C14-C15-C16-C17
5	A	304	LTV	C26-C27-C28-C29
5	F	304	LTV	C16-C17-O1-C18
5	E	304	LTV	C27-C28-C29-C30
5	D	304	LTV	C29-C30-C31-C32
5	E	304	LTV	C25-C26-C27-C28
5	F	304	LTV	O-C17-O1-C18
5	D	304	LTV	C10-C11-C12-C13
5	A	304	LTV	C11-C12-C13-C14
2	D	301	OCA	C2-C3-C4-C5
5	E	304	LTV	C38-C39-C40-C41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	301	OCA	C3-C4-C5-C6
2	E	301	OCA	C3-C4-C5-C6
5	A	304	LTV	C31-C32-C33-C34
5	E	304	LTV	C22-C23-C24-C25
5	D	304	LTV	C2-C3-C4-C5
5	D	304	LTV	C4-C5-C6-C7
5	D	304	LTV	C27-C28-C29-C30
5	D	304	LTV	C5-C6-C7-C8
5	E	304	LTV	C14-C15-C16-C17
5	D	304	LTV	C21-C22-C23-C24
5	C	305	LTV	C28-C29-C30-C31
5	C	305	LTV	C2-C3-C4-C5
5	E	304	LTV	C42-C43-C44-C45
5	B	306	LTV	C24-C25-C26-C27
5	E	304	LTV	C23-C24-C25-C26
2	F	301	OCA	C2-C3-C4-C5
5	A	304	LTV	O1-C18-C19-O2
5	B	306	LTV	C13-C14-C15-C16
5	B	306	LTV	C2-C3-C4-C5
5	A	304	LTV	C23-C24-C25-C26
5	B	306	LTV	C30-C31-C32-C33
5	B	306	LTV	C33-C34-C35-C36
5	B	306	LTV	C12-C13-C14-C15
5	B	306	LTV	C6-C7-C8-C9
5	C	305	LTV	C12-C13-C14-C15
5	E	304	LTV	C11-C10-C9-C8
5	A	304	LTV	C25-C26-C27-C28
5	C	305	LTV	C11-C12-C13-C14
5	F	304	LTV	C9-C10-C11-C12
5	E	304	LTV	C29-C30-C31-C32
5	C	305	LTV	C26-C27-C28-C29
2	D	301	OCA	C4-C5-C6-C7
2	A	301	OCA	C2-C3-C4-C5
5	E	304	LTV	C4-C5-C6-C7
2	A	301	OCA	C3-C4-C5-C6
5	D	304	LTV	O1-C18-C19-C20
5	D	304	LTV	C11-C10-C9-C8
2	A	301	OCA	C5-C6-C7-C8
5	A	304	LTV	C30-C31-C32-C33
5	E	304	LTV	C3-C4-C5-C6
2	E	301	OCA	C5-C6-C7-C8
5	F	304	LTV	C12-C13-C14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	D	304	LTV	C-C1-C2-C3
5	D	304	LTV	C36-C37-C38-C39
5	C	305	LTV	C1-C2-C3-C4
5	D	304	LTV	C9-C10-C11-C12
5	B	306	LTV	C34-C35-C36-C37
5	D	304	LTV	C25-C26-C27-C28
5	A	304	LTV	C24-C25-C26-C27
5	C	305	LTV	O1-C18-C19-C20
2	C	301	OCA	C4-C5-C6-C7
5	E	304	LTV	C12-C13-C14-C15
5	B	306	LTV	C23-C24-C25-C26
5	A	304	LTV	C32-C33-C34-C35
2	D	301	OCA	C5-C6-C7-C8
2	D	301	OCA	C3-C4-C5-C6
5	D	304	LTV	C6-C7-C8-C9
5	F	304	LTV	C2-C3-C4-C5
5	F	304	LTV	C13-C14-C15-C16
5	B	306	LTV	C28-C29-C30-C31
5	A	304	LTV	C6-C7-C8-C9
5	D	304	LTV	C28-C29-C30-C31
5	F	304	LTV	C1-C2-C3-C4
5	C	305	LTV	C5-C6-C7-C8
5	F	304	LTV	C3-C4-C5-C6
5	F	304	LTV	C29-C30-C31-C32
2	B	301	OCA	C5-C6-C7-C8
5	A	304	LTV	C7-C8-C9-C10
5	B	306	LTV	C9-C10-C11-C12
5	C	305	LTV	C23-C24-C25-C26
5	F	304	LTV	C10-C11-C12-C13
5	C	305	LTV	O1-C18-C19-O2
5	F	304	LTV	C22-C23-C24-C25
2	B	301	OCA	C1-C2-C3-C4
5	E	304	LTV	C24-C25-C26-C27
4	D	303	NAG	O5-C5-C6-O6
5	F	304	LTV	C28-C29-C30-C31
5	B	306	LTV	C11-C12-C13-C14
5	F	304	LTV	C27-C28-C29-C30
5	F	304	LTV	C31-C32-C33-C34
5	C	305	LTV	C10-C11-C12-C13
2	B	301	OCA	C2-C3-C4-C5
5	B	306	LTV	C10-C11-C12-C13
5	F	304	LTV	C23-C24-C25-C26

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	304	LTV	C22-C23-C24-C25
5	E	304	LTV	C13-C14-C15-C16
5	E	304	LTV	C40-C41-C42-C43
5	D	304	LTV	C1-C2-C3-C4
5	B	306	LTV	C-C1-C2-C3
5	E	304	LTV	C35-C36-C37-C38
5	F	304	LTV	C26-C27-C28-C29
5	F	304	LTV	C6-C7-C8-C9
5	E	304	LTV	C28-C29-C30-C31
5	B	306	LTV	C4-C5-C6-C7
5	E	304	LTV	O3-C21-C22-C23
5	E	304	LTV	C9-C10-C11-C12
2	F	301	OCA	C3-C4-C5-C6
5	D	304	LTV	C12-C13-C14-C15
5	E	304	LTV	C18-C19-C20-O3
5	C	305	LTV	C24-C25-C26-C27
5	C	305	LTV	C13-C14-C15-C16
5	E	304	LTV	C32-C33-C34-C35
5	F	304	LTV	C15-C16-C17-O1
5	E	304	LTV	C37-C38-C39-C40
2	C	301	OCA	C1-C2-C3-C4
5	B	306	LTV	C15-C16-C17-O1
5	E	304	LTV	C15-C16-C17-O1
5	D	304	LTV	C39-C40-C41-C42
5	B	306	LTV	O3-C21-C22-C23
5	C	305	LTV	O3-C21-C22-C23
5	C	305	LTV	C15-C16-C17-O1
5	D	304	LTV	C15-C16-C17-O1
5	D	304	LTV	C41-C42-C43-C44
4	E	303	NAG	O5-C5-C6-O6
5	B	306	LTV	C15-C16-C17-O
5	E	304	LTV	C15-C16-C17-O
5	C	305	LTV	C11-C10-C9-C8
5	C	305	LTV	C15-C16-C17-O
5	C	305	LTV	O4-C21-C22-C23
5	D	304	LTV	C15-C16-C17-O
5	D	304	LTV	C22-C23-C24-C25


There are no ring outliers.


17 monomers are involved in 101 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	305	LTV	4	0
5	E	304	LTV	3	0
2	A	301	OCA	16	0
6	E	305	PO4	1	0
6	B	302	PO4	1	0
2	E	301	OCA	15	0
5	B	306	LTV	6	0
5	F	304	LTV	3	0
5	D	304	LTV	1	0
6	D	305	PO4	1	0
4	F	303	NAG	3	0
2	C	301	OCA	20	0
2	D	301	OCA	10	0
6	A	305	PO4	2	0
2	F	301	OCA	2	0
5	A	304	LTV	13	0
2	B	301	OCA	12	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/291 (92%)	-0.55	1 (0%) 88 87	16, 27, 52, 80	5 (1%)
1	B	269/291 (92%)	-0.54	4 (1%) 72 69	11, 26, 53, 67	4 (1%)
1	C	269/291 (92%)	-0.40	1 (0%) 88 87	15, 33, 57, 89	7 (2%)
1	D	269/291 (92%)	-0.51	1 (0%) 88 87	15, 29, 52, 70	7 (2%)
1	E	269/291 (92%)	-0.07	0 100 100	15, 40, 66, 97	4 (1%)
1	F	269/291 (92%)	-0.22	3 (1%) 78 76	14, 36, 64, 82	7 (2%)
All	All	1614/1746 (92%)	-0.38	10 (0%) 85 83	11, 32, 60, 97	34 (2%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	96	ASP	3.8
1	F	39	ASN	3.4
1	C	39	ASN	3.2
1	B	89[A]	TRP	2.7
1	F	102	ASP	2.6
1	F	101	ASN	2.4
1	A	89	TRP	2.3
1	D	39	ASN	2.2
1	B	102	ASP	2.1
1	B	39	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PO4	B	307	5/5	0.03	0.22	75,96,113,114	5
4	NAG	F	303	14/15	0.53	0.20	92,122,154,164	0
4	NAG	A	303	14/15	0.54	0.17	81,105,129,149	0
4	NAG	D	303	14/15	0.54	0.18	90,109,127,131	0
4	NAG	E	303	14/15	0.55	0.17	92,118,142,149	0
4	NAG	C	304	14/15	0.60	0.16	78,100,126,133	0
6	PO4	E	305	5/5	0.62	0.26	67,73,80,83	5
2	OCA	E	301	9/10	0.71	0.39	33,35,43,54	9
2	OCA	C	301	9/10	0.71	0.63	30,34,50,51	9
2	OCA	A	301	9/10	0.73	0.49	23,26,35,38	9
4	NAG	B	305	14/15	0.75	0.15	58,74,112,112	0
6	PO4	A	305	5/5	0.75	0.20	33,35,51,58	5
6	PO4	D	305	5/5	0.75	0.17	41,47,59,72	0
6	PO4	B	302	5/5	0.78	0.18	48,50,73,78	5
2	OCA	D	301	9/10	0.78	0.35	23,34,47,47	9
5	LTV	B	306	43/51	0.79	0.22	31,47,77,84	0
5	LTV	E	304	48/51	0.80	0.23	37,55,71,83	0
5	LTV	F	304	42/51	0.81	0.22	35,52,69,82	0
5	LTV	A	304	36/51	0.81	0.21	35,55,74,82	0
5	LTV	C	305	41/51	0.82	0.21	39,55,81,94	0
2	OCA	B	301	9/10	0.82	0.37	24,32,38,38	9
5	LTV	D	304	51/51	0.82	0.21	34,54,73,84	0
2	OCA	F	301	7/10	0.89	0.22	27,28,29,32	5
3	CA	F	302	1/1	0.91	0.08	57,57,57,57	0
3	CA	C	303	1/1	0.91	0.13	84,84,84,84	0
3	CA	A	302	1/1	0.93	0.10	59,59,59,59	0
3	CA	D	302	1/1	0.93	0.07	51,51,51,51	0
3	CA	B	304	1/1	0.96	0.10	55,55,55,55	0
3	CA	E	302	1/1	0.96	0.12	66,66,66,66	0
3	CA	C	302	1/1	0.96	0.06	47,47,47,47	0
3	CA	B	303	1/1	0.98	0.03	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around LTV B 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LTV E 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LTV F 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LTV A 304:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LTV C 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LTV D 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.