



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:17 PM UTC

PDB ID : 5XTF / pdb_00005xtf
Title : Crystal structure of the cis-dihydrodiol naphthalene dehydrogenase NahB from Pseudomonas sp. MC1
Authors : Park, A.K.; Kim, H.-W.
Deposited on : 2017-06-19
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	
1	B	278	

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 3576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2,3-dihydroxy-2,3-dihydrophenylpropionate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	228	Total 1705	C 1085	N 286	O 326	S 8	0	0	0
1	B	229	Total 1709	C 1087	N 287	O 327	S 8	0	0	0

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	expression tag	UNP G9G7I7
A	-17	HIS	-	expression tag	UNP G9G7I7
A	-16	HIS	-	expression tag	UNP G9G7I7
A	-15	HIS	-	expression tag	UNP G9G7I7
A	-14	HIS	-	expression tag	UNP G9G7I7
A	-13	HIS	-	expression tag	UNP G9G7I7
A	-12	HIS	-	expression tag	UNP G9G7I7
A	-11	ALA	-	expression tag	UNP G9G7I7
A	-10	SER	-	expression tag	UNP G9G7I7
A	-9	GLU	-	expression tag	UNP G9G7I7
A	-8	ASN	-	expression tag	UNP G9G7I7
A	-7	LEU	-	expression tag	UNP G9G7I7
A	-6	TYR	-	expression tag	UNP G9G7I7
A	-5	PHE	-	expression tag	UNP G9G7I7
A	-4	GLN	-	expression tag	UNP G9G7I7
A	-3	GLY	-	expression tag	UNP G9G7I7
A	-2	ALA	-	expression tag	UNP G9G7I7
A	-1	MET	-	expression tag	UNP G9G7I7
A	0	VAL	-	expression tag	UNP G9G7I7
B	-18	MET	-	expression tag	UNP G9G7I7
B	-17	HIS	-	expression tag	UNP G9G7I7
B	-16	HIS	-	expression tag	UNP G9G7I7
B	-15	HIS	-	expression tag	UNP G9G7I7
B	-14	HIS	-	expression tag	UNP G9G7I7
B	-13	HIS	-	expression tag	UNP G9G7I7


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-12	HIS	-	expression tag	UNP G9G7I7
B	-11	ALA	-	expression tag	UNP G9G7I7
B	-10	SER	-	expression tag	UNP G9G7I7
B	-9	GLU	-	expression tag	UNP G9G7I7
B	-8	ASN	-	expression tag	UNP G9G7I7
B	-7	LEU	-	expression tag	UNP G9G7I7
B	-6	TYR	-	expression tag	UNP G9G7I7
B	-5	PHE	-	expression tag	UNP G9G7I7
B	-4	GLN	-	expression tag	UNP G9G7I7
B	-3	GLY	-	expression tag	UNP G9G7I7
B	-2	ALA	-	expression tag	UNP G9G7I7
B	-1	MET	-	expression tag	UNP G9G7I7
B	0	VAL	-	expression tag	UNP G9G7I7

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	87	Total O 87 87	0	0
2	B	75	Total O 75 75	0	0



L255
L256
G257
R258
LYS

4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.16Å 69.69Å 117.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.96 – 2.10 44.96 – 2.10	Depositor EDS
% Data completeness (in resolution range)	94.2 (44.96-2.10) 94.4 (44.96-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.204 , 0.244 0.214 , 0.250	Depositor DCC
R_{free} test set	1495 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtrriage
Anisotropy	0.382	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	3576	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 87.79 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.1012e-08. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/1733	0.54	1/2344 (0.0%)
1	B	0.38	0/1737	0.53	0/2349
All	All	0.39	0/3470	0.53	1/4693 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	49	LYS	CD-CE-NZ	5.15	128.38	111.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1705	0	1719	24	0
1	B	1709	0	1722	32	0
2	A	87	0	0	7	0
2	B	75	0	0	3	0
All	All	3576	0	3441	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:ARG:NH1	2:A:303:HOH:O	2.01	0.92
1:B:13:GLY:H	1:B:36:ARG:NH2	1.67	0.90
1:B:36:ARG:NH1	2:B:301:HOH:O	2.08	0.84
1:A:86:ALA:O	2:A:301:HOH:O	1.95	0.84
1:A:13:GLY:H	1:A:36:ARG:NH2	1.77	0.81
1:A:111:ASP:OD1	2:A:302:HOH:O	1.98	0.81
1:A:36:ARG:HE	1:A:40:GLN:HE22	1.36	0.73
1:B:11:GLY:HA2	1:B:36:ARG:HH12	1.56	0.69
1:B:184:GLY:HA3	1:B:254:MET:HE1	1.76	0.67
1:A:13:GLY:H	1:A:36:ARG:HH22	1.45	0.63
1:B:13:GLY:H	1:B:36:ARG:HH22	1.44	0.63
1:B:170:GLU:OE1	2:B:302:HOH:O	2.16	0.61
1:A:3:ASN:N	2:A:307:HOH:O	2.33	0.60
1:A:94:ASN:HB2	1:A:97:GLU:OE1	2.00	0.60
1:B:13:GLY:H	1:B:36:ARG:HH21	1.46	0.59
1:A:46:ASN:O	1:A:49:LYS:NZ	2.24	0.58
1:A:164:VAL:HG21	1:A:179:ALA:HB2	1.86	0.58
1:B:258:ARG:N	1:B:258:ARG:HD3	2.19	0.57
1:A:3:ASN:N	2:A:308:HOH:O	2.36	0.56
1:B:6:VAL:HG22	1:B:30:CYS:HB2	1.87	0.56
1:B:67:LYS:HZ2	1:B:71:GLN:NE2	2.03	0.56
1:B:216:THR:HG22	1:B:254:MET:HE2	1.88	0.56
1:B:11:GLY:HA2	1:B:36:ARG:NH1	2.21	0.54
1:B:36:ARG:HE	1:B:40:GLN:HE22	1.55	0.53
1:B:67:LYS:NZ	1:B:71:GLN:NE2	2.58	0.52
1:B:184:GLY:CA	1:B:254:MET:HE1	2.38	0.51
1:A:11:GLY:HA2	1:A:36:ARG:HH12	1.76	0.50
1:A:94:ASN:O	1:A:97:GLU:HG2	2.12	0.50
1:B:67:LYS:NZ	1:B:71:GLN:HE21	2.10	0.50
1:B:100:GLU:H	1:B:100:GLU:CD	2.18	0.49
1:B:179:ALA:HB3	1:B:247:VAL:HG22	1.94	0.49
1:B:38:GLU:N	1:B:38:GLU:CD	2.71	0.48
1:A:143:SER:HB3	1:A:161:LEU:HG	1.96	0.47
1:B:38:GLU:CD	1:B:38:GLU:H	2.23	0.47
1:B:73:ILE:O	1:B:77:GLY:N	2.41	0.46
1:B:86:ALA:HB3	2:B:318:HOH:O	2.16	0.46
1:B:67:LYS:HZ2	1:B:71:GLN:HE21	1.61	0.46
1:B:143:SER:HB3	1:B:161:LEU:HG	1.98	0.45
1:A:13:GLY:N	1:A:36:ARG:NH2	2.57	0.45
1:A:13:GLY:H	1:A:36:ARG:HH21	1.63	0.45
1:A:36:ARG:HE	1:A:40:GLN:NE2	2.10	0.44
1:B:13:GLY:N	1:B:36:ARG:NH2	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:125:LEU:HB3	1:B:126:PRO:HD3	2.00	0.43
1:A:87:GLY:CA	2:A:301:HOH:O	2.66	0.43
1:B:253:GLY:O	1:B:256:LEU:HB2	2.18	0.43
1:A:253:GLY:O	1:A:256:LEU:HB2	2.19	0.42
1:B:13:GLY:N	1:B:36:ARG:HH21	2.13	0.42
1:A:89:TRP:CZ3	1:A:91:TYR:HA	2.54	0.42
1:B:164:VAL:HG21	1:B:179:ALA:HB2	2.01	0.42
1:B:257:GLY:HA2	1:B:258:ARG:HH11	1.83	0.42
1:A:100:GLU:H	1:A:100:GLU:CD	2.26	0.42
1:B:105:SER:O	1:B:109:ILE:HD12	2.20	0.42
1:A:186:VAL:HB	1:A:224:PRO:HD3	2.02	0.41
1:A:67:LYS:NZ	2:A:314:HOH:O	2.52	0.41
1:B:36:ARG:HE	1:B:40:GLN:NE2	2.19	0.41
1:A:80:ASP:OD1	1:A:237:ARG:NH2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/278 (81%)	216 (96%)	7 (3%)	1 (0%)	30	28
1	B	225/278 (81%)	215 (96%)	10 (4%)	0	100	100
All	All	449/556 (81%)	431 (96%)	17 (4%)	1 (0%)	43	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	256	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/222 (82%)	180 (99%)	2 (1%)	65	74
1	B	182/222 (82%)	180 (99%)	2 (1%)	65	74
All	All	364/444 (82%)	360 (99%)	4 (1%)	65	74

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	VAL
1	A	215	LEU
1	B	233	LEU
1	B	256	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	4	GLN
1	A	85	ASN
1	B	4	GLN
1	B	71	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	228/278 (82%)	2.52	147 (64%) 0 0	19, 29, 45, 67	0
1	B	229/278 (82%)	2.48	148 (64%) 0 0	19, 30, 45, 68	0
All	All	457/556 (82%)	2.50	295 (64%) 0 0	19, 30, 45, 68	0

All (295) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	186	VAL	9.0
1	B	185	THR	8.8
1	A	186	VAL	7.9
1	A	185	THR	7.7
1	B	215	LEU	7.0
1	A	215	LEU	6.6
1	B	2	GLY	6.0
1	A	223	LYS	5.8
1	B	91	TYR	5.4
1	A	258	ARG	5.4
1	A	3	ASN	5.3
1	B	216	THR	5.2
1	A	224	PRO	5.0
1	A	221	ALA	5.0
1	A	257	GLY	4.9
1	B	148	GLY	4.9
1	A	216	THR	4.8
1	A	89	TRP	4.8
1	A	148	GLY	4.7
1	B	223	LYS	4.7
1	B	147	GLY	4.6
1	B	242	PHE	4.5
1	B	257	GLY	4.4
1	A	146	VAL	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	52	LEU	4.4
1	A	38	GLU	4.4
1	A	225	GLU	4.4
1	A	88	ILE	4.3
1	B	255	ALA	4.3
1	A	94	ASN	4.3
1	A	100	GLU	4.3
1	A	105	SER	4.3
1	B	258	ARG	4.2
1	A	220	PHE	4.2
1	A	255	ALA	4.1
1	A	91	TYR	4.1
1	B	73	ILE	4.1
1	B	94	ASN	4.0
1	A	58	ASP	4.0
1	A	174	GLU	4.0
1	B	88	ILE	4.0
1	A	36	ARG	4.0
1	B	225	GLU	3.9
1	B	39	GLU	3.9
1	A	51	ALA	3.8
1	A	87	GLY	3.8
1	A	93	LEU	3.8
1	B	96	GLU	3.8
1	A	238	LYS	3.7
1	A	219	GLY	3.7
1	B	169	TYR	3.7
1	A	171	LEU	3.7
1	B	104	SER	3.7
1	A	256	LEU	3.6
1	B	238	LYS	3.6
1	A	71	GLN	3.6
1	B	72	THR	3.6
1	B	219	GLY	3.6
1	A	97	GLU	3.6
1	A	56	VAL	3.6
1	B	220	PHE	3.6
1	A	92	MET	3.6
1	B	100	GLU	3.6
1	A	73	ILE	3.6
1	A	172	ALA	3.6
1	B	224	PRO	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	81	CYS	3.6
1	B	105	SER	3.6
1	B	150	GLY	3.5
1	B	38	GLU	3.5
1	B	18	LEU	3.5
1	A	96	GLU	3.5
1	B	48	PHE	3.5
1	B	142	SER	3.5
1	A	18	LEU	3.4
1	B	93	LEU	3.4
1	B	146	VAL	3.4
1	A	154	ILE	3.4
1	B	89	TRP	3.4
1	B	221	ALA	3.4
1	A	76	PHE	3.4
1	B	50	ASP	3.4
1	B	171	LEU	3.4
1	B	232	LEU	3.4
1	B	63	ALA	3.4
1	B	86	ALA	3.4
1	B	76	PHE	3.4
1	B	3	ASN	3.3
1	B	97	GLU	3.3
1	A	184	GLY	3.3
1	B	29	TYR	3.2
1	B	43	LEU	3.2
1	A	242	PHE	3.2
1	A	50	ASP	3.2
1	B	15	GLY	3.2
1	B	51	ALA	3.2
1	B	117	TYR	3.2
1	B	143	SER	3.2
1	B	57	GLY	3.2
1	B	108	GLU	3.2
1	B	84	ALA	3.2
1	A	54	ILE	3.2
1	B	102	ILE	3.2
1	A	52	LEU	3.1
1	B	112	ILE	3.1
1	A	37	ASN	3.1
1	B	45	CYS	3.1
1	A	74	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	61	ASP	3.1
1	B	233	LEU	3.1
1	B	243	ILE	3.1
1	B	26	LEU	3.1
1	A	9	ILE	3.1
1	A	183	GLY	3.1
1	A	144	HIS	3.1
1	B	33	ALA	3.1
1	B	135	VAL	3.1
1	B	247	VAL	3.1
1	A	175	ILE	3.1
1	B	144	HIS	3.0
1	A	125	LEU	3.0
1	B	184	GLY	3.0
1	A	169	TYR	3.0
1	A	108	GLU	3.0
1	A	118	PHE	3.0
1	A	226	ASP	3.0
1	B	226	ASP	3.0
1	A	139	ALA	3.0
1	A	26	LEU	3.0
1	A	141	VAL	3.0
1	A	147	GLY	3.0
1	A	101	LYS	3.0
1	A	29	TYR	3.0
1	A	239	GLN	2.9
1	B	14	SER	2.9
1	A	243	ILE	2.9
1	B	92	MET	2.9
1	B	54	ILE	2.9
1	B	58	ASP	2.9
1	B	152	CYS	2.9
1	A	6	VAL	2.9
1	A	86	ALA	2.9
1	A	168	ALA	2.9
1	B	42	ALA	2.9
1	B	161	LEU	2.8
1	A	14	SER	2.8
1	A	110	PHE	2.8
1	A	42	ALA	2.8
1	A	111	ASP	2.8
1	B	166	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	109	ILE	2.8
1	B	125	LEU	2.8
1	A	247	VAL	2.8
1	B	56	VAL	2.8
1	B	227	VAL	2.8
1	A	95	ILE	2.8
1	A	112	ILE	2.8
1	A	48	PHE	2.8
1	B	87	GLY	2.8
1	B	34	LEU	2.8
1	A	102	ILE	2.8
1	B	85	ASN	2.7
1	A	19	GLU	2.7
1	A	15	GLY	2.7
1	A	70	LYS	2.7
1	A	145	ALA	2.7
1	B	70	LYS	2.7
1	B	36	ARG	2.7
1	B	80	ASP	2.7
1	B	251	ASP	2.7
1	A	49	LYS	2.7
1	B	101	LYS	2.7
1	A	35	VAL	2.7
1	B	175	ILE	2.7
1	A	57	GLY	2.7
1	A	150	GLY	2.7
1	B	149	GLY	2.7
1	B	110	PHE	2.7
1	B	118	PHE	2.7
1	A	117	TYR	2.7
1	A	67	LYS	2.7
1	B	40	GLN	2.6
1	A	27	ALA	2.6
1	B	123	ALA	2.6
1	B	168	ALA	2.6
1	A	34	LEU	2.6
1	A	7	VAL	2.6
1	A	254	MET	2.6
1	B	37	ASN	2.6
1	A	68	LEU	2.6
1	B	44	LEU	2.6
1	B	239	GLN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	127	GLU	2.6
1	B	19	GLU	2.6
1	A	123	ALA	2.6
1	B	64	THR	2.6
1	A	218	LEU	2.6
1	B	256	LEU	2.6
1	A	153	TYR	2.6
1	A	253	GLY	2.6
1	B	12	ALA	2.6
1	B	139	ALA	2.6
1	B	180	VAL	2.5
1	A	78	HIS	2.5
1	A	61	ASP	2.5
1	B	111	ASP	2.5
1	A	44	LEU	2.5
1	A	233	LEU	2.5
1	A	149	GLY	2.5
1	B	28	GLY	2.5
1	B	35	VAL	2.5
1	A	116	SER	2.5
1	B	71	GLN	2.5
1	B	234	LEU	2.5
1	B	24	PHE	2.5
1	A	252	GLY	2.5
1	B	60	ARG	2.5
1	B	69	ILE	2.5
1	B	67	LYS	2.5
1	A	132	ASN	2.5
1	A	104	SER	2.4
1	A	63	ALA	2.4
1	A	232	LEU	2.4
1	B	78	HIS	2.4
1	B	252	GLY	2.4
1	A	69	ILE	2.4
1	B	9	ILE	2.4
1	A	126	PRO	2.4
1	B	155	ALA	2.4
1	B	20	LEU	2.4
1	A	109	ILE	2.4
1	A	23	SER	2.4
1	B	241	LYS	2.4
1	A	84	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	43	LEU	2.4
1	A	4	GLN	2.4
1	A	28	GLY	2.4
1	B	4	GLN	2.4
1	A	16	ILE	2.4
1	A	250	ILE	2.4
1	B	32	SER	2.4
1	A	45	CYS	2.4
1	A	47	GLU	2.3
1	B	66	GLU	2.3
1	B	229	ALA	2.3
1	A	32	SER	2.3
1	A	136	VAL	2.3
1	B	181	SER	2.3
1	B	127	GLU	2.3
1	A	155	ALA	2.3
1	B	153	TYR	2.3
1	B	65	ASN	2.3
1	A	60	ARG	2.3
1	B	217	PRO	2.3
1	B	222	ALA	2.3
1	A	17	GLY	2.3
1	B	75	ARG	2.3
1	A	165	LYS	2.3
1	A	122	SER	2.3
1	B	126	PRO	2.3
1	A	25	LYS	2.3
1	A	222	ALA	2.3
1	A	251	ASP	2.3
1	B	74	ASP	2.3
1	B	77	GLY	2.3
1	A	142	SER	2.2
1	A	143	SER	2.2
1	A	65	ASN	2.2
1	A	90	ASP	2.2
1	A	30	CYS	2.2
1	A	39	GLU	2.2
1	B	7	VAL	2.2
1	B	165	LYS	2.2
1	A	114	VAL	2.2
1	A	160	VAL	2.2
1	A	13	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	231	TYR	2.2
1	A	229	ALA	2.1
1	B	68	LEU	2.1
1	B	128	LEU	2.1
1	B	250	ILE	2.1
1	B	228	VAL	2.1
1	B	119	SER	2.1
1	A	121	ILE	2.1
1	A	124	ALA	2.1
1	B	98	PRO	2.1
1	B	99	TRP	2.1
1	B	218	LEU	2.0
1	A	158	HIS	2.0
1	B	17	GLY	2.0
1	B	240	GLY	2.0
1	B	47	GLU	2.0
1	A	85	ASN	2.0
1	A	79	LEU	2.0
1	B	90	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.