



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:10 PM UTC

PDB ID : 5XUA / pdb_00005xua
Title : The ligand-free dimer of chemoreceptor MCP2201 ligand binding domain
Authors : Hong, Y.; Li, D.F.; Wang, D.C.
Deposited on : 2017-06-23
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	154	
1	B	154	
1	C	154	
1	D	154	
1	E	154	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	154	% 69%18%•12%
1	G	154	71%16%•10%
1	H	154	64%22%•12%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 8363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methyl-accepting chemotaxis sensory transducer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	142	Total	C	N	O	S	0	0	0
			1082	675	185	218	4			
1	B	137	Total	C	N	O	S	0	0	0
			1040	649	179	208	4			
1	C	138	Total	C	N	O	S	0	0	0
			1047	654	180	209	4			
1	D	137	Total	C	N	O	S	0	0	0
			1040	649	179	208	4			
1	E	137	Total	C	N	O	S	0	0	0
			1040	649	179	208	4			
1	F	136	Total	C	N	O	S	0	0	0
			1032	644	178	207	3			
1	G	139	Total	C	N	O	S	0	0	0
			1056	659	181	212	4			
1	H	135	Total	C	N	O	S	0	0	0
			1026	641	177	204	4			

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50	MET	-	expression tag	UNP D0IVL9
A	51	HIS	-	expression tag	UNP D0IVL9
A	52	HIS	-	expression tag	UNP D0IVL9
A	53	HIS	-	expression tag	UNP D0IVL9
A	54	HIS	-	expression tag	UNP D0IVL9
A	55	HIS	-	expression tag	UNP D0IVL9
A	56	HIS	-	expression tag	UNP D0IVL9
B	50	MET	-	expression tag	UNP D0IVL9
B	51	HIS	-	expression tag	UNP D0IVL9
B	52	HIS	-	expression tag	UNP D0IVL9
B	53	HIS	-	expression tag	UNP D0IVL9
B	54	HIS	-	expression tag	UNP D0IVL9
B	55	HIS	-	expression tag	UNP D0IVL9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	56	HIS	-	expression tag	UNP D0IVL9
C	50	MET	-	expression tag	UNP D0IVL9
C	51	HIS	-	expression tag	UNP D0IVL9
C	52	HIS	-	expression tag	UNP D0IVL9
C	53	HIS	-	expression tag	UNP D0IVL9
C	54	HIS	-	expression tag	UNP D0IVL9
C	55	HIS	-	expression tag	UNP D0IVL9
C	56	HIS	-	expression tag	UNP D0IVL9
D	50	MET	-	expression tag	UNP D0IVL9
D	51	HIS	-	expression tag	UNP D0IVL9
D	52	HIS	-	expression tag	UNP D0IVL9
D	53	HIS	-	expression tag	UNP D0IVL9
D	54	HIS	-	expression tag	UNP D0IVL9
D	55	HIS	-	expression tag	UNP D0IVL9
D	56	HIS	-	expression tag	UNP D0IVL9
E	50	MET	-	expression tag	UNP D0IVL9
E	51	HIS	-	expression tag	UNP D0IVL9
E	52	HIS	-	expression tag	UNP D0IVL9
E	53	HIS	-	expression tag	UNP D0IVL9
E	54	HIS	-	expression tag	UNP D0IVL9
E	55	HIS	-	expression tag	UNP D0IVL9
E	56	HIS	-	expression tag	UNP D0IVL9
F	50	MET	-	expression tag	UNP D0IVL9
F	51	HIS	-	expression tag	UNP D0IVL9
F	52	HIS	-	expression tag	UNP D0IVL9
F	53	HIS	-	expression tag	UNP D0IVL9
F	54	HIS	-	expression tag	UNP D0IVL9
F	55	HIS	-	expression tag	UNP D0IVL9
F	56	HIS	-	expression tag	UNP D0IVL9
G	50	MET	-	expression tag	UNP D0IVL9
G	51	HIS	-	expression tag	UNP D0IVL9
G	52	HIS	-	expression tag	UNP D0IVL9
G	53	HIS	-	expression tag	UNP D0IVL9
G	54	HIS	-	expression tag	UNP D0IVL9
G	55	HIS	-	expression tag	UNP D0IVL9
G	56	HIS	-	expression tag	UNP D0IVL9
H	50	MET	-	expression tag	UNP D0IVL9
H	51	HIS	-	expression tag	UNP D0IVL9
H	52	HIS	-	expression tag	UNP D0IVL9
H	53	HIS	-	expression tag	UNP D0IVL9
H	54	HIS	-	expression tag	UNP D0IVL9
H	55	HIS	-	expression tag	UNP D0IVL9

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	56	HIS	-	expression tag	UNP D0IVL9


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methyl-accepting chemotaxis sensory transducer




- Molecule 1: Methyl-accepting chemotaxis sensory transducer



- Molecule 1: Methyl-accepting chemotaxis sensory transducer



- Molecule 1: Methyl-accepting chemotaxis sensory transducer



Y165	V166	P167	L180	L187	K190	A191	ALA	GLU	VAL	GLN	GLN	ILE	GLU	SER	SER	SER	ARG	THR	MET	HIS	HIS	HIS	HIS	HIS	M57	M58	G59	E60	P61	L62	L67	L68	A78	T82	A86	K87	S88	T108	V111	L112	A113	Q114	I115	L118	I119	P122	A123	E124	D129	M132	Q133	V134	R135	L139	R142	V145	A150	M153	L161	S164
------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.78Å 105.03Å 91.07Å 90.00° 90.95° 90.00°	Depositor
Resolution (Å)	53.20 – 2.80 53.20 – 2.80	Depositor EDS
% Data completeness (in resolution range)	95.1 (53.20-2.80) 94.8 (53.20-2.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.222 , 0.266 0.224 , 0.266	Depositor DCC
R_{free} test set	1520 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	55.6	Xtriage
Anisotropy	0.320	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 55.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.024 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8363	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.18	0/1091	0.46	0/1476
1	B	0.15	0/1049	0.42	0/1419
1	C	0.16	0/1056	0.44	0/1429
1	D	0.15	0/1049	0.40	0/1419
1	E	0.17	0/1049	0.41	0/1419
1	F	0.17	0/1041	0.44	0/1409
1	G	0.19	0/1065	0.41	0/1441
1	H	0.18	0/1035	0.45	0/1400
All	All	0.17	0/8435	0.43	0/11412

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1082	0	1117	24	0
1	B	1040	0	1077	15	0
1	C	1047	0	1086	18	0
1	D	1040	0	1077	15	0
1	E	1040	0	1077	18	0
1	F	1032	0	1068	14	0
1	G	1056	0	1092	19	0
1	H	1026	0	1066	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8363	0	8660	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:MET:SD	1:A:135:ARG:NH2	2.49	0.86
1:C:105:THR:HG21	1:H:150:ALA:HB1	1.66	0.78
1:B:61:PRO:HB2	1:B:187:LEU:HD13	1.72	0.72
1:E:78:ALA:O	1:E:82:THR:OG1	2.13	0.67
1:D:88:SER:O	1:D:149:LYS:NZ	2.28	0.67
1:E:161:LEU:O	1:E:166:VAL:HG23	1.96	0.65
1:B:119:ILE:O	1:B:125:ARG:NH2	2.30	0.65
1:E:61:PRO:HB2	1:E:187:LEU:HD23	1.80	0.64
1:D:61:PRO:HB2	1:D:187:LEU:HD13	1.79	0.63
1:F:166:VAL:HG22	1:F:167:PRO:HD3	1.79	0.63
1:C:88:SER:HB2	1:D:93:LEU:HD11	1.79	0.63
1:E:153:MET:HB3	1:E:156:GLU:HG3	1.81	0.62
1:G:161:LEU:O	1:G:166:VAL:HG23	1.99	0.62
1:C:161:LEU:O	1:C:166:VAL:HG23	1.98	0.62
1:C:87:LYS:NZ	1:C:158:GLU:OE1	2.33	0.60
1:H:112:LEU:HD11	1:H:132:MET:HE1	1.84	0.60
1:B:151:ASP:OD2	1:F:135:ARG:NH2	2.33	0.59
1:F:71:TRP:HB2	1:F:111:VAL:HG21	1.84	0.59
1:A:161:LEU:O	1:A:166:VAL:HG23	2.04	0.58
1:F:161:LEU:O	1:F:166:VAL:HG13	2.04	0.57
1:C:78:ALA:O	1:C:82:THR:OG1	2.18	0.57
1:F:72:ASN:HA	1:F:176:LEU:HD13	1.87	0.57
1:H:166:VAL:HG22	1:H:167:PRO:HD3	1.86	0.57
1:C:116:GLU:HG2	1:C:128:LEU:HD21	1.88	0.56
1:G:91:ALA:O	1:G:94:VAL:HG23	2.05	0.56
1:G:194:VAL:HG21	1:H:57:MET:HG3	1.87	0.56
1:C:88:SER:O	1:C:149:LYS:NZ	2.38	0.56
1:C:151:ASP:OD1	1:H:135:ARG:NH2	2.39	0.55
1:A:78:ALA:O	1:A:82:THR:OG1	2.22	0.55
1:F:127:ILE:HG21	1:F:179:LEU:HB2	1.89	0.55
1:B:184:ARG:HH11	1:B:184:ARG:HG2	1.71	0.55
1:B:60:GLU:HB3	1:B:61:PRO:HD3	1.89	0.54
1:G:93:LEU:HD11	1:H:88:SER:HB2	1.87	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:139:ILE:HG13	1:E:155:GLU:HB3	1.90	0.54
1:B:135:ARG:O	1:B:139:ILE:HG13	2.07	0.54
1:G:60:GLU:HB3	1:G:61:PRO:HD3	1.90	0.54
1:G:174:LYS:HE2	1:G:178:GLU:OE2	2.08	0.54
1:D:91:ALA:O	1:D:94:VAL:HG23	2.07	0.54
1:E:104:THR:O	1:E:108:THR:HG23	2.08	0.54
1:B:58:MET:HB3	1:B:190:LYS:HZ3	1.73	0.53
1:E:88:SER:O	1:E:149:LYS:NZ	2.39	0.53
1:D:88:SER:OG	1:D:93:LEU:HD12	2.08	0.53
1:G:125:ARG:HG3	1:G:125:ARG:HH11	1.73	0.53
1:H:114:GLN:O	1:H:118:LEU:HD13	2.08	0.53
1:A:136:LYS:HD2	1:G:158:GLU:HG3	1.90	0.52
1:D:135:ARG:NH1	1:D:172:TYR:OH	2.42	0.52
1:H:82:THR:HG21	1:H:142:ARG:HG3	1.92	0.52
1:B:135:ARG:NH1	1:B:172:TYR:OH	2.41	0.52
1:D:62:LEU:HD21	1:D:66:ARG:CZ	2.39	0.52
1:D:67:LEU:HB3	1:D:115:ILE:CD1	2.40	0.52
1:H:62:LEU:HA	1:H:187:LEU:HD11	1.92	0.52
1:E:61:PRO:HG2	1:E:190:LYS:HD3	1.93	0.51
1:H:68:ILE:HG22	1:H:115:ILE:HD13	1.91	0.51
1:C:61:PRO:HB2	1:C:187:LEU:HD13	1.92	0.51
1:D:136:LYS:HD2	1:E:158:GLU:HG3	1.93	0.51
1:H:58:MET:O	1:H:61:PRO:HD2	2.11	0.50
1:G:128:LEU:O	1:G:132:MET:HG2	2.12	0.50
1:A:104:THR:O	1:A:108:THR:OG1	2.26	0.50
1:E:91:ALA:O	1:E:94:VAL:HG23	2.11	0.50
1:H:111:VAL:O	1:H:115:ILE:HG13	2.12	0.50
1:H:161:LEU:O	1:H:166:VAL:HG13	2.12	0.50
1:A:58:MET:O	1:A:61:PRO:HD2	2.12	0.49
1:F:68:ILE:HD11	1:F:180:LEU:HA	1.93	0.49
1:A:153:MET:SD	1:A:153:MET:N	2.86	0.48
1:E:74:ASN:HB3	1:E:108:THR:HG22	1.95	0.48
1:G:135:ARG:O	1:G:139:ILE:HG23	2.14	0.48
1:G:139:ILE:HG13	1:G:140:ALA:N	2.28	0.47
1:C:139:ILE:HG23	1:C:142:ARG:NH2	2.29	0.47
1:B:180:LEU:O	1:B:184:ARG:HG3	2.14	0.47
1:C:135:ARG:O	1:C:139:ILE:HG13	2.14	0.47
1:H:164:SER:C	1:H:167:PRO:HD2	2.40	0.47
1:F:85:ILE:HA	1:F:93:LEU:HD12	1.97	0.46
1:C:147:GLN:HG2	1:H:139:ILE:HD12	1.98	0.46
1:E:114:GLN:O	1:E:118:LEU:HD13	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:63:THR:O	1:D:67:LEU:HD13	2.15	0.46
1:C:91:ALA:O	1:C:94:VAL:HG23	2.16	0.46
1:E:68:ILE:HD12	1:E:180:LEU:HA	1.97	0.46
1:A:91:ALA:O	1:A:94:VAL:HG23	2.15	0.45
1:B:65:GLU:OE2	1:B:184:ARG:NH1	2.49	0.45
1:B:153:MET:HB3	1:B:156:GLU:OE1	2.15	0.45
1:A:58:MET:HB2	1:A:190:LYS:HE2	1.97	0.45
1:H:60:GLU:HB2	1:H:61:PRO:HD3	1.99	0.45
1:H:153:MET:H	1:H:153:MET:HG2	1.39	0.45
1:G:125:ARG:HG3	1:G:125:ARG:NH1	2.32	0.45
1:D:67:LEU:HB3	1:D:115:ILE:HD11	1.99	0.45
1:A:69:SER:OG	1:B:69:SER:OG	2.34	0.45
1:C:69:SER:OG	1:D:69:SER:OG	2.35	0.45
1:F:114:GLN:O	1:F:118:LEU:HD13	2.17	0.45
1:G:127:ILE:HG21	1:G:179:LEU:HB2	1.98	0.45
1:A:82:THR:HB	1:A:165:TYR:OH	2.17	0.44
1:G:111:VAL:O	1:G:115:ILE:HG13	2.18	0.44
1:H:129:ASP:O	1:H:133:GLN:HG2	2.17	0.44
1:B:119:ILE:HG23	1:B:124:GLU:HB2	2.00	0.44
1:E:60:GLU:HB2	1:E:61:PRO:HD3	1.99	0.44
1:C:58:MET:O	1:C:58:MET:HG3	2.18	0.43
1:F:164:SER:C	1:F:167:PRO:HD2	2.43	0.43
1:A:128:LEU:O	1:A:132:MET:HG2	2.17	0.43
1:D:135:ARG:O	1:D:139:ILE:HG12	2.19	0.43
1:H:68:ILE:HD11	1:H:180:LEU:HA	2.01	0.43
1:A:68:ILE:HG13	1:A:115:ILE:HG21	2.00	0.43
1:C:108:THR:HA	1:C:111:VAL:HG12	2.01	0.43
1:A:69:SER:HG	1:B:69:SER:HG	1.66	0.43
1:A:143:ASP:O	1:A:147:GLN:HG2	2.18	0.42
1:C:71:TRP:CZ2	1:C:112:LEU:HD13	2.54	0.42
1:G:57:MET:HB2	1:H:190:LYS:NZ	2.34	0.42
1:H:119:ILE:HG23	1:H:124:GLU:HB3	2.01	0.42
1:A:191:ALA:O	1:A:194:VAL:HG12	2.20	0.42
1:G:58:MET:HE3	1:G:58:MET:HB2	1.69	0.42
1:E:156:GLU:H	1:E:156:GLU:HG2	1.53	0.42
1:A:82:THR:CG2	1:A:142:ARG:HG3	2.50	0.42
1:D:87:LYS:HE2	1:D:158:GLU:OE2	2.20	0.42
1:H:122:PRO:C	1:H:124:GLU:H	2.27	0.42
1:A:114:GLN:O	1:A:118:LEU:HD13	2.20	0.41
1:E:82:THR:HB	1:E:165:TYR:OH	2.20	0.41
1:H:166:VAL:CG2	1:H:167:PRO:HD3	2.49	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:LYS:HA	1:A:193:GLU:HG2	2.01	0.41
1:A:156:GLU:OE1	1:A:156:GLU:N	2.41	0.41
1:B:127:ILE:HG21	1:B:179:LEU:HB2	2.01	0.41
1:F:64:LYS:O	1:F:68:ILE:HG23	2.20	0.41
1:F:134:VAL:HG11	1:F:175:LEU:HD12	2.03	0.41
1:A:58:MET:CB	1:A:190:LYS:HE2	2.50	0.41
1:A:140:ALA:HB1	1:G:162:ILE:HD12	2.03	0.41
1:C:111:VAL:O	1:C:115:ILE:HG22	2.21	0.41
1:E:127:ILE:HG21	1:E:179:LEU:HB2	2.02	0.41
1:F:78:ALA:O	1:F:82:THR:HG23	2.20	0.41
1:F:107:SER:O	1:F:111:VAL:HG13	2.21	0.41
1:G:155:GLU:H	1:G:155:GLU:HG3	1.55	0.41
1:H:78:ALA:O	1:H:82:THR:OG1	2.36	0.41
1:H:86:ALA:HB1	1:H:145:VAL:HG11	2.03	0.40
1:A:119:ILE:HG23	1:A:124:GLU:CB	2.51	0.40
1:A:176:LEU:HD23	1:A:176:LEU:HA	1.95	0.40
1:E:68:ILE:HD11	1:E:183:GLN:HB3	2.04	0.40
1:G:145:VAL:O	1:G:149:LYS:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/154 (91%)	137 (98%)	3 (2%)	0	100	100
1	B	135/154 (88%)	129 (96%)	6 (4%)	0	100	100
1	C	136/154 (88%)	135 (99%)	1 (1%)	0	100	100
1	D	135/154 (88%)	129 (96%)	6 (4%)	0	100	100
1	E	135/154 (88%)	131 (97%)	4 (3%)	0	100	100
1	F	134/154 (87%)	130 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	137/154 (89%)	133 (97%)	4 (3%)	0	100	100
1	H	133/154 (86%)	128 (96%)	5 (4%)	0	100	100
All	All	1085/1232 (88%)	1052 (97%)	33 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	117/129 (91%)	106 (91%)	11 (9%)	8	27
1	B	112/129 (87%)	106 (95%)	6 (5%)	20	51
1	C	113/129 (88%)	107 (95%)	6 (5%)	20	52
1	D	112/129 (87%)	102 (91%)	10 (9%)	9	29
1	E	112/129 (87%)	103 (92%)	9 (8%)	11	34
1	F	111/129 (86%)	103 (93%)	8 (7%)	13	39
1	G	114/129 (88%)	106 (93%)	8 (7%)	14	40
1	H	111/129 (86%)	105 (95%)	6 (5%)	20	51
All	All	902/1032 (87%)	838 (93%)	64 (7%)	13	39

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	MET
1	A	59	GLN
1	A	82	THR
1	A	94	VAL
1	A	104	THR
1	A	108	THR
1	A	111	VAL
1	A	115	ILE
1	A	134	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	153	MET
1	A	158	GLU
1	B	95	GLN
1	B	108	THR
1	B	111	VAL
1	B	112	LEU
1	B	158	GLU
1	B	175	LEU
1	C	57	MET
1	C	82	THR
1	C	94	VAL
1	C	108	THR
1	C	193	GLU
1	C	194	VAL
1	D	58	MET
1	D	73	SER
1	D	88	SER
1	D	94	VAL
1	D	104	THR
1	D	108	THR
1	D	111	VAL
1	D	115	ILE
1	D	134	VAL
1	D	158	GLU
1	E	58	MET
1	E	62	LEU
1	E	82	THR
1	E	94	VAL
1	E	104	THR
1	E	111	VAL
1	E	115	ILE
1	E	134	VAL
1	E	156	GLU
1	F	58	MET
1	F	95	GLN
1	F	111	VAL
1	F	112	LEU
1	F	115	ILE
1	F	153	MET
1	F	166	VAL
1	F	193	GLU
1	G	58	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	62	LEU
1	G	94	VAL
1	G	111	VAL
1	G	139	ILE
1	G	155	GLU
1	G	193	GLU
1	G	195	GLU
1	H	58	MET
1	H	67	LEU
1	H	82	THR
1	H	108	THR
1	H	134	VAL
1	H	153	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	110	ASN
1	A	121	GLN
1	B	121	GLN
1	B	163	ASN
1	C	163	ASN
1	E	121	GLN
1	F	95	GLN
1	F	133	GLN
1	F	163	ASN
1	H	110	ASN
1	H	121	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	142/154 (92%)	-0.15	0 100 100	35, 58, 94, 121	0
1	B	137/154 (88%)	-0.17	1 (0%) 84 77	36, 54, 97, 116	0
1	C	138/154 (89%)	-0.22	1 (0%) 84 77	41, 56, 91, 102	0
1	D	137/154 (88%)	0.09	5 (3%) 46 37	41, 63, 108, 129	0
1	E	137/154 (88%)	-0.00	0 100 100	48, 72, 108, 119	0
1	F	136/154 (88%)	-0.09	1 (0%) 84 77	41, 61, 102, 133	0
1	G	139/154 (90%)	-0.19	0 100 100	44, 63, 95, 124	0
1	H	135/154 (87%)	-0.07	0 100 100	44, 67, 115, 126	0
All	All	1101/1232 (89%)	-0.10	8 (0%) 84 77	35, 62, 103, 133	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	102	ALA	3.3
1	D	153	MET	3.1
1	D	101	ALA	2.7
1	D	94	VAL	2.7
1	B	192	ALA	2.7
1	D	98	ALA	2.5
1	C	194	VAL	2.0
1	F	187	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.