



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:26 AM UTC

PDB ID : 2XVV / pdb_00002xvv
Title : Human serum albumin complexed with dansyl-L-asparagine and myristic acid
Authors : Ghuman, J.; Curry, S.
Deposited on : 2010-10-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4646 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called SERUM ALBUMIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	582	Total	C	N	O	S	0	0	0
			4477	2837	752	847	41			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	521	GLU	ARG	conflict	UNP P02768

- Molecule 2 is MYRISTIC ACID (CCD ID: MYR) (formula: C₁₄H₂₈O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			16	14	2		
2	A	1	Total	C	O	0	0
			16	14	2		
2	A	1	Total	C	O	0	0
			13	11	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	11	2		
2	A	1	Total	C	O	0	0
			16	14	2		
2	A	1	Total	C	O	0	0
			16	14	2		

- Molecule 3 is DANSYL-L-ASPARAGINE (CCD ID: 9DN) (formula: $C_{16}H_{19}N_3O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			25	16	3	5	1		
3	A	1	Total	C	N	O	S	0	0
			25	16	3	5	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	29	Total O 29 29	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	187.84Å 38.89Å 95.52Å 90.00° 106.18° 90.00°	Depositor
Resolution (Å)	22.09 – 2.40 22.09 – 2.40	Depositor EDS
% Data completeness (in resolution range)	95.4 (22.09-2.40) 95.3 (22.09-2.40)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 2.41Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.206 , 0.250 0.219 , 0.258	Depositor DCC
R_{free} test set	1224 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	48.1	Xtriage
Anisotropy	0.302	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 51.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4646	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, 9DN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/4565	0.95	25/6183 (0.4%)

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	360	CYS	N-CA-C	6.99	118.90	111.28
1	A	146	HIS	CA-C-N	6.83	126.80	119.28
1	A	146	HIS	C-N-CA	6.83	126.80	119.28
1	A	15	GLY	N-CA-C	-6.83	103.03	112.18
1	A	14	LEU	N-CA-C	6.75	118.72	111.36
1	A	132	GLU	N-CA-C	6.72	118.26	111.07
1	A	403	PHE	N-CA-C	-6.69	104.07	111.36
1	A	415	VAL	CA-C-N	6.23	125.92	119.56
1	A	415	VAL	C-N-CA	6.23	125.92	119.56
1	A	398	LEU	N-CA-C	-6.20	102.35	110.53
1	A	281	LYS	CA-C-N	5.70	125.66	119.78
1	A	281	LYS	C-N-CA	5.70	125.66	119.78
1	A	323	LYS	N-CA-C	5.63	117.89	111.02
1	A	178	LEU	N-CA-C	5.54	117.18	111.03
1	A	160	ARG	N-CA-C	-5.53	105.17	111.14
1	A	339	PRO	N-CA-C	-5.51	106.98	113.86
1	A	345	LEU	N-CA-C	-5.46	105.25	111.14
1	A	498	VAL	CA-C-N	5.28	125.29	119.90
1	A	498	VAL	C-N-CA	5.28	125.29	119.90
1	A	391	ASN	N-CA-C	5.25	117.08	111.36
1	A	430	LEU	N-CA-C	-5.22	105.58	111.28
1	A	459	GLN	N-CA-C	-5.21	105.60	111.28
1	A	302	LEU	CA-C-N	5.13	126.25	119.84
1	A	302	LEU	C-N-CA	5.13	126.25	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	342	SER	N-CA-C	-5.01	103.78	110.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4477	0	4256	114	0
2	A	90	0	144	3	0
3	A	50	0	36	2	0
4	A	29	0	0	5	0
All	All	4646	0	4436	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:305:LEU:HD22	1:A:337:ARG:HH11	1.29	0.93
1:A:305:LEU:HD22	1:A:337:ARG:NH1	1.95	0.81
1:A:576:VAL:HG12	1:A:580:GLN:HE21	1.45	0.80
1:A:244:GLU:OE1	1:A:252:GLU:HG3	1.85	0.74
1:A:119:GLU:O	1:A:122:VAL:HG22	1.87	0.73
1:A:449:ALA:O	1:A:453:LEU:HB2	1.91	0.71
1:A:305:LEU:HD11	1:A:333:GLU:HB3	1.73	0.70
3:A:2002:9DN:H2	3:A:2002:9DN:HA	1.74	0.69
1:A:417:GLN:HB3	1:A:469:VAL:CG1	2.23	0.68
1:A:131:GLU:OE2	1:A:162:LYS:HE3	1.94	0.68
1:A:150:TYR:H	1:A:196:GLN:HE22	1.42	0.67
1:A:231:VAL:O	1:A:235:VAL:HG23	1.94	0.67
1:A:339:PRO:HG3	4:A:3015:HOH:O	1.94	0.66
1:A:458:ASN:HD22	1:A:459:GLN:H	1.45	0.64
1:A:100:GLU:O	1:A:104:GLN:HG3	1.98	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:519:LYS:O	1:A:523:ILE:HG22	1.98	0.64
1:A:400:GLU:O	1:A:404:GLN:HG3	1.98	0.63
1:A:101:CYS:O	1:A:105:HIS:HD2	1.83	0.62
1:A:558:CYS:HB3	1:A:568:PHE:CE1	2.35	0.61
1:A:266:GLU:C	1:A:267:ASN:HD22	2.08	0.61
1:A:388:ILE:HD13	2:A:1003:MYR:H72	1.84	0.60
1:A:351:LYS:HG3	4:A:3022:HOH:O	2.02	0.60
1:A:49:PHE:O	1:A:52:THR:HB	2.01	0.59
1:A:458:ASN:HD22	1:A:459:GLN:N	2.00	0.59
1:A:576:VAL:HG12	1:A:580:GLN:NE2	2.15	0.59
1:A:37:GLU:H	1:A:37:GLU:CD	2.09	0.59
1:A:466:LYS:O	1:A:468:PRO:HD3	2.02	0.59
1:A:127:PHE:CE1	1:A:131:GLU:HG3	2.37	0.59
1:A:554:PHE:HE1	1:A:571:GLU:HB2	1.68	0.59
1:A:417:GLN:HB3	1:A:469:VAL:HG12	1.85	0.58
1:A:156:PHE:HZ	1:A:284:LEU:O	1.86	0.58
1:A:458:ASN:ND2	1:A:459:GLN:N	2.51	0.58
1:A:466:LYS:C	1:A:468:PRO:HD3	2.29	0.56
1:A:81:ARG:NH2	1:A:89:ASP:OD1	2.38	0.56
1:A:305:LEU:CD1	1:A:333:GLU:HB3	2.37	0.54
1:A:558:CYS:HB3	1:A:568:PHE:CD1	2.42	0.54
1:A:408:LEU:HD13	1:A:427:SER:HB2	1.90	0.54
1:A:576:VAL:O	1:A:580:GLN:HG3	2.08	0.54
1:A:173:ASP:OD2	1:A:176:ALA:HB2	2.07	0.54
1:A:522:GLN:O	1:A:526:GLN:HG3	2.08	0.54
1:A:305:LEU:HD21	1:A:337:ARG:HD2	1.90	0.53
1:A:367:HIS:O	1:A:371:ALA:HB2	2.08	0.53
1:A:31:LEU:CD1	1:A:74:LEU:HD11	2.38	0.53
1:A:430:LEU:HD21	2:A:1004:MYR:H61	1.91	0.53
1:A:425:GLU:OE2	1:A:459:GLN:NE2	2.41	0.53
1:A:426:VAL:HG21	1:A:460:LEU:HD13	1.91	0.53
1:A:194:ALA:O	1:A:198:LEU:HB2	2.10	0.52
1:A:87:MET:HE2	1:A:105:HIS:HB3	1.91	0.52
1:A:73:LYS:O	1:A:76:THR:HB	2.10	0.52
1:A:225:LYS:HE3	1:A:297:GLU:O	2.09	0.52
1:A:283:LEU:C	1:A:283:LEU:HD13	2.35	0.52
1:A:550:ASP:HB3	1:A:575:LEU:HD11	1.92	0.52
1:A:77:VAL:O	1:A:80:LEU:HB2	2.10	0.51
1:A:424:VAL:O	1:A:428:ARG:HG3	2.10	0.51
1:A:551:PHE:O	1:A:554:PHE:HB3	2.10	0.51
1:A:177:CYS:O	1:A:181:LYS:HG3	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:553:ALA:O	1:A:554:PHE:C	2.53	0.51
1:A:513:ILE:HA	1:A:516:LEU:HD12	1.91	0.51
1:A:25:ILE:O	1:A:29:GLN:HG3	2.12	0.49
1:A:395:PHE:CZ	1:A:435:SER:HA	2.46	0.49
1:A:31:LEU:HD11	1:A:74:LEU:CD1	2.42	0.49
1:A:538:LYS:HB2	4:A:3028:HOH:O	2.12	0.49
1:A:509:PHE:O	1:A:568:PHE:HB3	2.13	0.48
1:A:267:ASN:HD22	1:A:267:ASN:N	2.10	0.48
1:A:408:LEU:HD13	1:A:427:SER:CB	2.43	0.48
1:A:222:ARG:HD3	1:A:293:VAL:HG12	1.96	0.48
1:A:146:HIS:ND1	4:A:3009:HOH:O	2.35	0.48
1:A:388:ILE:HD11	2:A:1003:MYR:H52	1.96	0.48
1:A:384:PRO:O	1:A:388:ILE:HG12	2.14	0.48
1:A:203:LEU:O	1:A:203:LEU:HD23	2.12	0.47
1:A:230:GLU:O	1:A:234:LEU:HG	2.14	0.47
1:A:429:ASN:O	1:A:433:VAL:HG23	2.15	0.47
1:A:208:GLU:HG2	1:A:212:LYS:HE3	1.97	0.47
1:A:302:LEU:HA	1:A:303:PRO:HD3	1.82	0.46
1:A:259:ASP:O	1:A:262:LYS:HG2	2.15	0.46
1:A:407:LEU:HD13	1:A:430:LEU:HB3	1.97	0.46
1:A:437:CYS:HA	1:A:440:HIS:HD2	1.79	0.46
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.51	0.46
1:A:525:LYS:HG2	1:A:551:PHE:HE2	1.81	0.46
1:A:395:PHE:O	1:A:398:LEU:O	2.35	0.44
1:A:311:GLU:O	1:A:312:SER:C	2.61	0.44
1:A:452:TYR:O	1:A:455:VAL:HG13	2.17	0.44
1:A:305:LEU:CD2	1:A:337:ARG:HH11	2.15	0.44
1:A:373:VAL:HG13	1:A:374:PHE:HD1	1.82	0.43
1:A:118:PRO:HD2	1:A:123:MET:HE3	2.00	0.43
1:A:150:TYR:CD2	1:A:152:PRO:HD2	2.54	0.43
1:A:408:LEU:HD21	1:A:526:GLN:HB3	2.00	0.43
1:A:151:ALA:HB3	1:A:152:PRO:HD3	2.01	0.43
1:A:483:ASN:C	1:A:486:PRO:HD2	2.44	0.43
1:A:562:ASP:O	1:A:563:ASP:HB3	2.18	0.42
1:A:458:ASN:HD22	1:A:458:ASN:N	2.17	0.42
1:A:198:LEU:HD12	1:A:198:LEU:HA	1.90	0.42
1:A:241:VAL:HG22	1:A:256:ASP:HB3	2.01	0.42
1:A:260:LEU:HD23	3:A:2001:9DN:H122	2.00	0.42
1:A:420:THR:N	1:A:421:PRO:HD2	2.34	0.42
1:A:452:TYR:O	1:A:456:VAL:HG23	2.20	0.42
1:A:168:CYS:SG	1:A:177:CYS:C	3.03	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:LYS:O	1:A:290:ILE:HG13	2.20	0.42
1:A:518:GLU:OE1	1:A:518:GLU:HA	2.20	0.42
1:A:541:LYS:O	1:A:545:LYS:HB3	2.19	0.42
1:A:518:GLU:O	1:A:522:GLN:HG3	2.19	0.42
1:A:81:ARG:O	1:A:85:GLY:HA2	2.21	0.41
1:A:218:ARG:NE	4:A:3013:HOH:O	2.53	0.41
1:A:370:TYR:O	1:A:370:TYR:HD1	2.03	0.41
1:A:408:LEU:CD1	1:A:427:SER:HB2	2.50	0.41
1:A:554:PHE:CE1	1:A:571:GLU:HB2	2.54	0.41
1:A:74:LEU:HD12	1:A:74:LEU:HA	1.92	0.41
1:A:31:LEU:HD11	1:A:74:LEU:HD11	2.02	0.41
1:A:153:GLU:HA	1:A:156:PHE:CD2	2.55	0.41
1:A:555:VAL:O	1:A:556:GLU:C	2.64	0.41
1:A:430:LEU:HA	1:A:430:LEU:HD12	1.78	0.40
1:A:551:PHE:O	1:A:552:ALA:C	2.64	0.40
1:A:558:CYS:CB	1:A:568:PHE:CE1	3.04	0.40
1:A:370:TYR:C	1:A:370:TYR:CD1	2.99	0.40
1:A:10:ARG:NH2	1:A:255:ASP:OD1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	580/585 (99%)	535 (92%)	38 (7%)	7 (1%)	10	16

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	130	ASN
1	A	307	ALA
1	A	303	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	469	VAL
1	A	554	PHE
1	A	281	LYS
1	A	555	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	463/511 (91%)	448 (97%)	15 (3%)	34 56

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	52	THR
1	A	76	THR
1	A	103	LEU
1	A	132	GLU
1	A	139	LEU
1	A	283	LEU
1	A	408	LEU
1	A	453	LEU
1	A	455	VAL
1	A	457	LEU
1	A	458	ASN
1	A	508	THR
1	A	523	ILE
1	A	544	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	32	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	104	GLN
1	A	105	HIS
1	A	146	HIS
1	A	196	GLN
1	A	221	GLN
1	A	247	HIS
1	A	267	ASN
1	A	318	ASN
1	A	385	GLN
1	A	404	GLN
1	A	440	HIS
1	A	458	ASN
1	A	483	ASN
1	A	580	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	9DN	A	2001	-	26,26,26	1.93	10 (38%)	38,38,38	1.31	6 (15%)
2	MYR	A	1003	-	12,12,15	0.71	0	12,12,15	1.11	1 (8%)
2	MYR	A	1005	-	15,15,15	0.67	0	15,15,15	0.91	1 (6%)
2	MYR	A	1002	-	15,15,15	0.64	0	15,15,15	0.99	1 (6%)
3	9DN	A	2002	-	26,26,26	2.61	11 (42%)	38,38,38	1.50	5 (13%)
2	MYR	A	1006	-	15,15,15	0.63	0	15,15,15	1.00	1 (6%)
2	MYR	A	1001	-	15,15,15	0.58	0	15,15,15	1.06	1 (6%)
2	MYR	A	1004	-	12,12,15	0.73	0	12,12,15	1.04	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	9DN	A	2001	-	-	6/23/23/23	0/2/2/2
2	MYR	A	1003	-	-	8/10/10/13	-
2	MYR	A	1005	-	-	7/13/13/13	-
2	MYR	A	1002	-	-	10/13/13/13	-
3	9DN	A	2002	-	-	8/23/23/23	0/2/2/2
2	MYR	A	1006	-	-	10/13/13/13	-
2	MYR	A	1001	-	-	11/13/13/13	-
2	MYR	A	1004	-	-	7/10/10/13	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2002	9DN	C1-S1	7.93	1.86	1.77
3	A	2002	9DN	C1-C6	4.40	1.50	1.43
3	A	2002	9DN	C8-C9	4.14	1.46	1.38
3	A	2001	9DN	C1-S1	4.08	1.82	1.77
3	A	2001	9DN	C8-C9	3.67	1.45	1.38
3	A	2002	9DN	C9-C10	3.60	1.45	1.38
3	A	2001	9DN	C9-C10	3.27	1.44	1.38
3	A	2002	9DN	S1-N	3.10	1.66	1.61
3	A	2002	9DN	O-C	2.88	1.30	1.22
3	A	2001	9DN	C6-C5	2.86	1.48	1.43
3	A	2002	9DN	C6-C5	2.80	1.48	1.43
3	A	2001	9DN	C1-C6	2.65	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2001	9DN	O-C	2.64	1.29	1.22
3	A	2002	9DN	CB-CA	2.57	1.59	1.53
3	A	2001	9DN	OXT-C	-2.53	1.22	1.30
3	A	2002	9DN	C3-C2	2.38	1.43	1.38
3	A	2001	9DN	C10-C5	2.36	1.48	1.42
3	A	2002	9DN	OXT-C	-2.25	1.23	1.30
3	A	2002	9DN	C10-C5	2.23	1.47	1.42
3	A	2001	9DN	C3-C2	2.21	1.42	1.38
3	A	2001	9DN	C12-N1	2.17	1.50	1.45

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2002	9DN	C1-S1-N	4.09	113.52	106.96
3	A	2001	9DN	C12-N1-C11	-3.28	105.63	116.18
3	A	2002	9DN	C12-N1-C11	-3.25	105.75	116.18
3	A	2002	9DN	O3-S1-O2	-2.85	116.06	119.52
3	A	2001	9DN	C-CA-N	2.52	117.24	111.61
2	A	1001	MYR	C4-C3-C2	-2.44	104.14	113.13
2	A	1006	MYR	C4-C3-C2	-2.37	104.42	113.13
2	A	1002	MYR	C4-C3-C2	-2.36	104.45	113.13
3	A	2001	9DN	OXT-C-CA	2.35	121.47	113.51
2	A	1005	MYR	C4-C3-C2	-2.31	104.65	113.13
3	A	2002	9DN	OXT-C-CA	2.25	121.14	113.51
3	A	2001	9DN	CB-CA-N	-2.21	107.32	109.87
2	A	1003	MYR	C4-C3-C2	-2.21	105.02	113.13
3	A	2002	9DN	C10-C5-C6	2.16	121.55	119.33
2	A	1004	MYR	C4-C3-C2	-2.15	105.22	113.13
3	A	2001	9DN	C10-C5-C6	2.15	121.54	119.33
3	A	2001	9DN	C9-C10-C5	-2.03	116.22	119.95

There are no chirality outliers.

All (67) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2001	9DN	C-CA-CB-CG
3	A	2002	9DN	N-CA-CB-CG
3	A	2002	9DN	C-CA-CB-CG
3	A	2002	9DN	C2-C1-S1-N
3	A	2002	9DN	C6-C1-S1-N
3	A	2002	9DN	C6-C1-S1-O3
3	A	2001	9DN	CA-N-S1-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	2001	9DN	CA-N-S1-C1
3	A	2002	9DN	C2-C1-S1-O3
3	A	2001	9DN	N-CA-CB-CG
2	A	1002	MYR	C11-C10-C9-C8
2	A	1004	MYR	C1-C2-C3-C4
2	A	1002	MYR	C10-C11-C12-C13
2	A	1004	MYR	C7-C8-C9-C10
2	A	1001	MYR	C1-C2-C3-C4
2	A	1001	MYR	C4-C5-C6-C7
2	A	1001	MYR	C9-C10-C11-C12
2	A	1003	MYR	C5-C6-C7-C8
2	A	1004	MYR	C4-C5-C6-C7
2	A	1006	MYR	C4-C5-C6-C7
2	A	1006	MYR	C5-C6-C7-C8
2	A	1003	MYR	C1-C2-C3-C4
2	A	1004	MYR	C2-C3-C4-C5
2	A	1005	MYR	C6-C7-C8-C9
2	A	1006	MYR	C10-C11-C12-C13
2	A	1005	MYR	C1-C2-C3-C4
2	A	1001	MYR	C2-C3-C4-C5
2	A	1003	MYR	C6-C7-C8-C9
2	A	1005	MYR	C3-C4-C5-C6
2	A	1005	MYR	C2-C3-C4-C5
2	A	1006	MYR	C1-C2-C3-C4
2	A	1005	MYR	C5-C6-C7-C8
2	A	1002	MYR	C4-C5-C6-C7
2	A	1002	MYR	C2-C3-C4-C5
2	A	1005	MYR	C9-C10-C11-C12
2	A	1004	MYR	C11-C10-C9-C8
2	A	1006	MYR	C11-C10-C9-C8
2	A	1003	MYR	C11-C10-C9-C8
2	A	1001	MYR	C6-C7-C8-C9
2	A	1002	MYR	C6-C7-C8-C9
2	A	1005	MYR	C11-C10-C9-C8
2	A	1001	MYR	C11-C12-C13-C14
2	A	1001	MYR	C11-C10-C9-C8
2	A	1002	MYR	C7-C8-C9-C10
2	A	1002	MYR	C9-C10-C11-C12
2	A	1006	MYR	C2-C3-C4-C5
3	A	2001	9DN	CA-CB-CG-OD1
3	A	2001	9DN	CA-CB-CG-ND2
3	A	2002	9DN	CB-CA-N-S1

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1003	MYR	C4-C5-C6-C7
3	A	2002	9DN	C-CA-N-S1
2	A	1001	MYR	C3-C4-C5-C6
2	A	1003	MYR	C7-C8-C9-C10
2	A	1004	MYR	O1-C1-C2-C3
2	A	1001	MYR	C10-C11-C12-C13
2	A	1002	MYR	C5-C6-C7-C8
2	A	1006	MYR	C7-C8-C9-C10
2	A	1002	MYR	O2-C1-C2-C3
2	A	1002	MYR	O1-C1-C2-C3
2	A	1003	MYR	O2-C1-C2-C3
2	A	1001	MYR	O2-C1-C2-C3
2	A	1004	MYR	O2-C1-C2-C3
2	A	1003	MYR	O1-C1-C2-C3
2	A	1006	MYR	O2-C1-C2-C3
2	A	1001	MYR	O1-C1-C2-C3
2	A	1006	MYR	O1-C1-C2-C3
2	A	1006	MYR	C9-C10-C11-C12

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2001	9DN	1	0
2	A	1003	MYR	2	0
3	A	2002	9DN	1	0
2	A	1004	MYR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	582/585 (99%)	-0.31	1 (0%) 91 89	26, 53, 76, 91	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	156	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	9DN	A	2002	25/25	0.85	0.12	64,70,87,89	0
2	MYR	A	1006	16/16	0.87	0.12	44,52,74,75	0
2	MYR	A	1002	16/16	0.87	0.13	58,63,69,69	0
2	MYR	A	1003	13/16	0.90	0.12	46,49,59,59	0
2	MYR	A	1004	13/16	0.93	0.08	41,43,53,56	0
2	MYR	A	1005	16/16	0.94	0.11	48,53,60,61	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	9DN	A	2001	25/25	0.95	0.10	51,54,64,66	0
2	MYR	A	1001	16/16	0.95	0.09	51,53,61,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 9DN A 2002:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.