



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:18 AM UTC

PDB ID : 4XVU / pdb_00004xvu
Title : Structure of Get3 bound to the transmembrane domain of Nyv1
Authors : Mateja, A.; Paduch, M.; Chang, H.-Y.; Szydlowska, A.; Kossiakoff, A.A.;
Hegde, R.S.; Keenan, R.J.
Deposited on : 2015-01-28
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	5% 79% 6% 15%
1	B	354	3% 78% 7% 14%
1	G	354	3% 79% 8% 13%
1	H	354	5% 79% 9% 12%
2	C	230	3% 90% 6% ...

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	230	5% 93%
2	I	230	8% 83% 7% 10%
2	K	230	22% 79% 13% 6%
3	D	217	2% 95% 5%
3	F	217	% 93% 6%
3	J	217	14% 90% 9%
3	L	217	9% 88% 11%
4	a	37	68% 32%
4	g	37	32% 68%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 46586 atoms, of which 22641 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPase GET3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	301	Total	C	H	N	O	S	0	2	0
			4764	1512	2373	397	464	18			
1	B	304	Total	C	H	N	O	S	0	1	0
			4794	1521	2387	399	469	18			
1	G	307	Total	C	H	N	O	S	0	0	0
			4835	1535	2408	403	473	16			
1	H	311	Total	C	H	N	O	S	0	0	0
			4887	1549	2436	408	477	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	57	ASN	ASP	engineered mutation	UNP Q12154
B	57	ASN	ASP	engineered mutation	UNP Q12154
G	57	ASN	ASP	engineered mutation	UNP Q12154
H	57	ASN	ASP	engineered mutation	UNP Q12154

- Molecule 2 is a protein called Antibody heavy chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	222	Total	C	H	N	O	S	0	0	0
			3289	1050	1625	282	326	6			
2	E	222	Total	C	H	N	O	S	0	0	0
			3289	1050	1625	282	326	6			
2	I	207	Total	C	H	N	O	S	0	0	0
			3097	996	1529	265	301	6			
2	K	216	Total	C	H	N	O	S	0	0	0
			3213	1029	1587	275	316	6			


- Molecule 3 is a protein called Antibody light chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	D	216	Total	C	H	N	O	S	0	0	0
			3269	1038	1611	276	338	6			
3	F	216	Total	C	H	N	O	S	0	0	0
			3269	1038	1611	276	338	6			
3	J	215	Total	C	H	N	O	S	0	0	0
			3257	1034	1607	275	335	6			
3	L	216	Total	C	H	N	O	S	0	0	0
			3269	1038	1611	276	338	6			

- Molecule 4 is a protein called Nyv1 TMD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	g	12	Total	C	H	N	O	0	0	0
			119	36	59	12	12			
4	a	25	Total	C	H	N	O	0	0	0
			252	75	127	25	25			

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	P	0	0
			42	10	11	5	13	3		
5	B	1	Total	C	H	N	O	P	0	0
			42	10	11	5	13	3		
5	G	1	Total	C	H	N	O	P	0	0
			42	10	11	5	13	3		
5	H	1	Total	C	H	N	O	P	0	0
			43	10	12	5	13	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	Mg 1	0	0
6	B	1	Total 1	Mg 1	0	0
6	G	1	Total 1	Mg 1	0	0
6	H	1	Total 1	Mg 1	0	0

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total 1	Zn 1	0	0
7	G	1	Total 1	Zn 1	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	57	Total 57	O 57	0	0
8	B	85	Total 85	O 85	0	0
8	C	62	Total 62	O 62	0	0
8	D	77	Total 77	O 77	0	0
8	E	52	Total 52	O 52	0	0
8	F	93	Total 93	O 93	0	0
8	G	107	Total 107	O 107	0	0
8	H	85	Total 85	O 85	0	0
8	I	42	Total 42	O 42	0	0
8	J	45	Total 45	O 45	0	0
8	K	61	Total 61	O 61	0	0


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	L	42	Total	O	0	0
			42	42		

- Molecule 1: ATPase GET3







- Molecule 2: Antibody heavy chain





- Molecule 2: Antibody heavy chain




- Molecule 2: Antibody heavy chain



- Molecule 2: Antibody heavy chain



- Molecule 3: Antibody light chain



Chain F:

Chain J:

Category	Percentage
Red	14%
Green	90%
Yellow	9%

Legend: SER, ASP, I3, Q4, M5, R19, S27, V34, Q38, L48, F72, S77, Q91, Y95, Q103, K106, I109, K110, R111, A114, F119, I120, F121, P122, S126, Q127, L128, A129, S130, A133, S134, V135, V136, Q150, R155, A156, L157, Q158, S159, V166, L178, T181, L182, K191, V194, V199, T200, H201, Q202, P207, V208, T209, K210, S211, F212, C217.

Chain L:

Category	Percentage
Green	88%
Red	9%
Yellow	11%

Below the chart, a sequence of amino acid labels is shown, each with a colored dot above it indicating its category:

Amino Acid	Category
SER	Grey
D2	Green
M5	Yellow
C24	Yellow
V30	Yellow
R62	Yellow
Q80	Yellow
P81	Green
E82	Yellow
Q91	Yellow
Y92	Green
P93	Yellow
E108	Yellow
I109	Yellow
S117	Green
P123	Yellow
S124	Green
D125	Green
S126	Green
Q127	Green
L128	Green
K129	Orange
T132	Green
A133	Green
S134	Green
V135	Yellow
R145	Yellow
W151	Yellow
K152	Green
V153	Green
A156	Green
L157	Green
V166	Yellow
Y176	Yellow
S177	Yellow
L178	Yellow
L182	Green
T183	Green
L184	Green
S185	Green
K186	Green
Y189	Green
E190	Green
K191	Green
A196	Green
C197	Yellow
L204	Green
S205	Green
S206	Green
C217	Yellow

Chain g:

Chain a: 68% 32%

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	79.44Å 109.23Å 111.35Å 63.05° 77.74° 70.17°	Depositor
Resolution (Å)	69.38 – 2.35 69.38 – 2.35	Depositor EDS
% Data completeness (in resolution range)	94.6 (69.38-2.35) 91.0 (69.38-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 2.34Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.197 , 0.234 0.202 , 0.237	Depositor DCC
R_{free} test set	6209 reflections (4.43%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	46586	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2437	0.61	0/3287
1	B	0.35	0/2449	0.64	1/3302 (0.0%)
1	G	0.36	0/2467	0.64	0/3327
1	H	0.35	0/2490	0.63	1/3356 (0.0%)
2	C	0.37	0/1706	0.75	3/2326 (0.1%)
2	E	0.36	0/1706	0.75	2/2326 (0.1%)
2	I	0.32	0/1608	0.67	0/2191
2	K	0.39	0/1667	0.82	3/2273 (0.1%)
3	D	0.36	0/1694	0.67	0/2299
3	F	0.40	0/1694	0.73	0/2299
3	J	0.34	0/1686	0.68	0/2288
3	L	0.38	0/1694	0.73	0/2299
All	All	0.36	0/23298	0.69	10/31573 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	F	0	1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	134	ALA	CA-C-N	8.46	128.48	119.76
2	C	134	ALA	C-N-CA	8.46	128.48	119.76
2	E	221	GLU	CA-C-N	-7.30	111.94	120.11
2	E	221	GLU	C-N-CA	-7.30	111.94	120.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	134	ALA	N-CA-C	7.29	119.08	109.83
2	K	134	ALA	N-CA-C	6.32	117.86	109.83
1	B	282	GLU	N-CA-C	-6.14	106.38	114.31
2	K	221	GLU	CA-C-N	-5.34	114.13	120.11
2	K	221	GLU	C-N-CA	-5.34	114.13	120.11
1	H	282	GLU	N-CA-C	-5.09	107.45	113.97

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	F	146	GLU	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2391	2373	2364	13	0
1	B	2407	2387	2387	16	0
1	G	2427	2408	2411	15	1
1	H	2451	2436	2436	20	0
2	C	1664	1625	1625	9	0
2	E	1664	1625	1625	2	0
2	I	1568	1529	1529	9	0
2	K	1626	1587	1587	19	0
3	D	1658	1611	1611	5	0
3	F	1658	1611	1611	8	1
3	J	1650	1607	1607	11	0
3	L	1658	1611	1612	18	0
4	a	125	127	28	0	0
4	g	60	59	14	0	0
5	A	31	11	12	0	0
5	B	31	11	12	0	0
5	G	31	11	12	0	0
5	H	31	12	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	A	1	0	0	0	0
7	G	1	0	0	0	0
8	A	57	0	0	1	0
8	B	85	0	0	1	0
8	C	62	0	0	1	0
8	D	77	0	0	1	0
8	E	52	0	0	1	0
8	F	93	0	0	2	0
8	G	107	0	0	6	0
8	H	85	0	0	6	0
8	I	42	0	0	1	0
8	J	45	0	0	2	0
8	K	61	0	0	3	0
8	L	42	0	0	5	0
All	All	23945	22641	22495	131	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:69:LYS:O	1:G:75:ARG:NH1	2.21	0.74
3:J:3:ILE:N	3:J:27:SER:HG	1.86	0.72
2:C:139:SER:HA	3:D:119:PHE:HD1	1.60	0.66
1:H:95:LYS:HA	1:H:98:ASN:HB3	1.78	0.66
2:C:130:VAL:HG21	2:C:207:VAL:HG11	1.77	0.65
3:L:197:CYS:HA	8:L:332:HOH:O	1.97	0.65
2:K:158:PRO:O	8:K:359:HOH:O	2.14	0.64
3:F:126:SER:OG	8:F:301:HOH:O	2.14	0.64
3:L:191:LYS:NZ	8:L:301:HOH:O	2.32	0.62
1:B:224:GLU:OE1	1:B:227:ARG:NH1	2.32	0.62
2:K:209:HIS:ND1	8:K:359:HOH:O	2.31	0.61
3:L:145:ARG:HG2	3:L:145:ARG:HH11	1.64	0.61
3:L:129:LYS:NZ	8:L:323:HOH:O	2.33	0.61
3:L:62:ARG:NH2	3:L:82:GLU:OE1	2.34	0.60
2:K:206:ASN:ND2	2:K:217:ASP:OD1	2.33	0.60
1:H:54:ILE:HG12	1:H:86:MET:HB3	1.83	0.60
1:H:212:ILE:N	8:H:502:HOH:O	2.36	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:157:GLU:OE2	8:E:339:HOH:O	2.17	0.59
3:L:205:SER:O	3:L:206:SER:OG	2.16	0.58
3:D:192:HIS:O	3:D:214:ARG:NH1	2.36	0.58
1:B:339:ASN:ND2	8:B:501:HOH:O	2.36	0.57
3:F:183:THR:OG1	8:F:382:HOH:O	2.17	0.57
3:F:5:MET:HE3	3:F:24:CYS:SG	2.44	0.56
1:A:169:PRO:HG2	1:B:169:PRO:HG2	1.87	0.56
3:J:3:ILE:N	3:J:27:SER:OG	2.37	0.56
1:H:54:ILE:HB	8:H:580:HOH:O	2.07	0.55
1:G:228:GLN:NE2	8:G:503:HOH:O	2.40	0.55
1:G:311:VAL:O	8:G:589:HOH:O	2.18	0.55
3:L:151:TRP:HA	8:L:332:HOH:O	2.07	0.55
1:G:159:THR:N	8:G:502:HOH:O	2.36	0.54
1:H:228:GLN:NE2	8:H:503:HOH:O	2.40	0.54
3:F:108:GLU:OE1	3:F:176:TYR:OH	2.24	0.53
3:F:5:MET:SD	3:F:91:GLN:NE2	2.71	0.53
1:G:169:PRO:HG2	1:H:169:PRO:HG2	1.89	0.53
1:H:159:THR:OG1	1:H:160:PHE:N	2.41	0.53
3:J:106:LYS:NZ	8:J:337:HOH:O	2.36	0.53
1:H:9:LEU:HD13	1:H:312:VAL:HG21	1.90	0.53
1:H:81:ASN:ND2	8:H:501:HOH:O	2.32	0.53
1:B:9:LEU:HD13	1:B:312:VAL:HG21	1.91	0.53
2:C:32:LEU:HB2	2:C:37:ILE:HD11	1.90	0.53
1:A:246:PHE:CZ	1:B:322:ARG:HB3	2.44	0.52
2:K:4:GLU:N	2:K:4:GLU:OE1	2.42	0.51
2:K:209:HIS:CE1	2:K:211:PRO:HG2	2.46	0.51
1:G:224:GLU:OE2	1:G:227:ARG:NH2	2.45	0.50
1:H:54:ILE:O	8:H:580:HOH:O	2.20	0.50
2:K:148:GLY:HA2	2:K:163:TRP:CZ2	2.47	0.50
3:F:145:ARG:NH2	3:F:166:VAL:HG21	2.27	0.50
3:D:135:VAL:HG13	3:D:182:LEU:HB3	1.94	0.49
2:C:46:LYS:O	8:C:350:HOH:O	2.20	0.49
2:K:225:CYS:HA	3:L:217:CYS:SG	2.53	0.49
2:K:76:ASP:OD1	2:K:78:SER:OG	2.28	0.49
3:L:123:PRO:HD3	3:L:135:VAL:HG22	1.94	0.49
2:C:130:VAL:CG2	2:C:207:VAL:HG11	2.43	0.49
3:D:164:GLU:OE2	8:D:371:HOH:O	2.20	0.48
3:L:108:GLU:OE2	3:L:176:TYR:OH	2.31	0.48
2:K:128:PRO:HB3	2:K:154:TYR:HB3	1.95	0.48
2:K:130:VAL:HG21	2:K:207:VAL:HG11	1.95	0.48
2:C:161:VAL:HG21	2:C:189:SER:HB2	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:177:ALA:HA	2:I:187:LEU:HB3	1.94	0.48
1:A:317:CYS:HA	1:A:347:ILE:HG23	1.96	0.48
3:J:19:ARG:HG3	3:J:77:SER:HA	1.96	0.47
1:A:81:ASN:N	8:A:521:HOH:O	2.40	0.47
1:A:322:ARG:HB3	1:B:246:PHE:CZ	2.49	0.47
3:D:128:LEU:O	3:D:186:LYS:HD2	2.14	0.47
2:K:172:VAL:O	8:K:341:HOH:O	2.19	0.47
1:H:95:LYS:O	1:H:99:ASP:N	2.45	0.47
3:F:30:VAL:HG21	3:F:91:GLN:HB2	1.96	0.47
1:G:69:LYS:HZ1	2:I:59:SER:CB	2.26	0.47
1:G:284:ASN:O	8:G:579:HOH:O	2.20	0.47
1:B:187:LEU:HD23	1:B:220:LYS:HG2	1.96	0.47
1:G:227:ARG:NH1	8:G:535:HOH:O	2.48	0.47
2:I:130:VAL:HG21	2:I:207:VAL:HG11	1.96	0.47
3:J:111:ARG:HH12	3:J:114:ALA:HB2	1.79	0.47
2:K:15:VAL:HG21	2:K:21:LEU:HG	1.97	0.47
2:I:209:HIS:HB3	2:I:214:THR:CG2	2.46	0.46
2:I:103:ARG:NH1	2:I:110:ASP:OD2	2.49	0.46
2:K:177:ALA:HA	2:K:187:LEU:HB3	1.98	0.46
3:L:30:VAL:HG21	3:L:91:GLN:HB2	1.97	0.46
1:H:249:LEU:HD11	1:H:298:TYR:CG	2.51	0.46
1:A:246:PHE:CE1	1:A:247:LEU:HD13	2.51	0.45
3:J:103:GLN:NE2	8:J:301:HOH:O	2.48	0.45
2:C:210:LYS:N	2:C:211:PRO:HD2	2.30	0.45
1:B:168:ALA:O	1:B:173:THR:OG1	2.34	0.45
3:L:5:MET:HE3	3:L:24:CYS:SG	2.57	0.45
3:L:197:CYS:CA	8:L:332:HOH:O	2.62	0.45
1:H:52:LEU:HD21	1:H:54:ILE:HD11	1.98	0.44
1:G:47:PRO:O	8:G:501:HOH:O	2.21	0.44
3:F:13:SER:HB3	3:F:110:LYS:HB3	1.99	0.44
3:J:135:VAL:HG13	3:J:182:LEU:HB3	2.00	0.44
2:K:210:LYS:N	2:K:211:PRO:HD2	2.33	0.44
2:I:49:GLU:OE1	8:I:311:HOH:O	2.21	0.44
1:A:64:ASP:CG	1:B:254:ARG:HH12	2.26	0.44
1:A:190:PHE:CE1	1:A:216:LEU:HD23	2.53	0.44
1:B:153:GLU:HG3	1:B:154:GLN:HG3	2.00	0.43
2:K:135:PRO:HD3	2:K:147:LEU:HB3	1.99	0.43
1:B:321:ILE:HG22	1:B:327:LEU:HD23	2.00	0.43
2:I:128:PRO:HD2	2:I:214:THR:HG21	2.00	0.43
3:J:34:VAL:HG21	3:J:72:PHE:CD2	2.54	0.43
1:A:348:TYR:CE1	1:B:286:LYS:HB3	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:146:MET:HE1	1:H:219:LEU:HD22	2.00	0.43
1:B:265:ASP:OD1	1:B:267:ASN:ND2	2.52	0.43
1:G:184:SER:OG	1:G:220:LYS:NZ	2.51	0.43
1:H:69:LYS:O	1:H:75:ARG:NH2	2.52	0.43
1:H:98:ASN:HB2	1:H:127:ALA:HB2	2.01	0.42
2:I:15:VAL:HG21	2:I:21:LEU:HB2	2.01	0.42
1:H:165:PHE:HA	8:H:580:HOH:O	2.20	0.42
2:I:210:LYS:N	2:I:211:PRO:HD2	2.35	0.42
3:J:38:GLN:HB2	3:J:48:LEU:HD11	2.02	0.42
3:J:127:GLN:O	3:J:130:SER:OG	2.35	0.42
2:C:110:ASP:OD1	2:C:111:TYR:N	2.53	0.42
2:K:224:SER:O	3:L:217:CYS:SG	2.78	0.42
3:L:166:VAL:HG22	3:L:178:LEU:HD12	2.01	0.42
3:L:30:VAL:HG23	3:L:93:PRO:HB3	2.02	0.41
1:A:129:LEU:HD21	1:B:185:LYS:HB2	2.02	0.41
1:G:76:LYS:HE2	1:G:81:ASN:O	2.21	0.41
2:K:125:THR:HG21	2:K:211:PRO:O	2.20	0.41
2:C:141:SER:O	2:C:144:THR:OG1	2.35	0.41
2:K:168:LEU:HD21	2:K:191:VAL:HG11	2.03	0.41
2:E:177:ALA:HA	2:E:187:LEU:HB3	2.03	0.41
1:A:187:LEU:HA	1:A:190:PHE:HB3	2.03	0.41
1:A:249:LEU:HD11	1:A:302:ILE:HD11	2.03	0.41
1:G:9:LEU:HG	1:G:312:VAL:HG21	2.03	0.41
1:G:174:LEU:HD22	1:G:258:GLU:HG2	2.02	0.41
1:H:321:ILE:HG22	1:H:327:LEU:HD23	2.03	0.41
3:J:5:MET:SD	3:J:91:GLN:NE2	2.94	0.41
3:L:62:ARG:NH1	3:L:80:GLN:OE1	2.54	0.40
1:A:90:PRO:HG3	1:B:175:ARG:HH21	1.86	0.40
1:G:322:ARG:HB3	1:H:246:PHE:CZ	2.56	0.40
2:K:224:SER:C	3:L:217:CYS:SG	3.05	0.40
1:B:187:LEU:HB3	1:B:220:LYS:HD3	2.04	0.40
1:H:126:LEU:C	1:H:126:LEU:HD13	2.47	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:210:LYS:NZ	1:G:154:GLN:O[1_645]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/354 (83%)	287 (97%)	6 (2%)	2 (1%)	18	20
1	B	297/354 (84%)	287 (97%)	9 (3%)	1 (0%)	36	43
1	G	301/354 (85%)	293 (97%)	6 (2%)	2 (1%)	18	20
1	H	303/354 (86%)	288 (95%)	14 (5%)	1 (0%)	36	43
2	C	220/230 (96%)	215 (98%)	5 (2%)	0	100	100
2	E	220/230 (96%)	214 (97%)	6 (3%)	0	100	100
2	I	201/230 (87%)	196 (98%)	5 (2%)	0	100	100
2	K	212/230 (92%)	202 (95%)	9 (4%)	1 (0%)	24	27
3	D	214/217 (99%)	211 (99%)	3 (1%)	0	100	100
3	F	214/217 (99%)	210 (98%)	4 (2%)	0	100	100
3	J	213/217 (98%)	208 (98%)	5 (2%)	0	100	100
3	L	214/217 (99%)	207 (97%)	7 (3%)	0	100	100
All	All	2904/3204 (91%)	2818 (97%)	79 (3%)	7 (0%)	43	52

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	170	THR
1	B	170	THR
1	G	170	THR
1	A	285	CYS
1	G	285	CYS
1	H	285	CYS
2	K	135	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/309 (88%)	267 (98%)	6 (2%)	45	59
1	B	274/309 (89%)	267 (97%)	7 (3%)	40	54
1	G	275/309 (89%)	269 (98%)	6 (2%)	45	59
1	H	277/309 (90%)	272 (98%)	5 (2%)	51	66
2	C	185/193 (96%)	182 (98%)	3 (2%)	55	70
2	E	185/193 (96%)	181 (98%)	4 (2%)	45	59
2	I	173/193 (90%)	171 (99%)	2 (1%)	63	77
2	K	180/193 (93%)	171 (95%)	9 (5%)	22	27
3	D	191/192 (100%)	189 (99%)	2 (1%)	68	81
3	F	191/192 (100%)	189 (99%)	2 (1%)	68	81
3	J	190/192 (99%)	189 (100%)	1 (0%)	81	89
3	L	191/192 (100%)	188 (98%)	3 (2%)	55	70
All	All	2585/2776 (93%)	2535 (98%)	50 (2%)	50	65

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	75	ARG
1	A	76	LYS
1	A	227	ARG
1	A	249	LEU
1	A	254	ARG
1	A	266	VAL
1	B	4	THR
1	B	9	LEU
1	B	88	ILE
1	B	186	LEU
1	B	224	GLU
1	B	266	VAL
1	B	282	GLU
2	C	32	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	206	ASN
2	C	207	VAL
3	D	108	GLU
3	D	216	GLU
2	E	5	VAL
2	E	103	ARG
2	E	206	ASN
2	E	215	LYS
3	F	126	SER
3	F	129	LYS
1	G	94	LEU
1	G	194	THR
1	G	212	ILE
1	G	219	LEU
1	G	254	ARG
1	G	266	VAL
1	H	9	LEU
1	H	97	MET
1	H	215	LYS
1	H	222	ASN
1	H	247	LEU
2	I	103	ARG
2	I	206	ASN
3	J	202	GLN
2	K	5	VAL
2	K	21	LEU
2	K	32	LEU
2	K	103	ARG
2	K	125	THR
2	K	161	VAL
2	K	206	ASN
2	K	207	VAL
2	K	212	SER
3	L	109	ILE
3	L	129	LYS
3	L	182	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	ASN
1	A	178	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	181	ASN
1	A	301	GLN
1	B	301	GLN
2	E	173	HIS
3	F	140	ASN
3	F	141	ASN
3	F	163	GLN
1	G	61	ASN
1	G	301	GLN
1	G	310	HIS
1	H	222	ASN
1	H	283	HIS
1	H	301	GLN
2	I	85	GLN
2	K	42	GLN
3	L	91	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ATP	G	401	6	32,33,33	2.55	10 (31%)	48,52,52	2.26	13 (27%)
5	ATP	B	401	6	32,33,33	2.48	11 (34%)	48,52,52	2.23	12 (25%)
5	ATP	A	401	6	32,33,33	2.54	12 (37%)	48,52,52	2.19	11 (22%)
5	ATP	H	401	6	32,33,33	2.47	11 (34%)	48,52,52	2.20	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ATP	G	401	6	-	0/22/38/38	0/3/3/3
5	ATP	B	401	6	-	0/22/38/38	0/3/3/3
5	ATP	A	401	6	-	0/22/38/38	0/3/3/3
5	ATP	H	401	6	-	0/22/38/38	0/3/3/3

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	401	ATP	C2-N1	-5.63	1.23	1.33
5	A	401	ATP	C2-N1	-5.49	1.24	1.33
5	A	401	ATP	PB-O3A	5.40	1.65	1.59
5	H	401	ATP	C2-N1	-5.39	1.24	1.33
5	B	401	ATP	C2-N1	-5.33	1.24	1.33
5	A	401	ATP	C8-N7	5.12	1.41	1.31
5	G	401	ATP	C8-N7	5.10	1.41	1.31
5	G	401	ATP	C5-C4	5.09	1.48	1.39
5	G	401	ATP	PB-O3A	5.07	1.65	1.59
5	B	401	ATP	C5-C4	5.06	1.48	1.39
5	B	401	ATP	PB-O3A	5.02	1.64	1.59
5	H	401	ATP	C8-N7	4.98	1.41	1.31
5	B	401	ATP	C8-N7	4.97	1.41	1.31
5	A	401	ATP	C5-C4	4.96	1.47	1.39
5	H	401	ATP	C5-C4	4.94	1.47	1.39
5	H	401	ATP	PB-O3A	4.52	1.64	1.59
5	G	401	ATP	C4-N3	3.83	1.41	1.34
5	B	401	ATP	C6-N6	3.78	1.43	1.34
5	H	401	ATP	C6-N1	-3.77	1.25	1.35
5	B	401	ATP	C4-N3	3.76	1.41	1.34
5	A	401	ATP	C6-N1	-3.76	1.25	1.35
5	G	401	ATP	C8-N9	3.74	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	401	ATP	C4-N3	3.73	1.41	1.34
5	B	401	ATP	C6-N1	-3.71	1.25	1.35
5	G	401	ATP	C6-N1	-3.71	1.25	1.35
5	G	401	ATP	C6-N6	3.71	1.43	1.34
5	H	401	ATP	C6-N6	3.62	1.43	1.34
5	A	401	ATP	C6-N6	3.61	1.43	1.34
5	A	401	ATP	C8-N9	3.59	1.43	1.37
5	A	401	ATP	C4-N3	3.49	1.40	1.34
5	H	401	ATP	C8-N9	3.46	1.43	1.37
5	B	401	ATP	C8-N9	3.37	1.43	1.37
5	A	401	ATP	C2-N3	-2.79	1.29	1.33
5	G	401	ATP	C2-N3	-2.77	1.29	1.33
5	B	401	ATP	C2-N3	-2.70	1.29	1.33
5	H	401	ATP	C2-N3	-2.70	1.29	1.33
5	B	401	ATP	C2'-C3'	-2.28	1.47	1.53
5	H	401	ATP	C2'-C3'	-2.19	1.47	1.53
5	B	401	ATP	C1'-N9	-2.11	1.40	1.46
5	A	401	ATP	PG-O2G	-2.08	1.47	1.54
5	A	401	ATP	C2'-C3'	-2.06	1.47	1.53
5	G	401	ATP	C2'-C3'	-2.06	1.47	1.53
5	H	401	ATP	PG-O2G	-2.04	1.47	1.54
5	A	401	ATP	O4'-C1'	2.01	1.46	1.42

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	401	ATP	C5-C4-N3	-7.74	116.06	126.72
5	G	401	ATP	C5-C4-N3	-7.69	116.12	126.72
5	A	401	ATP	C5-C4-N3	-7.33	116.63	126.72
5	B	401	ATP	C5-C4-N3	-7.26	116.73	126.72
5	H	401	ATP	N3-C4-N9	6.35	137.96	127.17
5	G	401	ATP	N3-C4-N9	6.08	137.50	127.17
5	B	401	ATP	N3-C4-N9	6.03	137.42	127.17
5	A	401	ATP	N3-C4-N9	5.91	137.21	127.17
5	B	401	ATP	C2-N1-C6	5.88	128.39	118.73
5	G	401	ATP	C2-N1-C6	5.84	128.32	118.73
5	A	401	ATP	C2-N1-C6	5.70	128.09	118.73
5	H	401	ATP	C2-N1-C6	5.51	127.78	118.73
5	G	401	ATP	N3-C2-N1	-4.07	122.42	128.58
5	A	401	ATP	N3-C2-N1	-3.83	122.78	128.58
5	H	401	ATP	N3-C2-N1	-3.82	122.80	128.58
5	B	401	ATP	N3-C2-N1	-3.78	122.86	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	401	ATP	N9-C8-N7	-3.47	109.01	113.94
5	B	401	ATP	N9-C8-N7	-3.43	109.07	113.94
5	G	401	ATP	C2-N3-C4	3.36	120.04	111.83
5	H	401	ATP	N9-C8-N7	-3.33	109.21	113.94
5	G	401	ATP	O3G-PG-O3B	3.31	115.75	104.64
5	G	401	ATP	N9-C8-N7	-3.31	109.25	113.94
5	B	401	ATP	C4-N9-C8	3.30	109.21	105.74
5	H	401	ATP	C2-N3-C4	3.26	119.79	111.83
5	A	401	ATP	C4-N9-C8	3.17	109.07	105.74
5	A	401	ATP	C2-N3-C4	3.16	119.55	111.83
5	H	401	ATP	C4-N9-C8	3.05	108.94	105.74
5	H	401	ATP	O3G-PG-O3B	3.05	114.85	104.64
5	B	401	ATP	O2G-PG-O3B	3.04	114.84	104.64
5	B	401	ATP	C2-N3-C4	2.98	119.11	111.83
5	G	401	ATP	C4-N9-C8	2.83	108.71	105.74
5	A	401	ATP	O3G-PG-O3B	2.74	113.82	104.64
5	B	401	ATP	O3G-PG-O3B	2.64	113.50	104.64
5	A	401	ATP	O2G-PG-O3B	2.60	113.35	104.64
5	B	401	ATP	O2B-PB-O3A	2.57	114.23	107.27
5	G	401	ATP	O2A-PA-O1A	-2.56	100.54	112.44
5	B	401	ATP	O2B-PB-O1B	-2.27	101.87	112.44
5	A	401	ATP	O2B-PB-O1B	-2.27	101.91	112.44
5	G	401	ATP	C3'-C2'-C1'	2.14	105.50	101.46
5	G	401	ATP	O2G-PG-O3B	2.12	111.75	104.64
5	A	401	ATP	O2A-PA-O1A	-2.11	102.64	112.44
5	H	401	ATP	O2A-PA-O1A	-2.10	102.69	112.44
5	B	401	ATP	O2A-PA-O1A	-2.04	102.94	112.44
5	G	401	ATP	O2B-PB-O3A	2.02	112.74	107.27
5	G	401	ATP	O2B-PB-O1B	-2.01	103.12	112.44

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/354 (85%)	0.37	17 (5%) 30 35	24, 60, 138, 167	1 (0%)
1	B	304/354 (85%)	0.11	12 (3%) 43 49	23, 48, 138, 192	1 (0%)
1	G	307/354 (86%)	0.03	10 (3%) 49 56	29, 47, 122, 180	0
1	H	311/354 (87%)	0.30	18 (5%) 29 33	37, 56, 148, 186	0
2	C	222/230 (96%)	0.10	6 (2%) 56 63	30, 46, 101, 140	0
2	E	222/230 (96%)	0.17	11 (4%) 34 40	31, 47, 90, 169	0
2	I	207/230 (90%)	0.54	18 (8%) 16 18	38, 72, 138, 235	0
2	K	216/230 (93%)	0.97	51 (23%) 2 1	32, 69, 156, 200	0
3	D	216/217 (99%)	0.04	4 (1%) 66 71	30, 52, 79, 122	0
3	F	216/217 (99%)	-0.04	3 (1%) 73 78	31, 46, 85, 170	0
3	J	215/217 (99%)	0.90	31 (14%) 6 7	36, 87, 177, 215	0
3	L	216/217 (99%)	0.63	19 (8%) 15 18	33, 67, 158, 189	0
4	a	0/37	-	-	-	-
4	g	0/37	-	-	-	-
All	All	2953/3278 (90%)	0.32	200 (6%) 23 26	23, 54, 144, 235	2 (0%)

All (200) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	K	145	ALA	5.3
3	J	208	VAL	5.0
1	A	88	ILE	5.0
3	J	3	ILE	4.9
2	K	143	GLY	4.8
2	K	193	VAL	4.6
1	B	155	GLY	4.5
2	K	207	VAL	4.5
2	K	135	PRO	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	142	GLY	4.3
1	B	191	GLY	4.3
1	B	194	THR	4.2
2	K	203	TYR	4.2
2	K	148	GLY	4.2
1	G	129	LEU	4.0
2	K	5	VAL	4.0
2	K	202	THR	4.0
1	G	127	ALA	4.0
1	G	197	LEU	3.9
2	E	136	SER	3.9
3	L	185	SER	3.9
3	D	132	THR	3.9
2	K	147	LEU	3.8
3	L	184	LEU	3.8
2	K	167	ALA	3.8
1	H	155	GLY	3.8
2	I	161	VAL	3.7
1	H	124	GLY	3.6
3	J	166	VAL	3.6
1	A	190	PHE	3.5
1	B	190	PHE	3.5
2	K	196	SER	3.4
2	C	224	SER	3.4
2	K	183	GLY	3.4
2	K	149	CYS	3.4
2	E	200	THR	3.4
3	J	157	LEU	3.3
2	I	222	PRO	3.3
2	K	198	LEU	3.3
2	E	143	GLY	3.3
1	B	193	ILE	3.3
2	K	136	SER	3.3
2	K	134	ALA	3.3
3	J	212	PHE	3.3
2	K	191	VAL	3.3
2	K	146	ALA	3.2
3	D	217	CYS	3.2
2	K	208	ASN	3.2
3	J	156	ALA	3.2
2	K	220	VAL	3.1
2	K	169	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	198	GLY	3.1
3	J	136	VAL	3.1
1	A	186	LEU	3.1
2	K	197	SER	3.1
3	L	132	THR	3.0
3	L	133	ALA	3.0
1	G	210	VAL	3.0
1	B	129	LEU	3.0
1	G	159	THR	3.0
2	K	132	PRO	3.0
2	K	162	SER	2.9
3	J	211	SER	2.9
3	L	128	LEU	2.9
3	F	3	ILE	2.9
2	K	200	THR	2.9
2	I	203	TYR	2.9
2	K	166	GLY	2.9
2	I	195	SER	2.9
2	I	166	GLY	2.9
1	G	285	CYS	2.9
3	L	205	SER	2.8
1	H	126	LEU	2.8
3	D	131	GLY	2.8
1	B	148	HIS	2.8
1	B	127	ALA	2.8
2	I	145	ALA	2.8
2	K	216	VAL	2.8
1	A	148	HIS	2.8
2	K	130	VAL	2.8
1	A	155	GLY	2.7
3	L	189	TYR	2.7
3	L	135	VAL	2.7
1	H	186	LEU	2.7
2	K	144	THR	2.7
2	K	225	CYS	2.7
3	J	209	THR	2.7
1	B	212	ILE	2.6
3	J	126	SER	2.6
3	L	117	SER	2.6
3	J	181	THR	2.6
3	L	183	THR	2.6
2	I	194	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	J	194	VAL	2.6
2	K	206	ASN	2.6
2	K	154	TYR	2.6
2	I	133	LEU	2.5
2	K	164	ASN	2.5
2	K	217	ASP	2.5
2	K	194	PRO	2.5
3	J	121	PHE	2.5
1	G	193	ILE	2.5
2	E	225	CYS	2.5
3	J	134	SER	2.5
3	J	128	LEU	2.5
3	L	182	LEU	2.5
3	F	2	ASP	2.5
3	J	122	PRO	2.5
2	K	212	SER	2.5
3	J	119	PHE	2.5
1	A	102	VAL	2.5
1	A	129	LEU	2.5
2	K	199	GLY	2.5
1	H	246	PHE	2.4
1	A	325	ASN	2.4
2	I	131	PHE	2.4
2	E	138	LYS	2.4
3	L	186	LYS	2.4
1	A	187	LEU	2.4
3	J	155	ASN	2.4
2	I	167	ALA	2.4
1	H	4	THR	2.4
1	H	194	THR	2.4
2	K	192	THR	2.4
1	A	147	LYS	2.4
1	H	190	PHE	2.4
2	K	150	LEU	2.4
2	E	137	SER	2.4
1	A	126	LEU	2.4
1	H	129	LEU	2.4
3	L	156	ALA	2.3
1	A	103	SER	2.3
1	B	341	ILE	2.3
1	H	193	ILE	2.3
3	L	157	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	J	200	THR	2.3
2	K	182	SER	2.3
1	A	347	ILE	2.3
2	K	204	ILE	2.3
2	K	209	HIS	2.3
2	I	177	ALA	2.3
3	J	207	PRO	2.3
1	B	100	MET	2.3
3	J	95	TYR	2.3
1	A	127	ALA	2.3
2	K	163	TRP	2.3
2	K	59	SER	2.3
1	B	152	GLN	2.2
1	G	281	GLN	2.2
2	K	165	SER	2.2
1	H	54	ILE	2.2
1	A	216	LEU	2.2
1	H	197	LEU	2.2
3	J	4	GLN	2.2
2	K	222	PRO	2.2
2	I	219	LYS	2.2
1	H	93	ALA	2.2
2	K	181	SER	2.2
1	H	212	ILE	2.2
2	E	201	GLN	2.2
2	K	214	THR	2.2
3	L	126	SER	2.2
2	I	147	LEU	2.1
1	G	190	PHE	2.1
3	J	210	LYS	2.1
3	J	150	GLN	2.1
1	A	159	THR	2.1
2	E	139	SER	2.1
2	C	198	LEU	2.1
2	K	168	LEU	2.1
3	L	204	LEU	2.1
2	I	193	VAL	2.1
2	C	140	THR	2.1
1	H	97	MET	2.1
3	D	128	LEU	2.1
2	I	191	VAL	2.1
2	I	127	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	141	SER	2.1
2	C	200	THR	2.1
2	C	225	CYS	2.1
2	E	141	SER	2.1
2	E	135	PRO	2.1
2	I	190	VAL	2.1
3	F	217	CYS	2.0
1	A	279	ASN	2.0
1	H	195	ASN	2.0
3	J	178	LEU	2.0
3	L	125	ASP	2.0
3	J	109	ILE	2.0
3	J	199	VAL	2.0
3	L	153	VAL	2.0
1	G	319	GLY	2.0
2	K	131	PHE	2.0
3	J	159	SER	2.0
3	J	133	ALA	2.0
3	L	196	ALA	2.0
2	I	205	CYS	2.0
3	J	217	CYS	2.0
1	H	352	ASP	2.0
3	J	191	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ATP	G	401	31/31	0.96	0.08	36,43,60,68	0
5	ATP	H	401	31/31	0.96	0.07	35,38,46,47	0
5	ATP	A	401	31/31	0.97	0.06	32,39,46,48	0
5	ATP	B	401	31/31	0.97	0.07	25,34,41,43	0
7	ZN	A	403	1/1	0.98	0.04	55,55,55,55	0
6	MG	G	402	1/1	0.99	0.02	42,42,42,42	0
6	MG	H	402	1/1	0.99	0.03	37,37,37,37	0
6	MG	B	402	1/1	0.99	0.04	35,35,35,35	0
7	ZN	G	403	1/1	0.99	0.04	56,56,56,56	0
6	MG	A	402	1/1	1.00	0.01	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ATP H 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.