



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:30 AM UTC

PDB ID : 4XVZ / pdb_00004xvz
Title : MycF mycinamicin III 3'-O-methyltransferase in complex with Mg
Authors : Akey, D.L.; Smith, J.L.
Deposited on : 2015-01-28
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	2% 60% 10% 29%
1	B	283	59% 9% 30%
1	C	283	59% 10% 28%
1	D	283	2% 59% 10% 30%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	B	301	-	-	X	-
2	CL	C	301	-	-	X	-
2	CL	D	301	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6458 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mycinamicin III 3''-O-methyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	200	Total	C	N	O	S	Se	0	0	0
			1591	1005	285	291	5	5			
1	B	197	Total	C	N	O	S	Se	0	0	0
			1563	989	278	287	4	5			
1	C	203	Total	C	N	O	S	Se	0	0	0
			1600	1011	284	295	5	5			
1	D	199	Total	C	N	O	S	Se	0	0	0
			1561	989	272	291	4	5			

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MSE	-	initiating methionine	UNP Q49492
A	-21	HIS	-	expression tag	UNP Q49492
A	-20	HIS	-	expression tag	UNP Q49492
A	-19	HIS	-	expression tag	UNP Q49492
A	-18	HIS	-	expression tag	UNP Q49492
A	-17	HIS	-	expression tag	UNP Q49492
A	-16	HIS	-	expression tag	UNP Q49492
A	-15	SER	-	expression tag	UNP Q49492
A	-14	SER	-	expression tag	UNP Q49492
A	-13	GLY	-	expression tag	UNP Q49492
A	-12	VAL	-	expression tag	UNP Q49492
A	-11	ASP	-	expression tag	UNP Q49492
A	-10	LEU	-	expression tag	UNP Q49492
A	-9	GLY	-	expression tag	UNP Q49492
A	-8	THR	-	expression tag	UNP Q49492
A	-7	GLU	-	expression tag	UNP Q49492
A	-6	ASN	-	expression tag	UNP Q49492
A	-5	LEU	-	expression tag	UNP Q49492
A	-4	TYR	-	expression tag	UNP Q49492
A	-3	PHE	-	expression tag	UNP Q49492
A	-2	GLN	-	expression tag	UNP Q49492

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP Q49492
A	0	ASN	-	expression tag	UNP Q49492
A	1	ALA	-	expression tag	UNP Q49492
A	255	CYS	-	expression tag	UNP Q49492
A	256	ASN	-	expression tag	UNP Q49492
A	257	ILE	-	expression tag	UNP Q49492
A	258	GLY	-	expression tag	UNP Q49492
A	259	SER	-	expression tag	UNP Q49492
A	260	GLY	-	expression tag	UNP Q49492
B	-22	MSE	-	initiating methionine	UNP Q49492
B	-21	HIS	-	expression tag	UNP Q49492
B	-20	HIS	-	expression tag	UNP Q49492
B	-19	HIS	-	expression tag	UNP Q49492
B	-18	HIS	-	expression tag	UNP Q49492
B	-17	HIS	-	expression tag	UNP Q49492
B	-16	HIS	-	expression tag	UNP Q49492
B	-15	SER	-	expression tag	UNP Q49492
B	-14	SER	-	expression tag	UNP Q49492
B	-13	GLY	-	expression tag	UNP Q49492
B	-12	VAL	-	expression tag	UNP Q49492
B	-11	ASP	-	expression tag	UNP Q49492
B	-10	LEU	-	expression tag	UNP Q49492
B	-9	GLY	-	expression tag	UNP Q49492
B	-8	THR	-	expression tag	UNP Q49492
B	-7	GLU	-	expression tag	UNP Q49492
B	-6	ASN	-	expression tag	UNP Q49492
B	-5	LEU	-	expression tag	UNP Q49492
B	-4	TYR	-	expression tag	UNP Q49492
B	-3	PHE	-	expression tag	UNP Q49492
B	-2	GLN	-	expression tag	UNP Q49492
B	-1	SER	-	expression tag	UNP Q49492
B	0	ASN	-	expression tag	UNP Q49492
B	1	ALA	-	expression tag	UNP Q49492
B	255	CYS	-	expression tag	UNP Q49492
B	256	ASN	-	expression tag	UNP Q49492
B	257	ILE	-	expression tag	UNP Q49492
B	258	GLY	-	expression tag	UNP Q49492
B	259	SER	-	expression tag	UNP Q49492
B	260	GLY	-	expression tag	UNP Q49492
C	-22	MSE	-	initiating methionine	UNP Q49492
C	-21	HIS	-	expression tag	UNP Q49492
C	-20	HIS	-	expression tag	UNP Q49492

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	HIS	-	expression tag	UNP Q49492
C	-18	HIS	-	expression tag	UNP Q49492
C	-17	HIS	-	expression tag	UNP Q49492
C	-16	HIS	-	expression tag	UNP Q49492
C	-15	SER	-	expression tag	UNP Q49492
C	-14	SER	-	expression tag	UNP Q49492
C	-13	GLY	-	expression tag	UNP Q49492
C	-12	VAL	-	expression tag	UNP Q49492
C	-11	ASP	-	expression tag	UNP Q49492
C	-10	LEU	-	expression tag	UNP Q49492
C	-9	GLY	-	expression tag	UNP Q49492
C	-8	THR	-	expression tag	UNP Q49492
C	-7	GLU	-	expression tag	UNP Q49492
C	-6	ASN	-	expression tag	UNP Q49492
C	-5	LEU	-	expression tag	UNP Q49492
C	-4	TYR	-	expression tag	UNP Q49492
C	-3	PHE	-	expression tag	UNP Q49492
C	-2	GLN	-	expression tag	UNP Q49492
C	-1	SER	-	expression tag	UNP Q49492
C	0	ASN	-	expression tag	UNP Q49492
C	1	ALA	-	expression tag	UNP Q49492
C	255	CYS	-	expression tag	UNP Q49492
C	256	ASN	-	expression tag	UNP Q49492
C	257	ILE	-	expression tag	UNP Q49492
C	258	GLY	-	expression tag	UNP Q49492
C	259	SER	-	expression tag	UNP Q49492
C	260	GLY	-	expression tag	UNP Q49492
D	-22	MSE	-	initiating methionine	UNP Q49492
D	-21	HIS	-	expression tag	UNP Q49492
D	-20	HIS	-	expression tag	UNP Q49492
D	-19	HIS	-	expression tag	UNP Q49492
D	-18	HIS	-	expression tag	UNP Q49492
D	-17	HIS	-	expression tag	UNP Q49492
D	-16	HIS	-	expression tag	UNP Q49492
D	-15	SER	-	expression tag	UNP Q49492
D	-14	SER	-	expression tag	UNP Q49492
D	-13	GLY	-	expression tag	UNP Q49492
D	-12	VAL	-	expression tag	UNP Q49492
D	-11	ASP	-	expression tag	UNP Q49492
D	-10	LEU	-	expression tag	UNP Q49492
D	-9	GLY	-	expression tag	UNP Q49492
D	-8	THR	-	expression tag	UNP Q49492

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-7	GLU	-	expression tag	UNP Q49492
D	-6	ASN	-	expression tag	UNP Q49492
D	-5	LEU	-	expression tag	UNP Q49492
D	-4	TYR	-	expression tag	UNP Q49492
D	-3	PHE	-	expression tag	UNP Q49492
D	-2	GLN	-	expression tag	UNP Q49492
D	-1	SER	-	expression tag	UNP Q49492
D	0	ASN	-	expression tag	UNP Q49492
D	1	ALA	-	expression tag	UNP Q49492
D	255	CYS	-	expression tag	UNP Q49492
D	256	ASN	-	expression tag	UNP Q49492
D	257	ILE	-	expression tag	UNP Q49492
D	258	GLY	-	expression tag	UNP Q49492
D	259	SER	-	expression tag	UNP Q49492
D	260	GLY	-	expression tag	UNP Q49492

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0
2	B	1	Total Cl 1 1	0	0
2	C	1	Total Cl 1 1	0	0
2	D	1	Total Cl 1 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	55	Total 55	O 55	0	0
4	B	9	Total 9	O 9	0	0
4	C	53	Total 53	O 53	0	0
4	D	18	Total 18	O 18	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Mycinamicin III 3''-O-methyltransferase




• Molecule 1: Mycinamicin III 3''-O-methyltransferase






• Molecule 1: Mycinamicin III 3''-O-methyltransferase





● Molecule 1: Mycinamicin III 3''-O-methyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	123.86Å 148.59Å 66.86Å 90.00° 120.23° 90.00°	Depositor
Resolution (Å)	45.60 – 2.49 45.60 – 2.49	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.60-2.49) 99.3 (45.60-2.49)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.178 , 0.217 0.178 , 0.217	Depositor DCC
R_{free} test set	1811 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	47.4	Xtriage
Anisotropy	0.370	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.108 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6458	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.15	2/1621 (0.1%)	1.11	3/2188 (0.1%)
1	B	0.94	0/1593	1.05	4/2151 (0.2%)
1	C	1.24	4/1630 (0.2%)	1.18	7/2202 (0.3%)
1	D	0.95	1/1591 (0.1%)	1.08	8/2151 (0.4%)
All	All	1.08	7/6435 (0.1%)	1.11	22/8692 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	255	CYS	CA-C	6.06	1.61	1.53
1	A	188	MSE	CA-C	-6.04	1.45	1.52
1	C	256	ASN	N-CA	5.89	1.53	1.46
1	C	238	ASP	C-O	-5.79	1.17	1.23
1	A	255	CYS	N-CA	5.51	1.52	1.46
1	C	188	MSE	CA-C	-5.15	1.46	1.52
1	D	188	MSE	CA-C	-5.14	1.46	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	206	ARG	NE-CZ-NH2	-11.25	109.07	119.20
1	C	206	ARG	NE-CZ-NH1	9.77	131.26	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	96	ARG	N-CA-C	-6.19	104.62	111.36
1	C	96	ARG	NE-CZ-NH1	-6.03	115.47	121.50
1	C	188	MSE	CA-CB-CG	-6.02	102.05	114.10
1	B	204	TYR	CA-C-N	-5.98	113.52	119.56
1	B	204	TYR	C-N-CA	-5.98	113.52	119.56
1	D	96	ARG	NE-CZ-NH2	5.96	124.56	119.20
1	C	96	ARG	NE-CZ-NH2	5.83	124.45	119.20
1	D	96	ARG	NE-CZ-NH1	-5.76	115.74	121.50
1	A	56	MSE	CA-CB-CG	-5.71	102.67	114.10
1	D	20	ASN	N-CA-C	5.63	119.20	111.54
1	D	204	TYR	CA-C-N	-5.50	114.01	119.56
1	D	204	TYR	C-N-CA	-5.50	114.01	119.56
1	A	188	MSE	CA-CB-CG	-5.39	103.32	114.10
1	B	188	MSE	CA-CB-CG	-5.28	103.53	114.10
1	A	114	SER	CB-CA-C	-5.28	102.59	110.88
1	C	231	ARG	NE-CZ-NH1	-5.28	116.22	121.50
1	B	56	MSE	CA-CB-CG	-5.21	103.68	114.10
1	D	114	SER	CB-CA-C	-5.20	102.95	110.96
1	D	56	MSE	CA-CB-CG	-5.12	103.85	114.10
1	C	231	ARG	NE-CZ-NH2	5.03	123.72	119.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	25	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1591	0	1552	20	0
1	B	1563	0	1522	17	0
1	C	1600	0	1552	25	0
1	D	1561	0	1501	15	0
2	A	1	0	0	1	0
2	B	1	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	2	0
2	D	1	0	0	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	55	0	0	2	0
4	B	9	0	0	0	0
4	C	53	0	0	5	0
4	D	18	0	0	2	0
All	All	6458	0	6127	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:ASP:OD2	2:A:301:CL:CL	2.33	0.83
1:B:113:ASP:OD2	2:B:301:CL:CL	2.43	0.72
1:A:83:GLU:OE2	1:A:187:ARG:NH1	2.23	0.70
1:C:83:GLU:OE2	1:C:187:ARG:NH1	2.24	0.70
1:B:86:VAL:O	2:B:301:CL:CL	2.46	0.70
1:C:113:ASP:OD2	2:C:301:CL:CL	2.47	0.70
1:D:83:GLU:OE2	1:D:187:ARG:NH1	2.22	0.69
1:C:206:ARG:HD3	4:C:420:HOH:O	1.94	0.68
1:B:83:GLU:OE2	1:B:187:ARG:NH1	2.23	0.66
1:D:86:VAL:O	2:D:301:CL:CL	2.51	0.65
1:C:231:ARG:NH1	1:C:238:ASP:O	2.30	0.65
1:B:231:ARG:NH1	1:B:238:ASP:O	2.30	0.65
1:C:206:ARG:CD	4:C:420:HOH:O	2.45	0.64
1:D:231:ARG:NH1	1:D:238:ASP:O	2.30	0.64
1:A:5:THR:HG23	1:A:8:GLU:H	1.63	0.63
1:B:5:THR:HG23	1:B:8:GLU:H	1.64	0.62
1:A:231:ARG:NH1	1:A:238:ASP:O	2.32	0.62
1:C:164:VAL:C	1:C:165:ARG:HG2	2.23	0.62
1:C:5:THR:HG23	1:C:8:GLU:H	1.66	0.61
1:A:24:GLN:CA	1:A:24:GLN:OE1	2.49	0.61
1:C:231:ARG:HD3	4:C:405:HOH:O	2.01	0.60
1:C:86:VAL:HG13	1:C:113:ASP:HB2	1.85	0.59
1:D:5:THR:HG23	4:D:409:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:VAL:HG13	1:A:55:THR:HG22	1.89	0.55
1:D:5:THR:HG22	1:D:7:VAL:N	2.22	0.55
1:A:256:ASN:O	1:A:257:ILE:HD13	2.07	0.54
1:B:18:VAL:HG13	1:B:55:THR:HG22	1.90	0.54
1:A:24:GLN:OE1	1:A:24:GLN:HA	2.09	0.53
1:C:18:VAL:HG13	1:C:55:THR:HG22	1.91	0.53
1:D:96:ARG:NH1	4:D:413:HOH:O	2.27	0.52
1:D:18:VAL:HG13	1:D:55:THR:HG22	1.91	0.52
1:C:86:VAL:O	2:C:301:CL:CL	2.66	0.51
1:B:181:GLU:O	1:B:182:ARG:HD2	2.10	0.51
1:C:164:VAL:O	1:C:165:ARG:HG2	2.12	0.50
1:C:96:ARG:NH1	4:C:413:HOH:O	2.24	0.49
1:A:231:ARG:HD3	4:A:405:HOH:O	2.12	0.49
1:B:5:THR:HG22	1:B:8:GLU:CG	2.43	0.48
1:A:22:ILE:HB	4:A:441:HOH:O	2.14	0.47
1:D:96:ARG:NH2	1:D:161:ASP:OD2	2.47	0.47
1:D:191:ASP:HB2	1:D:220:ILE:HG21	1.97	0.47
1:C:96:ARG:NH2	1:C:161:ASP:OD2	2.48	0.46
1:A:83:GLU:HG2	1:A:92:CYS:SG	2.55	0.46
1:B:204:TYR:N	1:B:205:PRO:CD	2.79	0.46
1:B:191:ASP:HB2	1:B:220:ILE:HG21	1.98	0.46
1:D:113:ASP:OD2	2:D:301:CL:CL	2.71	0.45
1:B:83:GLU:HG2	1:B:92:CYS:SG	2.56	0.45
1:D:5:THR:HG22	1:D:7:VAL:H	1.81	0.45
1:D:83:GLU:HG2	1:D:92:CYS:SG	2.56	0.45
1:A:5:THR:HG22	1:A:8:GLU:CG	2.47	0.45
1:A:24:GLN:OE1	1:A:24:GLN:N	2.49	0.45
1:B:5:THR:CG2	1:B:8:GLU:H	2.28	0.45
1:A:191:ASP:HB2	1:A:220:ILE:HG21	1.99	0.45
1:C:83:GLU:HG2	1:C:92:CYS:SG	2.57	0.45
1:A:24:GLN:HB2	1:B:156:ARG:NH2	2.32	0.44
1:C:5:THR:HG22	1:C:8:GLU:CG	2.47	0.44
1:C:206:ARG:HD2	4:C:420:HOH:O	2.11	0.44
1:A:5:THR:CG2	1:A:8:GLU:H	2.30	0.44
1:A:152:ARG:O	1:A:155:SER:HB3	2.18	0.43
1:D:2:SER:HA	1:D:3:PRO:HD2	1.87	0.43
1:B:2:SER:HA	1:B:3:PRO:HD2	1.87	0.43
1:C:2:SER:HA	1:C:3:PRO:HD2	1.88	0.43
1:C:191:ASP:HB2	1:C:220:ILE:HG21	2.00	0.43
1:C:152:ARG:O	1:C:155:SER:HB3	2.18	0.43
1:A:186:LEU:HG	1:A:188:MSE:HE2	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:209:PRO:HB3	1:C:254:ALA:HA	2.01	0.42
1:A:2:SER:HA	1:A:3:PRO:HD2	1.87	0.42
1:D:152:ARG:O	1:D:155:SER:HB3	2.19	0.42
1:C:186:LEU:HG	1:C:188:MSE:HE2	2.01	0.42
1:B:152:ARG:O	1:B:155:SER:HB3	2.20	0.41
1:B:5:THR:HG22	1:B:8:GLU:CD	2.44	0.41
1:C:204:TYR:N	1:C:205:PRO:CD	2.84	0.41
1:D:178:ALA:HA	1:D:179:PRO:HD3	1.96	0.41
1:A:5:THR:HG22	1:A:8:GLU:CD	2.46	0.41
1:C:5:THR:CG2	1:C:8:GLU:H	2.31	0.41
1:C:5:THR:HG22	1:C:8:GLU:CD	2.46	0.40
1:B:186:LEU:HG	1:B:188:MSE:HE2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	194/283 (69%)	190 (98%)	4 (2%)	0	100	100
1	B	191/283 (68%)	187 (98%)	4 (2%)	0	100	100
1	C	197/283 (70%)	192 (98%)	5 (2%)	0	100	100
1	D	193/283 (68%)	188 (97%)	5 (3%)	0	100	100
All	All	775/1132 (68%)	757 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/229 (74%)	161 (95%)	8 (5%)	23	47
1	B	165/229 (72%)	158 (96%)	7 (4%)	26	52
1	C	168/229 (73%)	160 (95%)	8 (5%)	23	46
1	D	163/229 (71%)	155 (95%)	8 (5%)	22	45
All	All	665/916 (73%)	634 (95%)	31 (5%)	23	47

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	SER
1	A	18	VAL
1	A	24	GLN
1	A	52	VAL
1	A	145	THR
1	A	172	LYS
1	A	177	THR
1	A	192	SER
1	B	18	VAL
1	B	52	VAL
1	B	74	ARG
1	B	172	LYS
1	B	177	THR
1	B	182	ARG
1	B	192	SER
1	C	18	VAL
1	C	52	VAL
1	C	86	VAL
1	C	96	ARG
1	C	145	THR
1	C	172	LYS
1	C	177	THR
1	C	192	SER
1	D	5	THR
1	D	18	VAL
1	D	52	VAL
1	D	96	ARG
1	D	145	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	172	LYS
1	D	177	THR
1	D	192	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	246	GLN
1	B	202	HIS
1	B	246	GLN
1	C	0	ASN
1	C	246	GLN
1	D	246	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	195/283 (68%)	-0.31	2 (1%) 79 76	29, 46, 79, 110	0
1	B	192/283 (67%)	0.17	4 (2%) 63 59	46, 73, 105, 119	0
1	C	198/283 (69%)	-0.29	4 (2%) 65 61	29, 45, 80, 107	0
1	D	194/283 (68%)	0.04	6 (3%) 51 47	42, 65, 97, 117	0
All	All	779/1132 (68%)	-0.10	16 (2%) 63 59	29, 58, 97, 119	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	26	ALA	4.9
1	C	257	ILE	4.6
1	D	52	VAL	4.1
1	B	52	VAL	3.7
1	C	52	VAL	3.6
1	A	52	VAL	3.2
1	C	145	THR	2.8
1	D	254	ALA	2.8
1	A	145	THR	2.5
1	B	145	THR	2.4
1	C	177	THR	2.4
1	D	228	HIS	2.3
1	B	228	HIS	2.3
1	D	170	TRP	2.2
1	D	172	LYS	2.1
1	B	1	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CL	C	301	1/1	0.82	0.15	82,82,82,82	0
2	CL	D	301	1/1	0.86	0.08	86,86,86,86	0
2	CL	A	301	1/1	0.87	0.10	90,90,90,90	0
2	CL	B	301	1/1	0.92	0.07	83,83,83,83	0
3	MG	A	302	1/1	1.00	0.01	27,27,27,27	0
3	MG	B	302	1/1	1.00	0.03	43,43,43,43	0
3	MG	C	302	1/1	1.00	0.01	25,25,25,25	0
3	MG	D	302	1/1	1.00	0.01	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.