



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 09:09 PM UTC

PDB ID : 5XVM / pdb_00005xvm
Title : Sterol 3-beta-glucosyltransferase (ugt51) from *Saccharomyces cerevisiae*
(strain ATCC 204508 / S288c)
Authors : Feng, Y.; Chen, L.-Q.
Deposited on : 2017-06-28
Resolution : 2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5248 (2.80-2.76)
Clashscore	190562	5693 (2.80-2.76)
Ramachandran outliers	187476	5590 (2.80-2.76)
Sidechain outliers	187428	5592 (2.80-2.76)
RSRZ outliers	180081	5251 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	478	6% 67% 17% • 14%
1	B	478	11% 69% 14% 17%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sterol 3-beta-glucosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	410	Total	C	N	O	S	0	0	0
			3253	2107	554	584	8			
1	B	398	Total	C	N	O	S	0	0	0
			3163	2049	537	567	10			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	721	MET	-	expression tag	UNP Q06321
B	721	MET	-	expression tag	UNP Q06321

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	11	Total	O	0	0
			11	11		
2	B	14	Total	O	0	0
			14	14		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.86Å 83.57Å 151.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	51.01 – 2.77 51.01 – 2.77	Depositor EDS
% Data completeness (in resolution range)	86.6 (51.01-2.77) 86.5 (51.01-2.77)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.46 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.270 , 0.288 0.280 , 0.297	Depositor DCC
R_{free} test set	1989 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 25.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	6441	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/3331	1.09	9/4508 (0.2%)
1	B	0.73	0/3238	1.02	7/4380 (0.2%)
All	All	0.73	0/6569	1.05	16/8888 (0.2%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	852	VAL	N-CA-C	15.50	126.43	110.62
1	A	1040	THR	N-CA-C	15.08	127.20	111.07
1	A	852	VAL	N-CA-C	14.50	125.41	110.62
1	A	1039	LYS	N-CA-C	11.36	123.41	111.14
1	B	851	MET	N-CA-C	8.56	120.69	111.36
1	A	1111	LYS	N-CA-C	-7.04	102.48	112.13
1	A	850	ALA	N-CA-C	-6.40	98.74	108.67
1	A	851	MET	N-CA-C	6.38	120.33	112.54
1	B	1023	ILE	N-CA-C	-6.38	98.68	107.99
1	B	850	ALA	N-CA-C	-6.28	99.64	109.25
1	B	852	VAL	CB-CA-C	-5.63	104.54	112.14
1	B	1107	GLY	N-CA-C	5.46	118.55	110.42
1	B	961	GLY	N-CA-C	-5.31	106.34	112.29
1	A	1107	GLY	N-CA-C	5.29	117.73	110.69
1	A	1040	THR	CB-CA-C	-5.24	102.65	110.88
1	A	961	GLY	N-CA-C	-5.21	106.46	112.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3253	0	3275	87	0
1	B	3163	0	3164	58	0
2	A	11	0	0	1	0
2	B	14	0	0	0	0
All	All	6441	0	6439	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:893:TYR:CA	1:B:803:MET:HE1	1.18	1.55
1:A:893:TYR:HA	1:B:803:MET:CE	1.45	1.42
1:A:893:TYR:CA	1:B:803:MET:CE	1.98	1.39
1:A:893:TYR:N	1:B:803:MET:HE1	1.38	1.35
1:A:1011:LEU:HD11	1:A:1028:TRP:CH2	1.66	1.30
1:A:1111:LYS:CG	1:B:1111:LYS:HD3	1.64	1.17
1:A:896:LEU:HD12	1:B:803:MET:SD	1.85	1.17
1:A:1038:LYS:HG2	1:A:1039:LYS:HE2	1.17	1.14
1:B:1011:LEU:HD11	1:B:1028:TRP:CH2	1.88	1.08
1:A:1111:LYS:HG3	1:B:1111:LYS:CD	1.84	1.06
1:B:1011:LEU:CD1	1:B:1028:TRP:CH2	2.40	1.03
1:A:1038:LYS:HG2	1:A:1039:LYS:CE	1.89	1.01
1:A:893:TYR:N	1:B:803:MET:CE	2.17	1.00
1:A:876:ARG:HD2	2:A:1201:HOH:O	1.61	0.99
1:A:851:MET:HE1	1:A:909:ILE:HG21	1.41	0.98
1:A:1011:LEU:CD1	1:A:1028:TRP:CH2	2.47	0.97
1:A:1011:LEU:HD11	1:A:1028:TRP:HH2	1.19	0.96
1:A:896:LEU:CD1	1:B:803:MET:SD	2.54	0.95
1:A:893:TYR:HA	1:B:803:MET:HE2	1.46	0.95
1:B:1011:LEU:CD1	1:B:1028:TRP:HH2	1.80	0.94
1:A:1011:LEU:CD1	1:A:1028:TRP:HH2	1.82	0.92
1:A:893:TYR:HA	1:B:803:MET:HE1	0.91	0.89
1:A:1078:SER:OG	1:A:1085:THR:HG21	1.73	0.87
1:A:1111:LYS:HG3	1:B:1111:LYS:HD3	0.88	0.83
1:B:1051:ILE:HD12	1:B:1051:ILE:O	1.80	0.82
1:A:893:TYR:CB	1:B:803:MET:CE	2.59	0.80
1:A:1011:LEU:HD11	1:A:1028:TRP:CZ2	2.17	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1146:ASP:OD2	1:A:1149:LYS:HD2	1.85	0.76
1:A:1038:LYS:CG	1:A:1039:LYS:HE2	2.08	0.73
1:A:958:ARG:NH2	1:A:1158:GLU:OE2	2.24	0.70
1:A:892:ASN:C	1:B:803:MET:HE1	2.16	0.69
1:A:1104:ILE:HG22	1:A:1106:VAL:HG13	1.75	0.68
1:A:1146:ASP:OD2	1:A:1149:LYS:CD	2.40	0.68
1:B:1067:VAL:HG22	1:B:1086:VAL:CG2	2.24	0.68
1:A:818:SER:O	1:A:822:ARG:HG3	1.93	0.68
1:A:983:GLU:OE2	1:A:1021:TYR:OH	2.10	0.67
1:A:1039:LYS:HE2	1:A:1039:LYS:N	2.10	0.66
1:A:1005:LYS:HG2	1:A:1041:GLU:HG2	1.78	0.66
1:A:1011:LEU:CD1	1:A:1028:TRP:CZ2	2.77	0.66
1:A:821:PHE:CZ	1:A:825:ILE:HD11	2.32	0.65
1:A:893:TYR:HB2	1:B:803:MET:HE3	1.77	0.65
1:A:1044:LEU:HD11	1:A:1050:ASN:HB2	1.79	0.64
1:A:851:MET:CE	1:A:909:ILE:HG21	2.23	0.64
1:B:1011:LEU:CD1	1:B:1028:TRP:CZ2	2.80	0.64
1:B:771:VAL:HG22	1:B:788:GLN:HB2	1.81	0.63
1:A:771:VAL:HG22	1:A:788:GLN:HB2	1.80	0.63
1:B:1049:LEU:HG	1:B:1051:ILE:HG23	1.80	0.63
1:B:1011:LEU:HD12	1:B:1028:TRP:CZ2	2.34	0.62
1:A:846:GLU:OE2	1:A:850:ALA:O	2.17	0.62
1:A:1031:ARG:NH2	1:A:1033:GLY:C	2.59	0.61
1:A:893:TYR:HB2	1:B:803:MET:CE	2.30	0.61
1:B:1067:VAL:HG13	1:B:1086:VAL:HG23	1.84	0.60
1:A:794:GLY:HA2	1:A:824:TRP:CE2	2.37	0.59
1:A:1044:LEU:HD11	1:A:1050:ASN:CB	2.33	0.59
1:A:789:PHE:HE1	1:A:791:GLU:HG3	1.68	0.58
1:A:1044:LEU:CD1	1:A:1050:ASN:HB2	2.33	0.58
1:B:973:PRO:HG3	1:B:1058:TRP:CZ2	2.39	0.58
1:A:795:ASN:ND2	1:A:797:VAL:HG22	2.20	0.57
1:A:1038:LYS:CG	1:A:1039:LYS:CE	2.73	0.57
1:B:906:TRP:HB2	1:B:928:LEU:HD21	1.87	0.56
1:A:1031:ARG:HG2	1:A:1032:LEU:H	1.70	0.56
1:B:1051:ILE:HD12	1:B:1051:ILE:C	2.31	0.55
1:B:1067:VAL:HG22	1:B:1086:VAL:HG22	1.87	0.55
1:A:1031:ARG:HG2	1:A:1032:LEU:N	2.22	0.55
1:B:1087:ILE:HD12	1:B:1101:VAL:HG21	1.88	0.55
1:B:777:GLU:OE1	1:B:795:ASN:ND2	2.40	0.54
1:A:906:TRP:HB2	1:A:928:LEU:HD21	1.90	0.54
1:A:1038:LYS:HE2	1:A:1039:LYS:HE3	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:747:ILE:HG23	1:A:850:ALA:HB2	1.88	0.53
1:B:983:GLU:OE2	1:B:1021:TYR:OH	2.25	0.52
1:A:795:ASN:CG	1:A:797:VAL:HG22	2.34	0.52
1:B:1106:VAL:HG11	1:B:1138:ILE:HG13	1.91	0.52
1:A:1111:LYS:CG	1:B:1111:LYS:CD	2.51	0.52
1:A:821:PHE:CE2	1:A:825:ILE:HD11	2.45	0.52
1:A:754:GLN:HG3	1:A:965:LEU:HD22	1.91	0.51
1:B:754:GLN:HG3	1:B:965:LEU:HD22	1.93	0.49
1:B:1011:LEU:HD13	1:B:1028:TRP:HH2	1.74	0.49
1:B:802:LEU:HD22	1:B:817:ALA:HB1	1.95	0.48
1:A:794:GLY:O	1:A:824:TRP:CZ2	2.67	0.47
1:B:829:LEU:HD23	1:B:852:VAL:HG12	1.95	0.47
1:B:1080:ARG:HH11	1:B:1080:ARG:HG3	1.80	0.47
1:B:867:ALA:HA	1:B:939:LEU:O	2.15	0.47
1:A:794:GLY:C	1:A:824:TRP:CZ2	2.93	0.47
1:B:1011:LEU:HD12	1:B:1028:TRP:CH2	2.38	0.46
1:A:1045:PRO:HD2	1:A:1048:ILE:HD12	1.96	0.46
1:A:1106:VAL:HG11	1:A:1138:ILE:HG13	1.97	0.46
1:A:1078:SER:CB	1:A:1085:THR:HG21	2.45	0.46
1:B:794:GLY:O	1:B:824:TRP:CZ2	2.69	0.46
1:B:880:HIS:CE1	1:B:901:PHE:CD2	3.05	0.45
1:A:1044:LEU:CD1	1:A:1050:ASN:CB	2.94	0.45
1:B:1125:ALA:HA	1:B:1131:MET:CE	2.46	0.45
1:A:1138:ILE:HG22	1:A:1142:ILE:HD12	1.98	0.45
1:B:852:VAL:HG23	1:B:853:GLY:N	2.32	0.44
1:A:1170:VAL:O	1:A:1171:LYS:HB3	2.17	0.44
1:A:1146:ASP:OD2	1:A:1149:LYS:CE	2.65	0.44
1:A:989:LYS:HA	1:A:989:LYS:HD3	1.80	0.43
1:A:1038:LYS:HG2	1:A:1039:LYS:N	2.34	0.43
1:A:775:HIS:NE2	1:A:795:ASN:HA	2.33	0.43
1:A:1026:LYS:HE3	1:A:1041:GLU:OE1	2.18	0.43
1:A:1005:LYS:CG	1:A:1041:GLU:HG2	2.47	0.43
1:B:971:PHE:CZ	1:B:1054:VAL:HG13	2.54	0.43
1:A:789:PHE:HE1	1:A:791:GLU:CG	2.32	0.42
1:A:1031:ARG:CG	1:A:1032:LEU:H	2.31	0.42
1:B:941:ASN:HB3	1:B:963:TRP:CE2	2.54	0.42
1:A:1011:LEU:HD12	1:A:1028:TRP:CZ2	2.55	0.42
1:A:1023:ILE:CD1	1:A:1059:LEU:HD11	2.50	0.42
1:B:950:SER:HB3	1:B:953:PHE:CD1	2.55	0.41
1:B:1051:ILE:HD13	1:B:1052:GLY:O	2.20	0.41
1:A:799:LEU:HD21	1:A:824:TRP:CD2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:950:SER:HB3	1:A:953:PHE:CD1	2.55	0.41
1:B:822:ARG:HA	1:B:912:GLN:HE22	1.84	0.41
1:B:1138:ILE:HG22	1:B:1142:ILE:HD12	2.02	0.41
1:A:829:LEU:HD23	1:A:852:VAL:HG12	2.03	0.41
1:A:867:ALA:HA	1:A:939:LEU:O	2.20	0.41
1:B:775:HIS:NE2	1:B:795:ASN:HA	2.35	0.41
1:B:994:ILE:HD12	1:B:1022:CYS:SG	2.60	0.41
1:A:906:TRP:O	1:A:910:SER:N	2.54	0.41
1:B:1058:TRP:CH2	1:B:1062:GLN:OE1	2.74	0.41
1:A:1054:VAL:O	1:A:1055:PRO:C	2.64	0.41
1:A:1108:ILE:HG13	1:A:1131:MET:HE1	2.03	0.41
1:B:794:GLY:O	1:B:824:TRP:HZ2	2.03	0.41
1:B:799:LEU:HD21	1:B:824:TRP:CD2	2.55	0.41
1:B:1051:ILE:C	1:B:1051:ILE:CD1	2.94	0.41
1:A:1038:LYS:HG2	1:A:1039:LYS:HE3	1.91	0.41
1:A:1146:ASP:OD2	1:A:1149:LYS:HE3	2.21	0.41
1:A:955:GLU:O	1:A:958:ARG:NH1	2.54	0.41
1:A:889:ARG:HD2	1:A:893:TYR:CE2	2.56	0.40
1:A:759:LEU:HD22	1:A:963:TRP:CZ3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/478 (84%)	382 (95%)	20 (5%)	0	100	100
1	B	386/478 (81%)	366 (95%)	20 (5%)	0	100	100
All	All	788/956 (82%)	748 (95%)	40 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	348/410 (85%)	335 (96%)	13 (4%)	30	62
1	B	337/410 (82%)	326 (97%)	11 (3%)	33	66
All	All	685/820 (84%)	661 (96%)	24 (4%)	32	64

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	776	SER
1	A	777	GLU
1	A	868	PHE
1	A	951	ILE
1	A	976	GLU
1	A	982	SER
1	A	1006	GLU
1	A	1032	LEU
1	A	1039	LYS
1	A	1042	VAL
1	A	1053	ASN
1	A	1091	PHE
1	A	1139	LYS
1	B	776	SER
1	B	813	MET
1	B	814	LEU
1	B	868	PHE
1	B	951	ILE
1	B	992	VAL
1	B	1079	LEU
1	B	1112	LYS
1	B	1127	THR
1	B	1129	LYS
1	B	1164	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	785	HIS
1	A	887	GLN
1	A	898	HIS
1	A	1003	ASN
1	B	898	HIS
1	B	927	ASN
1	B	932	GLN
1	B	1050	ASN
1	B	1069	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	410/478 (85%)	0.71	30 (7%) 21 17	14, 26, 43, 65	0
1	B	398/478 (83%)	0.93	52 (13%) 7 6	13, 31, 49, 65	0
All	All	808/956 (84%)	0.82	82 (10%) 12 10	13, 29, 47, 65	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	975	ALA	5.0
1	B	803	MET	4.8
1	A	851	MET	4.2
1	B	814	LEU	4.1
1	A	800	MET	4.0
1	B	1049	LEU	3.8
1	A	1038	LYS	3.7
1	A	794	GLY	3.6
1	A	822	ARG	3.5
1	B	934	ASN	3.4
1	A	1111	LYS	3.3
1	A	1040	THR	3.2
1	B	992	VAL	3.2
1	B	1021	TYR	3.2
1	B	986	SER	3.2
1	B	999	ILE	3.1
1	A	821	PHE	3.1
1	B	813	MET	3.1
1	B	1129	LYS	3.0
1	B	1018	ALA	3.0
1	A	850	ALA	2.9
1	A	1031	ARG	2.7
1	B	850	ALA	2.7
1	B	1127	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1007	MET	2.6
1	A	986	SER	2.6
1	B	1019	ASP	2.6
1	A	1149	LYS	2.6
1	B	1000	VAL	2.6
1	B	1111	LYS	2.5
1	B	1011	LEU	2.5
1	B	979	GLU	2.5
1	B	1116	GLN	2.5
1	B	1125	ALA	2.5
1	A	833	TRP	2.5
1	B	1091	PHE	2.5
1	A	799	LEU	2.4
1	A	1011	LEU	2.4
1	A	966	ASP	2.4
1	B	1053	ASN	2.4
1	B	1086	VAL	2.4
1	B	802	LEU	2.4
1	A	765	LYS	2.4
1	B	973	PRO	2.4
1	A	792	ILE	2.4
1	B	794	GLY	2.4
1	B	1012	VAL	2.4
1	A	1091	PHE	2.4
1	B	971	PHE	2.4
1	B	976	GLU	2.3
1	B	982	SER	2.3
1	B	801	SER	2.3
1	B	1029	SER	2.3
1	B	1120	ASP	2.3
1	B	966	ASP	2.3
1	A	912	GLN	2.3
1	B	1023	ILE	2.2
1	B	1006	GLU	2.2
1	B	1028	TRP	2.2
1	A	1039	LYS	2.2
1	B	817	ALA	2.2
1	B	1014	ALA	2.2
1	B	1010	ALA	2.2
1	B	1163	ARG	2.2
1	B	974	PRO	2.2
1	A	818	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	889	ARG	2.2
1	B	1009	GLU	2.1
1	A	826	ASP	2.1
1	A	1143	SER	2.1
1	B	985	ARG	2.1
1	A	1053	ASN	2.1
1	B	1016	MET	2.1
1	A	1033	GLY	2.1
1	A	797	VAL	2.1
1	B	1119	ALA	2.1
1	B	1015	VAL	2.1
1	A	1044	LEU	2.1
1	A	911	GLY	2.1
1	B	1020	VAL	2.1
1	B	1124	VAL	2.1
1	B	980	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.