



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:10 AM UTC

PDB ID : 6XV6 / pdb_00006xv6
Title : Human Sirt6 3-318 in complex with ADP-ribose
Authors : You, W.; Steegborn, C.
Deposited on : 2020-01-21
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	10% 84% 6% 9%
1	B	316	8% 82% 6% 12%
1	C	316	9% 85% 5% 9%
1	D	316	6% 83% 5% 11%
1	E	316	8% 84% • 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	316	8% 87% • 9%

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 14138 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD-dependent protein deacetylase sirtuin-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2236	1407	410	408	11			
1	B	279	Total	C	N	O	S	0	0	0
			2165	1361	394	399	11			
1	C	287	Total	C	N	O	S	0	0	0
			2216	1394	405	406	11			
1	D	280	Total	C	N	O	S	0	0	0
			2175	1368	397	399	11			
1	E	279	Total	C	N	O	S	0	0	0
			2171	1365	398	397	11			
1	F	289	Total	C	N	O	S	0	0	0
			2237	1407	406	413	11			

- Molecule 2 is [(2R,3S,4R,5R)-5-(6-AMINOPURIN-9-YL)-3,4-DIHYDROXY-OXOLAN-2-Y L]METHYL [HYDROXY-[(2R,3S,4R,5S)-3,4,5-TRIHYDROXYOXOLAN-2-YL]METHOX Y]PHOSPHORYL] HYDROGEN PHOSPHATE (CCD ID: AR6) (formula: C₁₅H₂₃N₅O₁₄P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	B	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	C	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	D	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	E	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	F	1	Total	C	N	O	P	0	0
			36	15	5	14	2		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		
3	E	1	Total	Zn	0	0
			1	1		
3	F	1	Total	Zn	0	0
			1	1		

- Molecule 4 is NICOTINAMIDE (CCD ID: NCA) (formula: C₆H₆N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			9	6	2	1		
4	B	1	Total	C	N	O	0	0
			9	6	2	1		
4	C	1	Total	C	N	O	0	0
			9	6	2	1		
4	D	1	Total	C	N	O	0	0
			9	6	2	1		
4	E	1	Total	C	N	O	0	0
			9	6	2	1		
4	F	1	Total	C	N	O	0	0
			9	6	2	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	E	1	Total	O	S	0	0
			5	4	1		
6	E	1	Total	O	S	0	0
			5	4	1		
6	E	1	Total	O	S	0	0
			5	4	1		
6	E	1	Total	O	S	0	0
			5	4	1		
6	F	1	Total	O	S	0	0
			5	4	1		
6	F	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	90	Total	O	0	0
			90	90		
7	B	89	Total	O	0	0
			89	89		
7	C	90	Total	O	0	0
			90	90		
7	D	98	Total	O	0	0
			98	98		
7	E	73	Total	O	0	0
			73	73		
7	F	64	Total	O	0	0
			64	64		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NAD-dependent protein deacetylase sirtuin-6




- Molecule 1: NAD-dependent protein deacetylase sirtuin-6




- Molecule 1: NAD-dependent protein deacetylase sirtuin-6





- Molecule 1: NAD-dependent protein deacetylase sirtuin-6







● Molecule 1: NAD-dependent protein deacetylase sirtuin-6



● Molecule 1: NAD-dependent protein deacetylase sirtuin-6



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.69Å 136.31Å 90.10Å 90.00° 117.37° 90.00°	Depositor
Resolution (Å)	46.72 – 1.75 46.72 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.72-1.75) 99.2 (46.72-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.200 , 0.225 0.207 , 0.229	Depositor DCC
R_{free} test set	2099 reflections (1.10%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.244	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 27.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -h-l,k,h 0.000 for l,k,-h-l 0.005 for h,-k,-h-l 0.009 for -h-l,-k,l 0.008 for l,-k,h	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14138	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ZN, GOL, AR6, NCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.01	0/2286	1.22	1/3104 (0.0%)
1	B	1.01	0/2212	1.22	1/3003 (0.0%)
1	C	1.03	1/2264 (0.0%)	1.24	2/3075 (0.1%)
1	D	1.01	0/2223	1.21	3/3019 (0.1%)
1	E	1.00	0/2218	1.19	0/3009
1	F	0.99	0/2287	1.22	2/3109 (0.1%)
All	All	1.01	1/13490 (0.0%)	1.22	9/18319 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	87	GLU	CD-OE2	5.38	1.35	1.25

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	208	ASP	CB-CA-C	-7.64	94.05	109.55
1	C	74	GLU	CB-CG-CD	7.25	124.92	112.60
1	B	298	GLU	CA-C-O	6.95	132.62	120.80
1	F	208	ASP	CA-CB-CG	6.66	119.26	112.60
1	A	298	GLU	CA-C-O	6.13	131.22	120.80
1	C	4	ASN	CA-CB-CG	6.05	118.65	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	26	PRO	CB-CA-C	-6.02	105.73	111.39
1	D	194	ASP	CA-CB-CG	5.83	118.44	112.60
1	D	287	PRO	N-CA-CB	5.35	106.19	103.19

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	189	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2236	0	2236	14	0
1	B	2165	0	2162	14	0
1	C	2216	0	2212	11	0
1	D	2175	0	2167	11	0
1	E	2171	0	2180	8	0
1	F	2237	0	2220	8	0
2	A	36	0	21	1	0
2	B	36	0	21	1	0
2	C	36	0	21	1	0
2	D	36	0	21	0	0
2	E	36	0	21	0	0
2	F	36	0	21	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	9	0	6	0	0
4	B	9	0	6	0	0
4	C	9	0	6	0	0
4	D	9	0	6	0	0
4	E	9	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	9	0	6	0	0
5	A	12	0	16	0	0
5	B	12	0	16	1	0
5	D	6	0	8	0	0
5	E	6	0	8	0	0
5	F	12	0	16	0	0
6	A	10	0	0	0	0
6	B	35	0	0	1	0
6	C	15	0	0	0	0
6	D	20	0	0	1	0
6	E	20	0	0	0	0
6	F	10	0	0	0	0
7	A	90	0	0	1	0
7	B	89	0	0	0	0
7	C	90	0	0	2	0
7	D	98	0	0	0	0
7	E	73	0	0	0	0
7	F	64	0	0	0	0
All	All	14138	0	13403	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:188:TRP:NE1	1:D:29:GLU:OE1	2.03	0.91
1:D:68:HIS:CE1	1:F:73:MET:HE2	2.06	0.91
1:A:73:MET:HE2	1:B:68:HIS:CE1	2.20	0.76
1:C:4:ASN:HA	2:C:401:AR6:O2D	1.92	0.70
1:B:165:LEU:HD22	1:B:165:LEU:N	2.13	0.64
1:C:4:ASN:HB2	1:C:186:LEU:O	1.99	0.63
1:E:17:LYS:HB3	1:E:20:LEU:HD11	1.84	0.59
1:B:164:ARG:C	1:B:165:LEU:HD22	2.27	0.59
1:A:230:LYS:HE2	1:A:249:HIS:O	2.03	0.57
1:C:73:MET:HA	1:C:73:MET:HE2	1.88	0.56
1:A:8:GLY:HA3	1:A:157:MET:SD	2.47	0.55
1:B:44:SER:HB3	1:B:208:ASP:OD2	2.07	0.54
1:C:8:GLY:O	1:D:26:PRO:HB3	2.07	0.54
1:A:81:LYS:HB2	1:B:68:HIS:CE1	2.42	0.54
1:B:85:THR:HA	5:B:404:GOL:H31	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:136:MET:HE1	1:E:157:MET:HE2	1.91	0.53
1:D:30:LEU:C	1:D:30:LEU:HD13	2.34	0.52
1:A:68:HIS:CE1	1:B:73:MET:HE2	2.45	0.52
1:D:164:ARG:NH1	6:D:408:SO4:O1	2.32	0.51
1:B:31:GLU:OE1	1:B:264:ARG:NH1	2.43	0.50
1:F:4:ASN:C	1:F:4:ASN:OD1	2.55	0.49
1:A:280:ARG:HB2	7:A:572:HOH:O	2.13	0.49
1:E:166:CYS:SG	1:E:168:VAL:HG13	2.52	0.49
1:F:136:MET:HE3	1:F:153:VAL:HG11	1.94	0.49
1:E:73:MET:HA	1:E:73:MET:HE2	1.94	0.48
1:A:253:ARG:NH2	1:A:255:HIS:CD2	2.83	0.47
1:F:6:ALA:HB1	1:F:70:VAL:HG11	1.96	0.47
1:D:73:MET:HA	1:D:73:MET:HE2	1.98	0.46
1:E:298:GLU:CD	1:E:298:GLU:H	2.24	0.46
1:B:33:LYS:NZ	6:B:406:SO4:O1	2.44	0.45
1:A:5:TYR:CE1	1:A:9:LEU:HD11	2.51	0.45
1:D:100:GLN:HB2	1:D:274:PRO:HD3	1.98	0.45
1:A:10:SER:HB3	1:A:11:PRO:HD3	1.98	0.45
1:B:100:GLN:HB2	1:B:274:PRO:HD3	1.99	0.45
1:F:3:VAL:HG22	1:F:155:GLY:O	2.16	0.45
1:C:248:ARG:NH1	7:C:501:HOH:O	2.50	0.44
1:A:5:TYR:CZ	1:A:9:LEU:HD11	2.53	0.44
1:B:165:LEU:N	1:B:165:LEU:CD2	2.79	0.44
1:E:100:GLN:HB2	1:E:274:PRO:HD3	2.00	0.44
1:F:100:GLN:HB2	1:F:274:PRO:HD3	2.00	0.44
1:C:248:ARG:CZ	7:C:501:HOH:O	2.66	0.43
1:D:259:ASP:O	1:D:263:THR:HG23	2.18	0.43
1:B:23:ILE:O	1:B:255:HIS:HB3	2.19	0.43
1:D:31:GLU:OE2	1:D:264:ARG:NH1	2.52	0.43
1:A:23:ILE:O	1:A:255:HIS:HB3	2.19	0.42
1:B:63:ASP:OD2	2:B:401:AR6:H8	2.19	0.42
1:F:15:LYS:HE2	1:F:74:GLU:OE1	2.19	0.42
1:C:100:GLN:HB2	1:C:274:PRO:HD3	2.02	0.42
1:A:115:VAL:O	1:A:136:MET:HG3	2.20	0.42
1:D:23:ILE:O	1:D:255:HIS:HB3	2.20	0.41
1:F:63:ASP:OD2	2:F:401:AR6:H8	2.20	0.41
1:E:224:ASN:ND2	1:E:246:HIS:NE2	2.68	0.41
1:A:100:GLN:HB2	1:A:274:PRO:HD3	2.02	0.41
1:B:259:ASP:O	1:B:263:THR:HG23	2.21	0.41
1:C:225:LEU:N	1:C:226:PRO:CD	2.84	0.41
1:C:294:THR:HA	1:C:295:PRO:HD3	1.96	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:23:ILE:O	1:E:255:HIS:HB3	2.20	0.41
1:A:63:ASP:OD2	2:A:401:AR6:H8	2.21	0.41
1:C:8:GLY:O	1:D:27:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	284/316 (90%)	282 (99%)	2 (1%)	0	100	100
1	B	275/316 (87%)	274 (100%)	1 (0%)	0	100	100
1	C	281/316 (89%)	280 (100%)	1 (0%)	0	100	100
1	D	276/316 (87%)	273 (99%)	3 (1%)	0	100	100
1	E	275/316 (87%)	273 (99%)	2 (1%)	0	100	100
1	F	285/316 (90%)	285 (100%)	0	0	100	100
All	All	1676/1896 (88%)	1667 (100%)	9 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/265 (91%)	237 (99%)	3 (1%)	61	46
1	B	234/265 (88%)	232 (99%)	2 (1%)	70	60
1	C	238/265 (90%)	236 (99%)	2 (1%)	73	64
1	D	234/265 (88%)	234 (100%)	0	100	100
1	E	235/265 (89%)	235 (100%)	0	100	100
1	F	240/265 (91%)	238 (99%)	2 (1%)	73	64
All	All	1421/1590 (89%)	1412 (99%)	9 (1%)	78	71

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	LYS
1	A	143	LYS
1	A	230	LYS
1	B	45	SER
1	B	165	LEU
1	C	3	VAL
1	C	9	LEU
1	F	3	VAL
1	F	32	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	93	GLN
1	C	93	GLN
1	D	206	ASN
1	D	249	HIS
1	E	224	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 6 are monoatomic - leaving 42 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	B	412	-	4,4,4	0.17	0	6,6,6	0.16	0
4	NCA	D	403	-	9,9,9	1.04	1 (11%)	11,11,11	1.62	2 (18%)
6	SO4	D	406	-	4,4,4	0.33	0	6,6,6	0.08	0
6	SO4	E	408	-	4,4,4	0.36	0	6,6,6	0.14	0
6	SO4	B	410	-	4,4,4	0.32	0	6,6,6	0.13	0
6	SO4	B	407	-	4,4,4	0.26	0	6,6,6	0.27	0
6	SO4	C	404	-	4,4,4	0.31	0	6,6,6	0.09	0
6	SO4	B	408	-	4,4,4	0.32	0	6,6,6	0.08	0
6	SO4	D	405	-	4,4,4	0.34	0	6,6,6	0.17	0
2	AR6	F	401	-	39,39,39	0.71	1 (2%)	56,60,60	0.77	1 (1%)
5	GOL	F	404	-	5,5,5	0.09	0	5,5,5	0.25	0
6	SO4	E	405	-	4,4,4	0.36	0	6,6,6	0.47	0
4	NCA	E	403	-	9,9,9	1.95	2 (22%)	11,11,11	2.00	4 (36%)
2	AR6	C	401	-	39,39,39	0.65	1 (2%)	56,60,60	0.78	2 (3%)
6	SO4	A	407	-	4,4,4	0.45	0	6,6,6	0.13	0
4	NCA	A	403	-	9,9,9	2.16	3 (33%)	11,11,11	1.75	3 (27%)
6	SO4	B	409	-	4,4,4	0.30	0	6,6,6	0.08	0
2	AR6	D	401	-	39,39,39	0.77	1 (2%)	56,60,60	0.81	1 (1%)
6	SO4	F	407	-	4,4,4	0.28	0	6,6,6	0.24	0
6	SO4	A	406	-	4,4,4	0.31	0	6,6,6	0.10	0
5	GOL	A	405	-	5,5,5	0.12	0	5,5,5	0.31	0
5	GOL	B	405	-	5,5,5	0.07	0	5,5,5	0.24	0
6	SO4	D	407	-	4,4,4	0.35	0	6,6,6	0.44	0
2	AR6	B	401	-	39,39,39	0.47	0	56,60,60	0.75	1 (1%)
6	SO4	D	408	-	4,4,4	0.42	0	6,6,6	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AR6	E	401	-	39,39,39	0.51	0	56,60,60	0.87	2 (3%)
6	SO4	F	406	-	4,4,4	0.31	0	6,6,6	0.23	0
6	SO4	E	407	-	4,4,4	0.19	0	6,6,6	0.23	0
6	SO4	C	405	-	4,4,4	0.41	0	6,6,6	0.18	0
6	SO4	C	406	-	4,4,4	0.33	0	6,6,6	0.22	0
4	NCA	C	403	-	9,9,9	1.79	2 (22%)	11,11,11	1.61	2 (18%)
5	GOL	F	405	-	5,5,5	0.14	0	5,5,5	0.33	0
5	GOL	B	404	-	5,5,5	0.09	0	5,5,5	0.41	0
5	GOL	E	404	-	5,5,5	0.14	0	5,5,5	0.37	0
2	AR6	A	401	-	39,39,39	0.56	0	56,60,60	0.77	1 (1%)
4	NCA	B	403	-	9,9,9	1.54	2 (22%)	11,11,11	1.54	2 (18%)
5	GOL	A	404	-	5,5,5	0.11	0	5,5,5	0.36	0
6	SO4	B	411	-	4,4,4	0.24	0	6,6,6	0.19	0
4	NCA	F	403	-	9,9,9	2.34	4 (44%)	11,11,11	1.71	2 (18%)
5	GOL	D	404	-	5,5,5	0.15	0	5,5,5	0.43	0
6	SO4	E	406	-	4,4,4	0.39	0	6,6,6	0.22	0
6	SO4	B	406	-	4,4,4	0.48	0	6,6,6	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NCA	D	403	-	-	0/4/4/4	0/1/1/1
2	AR6	F	401	-	-	0/22/54/54	0/4/4/4
5	GOL	F	404	-	-	0/4/4/4	-
4	NCA	E	403	-	-	0/4/4/4	0/1/1/1
2	AR6	C	401	-	-	0/22/54/54	0/4/4/4
4	NCA	A	403	-	-	0/4/4/4	0/1/1/1
2	AR6	D	401	-	-	1/22/54/54	0/4/4/4
5	GOL	A	405	-	-	2/4/4/4	-
5	GOL	B	405	-	-	0/4/4/4	-
2	AR6	B	401	-	-	0/22/54/54	0/4/4/4
2	AR6	E	401	-	-	1/22/54/54	0/4/4/4
4	NCA	C	403	-	-	0/4/4/4	0/1/1/1
5	GOL	F	405	-	-	4/4/4/4	-
5	GOL	B	404	-	-	2/4/4/4	-
5	GOL	E	404	-	-	3/4/4/4	-
2	AR6	A	401	-	-	1/22/54/54	0/4/4/4
4	NCA	B	403	-	-	0/4/4/4	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	404	-	-	0/4/4/4	-
4	NCA	F	403	-	-	0/4/4/4	0/1/1/1
5	GOL	D	404	-	-	2/4/4/4	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	403	NCA	C7-N7	4.49	1.41	1.33
4	A	403	NCA	C3-C7	4.45	1.57	1.50
4	F	403	NCA	C3-C7	4.08	1.56	1.50
4	C	403	NCA	C3-C7	3.72	1.56	1.50
4	E	403	NCA	C3-C7	3.56	1.55	1.50
4	E	403	NCA	C7-N7	3.56	1.39	1.33
4	B	403	NCA	C3-C7	3.53	1.55	1.50
4	A	403	NCA	C7-N7	3.09	1.38	1.33
4	C	403	NCA	C7-N7	3.08	1.38	1.33
2	F	401	AR6	PB-O3A	2.41	1.62	1.59
4	B	403	NCA	C7-N7	2.29	1.37	1.33
2	C	401	AR6	PB-O3A	2.25	1.61	1.59
4	A	403	NCA	C2-N1	2.22	1.39	1.34
4	F	403	NCA	C5-C4	2.15	1.42	1.38
2	D	401	AR6	O4D-C1D	2.11	1.45	1.43
4	F	403	NCA	C2-N1	2.09	1.38	1.34
4	D	403	NCA	C3-C7	2.02	1.53	1.50

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	403	NCA	C6-N1-C2	4.32	124.41	116.85
4	A	403	NCA	C3-C7-N7	4.23	122.95	117.74
4	F	403	NCA	C6-N1-C2	4.11	124.04	116.85
4	C	403	NCA	C6-N1-C2	3.77	123.46	116.85
4	D	403	NCA	C6-N1-C2	3.66	123.27	116.85
4	B	403	NCA	C6-N1-C2	3.35	122.73	116.85
2	D	401	AR6	O1A-PA-O2A	2.98	126.29	112.44
4	C	403	NCA	C3-C2-N1	-2.96	119.10	123.50
4	E	403	NCA	C3-C2-N1	-2.88	119.22	123.50
4	D	403	NCA	C3-C2-N1	-2.79	119.34	123.50
4	E	403	NCA	O7-C7-C3	-2.53	116.51	119.60
4	A	403	NCA	O7-C7-N7	-2.46	119.06	122.62
2	E	401	AR6	C2D-C3D-C4D	-2.39	97.98	102.61
4	B	403	NCA	C3-C2-N1	-2.29	120.10	123.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	AR6	O1A-PA-O2A	2.28	123.04	112.44
2	E	401	AR6	O1A-PA-O2A	2.22	122.77	112.44
2	C	401	AR6	O1D-C1D-O4D	-2.17	108.35	111.12
4	F	403	NCA	C3-C2-N1	-2.13	120.33	123.50
2	C	401	AR6	O1A-PA-O2A	2.12	122.30	112.44
4	A	403	NCA	C6-N1-C2	2.12	120.56	116.85
4	E	403	NCA	C3-C7-N7	2.05	120.26	117.74
2	B	401	AR6	O1A-PA-O2A	2.03	121.89	112.44
2	F	401	AR6	O1A-PA-O2A	2.01	121.81	112.44

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	405	GOL	C1-C2-C3-O3
5	D	404	GOL	O1-C1-C2-O2
5	D	404	GOL	O1-C1-C2-C3
5	E	404	GOL	C1-C2-C3-O3
5	B	404	GOL	O1-C1-C2-O2
5	B	404	GOL	O1-C1-C2-C3
5	F	405	GOL	O1-C1-C2-C3
5	F	405	GOL	C1-C2-C3-O3
5	A	405	GOL	O2-C2-C3-O3
5	E	404	GOL	O2-C2-C3-O3
5	F	405	GOL	O1-C1-C2-O2
5	E	404	GOL	O1-C1-C2-O2
2	D	401	AR6	C5D-O5D-PB-O2B
2	E	401	AR6	C5D-O5D-PB-O2B
5	F	405	GOL	O2-C2-C3-O3
2	A	401	AR6	O4'-C4'-C5'-O5'

There are no ring outliers.

7 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	401	AR6	1	0
2	C	401	AR6	1	0
2	B	401	AR6	1	0
6	D	408	SO4	1	0
5	B	404	GOL	1	0
2	A	401	AR6	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	406	SO4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	288/316 (91%)	0.50	31 (10%)	11 12	18, 27, 61, 97	0
1	B	279/316 (88%)	0.48	24 (8%)	16 19	18, 29, 56, 84	0
1	C	287/316 (90%)	0.44	27 (9%)	14 17	18, 27, 52, 73	0
1	D	280/316 (88%)	0.41	18 (6%)	25 29	18, 28, 49, 108	0
1	E	279/316 (88%)	0.65	25 (8%)	15 18	21, 32, 60, 85	0
1	F	289/316 (91%)	0.66	25 (8%)	16 19	21, 33, 54, 78	0
All	All	1702/1896 (89%)	0.52	150 (8%)	15 19	18, 30, 56, 108	0

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	188	TRP	6.9
1	C	176	ALA	6.9
1	A	9	LEU	6.9
1	C	7	ALA	6.8
1	B	176	ALA	6.2
1	F	169	ALA	6.1
1	D	169	ALA	6.0
1	B	169	ALA	5.9
1	E	188	TRP	5.8
1	C	169	ALA	5.7
1	D	188	TRP	5.6
1	F	188	TRP	5.6
1	D	12	TYR	5.5
1	A	188	TRP	5.5
1	C	3	VAL	5.2
1	A	12	TYR	5.2
1	C	188	TRP	5.1
1	A	7	ALA	5.0
1	A	286	LEU	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	13	ALA	4.7
1	B	35	TRP	4.7
1	D	35	TRP	4.6
1	A	169	ALA	4.5
1	F	3	VAL	4.4
1	C	12	TYR	4.4
1	C	297	LEU	4.4
1	E	169	ALA	4.2
1	A	287	PRO	4.1
1	A	4	ASN	4.1
1	A	6	ALA	4.1
1	E	168	VAL	4.0
1	A	10	SER	4.0
1	A	11	PRO	4.0
1	A	5	TYR	4.0
1	F	189	GLU	3.9
1	F	286	LEU	3.9
1	E	13	ALA	3.9
1	D	297	LEU	3.7
1	C	287	PRO	3.7
1	F	297	LEU	3.6
1	F	168	VAL	3.6
1	B	165	LEU	3.6
1	E	77	GLY	3.5
1	D	168	VAL	3.5
1	B	297	LEU	3.5
1	E	286	LEU	3.5
1	E	76	ARG	3.5
1	C	9	LEU	3.4
1	C	8	GLY	3.4
1	A	277	ASP	3.3
1	C	4	ASN	3.3
1	E	35	TRP	3.3
1	D	157	MET	3.3
1	C	13	ALA	3.3
1	D	14	ASP	3.2
1	D	287	PRO	3.2
1	C	14	ASP	3.1
1	C	277	ASP	3.1
1	B	286	LEU	3.1
1	F	154	VAL	3.0
1	B	298	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	8	GLY	3.0
1	F	35	TRP	2.9
1	F	12	TYR	2.9
1	E	297	LEU	2.9
1	E	298	GLU	2.8
1	A	231	ARG	2.8
1	C	168	VAL	2.8
1	F	9	LEU	2.8
1	C	167	THR	2.8
1	A	297	LEU	2.7
1	D	177	CYS	2.7
1	A	220	ARG	2.7
1	E	231	ARG	2.7
1	B	194	ASP	2.7
1	E	32	ARG	2.7
1	A	35	TRP	2.7
1	C	192	LEU	2.7
1	E	177	CYS	2.7
1	A	232	ARG	2.6
1	B	157	MET	2.6
1	E	142	ALA	2.6
1	B	167	THR	2.6
1	A	168	VAL	2.6
1	C	154	VAL	2.6
1	E	165	LEU	2.5
1	F	14	ASP	2.5
1	E	157	MET	2.5
1	C	193	PRO	2.5
1	A	178	ARG	2.5
1	A	189	GLU	2.4
1	B	163	GLY	2.4
1	D	154	VAL	2.4
1	E	167	THR	2.4
1	C	179	GLY	2.4
1	E	143	LYS	2.4
1	F	191	SER	2.4
1	B	14	ASP	2.4
1	C	187	ASP	2.4
1	F	287	PRO	2.3
1	F	195	ARG	2.3
1	B	15	LYS	2.3
1	F	231	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	287	PRO	2.3
1	C	165	LEU	2.3
1	D	286	LEU	2.3
1	D	189	GLU	2.3
1	F	248	ARG	2.3
1	A	13	ALA	2.2
1	C	231	ARG	2.2
1	F	178	ARG	2.2
1	B	43	GLN	2.2
1	D	298	GLU	2.2
1	F	277	ASP	2.2
1	A	195	ARG	2.2
1	A	167	THR	2.2
1	D	167	THR	2.2
1	F	193	PRO	2.2
1	F	13	ALA	2.2
1	A	298	GLU	2.2
1	B	227	LEU	2.2
1	E	180	GLU	2.1
1	F	74	GLU	2.1
1	A	253	ARG	2.1
1	E	108	ARG	2.1
1	C	35	TRP	2.1
1	A	154	VAL	2.1
1	B	168	VAL	2.1
1	B	17	LYS	2.1
1	C	194	ASP	2.1
1	B	39	ARG	2.1
1	D	143	LYS	2.1
1	E	163	GLY	2.1
1	B	191	SER	2.1
1	A	192	LEU	2.1
1	C	232	ARG	2.1
1	A	193	PRO	2.1
1	E	287	PRO	2.1
1	B	143	LYS	2.1
1	C	205	ARG	2.0
1	F	177	CYS	2.0
1	D	155	GLY	2.0
1	F	8	GLY	2.0
1	B	195	ARG	2.0
1	B	220	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	39	ARG	2.0
1	A	187	ASP	2.0
1	E	14	ASP	2.0
1	F	208	ASP	2.0
1	E	154	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	F	407	5/5	0.58	0.17	60,69,72,74	0
6	SO4	C	404	5/5	0.67	0.14	78,86,92,98	0
6	SO4	E	408	5/5	0.68	0.14	55,66,73,81	0
6	SO4	D	408	5/5	0.69	0.15	46,58,65,66	0
6	SO4	C	406	5/5	0.70	0.14	59,61,67,72	0
6	SO4	B	410	5/5	0.72	0.12	72,74,80,84	0
4	NCA	F	403	9/9	0.76	0.17	32,39,47,55	0
5	GOL	E	404	6/6	0.80	0.22	54,64,73,75	0
6	SO4	E	407	5/5	0.80	0.13	52,63,72,81	0
5	GOL	D	404	6/6	0.81	0.22	61,63,66,66	0
5	GOL	F	405	6/6	0.82	0.15	46,53,58,60	0
4	NCA	E	403	9/9	0.82	0.14	30,36,39,44	0
6	SO4	B	412	5/5	0.82	0.12	45,60,74,77	0
6	SO4	F	406	5/5	0.84	0.12	61,64,71,78	0
5	GOL	B	405	6/6	0.85	0.18	56,70,77,80	0
5	GOL	A	405	6/6	0.85	0.20	57,60,63,73	0
6	SO4	A	407	5/5	0.85	0.10	46,47,59,63	0
6	SO4	A	406	5/5	0.86	0.11	56,58,71,73	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	GOL	F	404	6/6	0.87	0.20	62,71,73,74	0
5	GOL	B	404	6/6	0.87	0.14	46,49,50,54	0
6	SO4	B	408	5/5	0.87	0.09	61,66,70,72	0
6	SO4	B	411	5/5	0.88	0.14	51,66,68,73	0
4	NCA	A	403	9/9	0.90	0.10	27,29,34,35	0
6	SO4	D	406	5/5	0.92	0.08	64,65,74,75	0
5	GOL	A	404	6/6	0.92	0.11	37,46,46,55	0
4	NCA	B	403	9/9	0.93	0.09	28,29,33,35	0
6	SO4	B	409	5/5	0.93	0.08	50,60,61,64	0
4	NCA	C	403	9/9	0.93	0.09	25,28,31,32	0
6	SO4	E	406	5/5	0.93	0.08	52,55,66,69	0
4	NCA	D	403	9/9	0.94	0.09	27,32,35,40	0
6	SO4	B	406	5/5	0.94	0.08	47,47,54,57	0
6	SO4	B	407	5/5	0.95	0.08	33,39,40,48	0
6	SO4	C	405	5/5	0.95	0.10	36,39,46,50	0
6	SO4	D	407	5/5	0.95	0.09	37,39,45,49	0
3	ZN	B	402	1/1	0.96	0.06	45,45,45,45	0
3	ZN	E	402	1/1	0.96	0.06	43,43,43,43	0
6	SO4	D	405	5/5	0.97	0.10	34,36,39,40	0
2	AR6	F	401	36/36	0.97	0.06	22,24,32,35	0
3	ZN	A	402	1/1	0.97	0.05	38,38,38,38	0
2	AR6	E	401	36/36	0.97	0.05	22,26,31,36	0
6	SO4	E	405	5/5	0.97	0.10	30,34,38,42	0
2	AR6	C	401	36/36	0.98	0.04	18,20,23,31	0
2	AR6	D	401	36/36	0.98	0.05	19,21,25,32	0
3	ZN	C	402	1/1	0.98	0.04	36,36,36,36	0
3	ZN	D	402	1/1	0.98	0.04	39,39,39,39	0
2	AR6	A	401	36/36	0.98	0.04	17,20,22,26	0
3	ZN	F	402	1/1	0.98	0.06	38,38,38,38	0
2	AR6	B	401	36/36	0.98	0.04	20,22,25,34	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AR6 F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AR6 E 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AR6 C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AR6 D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AR6 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AR6 B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.