



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 07:00 PM EDT

PDB ID : 6XVI / pdb_00006xvi
Title : Crystal structure of Megabody Mb-Nb207-c7HopQ_A12
Authors : Steyaert, J.; Uchanski, T.; Fischer, B.
Deposited on : 2020-01-22
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	521	69%14%16%
1	B	521	3% 69%12%19%
1	C	521	4% 69%12%17%
1	D	521	3% 68%12%20%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13015 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Outer membrane protein,Outer membrane protein,Mb-Nb207-c7HopQ_A12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	437	Total	C	N	O	S	0	0	0
			3310	2050	585	662	13			
1	B	424	Total	C	N	O	S	0	0	0
			3207	1988	564	642	13			
1	C	430	Total	C	N	O	S	0	0	0
			3255	2012	576	654	13			
1	D	418	Total	C	N	O	S	0	0	0
			3167	1960	557	637	13			

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLN	-	expression tag	UNP B5Z8H1
A	2	VAL	-	expression tag	UNP B5Z8H1
A	3	GLN	-	expression tag	UNP B5Z8H1
A	4	LEU	-	expression tag	UNP B5Z8H1
A	5	VAL	-	expression tag	UNP B5Z8H1
A	6	GLU	-	expression tag	UNP B5Z8H1
A	7	SER	-	expression tag	UNP B5Z8H1
A	8	GLY	-	expression tag	UNP B5Z8H1
A	9	GLY	-	expression tag	UNP B5Z8H1
A	10	GLY	-	expression tag	UNP B5Z8H1
A	11	LEU	-	expression tag	UNP B5Z8H1
A	12	VAL	-	expression tag	UNP B5Z8H1
A	13	ARG	-	expression tag	UNP B5Z8H1
B	1	GLN	-	expression tag	UNP B5Z8H1
B	2	VAL	-	expression tag	UNP B5Z8H1
B	3	GLN	-	expression tag	UNP B5Z8H1
B	4	LEU	-	expression tag	UNP B5Z8H1
B	5	VAL	-	expression tag	UNP B5Z8H1
B	6	GLU	-	expression tag	UNP B5Z8H1
B	7	SER	-	expression tag	UNP B5Z8H1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	8	GLY	-	expression tag	UNP B5Z8H1
B	9	GLY	-	expression tag	UNP B5Z8H1
B	10	GLY	-	expression tag	UNP B5Z8H1
B	11	LEU	-	expression tag	UNP B5Z8H1
B	12	VAL	-	expression tag	UNP B5Z8H1
B	13	ARG	-	expression tag	UNP B5Z8H1
C	1	GLN	-	expression tag	UNP B5Z8H1
C	2	VAL	-	expression tag	UNP B5Z8H1
C	3	GLN	-	expression tag	UNP B5Z8H1
C	4	LEU	-	expression tag	UNP B5Z8H1
C	5	VAL	-	expression tag	UNP B5Z8H1
C	6	GLU	-	expression tag	UNP B5Z8H1
C	7	SER	-	expression tag	UNP B5Z8H1
C	8	GLY	-	expression tag	UNP B5Z8H1
C	9	GLY	-	expression tag	UNP B5Z8H1
C	10	GLY	-	expression tag	UNP B5Z8H1
C	11	LEU	-	expression tag	UNP B5Z8H1
C	12	VAL	-	expression tag	UNP B5Z8H1
C	13	ARG	-	expression tag	UNP B5Z8H1
D	1	GLN	-	expression tag	UNP B5Z8H1
D	2	VAL	-	expression tag	UNP B5Z8H1
D	3	GLN	-	expression tag	UNP B5Z8H1
D	4	LEU	-	expression tag	UNP B5Z8H1
D	5	VAL	-	expression tag	UNP B5Z8H1
D	6	GLU	-	expression tag	UNP B5Z8H1
D	7	SER	-	expression tag	UNP B5Z8H1
D	8	GLY	-	expression tag	UNP B5Z8H1
D	9	GLY	-	expression tag	UNP B5Z8H1
D	10	GLY	-	expression tag	UNP B5Z8H1
D	11	LEU	-	expression tag	UNP B5Z8H1
D	12	VAL	-	expression tag	UNP B5Z8H1
D	13	ARG	-	expression tag	UNP B5Z8H1

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	36	Total O 36 36	0	0
2	B	21	Total O 21 21	0	0
2	C	9	Total O 9 9	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Outer membrane protein,Outer membrane protein,Mb-Nb207-c7HopQ_A12



- Molecule 1: Outer membrane protein,Outer membrane protein,Mb-Nb207-c7HopQ_A12



- [illegible]

- Chain D: 

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	96.05Å 117.38Å 96.84Å 90.00° 90.72° 90.00°	Depositor
Resolution (Å)	29.62 – 2.60 29.62 – 2.60	Depositor EDS
% Data completeness (in resolution range)	94.6 (29.62-2.60) 94.6 (29.62-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.224 , 0.250 0.226 , 0.254	Depositor DCC
R_{free} test set	3141 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	66.2	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.000 for l,k,-h 0.074 for h,-k,-l 0.019 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13015	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	7/3358 (0.2%)	0.81	5/4547 (0.1%)
1	B	0.62	1/3253 (0.0%)	0.76	4/4402 (0.1%)
1	C	0.63	2/3300 (0.1%)	0.78	1/4466 (0.0%)
1	D	0.55	1/3212 (0.0%)	0.75	1/4348 (0.0%)
All	All	0.62	11/13123 (0.1%)	0.78	11/17763 (0.1%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	363	TYR	C-O	-6.01	1.17	1.24
1	B	480	TYR	C-O	-5.92	1.16	1.24
1	C	472	LYS	C-O	-5.65	1.19	1.24
1	A	480	TYR	C-O	-5.63	1.17	1.24
1	A	258	GLN	C-O	-5.60	1.17	1.24
1	C	422	PHE	C-O	-5.51	1.16	1.23
1	A	423	ARG	C-O	-5.36	1.17	1.23
1	A	422	PHE	C-O	-5.35	1.17	1.23
1	A	265	GLU	C-O	-5.11	1.18	1.24
1	A	421	TRP	C-O	-5.03	1.17	1.23
1	A	457	ARG	N-CA	-5.02	1.39	1.45

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	121	SER	CA-C-N	11.97	131.69	119.24
1	A	121	SER	C-N-CA	11.97	131.69	119.24
1	B	309	SER	CA-C-N	9.44	129.10	119.56
1	B	309	SER	C-N-CA	9.44	129.10	119.56
1	A	119	LEU	N-CA-C	-7.76	102.82	111.28
1	B	350	LEU	N-CA-C	6.66	119.29	109.24
1	B	351	LYS	N-CA-C	6.49	118.68	110.24
1	D	503	GLN	N-CA-C	5.43	119.91	113.28
1	A	378	LYS	N-CA-C	5.27	117.11	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	258	GLN	N-CA-C	-5.22	106.07	112.90
1	A	379	GLN	N-CA-C	5.10	119.53	112.45

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3310	0	3246	47	0
1	B	3207	0	3136	40	0
1	C	3255	0	3184	54	0
1	D	3167	0	3091	62	0
2	A	36	0	0	1	0
2	B	21	0	0	0	0
2	C	9	0	0	1	0
2	D	10	0	0	0	0
All	All	13015	0	12657	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:306:TYR:CD2	1:D:351:LYS:HA	1.57	1.37
1:D:215:ILE:HD11	1:D:266:ARG:NH1	1.72	1.03
1:D:306:TYR:CE2	1:D:351:LYS:HA	1.95	1.01
1:D:306:TYR:CD2	1:D:351:LYS:CA	2.49	0.95
1:D:215:ILE:HD11	1:D:266:ARG:HH12	1.25	0.94
1:D:306:TYR:HD2	1:D:351:LYS:HA	1.22	0.93
1:C:253:ALA:O	1:C:256:ILE:HG22	1.70	0.91
1:D:215:ILE:CD1	1:D:266:ARG:HH12	1.85	0.89
1:C:253:ALA:O	1:C:256:ILE:CG2	2.25	0.85
1:D:306:TYR:HE2	1:D:351:LYS:CB	1.89	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:306:TYR:CE2	1:D:351:LYS:CA	2.63	0.80
1:B:221:LEU:HD21	1:B:256:ILE:HG12	1.62	0.79
1:C:22:THR:HG22	2:C:609:HOH:O	1.81	0.79
1:D:266:ARG:HG2	1:D:266:ARG:HH11	1.49	0.78
1:B:350:LEU:HD12	1:B:351:LYS:H	1.47	0.78
1:D:214:GLN:HB3	1:D:262:ASN:HD21	1.50	0.77
1:C:34:GLN:HG3	1:C:90:ILE:HG21	1.67	0.76
1:D:306:TYR:CE2	1:D:351:LYS:CB	2.69	0.76
1:D:306:TYR:HE2	1:D:351:LYS:HB3	1.50	0.76
1:A:119:LEU:H	1:A:119:LEU:HD12	1.50	0.76
1:D:215:ILE:CD1	1:D:266:ARG:NH1	2.44	0.75
1:C:254:GLN:NE2	1:C:254:GLN:HA	1.99	0.75
1:C:253:ALA:C	1:C:256:ILE:HG22	2.12	0.72
1:A:121:SER:HB2	1:A:122:PRO:HD3	1.70	0.72
1:A:354:LYS:HG3	1:A:355:ASN:ND2	2.05	0.72
1:B:214:GLN:HB2	1:B:262:ASN:HD21	1.54	0.72
1:D:306:TYR:HD2	1:D:350:LEU:O	1.73	0.70
1:A:320:TYR:HB2	1:A:328:THR:HG23	1.74	0.70
1:C:254:GLN:HA	1:C:254:GLN:HE21	1.57	0.70
1:D:34:GLN:HG3	1:D:90:ILE:HG21	1.73	0.69
1:D:306:TYR:HD2	1:D:351:LYS:CA	1.98	0.68
1:D:375:LYS:NZ	1:D:379:GLN:OE1	2.26	0.68
1:D:306:TYR:HB3	1:D:350:LEU:O	1.96	0.66
1:D:306:TYR:HD2	1:D:350:LEU:C	2.03	0.66
1:D:216:ASN:O	1:D:219:GLN:HG2	1.96	0.66
1:B:89:MET:HE1	1:B:156:LEU:HD22	1.77	0.65
1:C:253:ALA:HA	1:C:256:ILE:HG22	1.78	0.65
1:C:256:ILE:HG23	1:C:257:ASN:N	2.12	0.65
1:A:375:LYS:NZ	1:A:379:GLN:OE1	2.29	0.65
1:B:438:TRP:O	1:B:457:ARG:NH2	2.30	0.64
1:A:121:SER:CB	1:A:122:PRO:HD3	2.26	0.64
1:D:354:LYS:HG2	1:D:355:ASN:ND2	2.13	0.63
1:B:34:GLN:HG3	1:B:90:ILE:HG21	1.81	0.62
1:B:214:GLN:HB2	1:B:262:ASN:ND2	2.14	0.62
1:D:306:TYR:CD2	1:D:350:LEU:O	2.51	0.62
1:C:253:ALA:HA	1:C:256:ILE:CG2	2.31	0.60
1:C:323:GLU:HA	1:C:323:GLU:OE1	2.01	0.60
1:D:208:PHE:CE2	1:D:270:LEU:HD13	2.36	0.60
1:B:22:THR:HG21	1:B:372:ILE:HG23	1.84	0.60
1:C:15:THR:HG23	1:C:397:THR:HG23	1.83	0.59
1:A:22:THR:HG21	1:A:372:ILE:HG23	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:404:ARG:HD2	1:B:467:GLN:OE1	2.04	0.57
1:C:111:ILE:HG12	1:C:125:LEU:HD11	1.85	0.57
1:C:483:ALA:HB3	1:C:500:TYR:HB2	1.85	0.57
1:B:312:GLU:OE1	1:B:312:GLU:HA	2.04	0.57
1:C:253:ALA:CA	1:C:256:ILE:HG22	2.35	0.57
1:B:211:GLN:HB3	1:B:214:GLN:NE2	2.19	0.57
1:C:256:ILE:HG23	1:C:257:ASN:H	1.68	0.57
1:C:305:GLY:HA2	1:C:350:LEU:O	2.04	0.57
1:D:367:HIS:O	1:D:371:GLN:HG2	2.05	0.56
1:D:22:THR:HG21	1:D:372:ILE:HG23	1.87	0.56
1:C:213:PRO:CG	1:D:351:LYS:HD3	2.35	0.56
1:A:82:GLU:HG2	1:A:161:LEU:HD23	1.87	0.56
1:C:284:LEU:O	1:C:288:ARG:HG2	2.05	0.56
1:D:46:ILE:HB	1:D:302:ILE:HD12	1.86	0.56
1:D:89:MET:HE1	1:D:156:LEU:HD22	1.88	0.56
1:C:213:PRO:HG2	1:D:351:LYS:CD	2.36	0.55
1:C:2:VAL:HG22	1:C:411:GLY:HA3	1.89	0.55
1:C:165:ILE:O	1:C:190:GLY:HA3	2.06	0.55
1:A:89:MET:HE2	1:A:153:PHE:HA	1.89	0.54
1:A:473:PRO:HA	1:A:509:VAL:HG23	1.88	0.54
1:B:187:TRP:HE1	1:B:328:THR:HG21	1.73	0.54
1:C:253:ALA:O	1:C:256:ILE:HG23	2.07	0.54
1:B:306:TYR:C	1:B:306:TYR:CD1	2.87	0.53
1:A:291:LEU:HD13	1:A:373:LEU:HD23	1.90	0.53
1:C:130:GLN:HA	1:C:130:GLN:OE1	2.07	0.53
1:D:3:GLN:H	1:D:410:SER:HB3	1.74	0.53
1:C:291:LEU:HD22	1:C:377:LEU:HD12	1.90	0.53
1:B:2:VAL:HG11	1:B:500:TYR:CZ	2.43	0.53
1:A:370:TYR:C	1:A:370:TYR:CD1	2.86	0.53
1:A:485:ARG:NH1	1:A:500:TYR:CZ	2.78	0.52
1:D:86:ALA:HA	1:D:89:MET:HE3	1.90	0.52
1:C:82:GLU:HG2	1:C:161:LEU:HD23	1.91	0.52
1:C:349:THR:O	1:C:349:THR:HG23	2.09	0.52
1:C:213:PRO:HG2	1:D:351:LYS:HD3	1.92	0.51
1:D:46:ILE:HA	1:D:74:ASN:HA	1.92	0.51
1:B:274:THR:HG23	1:B:280:TYR:CE2	2.45	0.51
1:A:90:ILE:HD13	1:A:286:ALA:HB1	1.93	0.50
1:D:266:ARG:NH1	1:D:266:ARG:HG2	2.20	0.50
1:D:266:ARG:HH11	1:D:266:ARG:CG	2.21	0.50
1:B:353:ASP:OD1	1:B:354:LYS:N	2.41	0.50
1:B:471:LEU:HB3	1:B:509:VAL:HG21	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:ALA:O	1:B:288:ARG:HD3	2.11	0.50
1:A:472:LYS:O	1:A:509:VAL:HG21	2.11	0.50
1:A:215:ILE:HD11	1:A:266:ARG:HG3	1.94	0.49
1:A:157:SER:O	1:A:162:LYS:HA	2.12	0.49
1:C:260:VAL:HG12	1:C:261:ASN:N	2.27	0.49
1:A:305:GLY:HA3	1:A:352:ALA:HB2	1.95	0.49
1:A:214:GLN:NE2	1:A:266:ARG:HD3	2.28	0.48
1:C:192:ALA:O	1:C:288:ARG:HD3	2.12	0.48
1:C:413:THR:HB	1:C:438:TRP:NE1	2.28	0.48
1:C:46:ILE:HA	1:C:74:ASN:HA	1.94	0.48
1:B:212:THR:O	1:B:215:ILE:HG13	2.13	0.48
1:D:359:SER:OG	1:D:361:GLU:OE1	2.32	0.48
1:D:306:TYR:CB	1:D:350:LEU:O	2.62	0.48
1:C:417:ALA:HB3	1:C:485:ARG:HA	1.95	0.48
1:D:97:VAL:O	1:D:100:THR:HG22	2.14	0.48
1:D:192:ALA:O	1:D:288:ARG:HD3	2.14	0.48
1:B:211:GLN:O	1:B:214:GLN:HG2	2.14	0.47
1:D:123:SER:O	1:D:126:THR:HG22	2.14	0.47
1:A:387:SER:O	1:A:388:LYS:HE2	2.13	0.47
1:D:165:ILE:O	1:D:190:GLY:HA3	2.14	0.47
1:B:86:ALA:HA	1:B:89:MET:HE3	1.97	0.47
1:C:89:MET:HE1	1:C:156:LEU:HD22	1.96	0.47
1:D:208:PHE:HA	1:D:266:ARG:HH21	1.80	0.47
1:D:26:ALA:HB2	1:D:382:LEU:HD11	1.97	0.47
1:C:305:GLY:C	1:C:352:ALA:HB2	2.40	0.47
1:A:449:ALA:HB1	1:A:453:PHE:HB2	1.97	0.46
1:D:353:ASP:O	1:D:356:VAL:HG12	2.15	0.46
1:A:485:ARG:NH1	1:A:500:TYR:OH	2.39	0.46
1:A:407:CYS:HB3	1:A:464:VAL:HG12	1.97	0.46
1:A:43:TYR:CE2	1:A:362:GLN:NE2	2.83	0.46
1:C:484:ARG:HD3	1:C:492:PRO:HG3	1.97	0.46
1:D:20:ILE:O	1:D:393:GLU:HA	2.16	0.46
1:D:266:ARG:NH1	1:D:266:ARG:CG	2.79	0.46
1:B:132:MET:HG3	1:B:222:ALA:HB2	1.97	0.45
1:B:320:TYR:CZ	1:B:367:HIS:HD2	2.34	0.45
1:C:322:ASP:HB3	1:C:324:ASN:ND2	2.31	0.45
1:A:119:LEU:H	1:A:119:LEU:CD1	2.16	0.45
1:A:250:LYS:O	1:A:250:LYS:HG3	2.16	0.45
1:A:106:ASN:O	1:A:108:PRO:HD3	2.15	0.45
1:C:82:GLU:HG2	1:C:161:LEU:CD2	2.47	0.45
1:A:89:MET:CE	1:A:153:PHE:HA	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:305:GLY:HA2	1:A:350:LEU:O	2.17	0.45
1:A:27:GLN:O	1:A:31:THR:HG23	2.17	0.45
1:B:305:GLY:HA3	1:B:352:ALA:HB2	1.99	0.44
1:A:291:LEU:HD12	1:A:291:LEU:HA	1.77	0.44
1:C:124:SER:O	1:C:127:ALA:N	2.50	0.44
1:A:390:GLU:HG3	2:A:619:HOH:O	2.16	0.44
1:B:305:GLY:C	1:B:352:ALA:HB2	2.43	0.44
1:C:92:ASN:O	1:C:96:ILE:HG12	2.17	0.44
1:D:306:TYR:HD2	1:D:351:LYS:N	2.15	0.44
1:A:354:LYS:O	1:A:354:LYS:HG2	2.16	0.44
1:B:316:LYS:HE3	1:B:364:GLU:OE2	2.18	0.44
1:A:85:ALA:O	1:A:89:MET:HG3	2.17	0.44
1:D:353:ASP:O	1:D:354:LYS:C	2.59	0.44
1:A:220:ASN:O	1:A:224:THR:HG23	2.18	0.44
1:B:402:SER:HB2	1:B:467:GLN:HE21	1.83	0.44
1:D:28:ASN:O	1:D:32:GLN:HG2	2.17	0.44
1:D:215:ILE:HD11	1:D:266:ARG:HH11	1.74	0.43
1:A:379:GLN:O	1:A:379:GLN:HG3	2.16	0.43
1:B:318:PHE:CD1	1:B:318:PHE:N	2.87	0.43
1:C:133:LEU:CD2	1:C:219:GLN:HG3	2.48	0.43
1:C:213:PRO:CB	1:D:351:LYS:HD3	2.48	0.43
1:C:287:LEU:O	1:C:290:VAL:HG22	2.19	0.43
1:B:306:TYR:CD1	1:B:306:TYR:O	2.70	0.43
1:D:24:ASN:HB2	1:D:381:GLY:O	2.18	0.43
1:D:306:TYR:CE2	1:D:351:LYS:HB3	2.39	0.43
1:C:256:ILE:CG2	1:C:257:ASN:N	2.81	0.43
1:D:6:GLU:HA	1:D:407:CYS:HA	1.99	0.43
1:D:34:GLN:HG3	1:D:90:ILE:CG2	2.47	0.43
1:A:208:PHE:CE2	1:A:270:LEU:HD13	2.54	0.43
1:C:124:SER:O	1:C:127:ALA:HB3	2.19	0.43
1:D:212:THR:O	1:D:216:ASN:ND2	2.52	0.43
1:A:317:ASP:HB3	1:A:329:THR:HG23	2.01	0.43
1:A:164:TYR:O	1:A:167:LYS:HG2	2.18	0.42
1:B:6:GLU:OE2	1:B:502:GLY:HA3	2.19	0.42
1:C:492:PRO:O	1:C:498:TYR:OH	2.35	0.42
1:A:104:SER:HA	1:A:107:GLN:HE21	1.84	0.42
1:A:284:LEU:HA	1:A:284:LEU:HD12	1.83	0.42
1:B:157:SER:O	1:B:162:LYS:HA	2.20	0.42
1:B:39:THR:HG21	1:B:366:ILE:HD11	2.01	0.42
1:B:331:ASN:OD1	1:B:332:CYS:N	2.52	0.42
1:C:212:THR:O	1:C:215:ILE:HG13	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:VAL:HG13	1:A:357:SER:H	1.85	0.42
1:B:135:ASN:OD1	1:B:135:ASN:C	2.61	0.42
1:C:33:ALA:HB1	1:C:290:VAL:HG21	2.01	0.42
1:A:2:VAL:HG11	1:A:500:TYR:CZ	2.54	0.42
1:A:121:SER:N	1:A:122:PRO:CD	2.82	0.42
1:B:435:GLY:HA3	1:B:444:TYR:CZ	2.55	0.42
1:D:167:LYS:O	1:D:189:ASN:HB3	2.20	0.41
1:D:425:ALA:HB1	1:D:426:PRO:HD2	2.03	0.41
1:C:186:ASN:HB2	1:C:322:ASP:OD1	2.21	0.41
1:C:297:MET:HG3	1:C:298:GLY:N	2.33	0.41
1:B:139:GLN:NE2	1:B:267:ALA:HB2	2.35	0.41
1:B:211:GLN:OE1	1:B:214:GLN:NE2	2.53	0.41
1:B:429:GLU:CD	1:B:429:GLU:H	2.26	0.41
1:B:293:LEU:O	1:B:297:MET:HG3	2.21	0.41
1:C:6:GLU:OE2	1:C:502:GLY:HA3	2.20	0.41
1:D:97:VAL:O	1:D:101:GLN:HG3	2.21	0.41
1:A:331:ASN:HD21	1:A:334:GLY:C	2.29	0.41
1:A:44:CYS:O	1:A:74:ASN:HB2	2.21	0.41
1:C:90:ILE:HD13	1:C:286:ALA:HB1	2.03	0.40
1:D:225:LEU:HD23	1:D:225:LEU:HA	1.90	0.40
1:C:66:TRP:HB3	1:C:160:HIS:HB3	2.03	0.40
1:C:322:ASP:CB	1:C:324:ASN:ND2	2.84	0.40
1:A:331:ASN:OD1	1:A:332:CYS:N	2.54	0.40
1:B:4:LEU:HD13	1:B:481:CYS:SG	2.61	0.40
1:D:136:ALA:HB2	1:D:263:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/521 (81%)	412 (97%)	11 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	408/521 (78%)	397 (97%)	11 (3%)	0	100	100
1	C	416/521 (80%)	401 (96%)	15 (4%)	0	100	100
1	D	404/521 (78%)	397 (98%)	6 (2%)	1 (0%)	43	66
All	All	1651/2084 (79%)	1607 (97%)	43 (3%)	1 (0%)	48	70

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	71	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	355/427 (83%)	350 (99%)	5 (1%)	59	81
1	B	342/427 (80%)	337 (98%)	5 (2%)	57	80
1	C	347/427 (81%)	336 (97%)	11 (3%)	34	62
1	D	338/427 (79%)	334 (99%)	4 (1%)	63	83
All	All	1382/1708 (81%)	1357 (98%)	25 (2%)	51	76

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	SER
1	A	119	LEU
1	A	228	GLU
1	A	379	GLN
1	A	457	ARG
1	B	100	THR
1	B	102	GLN
1	B	350	LEU
1	B	416	THR
1	B	457	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	15	THR
1	C	254	GLN
1	C	256	ILE
1	C	258	GLN
1	C	307	THR
1	C	349	THR
1	C	350	LEU
1	C	351	LYS
1	C	429	GLU
1	C	472	LYS
1	C	498	TYR
1	D	134	LYS
1	D	266	ARG
1	D	479	TYR
1	D	498	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	GLN
1	A	107	GLN
1	A	110	ASN
1	A	147	ASN
1	A	154	ASN
1	B	67	GLN
1	B	102	GLN
1	B	139	GLN
1	B	189	ASN
1	B	503	GLN
1	C	106	ASN
1	C	147	ASN
1	C	148	GLN
1	C	254	GLN
1	C	326	ASN
1	C	424	GLN
1	C	462	ASN
1	D	147	ASN
1	D	189	ASN
1	D	262	ASN
1	D	459	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/521 (83%)	0.26	5 (1%) 78 74	37, 68, 105, 155	0
1	B	424/521 (81%)	0.36	14 (3%) 49 43	43, 69, 110, 139	0
1	C	430/521 (82%)	0.46	19 (4%) 39 33	42, 72, 126, 147	0
1	D	418/521 (80%)	0.51	16 (3%) 44 38	46, 78, 131, 182	0
All	All	1709/2084 (82%)	0.39	54 (3%) 50 44	37, 72, 121, 182	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	111	ILE	3.8
1	D	225	LEU	3.4
1	B	414	PHE	3.4
1	B	332	CYS	3.4
1	B	481	CYS	3.3
1	A	350	LEU	3.1
1	D	350	LEU	3.1
1	C	2	VAL	3.0
1	D	132	MET	3.0
1	C	379	GLN	2.8
1	D	310	PRO	2.8
1	C	252	SER	2.8
1	D	271	ALA	2.8
1	D	486	ARG	2.8
1	D	324	ASN	2.7
1	D	332	CYS	2.7
1	D	305	GLY	2.6
1	C	123	SER	2.5
1	B	62	ASN	2.4
1	D	63	THR	2.4
1	D	217	GLN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	417	ALA	2.4
1	A	168	CYS	2.4
1	C	311	GLY	2.4
1	D	2	VAL	2.4
1	B	263	LEU	2.3
1	C	356	VAL	2.3
1	C	437	TYR	2.3
1	B	325	GLY	2.3
1	B	353	ASP	2.3
1	C	444	TYR	2.2
1	D	306	TYR	2.2
1	C	132	MET	2.2
1	B	215	ILE	2.2
1	B	303	CYS	2.2
1	B	349	THR	2.2
1	C	301	VAL	2.2
1	C	39	THR	2.2
1	A	481	CYS	2.2
1	B	210	ASN	2.1
1	D	256	ILE	2.1
1	C	49	ALA	2.1
1	C	334	GLY	2.1
1	C	256	ILE	2.1
1	A	217	GLN	2.1
1	C	129	ALA	2.1
1	A	327	GLY	2.1
1	B	350	LEU	2.1
1	D	416	THR	2.1
1	C	413	THR	2.1
1	D	481	CYS	2.0
1	B	253	ALA	2.0
1	C	447	ASP	2.0
1	B	415	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.