



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 15, 2026 – 01:15 AM UTC

PDB ID : 5XW6 / pdb_00005xw6
Title : Crystal structure of the chicken ATP-gated P2X7 receptor channel in the presence of competitive antagonist TNP-ATP at 3.1 Angstroms
Authors : Kasuya, G.; Hattori, M.; Nureki, O.
Deposited on : 2017-06-29
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	9% 82% 16% .
1	B	327	10% 78% 19% .
1	C	327	9% 80% 18% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7932 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P2X purinoceptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	320	Total	C	N	O	S	0	0	0
			2584	1670	431	466	17			
1	A	320	Total	C	N	O	S	0	0	0
			2584	1670	431	466	17			
1	B	320	Total	C	N	O	S	0	0	0
			2584	1670	431	466	17			

There are 27 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	22	GLY	-	expression tag	UNP E1C6P3
C	23	SER	-	expression tag	UNP E1C6P3
C	24	GLY	-	expression tag	UNP E1C6P3
C	25	SER	-	expression tag	UNP E1C6P3
C	26	GLY	-	expression tag	UNP E1C6P3
C	27	SER	-	expression tag	UNP E1C6P3
C	190	GLN	ASN	engineered mutation	UNP E1C6P3
C	347	LEU	-	expression tag	UNP E1C6P3
C	348	GLU	-	expression tag	UNP E1C6P3
A	22	GLY	-	expression tag	UNP E1C6P3
A	23	SER	-	expression tag	UNP E1C6P3
A	24	GLY	-	expression tag	UNP E1C6P3
A	25	SER	-	expression tag	UNP E1C6P3
A	26	GLY	-	expression tag	UNP E1C6P3
A	27	SER	-	expression tag	UNP E1C6P3
A	190	GLN	ASN	engineered mutation	UNP E1C6P3
A	347	LEU	-	expression tag	UNP E1C6P3
A	348	GLU	-	expression tag	UNP E1C6P3
B	22	GLY	-	expression tag	UNP E1C6P3
B	23	SER	-	expression tag	UNP E1C6P3
B	24	GLY	-	expression tag	UNP E1C6P3
B	25	SER	-	expression tag	UNP E1C6P3
B	26	GLY	-	expression tag	UNP E1C6P3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	27	SER	-	expression tag	UNP E1C6P3
B	190	GLN	ASN	engineered mutation	UNP E1C6P3
B	347	LEU	-	expression tag	UNP E1C6P3
B	348	GLU	-	expression tag	UNP E1C6P3

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is SPIRO(2,4,6-TRINITROBENZENE[1,2A]-2O',3O'-METHYLENE-ADENIN E-TRIPHOSPHATE (CCD ID: 128) (formula: $C_{16}H_{16}N_8O_{19}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total	C	N	O	P	0	0
			46	16	8	19	3		
3	A	1	Total	C	N	O	P	0	0
			46	16	8	19	3		
3	B	1	Total	C	N	O	P	0	0
			46	16	8	19	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: P2X purinoceptor




• Molecule 1: P2X purinoceptor



• Molecule 1: P2X purinoceptor





4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	113.04Å 113.04Å 333.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.88 – 3.10 29.88 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.88-3.10) 99.4 (29.88-3.10)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 3.11Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.220 , 0.248 0.222 , 0.251	Depositor DCC
R_{free} test set	2033 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	76.9	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7932	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, 128

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2652	0.64	0/3596
1	B	0.35	0/2652	0.64	1/3596 (0.0%)
1	C	0.35	0/2652	0.62	0/3596
All	All	0.36	0/7956	0.64	1/10788 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	144	ASN	CB-CA-C	-6.43	98.75	112.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2584	0	2549	41	0
1	B	2584	0	2549	53	0
1	C	2584	0	2549	57	0
2	A	14	0	13	0	0
2	B	14	0	13	0	0
2	C	14	0	13	1	0
3	A	46	0	13	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	46	0	13	3	0
3	C	46	0	13	4	0
All	All	7932	0	7725	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:166:VAL:HG13	1:C:167:PRO:HD3	1.40	1.03
1:B:166:VAL:HG13	1:B:167:PRO:HD3	1.41	1.01
1:A:236:LYS:NZ	3:B:401:128:O1G	1.97	0.96
1:B:34:TYR:CE1	1:B:338:ILE:HD11	2.14	0.83
1:A:126:GLY:HA2	1:A:135:VAL:HG23	1.61	0.81
3:A:401:128:O2F	3:A:401:128:H4'	1.81	0.81
1:C:337:ILE:O	1:C:341:CYS:HB2	1.82	0.79
1:B:57:LEU:HD21	1:B:184:ILE:HB	1.65	0.78
1:C:82:ILE:HD11	1:A:85:GLN:HG3	1.64	0.78
3:C:502:128:O4F	1:B:112:THR:OG1	2.02	0.77
1:A:73:ARG:NH2	1:A:79:GLU:OE1	2.18	0.76
1:A:82:ILE:HD11	1:B:85:GLN:HB2	1.68	0.75
1:B:34:TYR:HE1	1:B:338:ILE:HD11	1.48	0.75
1:C:341:CYS:HB3	1:A:340:MET:SD	2.25	0.75
3:C:502:128:O2F	3:C:502:128:H4'	1.91	0.71
1:C:83:PRO:HG3	1:B:281:PHE:HB3	1.73	0.70
1:A:110:TYR:CD1	1:A:111:PRO:HD2	2.26	0.70
1:B:175:ASP:OD1	1:B:218:ARG:NH1	2.25	0.70
1:A:175:ASP:OD1	1:A:218:ARG:NH1	2.27	0.66
1:B:57:LEU:HD21	1:B:184:ILE:HD12	1.77	0.66
1:C:166:VAL:HG13	1:C:167:PRO:CD	2.23	0.65
1:C:273:GLN:NE2	1:A:198:PRO:O	2.29	0.65
1:C:161:GLU:C	1:C:163:ARG:H	2.04	0.64
1:C:85:GLN:HE21	1:B:91:PHE:H	1.42	0.64
1:C:268:ASP:O	1:C:275:PRO:HB3	2.00	0.62
1:C:110:TYR:CD1	1:C:111:PRO:HD2	2.35	0.62
1:C:85:GLN:HE21	1:B:91:PHE:N	1.98	0.61
1:B:64:THR:OG1	3:B:401:128:N7	2.33	0.61
1:A:292:GLU:OE2	1:B:73:ARG:NH2	2.34	0.61
1:C:323:PHE:O	1:C:327:THR:HG22	2.02	0.60
1:B:204:CYS:O	1:B:205:LYS:HD2	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:85:GLN:HB2	1:B:82:ILE:HD11	1.84	0.59
1:C:110:TYR:CD1	1:C:160:GLY:HA3	2.38	0.58
3:B:401:128:O2F	3:B:401:128:H4'	2.02	0.58
1:A:268:ASP:O	1:A:275:PRO:HB3	2.04	0.57
1:A:232:GLU:O	1:A:235:VAL:HG12	2.04	0.57
1:C:338:ILE:O	1:C:342:PHE:HB2	2.05	0.57
1:A:241:ALA:HB2	1:A:266:LEU:HD11	1.87	0.57
1:B:144:ASN:HB2	1:B:146:THR:H	1.70	0.56
1:A:110:TYR:CG	1:A:111:PRO:HD2	2.41	0.56
1:A:30:LYS:NZ	1:A:339:GLU:OE1	2.35	0.55
1:C:273:GLN:HB3	1:A:194:GLN:HE22	1.72	0.55
3:C:502:128:O1G	3:C:502:128:O2A	2.24	0.55
1:B:71:VAL:HG11	1:B:169:VAL:HG23	1.89	0.55
1:B:161:GLU:C	1:B:163:ARG:H	2.14	0.55
1:C:337:ILE:HD11	1:B:337:ILE:HD11	1.89	0.55
1:B:75:TRP:CH2	1:B:96:ILE:HD12	2.41	0.55
1:A:109:GLU:O	1:A:149:THR:HG21	2.08	0.54
1:C:340:MET:HA	1:B:345:TYR:OH	2.08	0.53
1:C:273:GLN:OE1	1:A:194:GLN:NE2	2.42	0.53
1:C:340:MET:HE3	1:C:341:CYS:SG	2.49	0.53
1:C:233:MET:HE2	1:C:265:ARG:NH1	2.24	0.53
1:C:274:TYR:CD1	3:A:401:128:H5'	2.44	0.53
1:C:336:THR:O	1:C:340:MET:HB3	2.10	0.52
1:A:161:GLU:C	1:A:163:ARG:H	2.18	0.52
1:B:77:ALA:O	1:B:81:THR:HG22	2.08	0.52
1:A:181:LYS:NZ	3:A:401:128:O1A	2.34	0.52
1:B:166:VAL:HG13	1:B:167:PRO:CD	2.28	0.52
1:A:67:GLY:HA3	1:A:176:PHE:CD1	2.44	0.52
1:B:71:VAL:C	1:B:73:ARG:H	2.17	0.52
1:C:341:CYS:CB	1:A:340:MET:SD	2.97	0.52
1:C:64:THR:HG23	1:C:181:LYS:HZ1	1.75	0.52
1:C:341:CYS:SG	1:A:340:MET:SD	3.08	0.51
1:B:232:GLU:O	1:B:235:VAL:HG22	2.10	0.51
1:B:126:GLY:O	1:B:128:VAL:HG13	2.11	0.51
1:A:44:THR:HG22	1:A:50:ARG:HG3	1.93	0.50
1:B:233:MET:HE2	1:B:265:ARG:NH1	2.27	0.50
1:C:109:GLU:O	1:C:149:THR:HG21	2.12	0.50
1:C:73:ARG:NH2	1:B:292:GLU:OE1	2.44	0.50
1:C:129:ASP:OD1	1:C:130:VAL:N	2.43	0.50
1:B:57:LEU:CD2	1:B:184:ILE:HB	2.40	0.49
1:C:110:TYR:CG	1:C:111:PRO:HD2	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:TYR:CD1	1:B:111:PRO:HD2	2.48	0.49
1:C:281:PHE:HB3	1:A:83:PRO:HG3	1.95	0.49
1:C:337:ILE:O	1:C:341:CYS:CB	2.59	0.48
1:B:268:ASP:O	1:B:275:PRO:HB3	2.14	0.48
1:C:74:ILE:HD13	1:B:154:ALA:HA	1.96	0.48
1:B:196:ILE:HG23	1:B:200:LEU:HD22	1.95	0.48
1:B:128:VAL:HG11	1:B:135:VAL:HA	1.96	0.48
1:A:71:VAL:C	1:A:73:ARG:H	2.22	0.47
1:C:161:GLU:C	1:C:163:ARG:N	2.72	0.47
1:C:146:THR:HG23	1:C:147:HIS:ND1	2.30	0.47
1:B:109:GLU:O	1:B:149:THR:HG21	2.14	0.47
1:C:110:TYR:CZ	1:C:160:GLY:O	2.68	0.46
1:A:334:ALA:HA	1:A:337:ILE:HG22	1.98	0.46
1:C:60:SER:HB2	1:B:266:LEU:HD13	1.98	0.46
1:C:93:MET:SD	1:C:96:ILE:HD11	2.56	0.46
1:A:174:GLU:HG2	1:A:218:ARG:HH12	1.82	0.45
1:C:111:PRO:HG2	2:C:501:NAG:H61	1.99	0.45
1:B:129:ASP:OD1	1:B:130:VAL:N	2.48	0.45
1:A:166:VAL:HB	1:A:167:PRO:HD3	1.98	0.45
1:A:53:GLU:O	1:A:313:GLY:HA2	2.16	0.45
1:A:82:ILE:CD1	1:B:85:GLN:HB2	2.43	0.45
1:B:95:ASN:OD1	1:B:169:VAL:HG12	2.16	0.45
1:C:44:THR:HG22	1:C:50:ARG:HG3	1.99	0.44
1:A:311:MET:HE2	1:A:311:MET:HB2	1.88	0.44
1:A:340:MET:HE2	1:A:340:MET:HB3	1.79	0.44
1:C:52:GLN:HB2	1:C:314:GLN:C	2.43	0.44
1:A:222:ILE:HG23	1:A:263:PHE:CD2	2.52	0.44
1:C:140:CYS:SG	1:C:148:LYS:HE2	2.58	0.44
1:C:85:GLN:NE2	1:B:91:PHE:H	2.13	0.43
1:A:57:LEU:HD13	1:A:184:ILE:HG13	2.00	0.43
1:A:287:LEU:HD12	1:A:291:THR:OG1	2.19	0.43
1:B:44:THR:O	1:B:48:HIS:HB2	2.18	0.43
1:C:95:ASN:HB3	1:C:300:TYR:HB2	2.01	0.43
1:B:109:GLU:HG2	1:B:152:ILE:HD13	2.00	0.43
1:C:55:GLU:OE2	1:C:187:PRO:HD2	2.20	0.42
1:A:281:PHE:HB3	1:B:83:PRO:HG3	2.01	0.42
1:A:193:VAL:HG21	1:A:257:CYS:SG	2.60	0.41
1:B:135:VAL:HG13	1:B:153:LYS:HB2	2.02	0.41
1:A:328:ILE:HD13	1:A:328:ILE:HA	1.95	0.41
1:B:67:GLY:HA3	1:B:176:PHE:CD1	2.55	0.41
1:C:207:ASN:OD1	1:C:210:THR:HG23	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:64:THR:OG1	3:C:502:128:N7	2.53	0.41
1:C:73:ARG:HG2	1:C:74:ILE:N	2.34	0.41
1:C:111:PRO:HG3	1:C:143:TYR:CD2	2.56	0.41
1:B:57:LEU:HD21	1:B:184:ILE:CD1	2.50	0.41
1:B:202:THR:C	1:B:204:CYS:H	2.29	0.41
1:B:57:LEU:HD13	1:B:58:THR:N	2.36	0.41
1:C:71:VAL:C	1:C:73:ARG:H	2.29	0.41
1:B:71:VAL:C	1:B:73:ARG:N	2.79	0.41
1:C:340:MET:HG3	1:B:344:LEU:HD23	2.03	0.40
1:A:64:THR:OG1	3:A:401:128:N7	2.54	0.40
1:A:110:TYR:CE1	1:A:111:PRO:HD2	2.56	0.40
1:B:324:ILE:HD13	1:B:324:ILE:HA	1.89	0.40
1:B:95:ASN:ND2	1:B:164:PRO:HB2	2.36	0.40
1:C:181:LYS:HG2	1:C:196:ILE:HD11	2.03	0.40
1:C:34:TYR:OH	1:C:339:GLU:HG2	2.22	0.40
1:C:57:LEU:C	1:C:57:LEU:HD12	2.45	0.40
1:B:270:THR:CG2	1:B:273:GLN:HB2	2.51	0.40
1:C:144:ASN:HD22	1:C:146:THR:HG23	1.86	0.40
1:C:202:THR:C	1:C:204:CYS:H	2.30	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/327 (97%)	307 (96%)	11 (4%)	0	100	100
1	B	318/327 (97%)	303 (95%)	15 (5%)	0	100	100
1	C	318/327 (97%)	306 (96%)	12 (4%)	0	100	100
All	All	954/981 (97%)	916 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/290 (98%)	285 (100%)	0	100	100
1	B	285/290 (98%)	285 (100%)	0	100	100
1	C	285/290 (98%)	285 (100%)	0	100	100
All	All	855/870 (98%)	855 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	85	GLN
1	C	101	ASN
1	C	131	HIS
1	C	159	GLN
1	C	273	GLN
1	C	314	GLN
1	A	194	GLN
1	A	293	GLN
1	A	343	HIS
1	B	101	ASN
1	B	131	HIS
1	B	293	GLN
1	B	314	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	128	C	502	-	42,50,50	0.86	1 (2%)	55,80,80	1.66	4 (7%)
2	NAG	C	501	1	14,14,15	0.55	0	17,19,21	1.35	3 (17%)
3	128	B	401	-	42,50,50	0.80	1 (2%)	55,80,80	1.49	2 (3%)
2	NAG	A	402	1	14,14,15	0.36	0	17,19,21	1.13	2 (11%)
2	NAG	B	402	1	14,14,15	0.54	0	17,19,21	1.27	2 (11%)
3	128	A	401	-	42,50,50	0.91	2 (4%)	55,80,80	1.36	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	128	C	502	-	-	1/26/80/80	0/5/5/5
2	NAG	C	501	1	-	1/6/23/26	0/1/1/1
3	128	B	401	-	-	2/26/80/80	0/5/5/5
2	NAG	A	402	1	-	4/6/23/26	0/1/1/1
2	NAG	B	402	1	-	4/6/23/26	0/1/1/1
3	128	A	401	-	-	2/26/80/80	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	128	O3'-C1F	3.04	1.46	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	128	O3'-C1F	2.38	1.45	1.41
3	B	401	128	O3'-C1F	2.18	1.44	1.41
3	A	401	128	O2'-C1F	2.04	1.44	1.41

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	128	O2'-C1F-C2F	-9.43	97.57	110.47
3	B	401	128	O2'-C1F-C2F	-7.20	100.62	110.47
3	B	401	128	O2'-C1F-C6F	7.05	120.11	110.47
3	A	401	128	O2'-C1F-C6F	6.43	119.26	110.47
3	A	401	128	O2'-C1F-C2F	-5.87	102.44	110.47
3	C	502	128	O2'-C1F-C6F	4.17	116.17	110.47
3	C	502	128	O3'-C1F-C2F	3.93	115.85	110.47
3	C	502	128	O5'-C5'-C4'	-2.59	100.17	108.99
2	A	402	NAG	C2-N2-C7	-2.33	119.78	122.90
2	B	402	NAG	O5-C5-C6	-2.21	103.36	107.66
2	A	402	NAG	C1-O5-C5	2.20	115.13	112.19
2	C	501	NAG	C3-C4-C5	2.13	114.10	110.23
2	B	402	NAG	C3-C4-C5	2.12	114.08	110.23
2	C	501	NAG	C2-N2-C7	-2.10	120.09	122.90
2	C	501	NAG	O3-C3-C2	-2.04	105.16	109.40

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	402	NAG	C8-C7-N2-C2
3	C	502	128	C5'-O5'-PA-O1A
3	A	401	128	PB-O3A-PA-O5'
3	A	401	128	C5'-O5'-PA-O1A
3	B	401	128	C5'-O5'-PA-O1A
2	B	402	NAG	O7-C7-N2-C2
2	B	402	NAG	O5-C5-C6-O6
2	B	402	NAG	C4-C5-C6-O6
2	C	501	NAG	O5-C5-C6-O6
2	A	402	NAG	C4-C5-C6-O6
2	A	402	NAG	O5-C5-C6-O6
2	A	402	NAG	C8-C7-N2-C2
3	B	401	128	PB-O3A-PA-O5'
2	A	402	NAG	O7-C7-N2-C2


There are no ring outliers.

4 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	502	128	4	0
2	C	501	NAG	1	0
3	B	401	128	3	0
3	A	401	128	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 128 C 502




Bond lengths



Bond angles




Torsions




Rings


Ligand 128 B 401




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	320/327 (97%)	0.39	28 (8%)	15 9	43, 72, 108, 126	0
1	B	320/327 (97%)	0.48	32 (10%)	12 6	41, 70, 110, 149	0
1	C	320/327 (97%)	0.38	30 (9%)	14 8	43, 71, 114, 137	0
All	All	960/981 (97%)	0.42	90 (9%)	14 8	41, 71, 110, 149	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	272	THR	7.4
1	C	256	TYR	6.1
1	C	126	GLY	5.6
1	C	247	ASP	5.5
1	B	127	ILE	5.4
1	C	201	ASN	5.0
1	B	289	ASP	4.9
1	B	130	VAL	4.8
1	B	271	ARG	4.4
1	B	287	LEU	4.4
1	C	342	PHE	4.1
1	C	341	CYS	4.1
1	B	84	THR	4.0
1	A	166	VAL	4.0
1	B	256	TYR	4.0
1	A	330	TYR	3.9
1	A	84	THR	3.9
1	A	254	SER	3.8
1	B	270	THR	3.6
1	B	291	THR	3.4
1	C	207	ASN	3.3
1	B	166	VAL	3.3
1	B	129	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	122	SER	3.0
1	C	257	CYS	3.0
1	C	346	ASN	3.0
1	B	131	HIS	2.9
1	A	175	ASP	2.9
1	B	268	ASP	2.9
1	A	331	PHE	2.9
1	C	311	MET	2.9
1	A	161	GLU	2.8
1	C	212	PRO	2.8
1	C	161	GLU	2.8
1	A	256	TYR	2.7
1	C	166	VAL	2.7
1	C	203	SER	2.7
1	B	227	LYS	2.7
1	B	160	GLY	2.6
1	C	129	ASP	2.6
1	B	128	VAL	2.6
1	C	340	MET	2.5
1	B	162	GLU	2.5
1	C	114	LYS	2.5
1	B	255	TYR	2.5
1	A	160	GLY	2.5
1	B	72	ASP	2.5
1	A	86	THR	2.5
1	A	200	LEU	2.5
1	C	84	THR	2.4
1	A	128	VAL	2.4
1	C	309	PHE	2.4
1	A	271	ARG	2.4
1	A	197	SER	2.3
1	B	269	LYS	2.3
1	A	163	ARG	2.3
1	B	142	HIS	2.3
1	A	88	ASP	2.3
1	A	106	THR	2.3
1	C	248	CYS	2.3
1	C	209	VAL	2.3
1	C	54	LYS	2.3
1	A	334	ALA	2.2
1	B	290	GLY	2.2
1	A	162	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	198	PRO	2.2
1	B	124	ALA	2.2
1	A	72	ASP	2.2
1	C	266	LEU	2.2
1	A	171	ARG	2.2
1	C	39	VAL	2.1
1	C	130	VAL	2.1
1	A	81	THR	2.1
1	B	188	THR	2.1
1	B	41	ILE	2.1
1	B	224	GLN	2.1
1	B	250	LEU	2.1
1	A	252	SER	2.1
1	B	114	LYS	2.1
1	A	346	ASN	2.1
1	B	201	ASN	2.1
1	C	162	GLU	2.1
1	B	189	PHE	2.1
1	C	101	ASN	2.1
1	A	118	SER	2.1
1	C	289	ASP	2.1
1	C	211	ALA	2.1
1	A	151	GLU	2.1
1	C	343	HIS	2.0
1	A	291	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	128	C	502	46/46	0.77	0.17	61,113,140,175	0
3	128	A	401	46/46	0.83	0.12	62,124,140,162	0
3	128	B	401	46/46	0.83	0.15	57,113,138,159	0
2	NAG	B	402	14/15	0.86	0.14	54,64,75,80	0
2	NAG	C	501	14/15	0.94	0.10	44,59,88,99	0
2	NAG	A	402	14/15	0.94	0.09	38,63,73,81	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 128 C 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 128 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 128 B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.