



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:34 PM UTC

PDB ID : 1XYC / pdb_00001xyc
Title : X-RAY CRYSTALLOGRAPHIC STRUCTURES OF D-XYLOSE ISOMERASE-SUBSTRATE COMPLEXES POSITION THE SUBSTRATE AND PROVIDE EVIDENCE FOR METAL MOVEMENT DURING CATALYSIS
Authors : Lavie, A.; Allen, K.N.; Petsko, G.A.; Ringe, D.
Deposited on : 1994-01-03
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	386	 81% 17% •
1	B	386	 82% 15% •

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6530 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called XYLOSE ISOMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	386	Total	C	N	O	S	0	0	0
			3024	1904	540	572	8			
1	B	386	Total	C	N	O	S	0	0	0
			3024	1904	540	572	8			

- Molecule 2 is 3-O-METHYLFRUCTOSE IN LINEAR FORM (CCD ID: 3MF) (formula: $C_7H_{14}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	7	6		
2	B	1	Total	C	O	0	0
			13	7	6		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total 3	Mg 3	0	1
3	B	2	Total 3	Mg 3	0	1

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	218	Total 218	O 218	0	0
4	B	232	Total 232	O 232	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: XYLOSE ISOMERASE



• Molecule 1: XYLOSE ISOMERASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.70Å 99.30Å 94.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.19	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.19)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.159 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6530	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3MF, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.99	11/3096 (0.4%)	1.58	44/4197 (1.0%)
1	B	1.00	12/3096 (0.4%)	1.54	33/4197 (0.8%)
All	All	1.00	23/6192 (0.4%)	1.56	77/8394 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	95	HIS	CD2-NE2	-6.91	1.30	1.37
1	A	53	HIS	CD2-NE2	-6.77	1.30	1.37
1	B	548	HIS	CD2-NE2	-6.75	1.30	1.37
1	A	381	HIS	CD2-NE2	-6.68	1.30	1.37
1	B	595	HIS	CD2-NE2	-6.56	1.30	1.37
1	A	48	HIS	CD2-NE2	-6.54	1.30	1.37
1	B	570	HIS	CD2-NE2	-6.54	1.30	1.37
1	B	881	HIS	CD2-NE2	-6.33	1.30	1.37
1	B	553	HIS	CD2-NE2	-6.28	1.30	1.37
1	B	692	LEU	CA-CB	6.20	1.57	1.52
1	A	70	HIS	CD2-NE2	-6.08	1.31	1.37
1	A	197	HIS	CD2-NE2	-5.82	1.31	1.37
1	A	284	HIS	CD2-NE2	-5.79	1.31	1.37
1	B	754	ASP	CA-CB	-5.68	1.46	1.52
1	B	729	HIS	CD2-NE2	-5.59	1.31	1.37
1	A	219	HIS	CG-ND1	-5.59	1.32	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	742	HIS	CD2-NE2	-5.56	1.31	1.37
1	A	229	HIS	CG-ND1	-5.49	1.32	1.38
1	B	697	HIS	CD2-NE2	-5.48	1.31	1.37
1	B	784	HIS	CD2-NE2	-5.26	1.32	1.37
1	A	242	HIS	CD2-NE2	-5.21	1.32	1.37
1	A	95	HIS	CG-ND1	-5.09	1.32	1.38
1	B	784	HIS	CG-ND1	-5.02	1.32	1.38

All (77) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	381	HIS	CA-CB-CG	-8.87	104.93	113.80
1	A	23	ASP	CA-CB-CG	8.38	120.98	112.60
1	B	523	ASP	CA-CB-CG	8.13	120.73	112.60
1	B	754	ASP	N-CA-CB	-7.62	97.84	109.88
1	B	583	MET	CG-SD-CE	-7.24	84.96	100.90
1	A	109	ASP	CA-CB-CG	7.07	119.67	112.60
1	B	609	ASP	CA-CB-CG	6.86	119.46	112.60
1	A	299	TRP	CG-CD2-CE3	6.86	140.76	133.90
1	B	553	HIS	CB-CG-CD2	-6.84	122.31	131.20
1	A	335	ASP	CA-CB-CG	6.83	119.42	112.60
1	A	294	ASP	CA-CB-CG	6.79	119.39	112.60
1	A	322	ASP	CA-CB-CG	6.62	119.22	112.60
1	B	721	GLN	OE1-CD-NE2	-6.54	116.06	122.60
1	B	534	ASP	CA-CB-CG	6.44	119.04	112.60
1	B	794	ASP	CA-CB-CG	6.31	118.91	112.60
1	A	348	GLU	CB-CG-CD	6.30	123.32	112.60
1	B	755	GLN	N-CA-C	6.17	119.28	111.69
1	B	822	ASP	CA-C-N	6.15	126.04	119.28
1	B	822	ASP	C-N-CA	6.15	126.04	119.28
1	A	236	TRP	CG-CD2-CE3	6.10	140.00	133.90
1	A	197	HIS	CB-CG-CD2	-6.09	123.28	131.20
1	B	844	ASP	CA-CB-CG	6.08	118.68	112.60
1	A	22	ARG	CA-CB-CG	6.07	126.23	114.10
1	A	53	HIS	N-CA-C	-6.02	100.47	110.17
1	B	835	ASP	CA-CB-CG	5.97	118.57	112.60
1	A	214	ASN	CA-C-N	5.95	125.86	119.85
1	A	214	ASN	C-N-CA	5.95	125.86	119.85
1	A	48	HIS	CB-CG-CD2	-5.88	123.56	131.20
1	A	53	HIS	CB-CG-CD2	-5.88	123.56	131.20
1	A	70	HIS	CB-CG-CD2	-5.86	123.58	131.20
1	A	40	GLN	CA-CB-CG	-5.86	102.38	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	570	HIS	CB-CG-CD2	-5.84	123.60	131.20
1	A	254	ASP	N-CA-CB	-5.83	100.63	110.49
1	A	322	ASP	CA-C-N	5.80	125.49	119.05
1	A	322	ASP	C-N-CA	5.80	125.49	119.05
1	B	881	HIS	CB-CG-CD2	-5.80	123.67	131.20
1	B	553	HIS	N-CA-C	-5.79	100.85	110.17
1	B	714	ASN	CA-C-N	5.75	125.66	119.85
1	B	714	ASN	C-N-CA	5.75	125.66	119.85
1	B	534	ASP	CA-C-N	5.70	125.81	119.32
1	B	534	ASP	C-N-CA	5.70	125.81	119.32
1	A	242	HIS	CB-CG-CD2	-5.67	123.83	131.20
1	B	515	TRP	CG-CD2-CE3	5.65	139.55	133.90
1	B	697	HIS	CB-CG-CD2	-5.64	123.86	131.20
1	B	742	HIS	CB-CG-CD2	-5.61	123.91	131.20
1	B	548	HIS	CB-CG-CD2	-5.57	123.96	131.20
1	B	746	ASN	CA-CB-CG	5.54	118.14	112.60
1	A	83	MET	CG-SD-CE	-5.53	88.74	100.90
1	B	857	GLU	CB-CG-CD	5.47	121.91	112.60
1	A	299	TRP	CB-CG-CD1	-5.44	118.74	126.90
1	A	176	ARG	CG-CD-NE	5.38	123.83	112.00
1	A	246	ASN	OD1-CG-ND2	-5.35	117.25	122.60
1	A	2	TYR	N-CA-C	5.33	117.69	111.02
1	B	554	ASP	CA-CB-CG	5.33	117.93	112.60
1	A	339	GLN	OE1-CD-NE2	-5.32	117.28	122.60
1	A	176	ARG	NE-CZ-NH1	5.29	126.79	121.50
1	B	839	GLN	OE1-CD-NE2	-5.28	117.32	122.60
1	A	381	HIS	N-CA-C	5.27	116.71	111.07
1	A	65	THR	CA-CB-OG1	-5.23	101.76	109.60
1	A	126	VAL	CA-C-O	-5.21	115.53	120.95
1	A	176	ARG	CD-NE-CZ	5.20	131.68	124.40
1	A	299	TRP	CE2-CD2-CG	-5.17	101.00	107.20
1	A	207	ARG	CA-C-N	5.16	124.78	119.05
1	A	207	ARG	C-N-CA	5.16	124.78	119.05
1	A	265	ARG	CA-CB-CG	-5.15	103.81	114.10
1	A	136	TRP	CG-CD2-CE3	5.15	139.05	133.90
1	B	553	HIS	CB-CG-ND1	5.12	130.38	122.70
1	A	54	ASP	CA-CB-CG	5.10	117.70	112.60
1	A	15	TRP	CG-CD2-CE3	5.09	138.99	133.90
1	A	197	HIS	CB-CG-ND1	5.08	130.33	122.70
1	A	34	ASP	CA-CB-CG	5.07	117.67	112.60
1	B	839	GLN	CA-C-N	5.05	125.06	119.90
1	B	839	GLN	C-N-CA	5.05	125.06	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	594	THR	N-CA-C	5.05	117.56	111.40
1	B	753	TYR	CA-C-O	5.04	127.72	120.51
1	A	15	TRP	CE2-CD2-CG	-5.02	101.18	107.20
1	A	174	ASP	CA-CB-CG	5.00	117.61	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	133	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3024	0	2909	23	0
1	B	3024	0	2906	22	0
2	A	13	0	14	4	0
2	B	13	0	14	2	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	218	0	0	2	0
4	B	232	0	0	2	0
All	All	6530	0	5843	44	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:537:GLU:HB2	1:B:541:ARG:NH2	2.03	0.73
1:B:595:HIS:HD2	1:B:597:VAL:H	1.36	0.71
1:A:136:TRP:CE2	2:A:950:3MF:H11	2.34	0.62
1:B:537:GLU:HB2	1:B:541:ARG:HH22	1.64	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:523:ASP:HB2	1:B:524:PRO:HD2	1.82	0.62
1:A:95:HIS:HD2	1:A:97:VAL:H	1.49	0.61
1:A:1:SER:HB2	1:A:307:ARG:HH12	1.64	0.60
1:B:680:GLU:HG3	1:B:714:ASN:O	2.02	0.59
1:A:47:ALA:O	1:A:83:MET:HE1	2.04	0.57
1:A:136:TRP:CZ2	2:A:950:3MF:H11	2.40	0.57
1:A:89:THR:HG21	2:A:950:3MF:H62	1.87	0.56
1:B:589:THR:HG21	2:B:960:3MF:H61	1.88	0.55
1:B:547:ALA:O	1:B:583:MET:HE1	2.06	0.55
1:B:595:HIS:CD2	1:B:597:VAL:H	2.22	0.54
1:A:96:PRO:HB3	1:B:529:THR:HG22	1.89	0.54
1:A:89:THR:HG21	2:A:950:3MF:C6	2.38	0.53
1:A:221:GLN:HE21	1:A:248:GLN:HB3	1.73	0.53
1:A:95:HIS:CD2	1:A:97:VAL:H	2.28	0.52
1:A:180:GLU:HG3	1:A:214:ASN:O	2.10	0.52
1:A:380:ASP:HB3	1:A:386:ARG:HB2	1.94	0.50
1:B:589:THR:HG21	2:B:960:3MF:C6	2.42	0.49
1:A:83:MET:HA	1:A:83:MET:HE2	1.94	0.49
1:B:545:LEU:HB3	1:B:806:MET:HE1	1.94	0.49
1:B:583:MET:HA	1:B:583:MET:HE2	1.95	0.47
1:A:256:ASP:HB3	1:A:287:PHE:HA	1.97	0.47
1:A:11:THR:HG21	1:A:86:PRO:HG2	1.96	0.46
1:B:721:GLN:HE21	1:B:748:GLN:HB3	1.81	0.46
1:B:727:PHE:CZ	1:B:731:ILE:HD11	2.52	0.45
1:A:57:LEU:HD11	1:A:74:PHE:HB2	1.98	0.45
1:B:756:ASP:HB3	1:B:787:PHE:HA	1.99	0.45
1:A:53:HIS:CD2	1:A:89:THR:HG23	2.53	0.44
1:B:511:THR:HG21	1:B:586:PRO:HG2	2.00	0.43
1:A:327:GLU:HG3	4:A:1286:HOH:O	2.20	0.41
1:B:822:ASP:HA	1:B:823:PRO:HD3	1.90	0.41
1:A:22:ARG:HB3	4:A:1220:HOH:O	2.21	0.41
1:B:522:ARG:HD2	4:B:1350:HOH:O	2.20	0.41
1:A:227:PHE:HB3	1:A:228:PRO:HD3	2.01	0.41
1:B:651:ARG:HD3	4:B:1329:HOH:O	2.20	0.41
1:A:3:GLN:HA	1:A:4:PRO:HD2	1.99	0.40
1:A:23:ASP:HB2	1:A:24:PRO:HD2	2.02	0.40
1:B:540:GLN:H	1:B:540:GLN:HG2	1.73	0.40
1:B:667:TYR:O	1:B:671:GLN:HG2	2.21	0.40
1:A:39:VAL:HG13	1:A:83:MET:HG3	2.03	0.40
1:B:536:VAL:O	1:B:540:GLN:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/386 (100%)	371 (97%)	12 (3%)	1 (0%)	36	42
1	B	384/386 (100%)	372 (97%)	11 (3%)	1 (0%)	36	42
All	All	768/772 (100%)	743 (97%)	23 (3%)	2 (0%)	36	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	185	GLU
1	B	685	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/302 (100%)	289 (96%)	13 (4%)	26	35
1	B	302/302 (100%)	284 (94%)	18 (6%)	17	21
All	All	604/604 (100%)	573 (95%)	31 (5%)	21	27

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLU
1	A	45	LEU
1	A	65	THR
1	A	68	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	90	THR
1	A	128	LEU
1	A	176	ARG
1	A	210	LEU
1	A	273	LEU
1	A	334	LEU
1	A	346	VAL
1	A	353	ARG
1	A	361	VAL
1	B	503	GLN
1	B	509	ARG
1	B	540	GLN
1	B	541	ARG
1	B	545	LEU
1	B	568	GLU
1	B	576	GLN
1	B	578	LEU
1	B	590	THR
1	B	628	LEU
1	B	669	THR
1	B	676	ARG
1	B	710	LEU
1	B	773	LEU
1	B	834	LEU
1	B	846	VAL
1	B	857	GLU
1	B	861	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	HIS
1	A	221	GLN
1	A	308	ASN
1	A	376	GLN
1	B	595	HIS
1	B	721	GLN
1	B	808	ASN
1	B	876	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	3MF	B	960	3	12,12,12	1.20	1 (8%)	11,15,15	1.35	2 (18%)
2	3MF	A	950	3	12,12,12	0.78	0	11,15,15	1.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3MF	B	960	3	-	4/18/18/18	-
2	3MF	A	950	3	-	8/18/18/18	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	960	3MF	C3-C2	3.09	1.57	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	960	3MF	C7-O3-C3	2.34	119.96	113.94
2	B	960	3MF	O2-C2-C1	-2.17	116.48	120.16

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	950	3MF	O2-C2-C3-O3
2	B	960	3MF	C4-C5-C6-O6
2	B	960	3MF	O5-C5-C6-O6
2	A	950	3MF	O5-C5-C6-O6
2	A	950	3MF	C4-C5-C6-O6
2	A	950	3MF	O1-C1-C2-O2
2	A	950	3MF	C2-C3-O3-C7
2	A	950	3MF	C1-C2-C3-O3
2	B	960	3MF	C1-C2-C3-O3
2	A	950	3MF	O1-C1-C2-C3
2	A	950	3MF	C4-C3-O3-C7
2	B	960	3MF	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	960	3MF	2	0
2	A	950	3MF	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.