



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 10:53 PM UTC

PDB ID : 4XYD / pdb_00004xyd
Title : Nitric oxide reductase from *Roseobacter denitrificans* (RdNOR)
Authors : Crow, A.
Deposited on : 2015-02-02
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	 2% 73% 21% . .
2	B	150	 3% 75% 21% . .

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 4876 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric-oxide reductase subunit B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	445	Total	C	N	O	S	0	0	0
			3563	2405	559	579	20			

- Molecule 2 is a protein called NorC-like protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	145	Total	C	N	O	S	0	2	0
			1163	737	200	219	7			

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is UNKNOWN LIGAND (CCD ID: UNL) (formula:).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O 2 2	0	0


- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Ca 1 1	0	0

- Molecule 6 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Fe 1 1	0	0

- Molecule 7 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	1	Total C Fe N O 43 34 1 4 4	0	0

- Molecule 8 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total 1	Cu 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	12	Total 12	O 12	0	0
9	B	4	Total 4	O 4	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nitric-oxide reductase subunit B



• Molecule 2: NorC-like protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.22Å 98.83Å 126.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	53.36 – 2.85 53.36 – 2.85	Depositor EDS
% Data completeness (in resolution range)	97.1 (53.36-2.85) 97.1 (53.36-2.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.98 (at 2.86Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.188 , 0.243 0.193 , 0.242	Depositor DCC
R_{free} test set	1285 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	51.2	Xtriage
Anisotropy	0.718	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 31.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4876	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CA, HEC, CU, FE, UNL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/3679	0.95	1/5015 (0.0%)
2	B	0.60	0/1196	0.95	0/1627
All	All	0.60	0/4875	0.95	1/6642 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	280	VAL	N-CA-CB	5.24	116.33	110.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3563	0	3594	72	0
2	B	1163	0	1084	21	0
3	A	86	0	60	13	0
4	A	2	0	0	0	0
5	A	1	0	0	0	0
6	A	1	0	0	0	0
7	B	43	0	30	4	0
8	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	12	0	0	0	0
9	B	4	0	0	0	0
All	All	4876	0	4768	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:MET:HE1	1:A:165:LEU:HB3	1.42	1.00
1:A:94:MET:O	1:A:98:THR:HG22	1.75	0.86
1:A:142:MET:CE	1:A:165:LEU:HB3	2.08	0.83
1:A:380:MET:HE3	3:A:501:HEM:HMC3	1.61	0.81
1:A:57:LEU:HD13	3:A:501:HEM:HBC2	1.65	0.79
1:A:409:GLN:HE21	2:B:114:ARG:HH22	1.32	0.77
1:A:213:MET:HA	1:A:213:MET:HE2	1.67	0.75
1:A:57:LEU:HD13	3:A:501:HEM:CBC	2.22	0.70
1:A:113:ASN:HD22	1:A:115:LEU:H	1.40	0.68
1:A:409:GLN:NE2	2:B:114:ARG:HH22	1.92	0.68
1:A:113:ASN:ND2	1:A:115:LEU:H	1.92	0.67
1:A:445:ILE:HD13	1:A:445:ILE:H	1.61	0.66
1:A:115:LEU:HA	1:A:128:VAL:HG13	1.78	0.66
1:A:377:ALA:O	1:A:381:THR:HG23	1.99	0.63
1:A:94:MET:HA	1:A:94:MET:HE2	1.81	0.62
1:A:343:TYR:HE2	3:A:504:HEM:HBB2	1.64	0.62
1:A:57:LEU:CD1	3:A:501:HEM:CBC	2.78	0.62
1:A:381:THR:HA	1:A:384:THR:HG23	1.83	0.61
1:A:380:MET:CE	3:A:501:HEM:HMC3	2.30	0.61
1:A:124:LEU:HA	1:A:126:GLN:HE22	1.67	0.60
2:B:8:SER:O	2:B:12:ASN:ND2	2.36	0.59
1:A:343:TYR:HE2	3:A:504:HEM:CBB	2.16	0.59
1:A:409:GLN:HE21	2:B:114:ARG:NH2	1.97	0.59
2:B:49[A]:GLU:HA	2:B:49[A]:GLU:OE1	2.03	0.59
2:B:113:ARG:NH1	7:B:201:HEC:O2D	2.38	0.57
2:B:113:ARG:NH1	7:B:201:HEC:CGD	2.68	0.57
1:A:113:ASN:ND2	1:A:116:LEU:H	2.04	0.56
1:A:337:LEU:HB2	1:A:384:THR:HG21	1.88	0.55
1:A:167:GLY:C	1:A:200:THR:HG21	2.32	0.55
1:A:190:TRP:CE2	1:A:246:HIS:HB3	2.42	0.55
1:A:380:MET:O	1:A:384:THR:HG22	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:54:LYS:O	2:B:57:TRP:HB3	2.08	0.53
1:A:39:PHE:CE2	1:A:40:LEU:HD22	2.43	0.53
1:A:257:GLN:O	1:A:261:SER:HB2	2.09	0.53
1:A:141:PHE:CD2	1:A:142:MET:HE2	2.43	0.53
2:B:118:ASN:ND2	2:B:120:GLY:H	2.06	0.52
1:A:380:MET:HE2	1:A:426:VAL:HG11	1.92	0.52
1:A:219:VAL:HG13	1:A:223:ILE:HD12	1.92	0.52
1:A:113:ASN:HD22	1:A:115:LEU:N	2.08	0.51
1:A:297:TRP:HB3	1:A:349:ALA:HB2	1.92	0.51
1:A:2:LYS:HB3	1:A:3:TYR:CE1	2.46	0.51
1:A:189:TRP:CH2	1:A:193:VAL:HG21	2.46	0.51
1:A:214:LEU:HD21	1:A:221:ARG:NH1	2.26	0.51
1:A:209:LEU:HD21	1:A:302:ALA:HB2	1.93	0.50
1:A:328:THR:HG23	1:A:330:ILE:H	1.76	0.50
1:A:235:ALA:HA	1:A:270:PRO:HG3	1.94	0.50
1:A:55:ASN:ND2	1:A:105:TYR:OH	2.45	0.49
1:A:301:CYS:SG	1:A:346:LEU:HB2	2.53	0.49
1:A:70:TYR:OH	1:A:90:GLN:NE2	2.43	0.49
1:A:331:THR:HG23	3:A:504:HEM:HBD1	1.94	0.49
2:B:144:TRP:CG	2:B:145:PRO:HA	2.47	0.49
1:A:142:MET:HE1	1:A:165:LEU:CB	2.29	0.48
2:B:113:ARG:NH1	7:B:201:HEC:O1D	2.46	0.48
2:B:52:HIS:HE1	2:B:124:GLU:OE2	1.97	0.47
2:B:41:THR:HG22	2:B:139:ILE:HG12	1.96	0.47
2:B:102:TRP:HZ2	7:B:201:HEC:HBD1	1.80	0.47
1:A:212:LEU:HD13	1:A:298:SER:OG	2.15	0.46
1:A:201:TRP:HB3	1:A:343:TYR:CE1	2.52	0.45
1:A:275:MET:HE3	1:A:303:THR:HG23	1.98	0.45
3:A:504:HEM:HBC2	3:A:504:HEM:HHD	1.99	0.45
1:A:373:PHE:CD1	1:A:373:PHE:C	2.95	0.45
2:B:75:PHE:CZ	2:B:114:ARG:HG2	2.52	0.45
2:B:118:ASN:HD22	2:B:120:GLY:H	1.66	0.44
1:A:396:HIS:O	1:A:400:VAL:HG22	2.18	0.44
1:A:101:VAL:HG23	1:A:130:VAL:HG21	1.99	0.44
1:A:343:TYR:CE2	3:A:504:HEM:CBB	2.99	0.44
1:A:113:ASN:HD22	1:A:113:ASN:C	2.26	0.44
1:A:261:SER:OG	1:A:318:LEU:HA	2.17	0.44
1:A:445:ILE:H	1:A:445:ILE:CD1	2.29	0.44
1:A:191:TYR:O	1:A:195:LEU:HB2	2.18	0.43
1:A:40:LEU:HG	1:A:43:ILE:HD12	2.00	0.43
2:B:34:ARG:HA	2:B:37:VAL:HG12	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:TRP:CH2	1:A:348:LEU:HD23	2.53	0.43
2:B:6:THR:O	2:B:9:MET:HB3	2.19	0.43
1:A:126:GLN:HE21	1:A:131:LYS:HE3	1.84	0.42
1:A:57:LEU:HD11	3:A:501:HEM:HBC1	2.01	0.42
1:A:194:HIS:CE1	1:A:198:GLU:CD	2.97	0.42
1:A:314:PHE:O	1:A:317:THR:HG22	2.20	0.42
2:B:145:PRO:HB2	2:B:146:PRO:HD2	2.01	0.42
1:A:156:ALA:HB3	1:A:225:GLU:CD	2.45	0.42
1:A:241:LEU:HD12	1:A:263:PHE:CZ	2.55	0.41
1:A:402:GLY:HA2	2:B:147:ASN:HD21	1.86	0.41
1:A:257:GLN:HE22	2:B:142:GLN:HG3	1.86	0.41
1:A:220:ASP:O	1:A:221:ARG:C	2.64	0.41
1:A:380:MET:HE3	3:A:501:HEM:CMC	2.42	0.41
1:A:30:LEU:HD22	1:A:46:PHE:CE1	2.56	0.40
1:A:155:THR:O	1:A:158:THR:HG22	2.22	0.40
1:A:188:TYR:O	1:A:191:TYR:HB2	2.22	0.40
1:A:197:VAL:HG13	3:A:504:HEM:HBB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/456 (97%)	413 (93%)	29 (6%)	1 (0%)	43	62
2	B	145/150 (97%)	143 (99%)	2 (1%)	0	100	100
All	All	588/606 (97%)	556 (95%)	31 (5%)	1 (0%)	43	62

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	221	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/374 (98%)	327 (90%)	38 (10%)	7	14
2	B	121/124 (98%)	112 (93%)	9 (7%)	13	26
All	All	486/498 (98%)	439 (90%)	47 (10%)	8	17

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LEU
1	A	43	ILE
1	A	60	TRP
1	A	75	GLU
1	A	80	GLU
1	A	96	LEU
1	A	98	THR
1	A	99	LEU
1	A	113	ASN
1	A	115	LEU
1	A	121	ARG
1	A	128	VAL
1	A	154	LYS
1	A	158	THR
1	A	197	VAL
1	A	226	LYS
1	A	230	LEU
1	A	236	LEU
1	A	257	GLN
1	A	261	SER
1	A	262	ILE
1	A	264	SER
1	A	268	VAL
1	A	281	MET
1	A	292	LYS
1	A	315	LEU
1	A	328	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	348	LEU
1	A	357	ILE
1	A	358	LEU
1	A	360	LYS
1	A	361	ARG
1	A	381	THR
1	A	384	THR
1	A	401	GLN
1	A	424	ILE
1	A	437	VAL
1	A	445	ILE
2	B	9	MET
2	B	19	LEU
2	B	28	LEU
2	B	39	THR
2	B	46	LEU
2	B	63	VAL
2	B	88	VAL
2	B	90	ASP
2	B	111	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	6	GLN
1	A	23	GLN
1	A	55	ASN
1	A	90	GLN
1	A	108	ASN
1	A	113	ASN
1	A	126	GLN
1	A	257	GLN
1	A	316	HIS
1	A	319	HIS
1	A	401	GLN
1	A	409	GLN
2	B	12	ASN
2	B	118	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 1 is unknown and 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	A	501	5,1	50,50,50	1.51	7 (14%)	67,82,82	1.99	19 (28%)
7	HEC	B	201	2	46,50,50	2.64	23 (50%)	58,82,82	2.29	22 (37%)
3	HEM	A	504	5,4,1	50,50,50	1.48	6 (12%)	67,82,82	1.54	13 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	501	5,1	-	6/14/54/54	-
7	HEC	B	201	2	-	4/14/54/54	-
3	HEM	A	504	5,4,1	-	2/14/54/54	-

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	201	HEC	CAC-C3C	5.93	1.54	1.35
7	B	201	HEC	CAB-C3B	5.53	1.53	1.35
7	B	201	HEC	CHA-C1A	5.29	1.48	1.38
7	B	201	HEC	C2A-C3A	4.75	1.47	1.36
3	A	501	HEM	FE-NB	4.69	2.09	1.94
3	A	504	HEM	FE-NB	4.69	2.09	1.94
7	B	201	HEC	CHB-C4A	4.58	1.47	1.38
7	B	201	HEC	CHD-C4C	4.53	1.47	1.38
3	A	504	HEM	FE-NC	4.25	2.09	1.95
7	B	201	HEC	CHC-C4B	4.21	1.46	1.38
3	A	501	HEM	FE-NC	3.73	2.07	1.95
7	B	201	HEC	CHA-C4D	3.65	1.47	1.39
3	A	504	HEM	C1B-NB	-3.59	1.34	1.40
7	B	201	HEC	CHD-C1D	3.29	1.46	1.39
7	B	201	HEC	CHB-C1B	3.27	1.46	1.39
3	A	504	HEM	C4B-NB	-3.21	1.32	1.38
7	B	201	HEC	CHC-C1C	3.14	1.46	1.39
3	A	501	HEM	C4D-ND	-3.12	1.34	1.40
3	A	501	HEM	C1B-NB	-3.10	1.34	1.40
7	B	201	HEC	C1B-C2B	3.04	1.50	1.43
7	B	201	HEC	C3D-C2D	3.01	1.46	1.38
7	B	201	HEC	C4A-NA	-2.84	1.34	1.39
3	A	501	HEM	C4B-NB	-2.79	1.33	1.38
7	B	201	HEC	C1C-NC	-2.77	1.34	1.39
7	B	201	HEC	C4B-NB	-2.68	1.34	1.39
3	A	501	HEM	C3C-C4C	-2.60	1.41	1.46
3	A	504	HEM	C4D-ND	-2.55	1.35	1.40
7	B	201	HEC	C1D-ND	-2.49	1.34	1.39
3	A	504	HEM	C1C-C2C	-2.40	1.40	1.45
7	B	201	HEC	C1C-C2C	2.38	1.48	1.43
7	B	201	HEC	C4C-NC	-2.30	1.35	1.39
7	B	201	HEC	C4D-ND	-2.24	1.35	1.39
7	B	201	HEC	C1A-NA	-2.17	1.35	1.39
7	B	201	HEC	C1A-C2A	2.12	1.48	1.45
3	A	501	HEM	C4D-C3D	2.08	1.48	1.45
7	B	201	HEC	C1B-NB	-2.08	1.35	1.39

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	201	HEC	CBB-CAB-C3B	-6.36	114.72	127.43
3	A	501	HEM	CHC-C4B-NB	5.01	129.82	124.42
7	B	201	HEC	CBD-CAD-C3D	-4.58	99.87	112.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	201	HEC	C2A-C1A-NA	4.53	114.69	110.32
7	B	201	HEC	CBA-CAA-C2A	-4.46	100.21	112.53
3	A	501	HEM	C3B-C4B-NB	-4.44	106.28	109.47
3	A	504	HEM	C1B-NB-C4B	4.39	110.40	105.21
3	A	501	HEM	C1B-NB-C4B	4.25	110.24	105.21
3	A	504	HEM	CHD-C1D-ND	4.24	128.98	124.42
7	B	201	HEC	CMB-C2B-C1B	4.23	131.87	125.42
3	A	501	HEM	CBD-CAD-C3D	-4.21	100.90	112.53
3	A	501	HEM	CHD-C1D-ND	4.13	128.87	124.42
7	B	201	HEC	C1D-C2D-C3D	-3.92	102.33	106.82
7	B	201	HEC	C3D-C4D-ND	3.80	114.37	110.15
7	B	201	HEC	C2B-C1B-NB	3.79	116.21	110.14
7	B	201	HEC	C2C-C1C-NC	3.74	116.14	110.14
3	A	501	HEM	CHD-C4C-NC	3.73	128.51	124.45
3	A	504	HEM	CHA-C4D-ND	3.71	128.96	124.37
3	A	501	HEM	CHD-C1D-C2D	-3.48	119.53	125.03
7	B	201	HEC	C1A-C2A-C3A	-3.44	102.58	107.11
3	A	501	HEM	CMB-C2B-C1B	3.40	130.35	125.03
7	B	201	HEC	C2D-C1D-ND	3.37	115.55	110.14
3	A	504	HEM	CHC-C4B-NB	3.24	127.91	124.42
3	A	501	HEM	CAD-CBD-CGD	3.15	122.03	113.67
7	B	201	HEC	C3A-C4A-NA	3.06	115.29	109.64
3	A	501	HEM	C4C-C3C-C2C	3.05	109.46	106.81
3	A	504	HEM	C1A-CHA-C4D	-2.80	119.66	126.25
3	A	504	HEM	CHA-C4D-C3D	-2.70	120.25	125.23
3	A	501	HEM	CMC-C2C-C1C	2.66	129.41	124.73
3	A	501	HEM	CAD-C3D-C4D	2.65	129.32	124.70
7	B	201	HEC	CMC-C2C-C1C	2.65	129.45	125.42
3	A	501	HEM	C3C-C2C-C1C	-2.63	104.56	107.05
7	B	201	HEC	C4A-C3A-C2A	-2.61	103.10	106.97
3	A	504	HEM	CAC-C3C-C4C	2.56	130.94	124.82
3	A	501	HEM	CHB-C4A-NA	2.51	128.42	123.86
3	A	501	HEM	CHA-C4D-C3D	-2.41	120.78	125.23
7	B	201	HEC	CHC-C4B-C3B	-2.38	121.19	125.21
7	B	201	HEC	CHD-C1D-C2D	-2.37	120.55	127.43
3	A	501	HEM	C1A-CHA-C4D	-2.34	120.74	126.25
3	A	501	HEM	CBC-CAC-C3C	-2.29	116.06	127.53
3	A	501	HEM	C4C-CHD-C1D	-2.29	121.16	126.02
7	B	201	HEC	CHB-C4A-C3A	-2.29	120.73	125.49
3	A	501	HEM	CHA-C4D-ND	2.28	127.19	124.37
7	B	201	HEC	CHC-C1C-C2C	-2.28	120.82	127.43
7	B	201	HEC	CMD-C2D-C1D	2.26	128.86	125.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	504	HEM	CHD-C4C-C3C	2.26	129.01	125.21
3	A	504	HEM	CAC-C3C-C2C	-2.17	121.38	128.43
3	A	504	HEM	C4C-CHD-C1D	-2.14	121.47	126.02
3	A	504	HEM	C3B-C4B-NB	-2.12	107.94	109.47
7	B	201	HEC	CHD-C4C-C3C	-2.09	121.68	125.21
3	A	504	HEM	O2A-CGA-CBA	2.09	120.60	114.00
3	A	504	HEM	C4C-NC-C1C	2.09	109.23	105.82
7	B	201	HEC	C4D-C3D-C2D	-2.07	103.66	106.87
7	B	201	HEC	CHA-C1A-C2A	-2.01	121.70	124.86

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	HEM	C2C-C3C-CAC-CBC
3	A	501	HEM	C4C-C3C-CAC-CBC
7	B	201	HEC	C2B-C3B-CAB-CBB
7	B	201	HEC	C4B-C3B-CAB-CBB
7	B	201	HEC	C2C-C3C-CAC-CBC
7	B	201	HEC	C4C-C3C-CAC-CBC
3	A	501	HEM	C2B-C3B-CAB-CBB
3	A	501	HEM	C4B-C3B-CAB-CBB
3	A	504	HEM	CAA-CBA-CGA-O2A
3	A	501	HEM	CAA-CBA-CGA-O2A
3	A	504	HEM	CAA-CBA-CGA-O1A
3	A	501	HEM	CAA-CBA-CGA-O1A


There are no ring outliers.

3 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	HEM	7	0
7	B	201	HEC	4	0
3	A	504	HEM	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand HEC B 201




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	445/456 (97%)	-0.08	9 (2%) 65 57	35, 55, 78, 123	0
2	B	145/150 (96%)	-0.12	4 (2%) 55 46	29, 56, 85, 131	2 (1%)
All	All	590/606 (97%)	-0.09	13 (2%) 62 53	29, 55, 82, 131	2 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	6	THR	4.1
1	A	404	TYR	3.7
1	A	401	GLN	3.3
1	A	402	GLY	3.3
1	A	403	ASP	3.0
1	A	400	VAL	2.9
2	B	140[A]	ARG	2.8
1	A	445	ILE	2.6
2	B	15	TYR	2.5
1	A	283	TRP	2.4
2	B	7	THR	2.4
1	A	156	ALA	2.3
1	A	407	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HEM	A	504	43/43	0.97	0.10	48,55,62,65	0
3	HEM	A	501	43/43	0.98	0.08	33,37,53,58	0
4	UNL	A	502	2/-	0.98	0.05	43,43,43,51	0
7	HEC	B	201	43/43	0.98	0.07	38,41,55,64	0
5	CA	A	503	1/1	0.99	0.05	61,61,61,61	0
8	CU	B	202	1/1	0.99	0.08	92,92,92,92	0
6	FE	A	505	1/1	1.00	0.06	56,56,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM A 504:


2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.