



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 09:29 AM UTC

PDB ID : 7XZ5 / pdb_00007xz5
EMDB ID : EMD-33525
Title : GPR119-Gs-LPC complex
Authors : Xu, P.; Huang, S.; Jiang, Y.; Xu, H.E.
Deposited on : 2022-06-02
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	394	12% 57% 40%
2	B	345	13% 92% 6%
3	G	71	46% 76% 20%
4	N	139	14% 86% 5% 8%

Continued on next page...

Mol	Chain	Length	Quality of chain
5	R	485	20% 40% 20% 40%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16508 atoms, of which 8241 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	237	Total	C	H	N	O	S	0	0
			3910	1237	1946	356	364	7		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	338	Total	C	H	N	O	S	0	0
			5108	1604	2508	467	508	21		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	MET	-	initiating methionine	UNP P62873
B	-3	GLY	-	expression tag	UNP P62873
B	-2	SER	-	expression tag	UNP P62873
B	-1	LEU	-	expression tag	UNP P62873
B	0	LEU	-	expression tag	UNP P62873
B	1	GLN	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	G	57	Total	C	H	N	O	S	0	0
			885	273	449	77	83	3		

- Molecule 4 is a protein called Nanobody35.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	N	128	Total	C	H	N	O	S	0	0
			1909	605	936	170	192	6		

- Molecule 5 is a protein called Soluble cytochrome b562,Glucose-dependent insulintropic receptor.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	R	292	Total	C	H	N	O	S	0	0
			4609	1498	2350	362	380	19		

There are 47 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
R	-149	ASP	-	expression tag	UNP P0ABE7
R	-148	TYR	-	expression tag	UNP P0ABE7
R	-147	LYS	-	expression tag	UNP P0ABE7
R	-146	ASP	-	expression tag	UNP P0ABE7
R	-145	ASP	-	expression tag	UNP P0ABE7
R	-144	ASP	-	expression tag	UNP P0ABE7
R	-143	ASP	-	expression tag	UNP P0ABE7
R	-142	ALA	-	expression tag	UNP P0ABE7
R	-141	LYS	-	expression tag	UNP P0ABE7
R	-140	LEU	-	expression tag	UNP P0ABE7
R	-139	GLN	-	expression tag	UNP P0ABE7
R	-138	THR	-	expression tag	UNP P0ABE7
R	-137	MET	-	expression tag	UNP P0ABE7
R	-136	HIS	-	expression tag	UNP P0ABE7
R	-135	HIS	-	expression tag	UNP P0ABE7
R	-134	HIS	-	expression tag	UNP P0ABE7
R	-133	HIS	-	expression tag	UNP P0ABE7
R	-132	HIS	-	expression tag	UNP P0ABE7
R	-131	HIS	-	expression tag	UNP P0ABE7
R	-130	HIS	-	expression tag	UNP P0ABE7
R	-129	HIS	-	expression tag	UNP P0ABE7
R	-128	HIS	-	expression tag	UNP P0ABE7
R	-127	HIS	-	expression tag	UNP P0ABE7
R	-126	HIS	-	expression tag	UNP P0ABE7
R	-125	HIS	-	expression tag	UNP P0ABE7
R	-124	HIS	-	expression tag	UNP P0ABE7
R	-123	HIS	-	expression tag	UNP P0ABE7
R	-122	HIS	-	expression tag	UNP P0ABE7
R	-115	TRP	MET	conflict	UNP P0ABE7
R	-20	ILE	HIS	conflict	UNP P0ABE7
R	-16	LEU	-	linker	UNP P0ABE7
R	-15	ALA	-	linker	UNP P0ABE7
R	-14	SER	-	linker	UNP P0ABE7
R	-13	GLU	-	linker	UNP P0ABE7
R	-12	ASN	-	linker	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	-11	LEU	-	linker	UNP P0ABE7
R	-10	TYR	-	linker	UNP P0ABE7
R	-9	PHE	-	linker	UNP P0ABE7
R	-8	GLN	-	linker	UNP P0ABE7
R	-7	GLY	-	linker	UNP P0ABE7
R	-6	GLY	-	linker	UNP P0ABE7
R	-5	GLY	-	linker	UNP P0ABE7
R	-4	GLY	-	linker	UNP P0ABE7
R	-3	GLY	-	linker	UNP P0ABE7
R	-2	SER	-	linker	UNP P0ABE7
R	-1	GLY	-	linker	UNP P0ABE7
R	0	THR	-	linker	UNP P0ABE7

- Molecule 6 is (4R,7R,18E)-4,7-dihydroxy-N,N,N-trimethyl-10-oxo-3,5,9-trioxa-4-phosphahaheptacos-18-en-1-aminium 4-oxide (CCD ID: LSC) (formula: C₂₆H₅₃NO₇P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf	
6	R	1	Total	C	H	N	O	P	0
			87	26	52	1	7	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha isoforms short




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1





- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2











• Molecule 4: Nanobody35



• Molecule 5: Soluble cytochrome b562,Glucose-dependent insulintropic receptor



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	845848	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.168	Depositor
Minimum map value	-0.086	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.03	Depositor
Map size ($\text{\AA}$)	214.2, 214.2, 214.2	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.071, 1.071, 1.071	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LSC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.12	0/2000	0.33	0/2688
2	B	0.11	0/2647	0.33	0/3589
3	G	0.14	0/442	0.28	0/597
4	N	0.17	0/993	0.49	2/1345 (0.1%)
5	R	1.96	28/2312 (1.2%)	2.07	160/3139 (5.1%)
All	All	1.03	28/8394 (0.3%)	1.13	162/11358 (1.4%)

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	R	162	HIS	ND1-CE1	-8.76	1.23	1.32
5	R	164	HIS	CE1-NE2	-8.75	1.23	1.32
5	R	164	HIS	CD2-NE2	-7.93	1.29	1.37
5	R	81	ARG	CZ-NH2	-7.64	1.23	1.33
5	R	71	ARG	CZ-NH2	-7.61	1.23	1.33
5	R	103	ARG	CZ-NH2	-7.60	1.23	1.33
5	R	150	ALA	CA-CB	-7.08	1.43	1.53
5	R	124	ALA	CA-CB	-6.76	1.42	1.53
5	R	12	ALA	CA-CB	-6.71	1.43	1.53
5	R	15	ALA	CA-CB	-6.71	1.43	1.53
5	R	57	ALA	CA-CB	-6.70	1.43	1.53
5	R	50	ALA	CA-CB	-6.66	1.43	1.53
5	R	127	ALA	CA-CB	-6.66	1.43	1.53
5	R	91	ALA	CA-CB	-6.62	1.43	1.53
5	R	250	ALA	CA-CB	-6.61	1.43	1.53
5	R	103	ARG	CZ-NH1	-6.61	1.23	1.32
5	R	81	ARG	CZ-NH1	-6.58	1.23	1.32
5	R	83	ALA	CA-CB	-6.57	1.43	1.53
5	R	71	ARG	CZ-NH1	-6.57	1.23	1.32
5	R	235	ALA	CA-CB	-6.50	1.43	1.53
5	R	268	GLY	N-CA	-6.21	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	R	137	GLY	N-CA	-6.00	1.38	1.45
5	R	128	GLY	N-CA	-5.84	1.38	1.45
5	R	8	GLY	N-CA	-5.81	1.38	1.45
5	R	60	GLY	N-CA	-5.80	1.38	1.45
5	R	55	GLY	N-CA	-5.78	1.38	1.45
5	R	270	GLY	N-CA	-5.58	1.38	1.45
5	R	239	THR	N-CA	-5.04	1.41	1.46

All (162) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	100	PRO	N-CA-C	8.67	127.83	113.78
5	R	267	LEU	CA-C-N	7.35	128.10	119.94
5	R	267	LEU	C-N-CA	7.35	128.10	119.94
5	R	181	PHE	CA-CB-CG	7.33	121.13	113.80
5	R	159	ALA	CA-C-N	7.18	134.89	121.97
5	R	159	ALA	C-N-CA	7.18	134.89	121.97
5	R	175	PHE	CA-CB-CG	7.15	120.95	113.80
5	R	162	HIS	CA-CB-CG	7.08	120.88	113.80
4	N	100	PRO	CB-CA-C	-6.93	101.48	113.20
5	R	51	ASP	CA-CB-CG	6.89	119.49	112.60
5	R	184	PHE	CA-CB-CG	6.86	120.66	113.80
5	R	275	ASN	CA-CB-CG	6.66	119.26	112.60
5	R	102	ASP	CA-CB-CG	6.64	119.24	112.60
5	R	138	PHE	CA-CB-CG	6.60	120.40	113.80
5	R	146	PHE	CA-CB-CG	6.60	120.40	113.80
5	R	164	HIS	CA-CB-CG	6.57	120.37	113.80
5	R	5	PHE	CA-CB-CG	6.50	120.30	113.80
5	R	84	PHE	CA-CB-CG	6.47	120.27	113.80
5	R	161	PHE	CA-CB-CG	6.44	120.24	113.80
5	R	101	PHE	CA-CB-CG	6.32	120.12	113.80
5	R	43	PHE	CA-CB-CG	6.31	120.11	113.80
5	R	46	ASN	CA-CB-CG	6.31	118.91	112.60
5	R	271	ASN	CA-CB-CG	6.28	118.88	112.60
5	R	71	ARG	CD-NE-CZ	6.04	132.85	124.40
5	R	274	LEU	CA-C-N	6.00	128.30	120.26
5	R	274	LEU	C-N-CA	6.00	128.30	120.26
5	R	103	ARG	CD-NE-CZ	5.97	132.75	124.40
5	R	160	VAL	CA-C-N	5.96	130.94	122.72
5	R	160	VAL	C-N-CA	5.96	130.94	122.72
5	R	183	PHE	CA-CB-CG	5.80	119.60	113.80
5	R	181	PHE	CA-C-N	5.75	127.81	120.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	181	PHE	C-N-CA	5.75	127.81	120.56
5	R	17	LEU	CA-C-N	5.74	127.80	120.56
5	R	17	LEU	C-N-CA	5.74	127.80	120.56
5	R	273	LEU	CA-C-N	5.69	128.37	120.29
5	R	273	LEU	C-N-CA	5.69	128.37	120.29
5	R	55	GLY	CA-C-N	5.64	127.67	120.56
5	R	55	GLY	C-N-CA	5.64	127.67	120.56
5	R	146	PHE	CA-C-N	5.62	129.54	121.50
5	R	146	PHE	C-N-CA	5.62	129.54	121.50
5	R	277	LEU	CA-C-N	5.55	127.56	120.56
5	R	277	LEU	C-N-CA	5.55	127.56	120.56
5	R	249	VAL	CA-C-N	5.53	127.69	120.28
5	R	249	VAL	C-N-CA	5.53	127.69	120.28
5	R	9	VAL	CA-C-N	5.52	127.52	120.56
5	R	9	VAL	C-N-CA	5.52	127.52	120.56
5	R	128	GLY	CA-C-N	5.51	127.61	120.44
5	R	128	GLY	C-N-CA	5.51	127.61	120.44
5	R	56	VAL	CA-C-N	5.49	127.58	120.44
5	R	56	VAL	C-N-CA	5.49	127.58	120.44
5	R	83	ALA	CA-C-N	5.46	127.54	120.44
5	R	83	ALA	C-N-CA	5.46	127.54	120.44
5	R	46	ASN	CA-C-N	5.44	127.51	120.44
5	R	46	ASN	C-N-CA	5.44	127.51	120.44
5	R	162	HIS	CE1-NE2-CD2	-5.43	103.57	109.00
5	R	11	LEU	CA-C-N	5.42	127.48	120.44
5	R	11	LEU	C-N-CA	5.42	127.48	120.44
5	R	174	PHE	CA-C-N	5.40	127.49	120.26
5	R	174	PHE	C-N-CA	5.40	127.49	120.26
5	R	100	THR	CA-C-N	5.38	127.43	120.44
5	R	100	THR	C-N-CA	5.38	127.43	120.44
5	R	235	ALA	CA-C-N	5.37	128.01	120.28
5	R	235	ALA	C-N-CA	5.37	128.01	120.28
5	R	226	THR	CA-C-N	5.36	127.31	120.56
5	R	226	THR	C-N-CA	5.36	127.31	120.56
5	R	49	VAL	CA-C-N	5.34	127.38	120.44
5	R	49	VAL	C-N-CA	5.34	127.38	120.44
5	R	125	CYS	CA-C-N	5.32	127.26	120.56
5	R	125	CYS	C-N-CA	5.32	127.26	120.56
5	R	170	SER	CA-C-N	5.32	127.35	120.44
5	R	170	SER	C-N-CA	5.32	127.35	120.44
5	R	52	THR	CA-C-N	5.31	127.40	120.28
5	R	52	THR	C-N-CA	5.31	127.40	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	162	HIS	ND1-CG-CD2	-5.31	100.79	106.10
5	R	14	LEU	CA-C-N	5.30	127.34	120.44
5	R	14	LEU	C-N-CA	5.30	127.34	120.44
5	R	230	LEU	CA-C-N	5.30	127.24	120.56
5	R	230	LEU	C-N-CA	5.30	127.24	120.56
5	R	13	VAL	CA-C-N	5.29	127.32	120.44
5	R	13	VAL	C-N-CA	5.29	127.32	120.44
5	R	162	HIS	CG-CD2-NE2	5.29	112.49	107.20
5	R	246	ILE	CA-C-N	5.28	127.21	120.56
5	R	246	ILE	C-N-CA	5.28	127.21	120.56
5	R	104	TYR	CA-C-N	5.26	127.28	120.44
5	R	104	TYR	C-N-CA	5.26	127.28	120.44
5	R	161	PHE	CA-C-N	5.25	128.67	120.68
5	R	161	PHE	C-N-CA	5.25	128.67	120.68
5	R	77	LEU	CA-C-N	5.25	127.75	120.29
5	R	77	LEU	C-N-CA	5.25	127.75	120.29
5	R	53	LEU	CA-C-N	5.25	127.18	120.56
5	R	53	LEU	C-N-CA	5.25	127.18	120.56
5	R	54	ILE	N-CA-CB	5.24	116.69	110.55
5	R	167	LEU	CA-C-N	5.24	127.25	120.44
5	R	167	LEU	C-N-CA	5.24	127.25	120.44
5	R	243	ILE	N-CA-CB	5.24	116.33	110.51
5	R	180	LEU	CA-C-N	5.23	128.06	120.79
5	R	180	LEU	C-N-CA	5.23	128.06	120.79
5	R	101	PHE	CA-C-N	5.22	127.23	120.44
5	R	101	PHE	C-N-CA	5.22	127.23	120.44
5	R	1	MET	CA-C-N	5.22	127.27	120.28
5	R	1	MET	C-N-CA	5.22	127.27	120.28
5	R	232	GLY	CA-C-N	5.21	129.33	120.88
5	R	232	GLY	C-N-CA	5.21	129.33	120.88
5	R	98	LEU	CA-C-N	5.20	127.12	120.56
5	R	98	LEU	C-N-CA	5.20	127.12	120.56
5	R	252	GLN	CA-C-N	5.20	129.71	121.18
5	R	252	GLN	C-N-CA	5.20	129.71	121.18
5	R	45	LEU	CA-C-N	5.19	127.19	120.44
5	R	45	LEU	C-N-CA	5.19	127.19	120.44
5	R	42	CYS	CA-C-N	5.18	127.23	120.28
5	R	42	CYS	C-N-CA	5.18	127.23	120.28
5	R	101	PHE	N-CA-CB	5.18	117.52	110.01
5	R	271	ASN	CA-C-N	5.18	127.74	120.28
5	R	271	ASN	C-N-CA	5.18	127.74	120.28
5	R	140	PRO	CA-C-N	5.18	127.22	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	140	PRO	C-N-CA	5.18	127.22	120.28
5	R	103	ARG	CA-C-N	5.17	127.16	120.44
5	R	103	ARG	C-N-CA	5.17	127.16	120.44
5	R	183	PHE	CA-C-N	5.16	127.15	120.44
5	R	183	PHE	C-N-CA	5.16	127.15	120.44
5	R	126	ILE	CA-C-N	5.16	127.15	120.44
5	R	126	ILE	C-N-CA	5.16	127.15	120.44
5	R	227	VAL	CA-C-N	5.16	127.14	120.44
5	R	227	VAL	C-N-CA	5.16	127.14	120.44
5	R	124	ALA	CA-C-N	5.16	127.14	120.44
5	R	124	ALA	C-N-CA	5.16	127.14	120.44
5	R	86	THR	CA-C-N	5.15	127.14	120.44
5	R	86	THR	C-N-CA	5.15	127.14	120.44
5	R	78	CYS	CA-C-N	5.15	127.18	120.28
5	R	78	CYS	C-N-CA	5.15	127.18	120.28
5	R	12	ALA	CA-C-N	5.13	127.03	120.56
5	R	12	ALA	C-N-CA	5.13	127.03	120.56
5	R	92	SER	N-CA-CB	5.12	117.44	110.01
5	R	5	PHE	CA-C-N	5.12	127.65	120.28
5	R	5	PHE	C-N-CA	5.12	127.65	120.28
5	R	130	TRP	CA-C-N	5.11	127.08	120.44
5	R	130	TRP	C-N-CA	5.11	127.08	120.44
5	R	242	LEU	CA-C-N	5.10	127.18	120.60
5	R	242	LEU	C-N-CA	5.10	127.18	120.60
5	R	104	TYR	N-CA-CB	5.08	117.38	110.01
5	R	75	LYS	CA-C-N	5.08	127.04	120.44
5	R	75	LYS	C-N-CA	5.08	127.04	120.44
5	R	268	GLY	CA-C-N	5.07	127.41	120.46
5	R	268	GLY	C-N-CA	5.07	127.41	120.46
5	R	278	ILE	N-CA-CB	5.06	116.47	110.55
5	R	270	GLY	CA-C-N	5.06	127.06	120.28
5	R	270	GLY	C-N-CA	5.06	127.06	120.28
5	R	56	VAL	N-CA-CB	5.06	116.47	110.55
5	R	62	LEU	CA-C-N	5.06	127.57	120.28
5	R	62	LEU	C-N-CA	5.06	127.57	120.28
5	R	50	ALA	CA-C-N	5.06	127.02	120.44
5	R	50	ALA	C-N-CA	5.06	127.02	120.44
5	R	105	LEU	N-CA-CB	5.06	117.35	110.01
5	R	87	SER	N-CA-CB	5.05	117.33	110.01
5	R	167	LEU	N-CA-CB	5.03	117.25	109.91
5	R	9	VAL	N-CA-CB	5.03	116.43	110.55
5	R	77	LEU	N-CA-CB	5.01	117.23	109.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	98	LEU	N-CA-CB	5.01	117.28	110.01
5	R	96	VAL	N-CA-CB	5.01	116.41	110.55
5	R	58	ILE	CA-C-N	5.01	126.99	120.28
5	R	58	ILE	C-N-CA	5.01	126.99	120.28
5	R	247	VAL	N-CA-CB	5.00	116.41	110.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1964	1946	1941	10	0
2	B	2600	2508	2505	13	0
3	G	436	449	448	3	0
4	N	973	936	938	7	0
5	R	2259	2350	2351	7	0
6	R	35	52	52	1	0
All	All	8267	8241	8235	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:ASP:OD2	2:B:78:LYS:NZ	2.15	0.74
1:A:392:GLU:OE1	5:R:222:LYS:NZ	2.24	0.71
1:A:228:ARG:NH2	2:B:186:ASP:OD1	2.25	0.69
2:B:260:GLU:OE2	2:B:263:THR:OG1	2.10	0.69
2:B:333:ASP:O	2:B:334:SER:OG	2.10	0.68
1:A:297:LEU:O	1:A:301:VAL:HG22	1.99	0.62
2:B:231:ALA:HB1	2:B:276:VAL:HG22	1.83	0.61
1:A:229:ASP:OD2	4:N:112:SER:N	2.37	0.57
4:N:110:VAL:HG12	4:N:110:VAL:O	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:14:LEU:HD23	3:G:19:LEU:HD23	1.89	0.55
2:B:262:MET:HE1	2:B:302:ALA:HB2	1.88	0.55
4:N:52:SER:O	4:N:72:ARG:NH2	2.40	0.53
2:B:195:ASP:O	2:B:196:THR:OG1	2.17	0.53
2:B:87:THR:O	2:B:87:THR:HG22	2.09	0.52
1:A:272:LEU:O	1:A:276:ILE:HG13	2.10	0.52
1:A:276:ILE:HG23	1:A:282:LEU:HD13	1.92	0.51
1:A:374:ARG:O	1:A:378:ASP:OD2	2.30	0.50
5:R:56:VAL:O	5:R:59:SER:OG	2.21	0.47
2:B:262:MET:CE	2:B:302:ALA:HB2	2.44	0.47
5:R:178:MET:O	5:R:182:VAL:HG23	2.16	0.46
2:B:295:ASN:OD1	2:B:304:ARG:NH1	2.44	0.45
3:G:47:GLU:N	3:G:47:GLU:OE1	2.50	0.45
4:N:91:THR:HG23	4:N:91:THR:O	2.16	0.45
5:R:208:MET:HE2	5:R:208:MET:HA	1.99	0.44
2:B:262:MET:HE2	2:B:264:TYR:CE2	2.51	0.44
1:A:238:PHE:O	1:A:241:VAL:HG22	2.19	0.42
2:B:321:THR:HG23	2:B:326:ALA:O	2.19	0.42
6:R:401:LSC:H30A	6:R:401:LSC:H33A	1.71	0.42
5:R:296:GLY:O	5:R:300:VAL:HG23	2.18	0.42
4:N:99:CYS:HB2	4:N:100:PRO:CD	2.50	0.42
3:G:58:GLU:OE1	3:G:58:GLU:N	2.52	0.41
1:A:232:ARG:CD	4:N:100:PRO:HG2	2.51	0.41
5:R:12:ALA:HB2	5:R:62:LEU:HD11	2.02	0.41
5:R:194:MET:O	5:R:197:GLN:HG2	2.21	0.40
4:N:100:PRO:HD3	4:N:115:TYR:OH	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/394 (59%)	230 (100%)	1 (0%)	0	100	100
2	B	336/345 (97%)	332 (99%)	4 (1%)	0	100	100
3	G	55/71 (78%)	54 (98%)	1 (2%)	0	100	100
4	N	126/139 (91%)	124 (98%)	2 (2%)	0	100	100
5	R	288/485 (59%)	278 (96%)	10 (4%)	0	100	100
All	All	1036/1434 (72%)	1018 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/350 (61%)	212 (100%)	0	100	100
2	B	281/287 (98%)	281 (100%)	0	100	100
3	G	46/58 (79%)	46 (100%)	0	100	100
4	N	106/116 (91%)	106 (100%)	0	100	100
5	R	246/407 (60%)	246 (100%)	0	100	100
All	All	891/1218 (73%)	891 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	267	GLN
3	G	44	HIS
4	N	39	GLN
4	N	123	GLN
5	R	283	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	LSC	R	401	-	34,34,34	1.16	2 (5%)	39,41,41	1.54	6 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	LSC	R	401	-	-	14/36/36/36	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	401	LSC	O19-C18	3.90	1.44	1.33
6	R	401	LSC	C17-C18	2.23	1.57	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	401	LSC	C35-N32-C33	-4.89	96.14	108.98
6	R	401	LSC	C35-N32-C34	3.77	118.88	108.98
6	R	401	LSC	C34-N32-C33	-3.27	100.40	108.98
6	R	401	LSC	C35-N32-C31	3.12	122.33	109.91
6	R	401	LSC	O19-C18-C17	3.08	121.22	111.83
6	R	401	LSC	C22-C21-C20	-2.22	106.25	112.65

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	R	401	LSC	C20-C21-C22-O23
6	R	401	LSC	C21-C22-O23-P24
6	R	401	LSC	C22-O23-P24-O25
6	R	401	LSC	C22-O23-P24-O34
6	R	401	LSC	C22-O23-P24-O35
6	R	401	LSC	O35-C30-C31-N32
6	R	401	LSC	O33-C21-C22-O23
6	R	401	LSC	C17-C18-O19-C20
6	R	401	LSC	O32-C18-O19-C20
6	R	401	LSC	C30-C31-N32-C35
6	R	401	LSC	C30-C31-N32-C33
6	R	401	LSC	C12-C13-C14-C15
6	R	401	LSC	C11-C12-C13-C14
6	R	401	LSC	C9-C10-C11-C12


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	R	401	LSC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33525. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 100




Y Index: 100




Z Index: 100


6.2.2 Raw map



X Index: 100



Y Index: 100




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 115




Y Index: 115




Z Index: 123


6.3.2 Raw map



X Index: 114



Y Index: 115




Z Index: 123


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 31 nm³; this corresponds to an approximate mass of 28 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.323 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.39	3.97	3.47

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMD map EMD-33525 and PDB model 7XZ5. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).

9.4 Atom inclusion [i](#)



At the recommended contour level, 61% of all backbone atoms, 61% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6100	0.5140
A	0.6640	0.5280
B	0.7090	0.5510
G	0.3680	0.4580
N	0.6520	0.5300
R	0.5040	0.4650

