



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:47 PM UTC

PDB ID : 7Y1X / pdb_00007y1x
Title : Crystal structure of prolyl oligopeptidase from Microbulbifer arenaceous complex with PEG400 and MES
Authors : Huang, P.; Jiang, Z.Q.
Deposited on : 2022-06-09
Resolution : 1.67 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1054 (1.68-1.68)
Clashscore	190562	1078 (1.68-1.68)
Ramachandran outliers	187476	1068 (1.68-1.68)
Sidechain outliers	187428	1067 (1.68-1.68)
RSRZ outliers	180081	1055 (1.68-1.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	711	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MES	A	804	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 6070 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called prolyl oligopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	677	Total	C	N	O	S	0	1	0
			5422	3470	909	1034	9			

- Molecule 2 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			16	10	6		
2	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is SULFATE ION (CCD ID: SO₄) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	520	Total 520	O 520	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: prolyl oligopeptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.04Å 65.06Å 91.33Å 90.00° 104.95° 90.00°	Depositor
Resolution (Å)	31.65 – 1.67 31.65 – 1.67	Depositor EDS
% Data completeness (in resolution range)	94.4 (31.65-1.67) 94.4 (31.65-1.67)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.46 (at 1.67Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.160 , 0.189 0.160 , 0.189	Depositor DCC
R_{free} test set	3688 reflections (4.59%)	wwPDB-VP
Wilson B-factor (Å ²)	12.4	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 35.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6070	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MES, PEG, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.83	1/5577 (0.0%)	1.53	32/7574 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	627	HIS	CE1-NE2	5.71	1.38	1.32

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	633	THR	CA-CB-OG1	-7.36	98.56	109.60
1	A	485	PHE	CA-CB-CG	-7.09	106.71	113.80
1	A	694	PHE	CA-CB-CG	-6.95	106.85	113.80
1	A	45	PHE	CA-CB-CG	-6.83	106.97	113.80
1	A	556	LEU	CA-C-N	-6.65	117.59	122.18
1	A	556	LEU	C-N-CA	-6.65	117.59	122.18
1	A	323	THR	CA-CB-OG1	-6.61	99.68	109.60
1	A	198	PHE	CA-CB-CG	-6.46	107.34	113.80
1	A	433	LYS	CA-C-N	-6.41	116.41	122.37
1	A	433	LYS	C-N-CA	-6.41	116.41	122.37
1	A	372	LYS	CA-C-N	-6.32	114.95	123.10
1	A	372	LYS	C-N-CA	-6.32	114.95	123.10
1	A	141	PRO	CB-CA-C	-6.16	102.69	111.68
1	A	166	TYR	CA-C-N	-6.02	115.88	122.38
1	A	166	TYR	C-N-CA	-6.02	115.88	122.38
1	A	110	GLN	CA-C-N	-5.79	116.01	123.19
1	A	110	GLN	C-N-CA	-5.79	116.01	123.19
1	A	78	THR	CA-CB-OG1	-5.54	101.29	109.60
1	A	707	LEU	CA-C-O	-5.51	111.44	120.80
1	A	677	THR	CA-CB-OG1	-5.44	101.44	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	506	THR	CA-CB-OG1	-5.39	101.51	109.60
1	A	476	PRO	N-CA-C	-5.39	102.04	110.50
1	A	271	GLY	N-CA-C	-5.36	105.23	112.14
1	A	451	PHE	CA-C-N	-5.35	115.61	123.00
1	A	451	PHE	C-N-CA	-5.35	115.61	123.00
1	A	410	PHE	CA-CB-CG	-5.33	108.47	113.80
1	A	600	ASN	CA-CB-CG	-5.15	107.45	112.60
1	A	447	SER	CA-C-N	-5.10	115.68	122.72
1	A	447	SER	C-N-CA	-5.10	115.68	122.72
1	A	250	THR	N-CA-C	-5.06	107.23	113.41
1	A	497	PHE	CA-CB-CG	-5.05	108.75	113.80
1	A	58	GLN	CB-CA-C	-5.02	103.92	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5422	0	5197	84	0
2	A	32	0	44	3	0
3	A	84	0	91	8	0
4	A	7	0	10	1	0
5	A	5	0	0	0	0
6	A	520	0	0	4	0
All	All	6070	0	5342	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:677:THR:HG22	1:A:678:ARG:HG2	1.54	0.86
1:A:679:ALA:HB2	1:A:689:MET:HE1	1.66	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:ARG:HH22	1:A:186:ARG:HH11	1.36	0.73
1:A:153:LYS:C	3:A:804:MES:H21	2.18	0.68
3:A:806:MES:H81	6:A:950:HOH:O	1.99	0.61
1:A:162:ARG:HD2	1:A:184:LYS:HB2	1.82	0.59
1:A:288:ASP:HB3	1:A:291:SER:HB3	1.85	0.58
1:A:185:THR:C	1:A:187:ARG:H	2.12	0.57
1:A:412:ASN:HA	1:A:491:PRO:O	2.05	0.56
1:A:585:ILE:HG22	1:A:586:VAL:HG22	1.86	0.56
1:A:159:PRO:HD2	1:A:207:GLU:HG2	1.87	0.56
1:A:416:PRO:HG2	1:A:437:TYR:CB	2.36	0.55
1:A:114:GLU:OE2	3:A:804:MES:H52	2.07	0.54
1:A:500:TRP:CE2	1:A:505:GLY:HA3	2.45	0.52
1:A:567:LEU:O	1:A:571:THR:HG23	2.11	0.50
1:A:153:LYS:O	3:A:804:MES:H21	2.12	0.48
1:A:177:ASP:OD2	1:A:192:HIS:HE1	1.96	0.48
1:A:460:PRO:HG2	1:A:511:ASN:HB2	1.94	0.48
1:A:84:HIS:HD2	6:A:1356:HOH:O	1.97	0.48
1:A:115:TYR:HB3	1:A:126:TYR:CE1	2.47	0.48
1:A:688:TRP:CZ3	1:A:689:MET:HG2	2.49	0.48
1:A:689:MET:HE2	1:A:689:MET:HB3	1.68	0.48
1:A:605:SER:HB2	1:A:610:LEU:HG	1.96	0.48
1:A:478:LEU:HD11	1:A:559:MET:HB2	1.96	0.47
1:A:564:GLY:O	1:A:567:LEU:HB3	2.14	0.47
1:A:59:GLN:HA	1:A:64:VAL:HG11	1.97	0.47
1:A:413:PHE:CZ	1:A:491:PRO:HA	2.49	0.47
1:A:124:VAL:CG1	1:A:137:VAL:HG13	2.45	0.47
1:A:239:PRO:HG2	1:A:242:LYS:HG3	1.97	0.47
1:A:106:LYS:CE	1:A:403:ASP:OD2	2.62	0.47
1:A:107:LYS:HD2	1:A:157:VAL:HB	1.95	0.47
1:A:146:LYS:HE3	6:A:1350:HOH:O	2.15	0.46
1:A:432:VAL:O	1:A:433:LYS:HD3	2.16	0.46
1:A:259:ALA:HB1	1:A:268:LEU:HD11	1.98	0.46
1:A:344:VAL:HG21	1:A:363:LEU:HD11	1.98	0.46
1:A:114:GLU:OE1	3:A:804:MES:H32	2.16	0.45
1:A:407:TYR:HA	1:A:420:TYR:O	2.16	0.45
1:A:146:LYS:HA	1:A:146:LYS:CE	2.47	0.45
1:A:462:PHE:O	1:A:508:ALA:HA	2.17	0.45
1:A:337:LYS:HA	1:A:340:TRP:CE2	2.52	0.45
1:A:444:TYR:O	1:A:467:LYS:HE3	2.16	0.45
1:A:545:LEU:HB3	1:A:551:THR:HG22	1.99	0.45
1:A:590:ASP:OD1	1:A:590:ASP:C	2.61	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:638:THR:HG22	1:A:640:ILE:HG13	1.99	0.45
3:A:806:MES:H61	6:A:1140:HOH:O	2.18	0.44
1:A:234:HIS:HE1	1:A:238:GLU:O	2.01	0.44
1:A:53:TYR:HB3	1:A:56:LEU:HD12	2.00	0.44
1:A:159:PRO:HD3	1:A:203:TRP:CB	2.48	0.44
1:A:416:PRO:HG2	1:A:437:TYR:HB2	2.00	0.44
1:A:242:LYS:NZ	2:A:803:1PE:H142	2.32	0.43
1:A:633:THR:HB	1:A:635:TYR:CE2	2.53	0.43
1:A:191:ASP:N	1:A:191:ASP:OD1	2.49	0.43
1:A:358:GLY:HA3	1:A:404:PRO:HA	2.00	0.43
1:A:414:LEU:HD22	1:A:441:PHE:HB3	2.00	0.43
1:A:221:GLY:HA2	4:A:810:PEG:H12	2.01	0.43
1:A:373:VAL:HB	1:A:386:LEU:HB3	2.01	0.43
1:A:99:GLU:HB3	1:A:435:PRO:HB3	2.01	0.42
1:A:461:LEU:HD12	1:A:461:LEU:C	2.44	0.42
1:A:182:ASP:O	1:A:186:ARG:HA	2.19	0.42
1:A:352:GLN:HB2	1:A:366:LEU:HG	2.01	0.42
1:A:561:ARG:HA	1:A:585:ILE:O	2.19	0.42
1:A:167:GLY:HA2	1:A:177:ASP:O	2.20	0.42
1:A:242:LYS:HD3	2:A:803:1PE:H252	2.01	0.42
1:A:562:SER:HA	1:A:586:VAL:O	2.20	0.42
1:A:98:TYR:C	1:A:118:GLY:HA2	2.44	0.42
1:A:181:ARG:HH22	1:A:186:ARG:NH1	2.11	0.42
1:A:242:LYS:CE	2:A:803:1PE:H142	2.49	0.42
1:A:479:LEU:HD11	1:A:510:VAL:CG2	2.49	0.42
1:A:154:ARG:HD2	1:A:200:ASP:OD1	2.20	0.42
1:A:373:VAL:CG2	1:A:394:VAL:HG21	2.50	0.42
1:A:538:PHE:HD2	1:A:571:THR:HG21	1.85	0.42
3:A:804:MES:H51	3:A:804:MES:H82	1.74	0.42
1:A:159:PRO:HG2	1:A:205:LYS:HA	2.01	0.41
1:A:245:LEU:HD21	1:A:248:LYS:HB2	2.01	0.41
1:A:213:SER:HA	1:A:230:SER:O	2.20	0.41
1:A:411:SER:HB2	1:A:493:PHE:HB2	2.03	0.41
1:A:184:LYS:HD3	1:A:184:LYS:HA	1.94	0.41
1:A:49:VAL:HG11	1:A:592:LEU:CD1	2.50	0.41
1:A:591:MET:HB3	1:A:620:LEU:HD22	2.03	0.41
1:A:394:VAL:HA	1:A:409:ALA:O	2.20	0.40
1:A:563:ASN:O	1:A:566:LEU:HB3	2.21	0.40
1:A:271:GLY:HA3	1:A:273[A]:PHE:CZ	2.56	0.40
1:A:282:TYR:CD1	1:A:295:LYS:HA	2.56	0.40
1:A:114:GLU:CD	3:A:804:MES:H32	2.47	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:ALA:CB	1:A:155:TYR:OH	2.70	0.40
1:A:115:TYR:CZ	1:A:117:ASP:HA	2.57	0.40
1:A:247:TYR:CD1	1:A:293:VAL:HG21	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	676/711 (95%)	660 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	570/593 (96%)	565 (99%)	5 (1%)	70	55

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	TRP
1	A	146	LYS
1	A	184	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	188	MET
1	A	607	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	84	HIS
1	A	97	GLN
1	A	110	GLN
1	A	160	ASN
1	A	192	HIS
1	A	339	HIS
1	A	382	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MES	A	806	-	12,12,12	0.58	0	15,16,16	0.77	0
3	MES	A	804	-	12,12,12	0.70	0	15,16,16	0.69	0
4	PEG	A	810	-	6,6,6	0.18	0	5,5,5	0.25	0
3	MES	A	808	-	12,12,12	0.83	0	15,16,16	0.61	0
3	MES	A	805	-	12,12,12	0.74	0	15,16,16	0.66	0
5	SO4	A	811	-	4,4,4	0.22	0	6,6,6	0.45	0
2	1PE	A	803	-	15,15,15	0.28	0	14,14,14	0.28	0
2	1PE	A	801	-	15,15,15	0.31	0	14,14,14	0.60	0
3	MES	A	809	-	12,12,12	0.66	0	15,16,16	0.62	0
3	MES	A	807	-	12,12,12	0.67	0	15,16,16	0.90	1 (6%)
3	MES	A	802	-	12,12,12	0.64	0	15,16,16	1.32	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MES	A	806	-	-	3/6/14/14	0/1/1/1
3	MES	A	804	-	-	5/6/14/14	0/1/1/1
4	PEG	A	810	-	-	2/4/4/4	-
3	MES	A	808	-	-	1/6/14/14	0/1/1/1
3	MES	A	805	-	-	5/6/14/14	0/1/1/1
2	1PE	A	803	-	-	4/13/13/13	-
2	1PE	A	801	-	-	0/13/13/13	-
3	MES	A	809	-	-	1/6/14/14	0/1/1/1
3	MES	A	807	-	-	2/6/14/14	0/1/1/1
3	MES	A	802	-	-	5/6/14/14	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	MES	O2S-S-C8	-2.89	102.36	106.73
3	A	802	MES	C5-N4-C3	2.41	114.03	108.84
3	A	807	MES	O2S-S-C8	-2.00	103.70	106.73

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	802	MES	C8-C7-N4-C3
3	A	802	MES	C8-C7-N4-C5
3	A	802	MES	C7-C8-S-O1S
3	A	802	MES	C7-C8-S-O3S
3	A	804	MES	C8-C7-N4-C5
3	A	804	MES	C7-C8-S-O2S
3	A	805	MES	C7-C8-S-O1S
3	A	805	MES	C7-C8-S-O2S
3	A	805	MES	C7-C8-S-O3S
3	A	806	MES	C7-C8-S-O2S
3	A	806	MES	C7-C8-S-O3S
3	A	809	MES	C8-C7-N4-C5
4	A	810	PEG	O1-C1-C2-O2
3	A	804	MES	C7-C8-S-O3S
3	A	807	MES	C8-C7-N4-C3
3	A	802	MES	C7-C8-S-O2S
3	A	804	MES	C7-C8-S-O1S
3	A	806	MES	C7-C8-S-O1S
2	A	803	1PE	C13-C23-OH3-C22
4	A	810	PEG	O2-C3-C4-O4
2	A	803	1PE	C14-C24-OH4-C13
3	A	804	MES	C8-C7-N4-C3
3	A	805	MES	C8-C7-N4-C3
3	A	805	MES	C8-C7-N4-C5
3	A	807	MES	C8-C7-N4-C5
3	A	808	MES	C8-C7-N4-C3
2	A	803	1PE	C25-C15-OH6-C26
2	A	803	1PE	C15-C25-OH5-C14


There are no ring outliers.



4 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	806	MES	2	0
3	A	804	MES	6	0
4	A	810	PEG	1	0
2	A	803	1PE	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.




Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	677/711 (95%)	-0.38	10 (1%) 72 80	7, 13, 29, 52	1 (0%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	135	GLY	5.5
1	A	250	THR	3.3
1	A	186	ARG	2.6
1	A	440	ASP	2.5
1	A	31	ASN	2.4
1	A	134	ASP	2.3
1	A	188	MET	2.2
1	A	273[A]	PHE	2.2
1	A	143	ALA	2.1
1	A	184	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	1PE	A	803	16/16	0.82	0.16	31,42,51,52	0
3	MES	A	805	12/12	0.84	0.15	37,41,44,46	0
3	MES	A	807	12/12	0.86	0.12	27,31,51,54	0
4	PEG	A	810	7/7	0.86	0.14	39,41,43,44	0
3	MES	A	804	12/12	0.87	0.12	38,41,47,51	0
3	MES	A	806	12/12	0.87	0.15	27,38,46,47	0
3	MES	A	802	12/12	0.89	0.12	29,30,35,36	0
3	MES	A	809	12/12	0.91	0.11	29,35,44,46	0
3	MES	A	808	12/12	0.97	0.09	14,25,34,38	0
2	1PE	A	801	16/16	0.98	0.06	9,11,29,41	0
5	SO4	A	811	5/5	0.99	0.04	15,15,15,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 1PE A 803:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MES A 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MES A 807:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PEG A 810:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MES A 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MES A 806:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MES A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MES A 809:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MES A 808:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 1PE A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SO4 A 811:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.