



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:34 AM UTC

PDB ID : 4Y3U / pdb_00004y3u
Title : The structure of phospholamban bound to the calcium pump SERCA1a
Authors : Hurley, T.D.
Deposited on : 2015-02-10
Resolution : 3.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1025 (3.56-3.48)
Clashscore	190562	1079 (3.56-3.48)
Ramachandran outliers	187476	1052 (3.56-3.48)
Sidechain outliers	187428	1053 (3.56-3.48)
RSRZ outliers	180081	1024 (3.56-3.48)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	994	2% 75% 21% ..
2	B	50	2% 46% 14% 40%
3	C	23	70% 30%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7812 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sarcoplasmic/endoplasmic reticulum calcium ATPase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	970	Total	C	N	O	S	0	0	0
			7489	4767	1255	1410	57			

- Molecule 2 is a protein called Cardiac phospholamban.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	30	Total	C	N	O	S	0	0	0
			242	161	40	37	4			

- Molecule 3 is a protein called Cardiac phospholamban.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	16	Total	C	N	O	0	0	0
			80	48	16	16			


- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	K	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sarcoplasmic/endoplasmic reticulum calcium ATPase 1



- Molecule 2: Cardiac phospholamban



- Molecule 3: Cardiac phospholamban

Chain C:  70% 30%

X101	X116	UNK	UNK	UNK	UNK	UNK	UNK	UNK
------	------	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.74Å 91.83Å 316.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.79 – 3.51 48.79 – 3.51	Depositor EDS
% Data completeness (in resolution range)	98.9 (48.79-3.51) 99.0 (48.79-3.51)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.87 (at 3.48Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.235 , 0.277 0.231 , 0.271	Depositor DCC
R_{free} test set	1195 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	107.0	Xtriage
Anisotropy	0.214	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 107.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	7812	wwPDB-VP
Average B, all atoms (Å ²)	135.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/7622	0.84	2/10331 (0.0%)
2	B	0.33	0/244	0.79	0/329
All	All	0.42	0/7866	0.84	2/10660 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	891	PHE	N-CA-C	-5.70	105.61	113.18
1	A	811	PRO	O-C-N	5.17	123.69	121.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7489	0	7589	110	0
2	B	242	0	269	7	0
3	C	80	0	18	0	0
4	A	1	0	0	0	0
All	All	7812	0	7876	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 7.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:549:ILE:HD11	1:A:596:VAL:HG21	1.62	0.81
1:A:895:GLU:H	1:A:896:PRO:HD2	1.49	0.77
1:A:748:GLU:HA	1:A:817:MET:HE3	1.66	0.76
1:A:181:THR:OG1	1:A:183:GLU:HG2	1.88	0.73
1:A:788:ILE:HG13	1:A:789:PRO:HD2	1.69	0.73
1:A:898:THR:HG23	1:A:958:LYS:HB2	1.72	0.72
1:A:751:ARG:HD2	1:A:817:MET:HE2	1.78	0.65
1:A:762:ARG:HG3	1:A:837:TYR:CE1	2.32	0.65
1:A:103:ILE:HB	2:B:37:LEU:HD21	1.78	0.64
1:A:529:ARG:NH1	1:A:592:THR:HG21	2.12	0.64
1:A:325:ARG:HH11	2:B:23:GLN:HE22	1.44	0.64
1:A:342:LEU:O	1:A:345:THR:HG23	1.99	0.62
1:A:361:MET:HG2	1:A:601:ASP:HB2	1.80	0.61
1:A:909:MET:HE2	1:A:937:ILE:HA	1.80	0.61
1:A:329:LYS:O	1:A:330:ASN:HB2	2.00	0.61
1:A:379:LEU:HD12	1:A:548:VAL:HG21	1.82	0.61
1:A:526:ASN:HD22	1:A:590:ASP:HA	1.65	0.61
1:A:227:GLY:O	1:A:230:THR:HG22	2.02	0.60
1:A:25:THR:HA	1:A:132:ALA:HB3	1.85	0.58
1:A:688:VAL:HG23	1:A:700:MET:HE2	1.85	0.58
1:A:281:ASP:HB3	1:A:282:PRO:HD3	1.86	0.58
1:A:539:GLY:N	1:A:540:PRO:HD2	2.19	0.58
1:A:840:ILE:O	1:A:844:VAL:HG12	2.05	0.57
1:A:748:GLU:CA	1:A:817:MET:HE3	2.35	0.56
1:A:762:ARG:NH2	1:A:918:GLU:HA	2.20	0.56
1:A:762:ARG:HH21	1:A:918:GLU:HA	1.71	0.56
1:A:52:LEU:HA	1:A:55:GLU:HG3	1.88	0.55
1:A:513:PHE:HD1	1:A:566:THR:HG22	1.72	0.55
1:A:352:LYS:HE2	1:A:627:ASP:OD2	2.06	0.55
1:A:322:GLY:HA3	1:A:753:ILE:HD11	1.89	0.55
1:A:495:SER:HB3	1:A:514:VAL:HG22	1.88	0.55
1:A:107:TRP:HH2	2:B:30:ASN:HA	1.70	0.55
1:A:391:PRO:HB3	1:A:450:GLU:HB3	1.89	0.55
1:A:802:LEU:HB3	1:A:936:SER:HB2	1.89	0.54
1:A:154:ALA:N	1:A:157:ASP:OD2	2.31	0.53
1:A:950:VAL:O	1:A:954:PRO:HD3	2.08	0.53
1:A:500:PRO:HG3	1:A:508:VAL:O	2.08	0.53
1:A:650:ASP:O	1:A:672:ARG:NH1	2.35	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:SER:HB3	1:A:22:THR:HB	1.91	0.52
1:A:32:HIS:HB3	1:A:146:VAL:CG1	2.40	0.51
1:A:749:GLU:O	1:A:753:ILE:HG12	2.11	0.51
1:A:852:ALA:HB2	1:A:900:ALA:HB2	1.93	0.51
1:A:867:TYR:O	1:A:868:HIS:HB2	2.11	0.51
1:A:450:GLU:OE1	1:A:467:ARG:NH1	2.43	0.51
1:A:363:VAL:HG11	1:A:448:LEU:HD22	1.93	0.51
1:A:48:SER:HB2	1:A:110:ARG:HH11	1.76	0.50
1:A:952:PRO:HB3	2:B:49:VAL:HG21	1.94	0.50
1:A:978:ILE:O	1:A:982:GLU:HG2	2.11	0.49
1:A:170:SER:HB2	1:A:218:LYS:H	1.77	0.49
1:A:485:LEU:HD22	1:A:584:PHE:CE1	2.47	0.49
1:A:735:LEU:HD22	1:A:742:THR:HB	1.95	0.49
1:A:814:LEU:HD21	1:A:924:ARG:NH1	2.28	0.49
1:A:311:LEU:HD11	1:A:315:ILE:HG21	1.95	0.48
1:A:848:THR:HG21	1:A:904:LEU:HD13	1.95	0.48
1:A:872:HIS:HA	1:A:874:MET:HE3	1.94	0.48
1:A:322:GLY:CA	1:A:753:ILE:HD11	2.44	0.48
1:A:680:GLU:HG3	1:A:681:PRO:HD2	1.96	0.47
1:A:865:VAL:HG12	1:A:867:TYR:H	1.78	0.47
1:A:302:LEU:HD13	1:A:775:ILE:HD12	1.95	0.47
1:A:758:LYS:NZ	1:A:828:LEU:O	2.48	0.47
1:A:654:THR:HA	1:A:677:ALA:O	2.14	0.47
1:A:529:ARG:HH12	1:A:592:THR:HG21	1.77	0.47
1:A:104:VAL:HG23	2:B:37:LEU:HD23	1.96	0.46
1:A:417:CYS:SG	1:A:445:LEU:HD22	2.55	0.46
1:A:577:VAL:HG12	1:A:587:TYR:OH	2.16	0.45
1:A:708:ALA:N	1:A:709:PRO:HD2	2.31	0.45
1:A:441:THR:O	1:A:599:MET:HE1	2.17	0.45
1:A:811:PRO:HD2	1:A:929:VAL:HG12	1.98	0.45
1:A:355:THR:HG22	1:A:740:PHE:HB2	1.99	0.45
1:A:697:ILE:HG23	1:A:715:GLU:HG2	1.98	0.45
1:A:934:LEU:HA	1:A:937:ILE:HD12	1.99	0.44
1:A:948:LEU:HD22	1:A:960:LYS:HA	1.98	0.44
1:A:420:CYS:HB3	1:A:515:LYS:HD3	1.99	0.44
1:A:874:MET:HG3	1:A:875:GLN:HG3	1.99	0.44
1:A:116:ILE:HG21	1:A:336:LEU:HD11	1.98	0.44
1:A:492:LYS:HE2	1:A:678:ARG:HD3	2.00	0.44
1:A:32:HIS:CB	1:A:146:VAL:HG11	2.48	0.44
1:A:666:GLN:HB3	1:A:690:TYR:CE2	2.52	0.44
1:A:90:GLU:N	1:A:91:PRO:HD2	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:338:SER:O	1:A:342:LEU:HB2	2.17	0.44
1:A:633:ILE:O	1:A:637:ARG:HG3	2.18	0.44
1:A:969:MET:HA	1:A:972:LYS:HG2	1.99	0.44
1:A:415:THR:HA	1:A:475:ILE:HD13	1.99	0.43
1:A:142:ALA:HA	1:A:145:ILE:HD12	2.00	0.43
1:A:895:GLU:N	1:A:896:PRO:HD2	2.26	0.43
1:A:32:HIS:HB3	1:A:146:VAL:HG11	2.00	0.43
1:A:521:VAL:CG2	1:A:563:ALA:HB3	2.48	0.43
1:A:810:ASN:HA	1:A:811:PRO:HD3	1.86	0.43
1:A:32:HIS:HB3	1:A:146:VAL:HG13	2.00	0.43
1:A:174:ARG:NH1	1:A:186:SER:OG	2.52	0.43
1:A:347:VAL:HB	1:A:698:THR:HG22	2.01	0.43
1:A:909:MET:CE	1:A:937:ILE:HA	2.49	0.42
1:A:795:VAL:HG21	1:A:904:LEU:HD23	2.02	0.42
1:A:334:ARG:HD2	1:A:734:VAL:HG23	2.01	0.42
1:A:717:GLY:O	1:A:731:SER:HB2	2.20	0.42
1:A:718:ILE:HD13	1:A:743:ILE:HG12	2.01	0.42
1:A:321:LEU:HD22	2:B:23:GLN:HE21	1.84	0.42
1:A:528:VAL:HG12	1:A:593:PHE:HB3	2.02	0.41
1:A:912:ALA:HB1	1:A:933:LEU:HD11	2.01	0.41
1:A:823:SER:HB3	1:A:826:GLU:HG3	2.01	0.41
1:A:867:TYR:HB3	1:A:868:HIS:H	1.70	0.41
1:A:368:ILE:HG13	1:A:380:ASN:HB2	2.01	0.41
1:A:725:ALA:HA	1:A:728:LYS:HD2	2.02	0.41
1:A:475:ILE:HA	1:A:478:LEU:HD12	2.02	0.41
1:A:629:LYS:HD2	1:A:654:THR:HG23	2.03	0.41
2:B:28:LEU:O	2:B:32:PHE:HB2	2.20	0.41
1:A:153:VAL:HB	1:A:214:ILE:HG13	2.03	0.41
1:A:785:GLU:O	1:A:785:GLU:HG2	2.21	0.40
1:A:833:LEU:O	1:A:837:TYR:CD1	2.75	0.40
1:A:895:GLU:H	1:A:896:PRO:CD	2.27	0.40
1:A:783:LEU:HB3	1:A:784:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	958/994 (96%)	891 (93%)	57 (6%)	10 (1%)	12	45
2	B	28/50 (56%)	25 (89%)	3 (11%)	0	100	100
All	All	986/1044 (94%)	916 (93%)	60 (6%)	10 (1%)	12	45

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	868	HIS
1	A	276	ILE
1	A	802	LEU
1	A	963	ASP
1	A	178	SER
1	A	420	CYS
1	A	867	TYR
1	A	895	GLU
1	A	330	ASN
1	A	502	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	822/840 (98%)	773 (94%)	49 (6%)	17	44
2	B	29/47 (62%)	28 (97%)	1 (3%)	32	58
All	All	851/887 (96%)	801 (94%)	50 (6%)	18	45

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	GLU
1	A	44	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	55	GLU
1	A	60	LEU
1	A	106	VAL
1	A	108	GLN
1	A	111	ASN
1	A	143	ARG
1	A	146	VAL
1	A	158	LYS
1	A	171	THR
1	A	184	SER
1	A	188	ILE
1	A	191	THR
1	A	225	THR
1	A	228	VAL
1	A	247	THR
1	A	249	LEU
1	A	311	LEU
1	A	316	THR
1	A	335	SER
1	A	340	GLU
1	A	345	THR
1	A	396	LEU
1	A	402	ILE
1	A	406	GLN
1	A	408	ASP
1	A	420	CYS
1	A	465	VAL
1	A	479	MET
1	A	486	GLU
1	A	530	VAL
1	A	532	THR
1	A	564	LEU
1	A	589	THR
1	A	606	GLU
1	A	613	LEU
1	A	625	THR
1	A	671	ARG
1	A	680	GLU
1	A	685	SER
1	A	705	VAL
1	A	729	THR
1	A	755	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	795	VAL
1	A	833	LEU
1	A	876	CYS
1	A	898	THR
1	A	951	ASP
2	B	22	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	177	GLN
1	A	201	ASN
1	A	251	GLN
1	A	259	GLN
1	A	380	ASN
1	A	406	GLN
1	A	510	ASN
1	A	526	ASN
1	A	755	ASN
1	A	768	ASN
1	A	869	GLN
1	A	875	GLN
1	A	914	ASN
1	A	944	HIS
2	B	22	GLN
2	B	23	GLN
2	B	27	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	970/994 (97%)	0.01	17 (1%) 67 40	77, 119, 210, 262	0
2	B	30/50 (60%)	0.47	1 (3%) 49 27	174, 206, 231, 242	0
3	C	0/23	-	-	-	-
All	All	1000/1067 (93%)	0.03	18 (1%) 67 40	77, 121, 215, 262	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	785	GLU	3.7
1	A	868	HIS	3.2
1	A	871	THR	3.2
1	A	74	VAL	3.1
1	A	961	ALA	2.9
1	A	94	ILE	2.9
1	A	514	VAL	2.6
1	A	723	GLY	2.5
1	A	915	SER	2.4
1	A	420	CYS	2.4
1	A	508	VAL	2.4
1	A	632	ALA	2.3
1	A	874	MET	2.3
1	A	240	ALA	2.2
2	B	28	LEU	2.2
1	A	67	LEU	2.1
1	A	103	ILE	2.1
1	A	224	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	K	A	1001	1/1	0.93	0.14	107,107,107,107	0

6.5 Other polymers [i](#)

There are no such residues in this entry.