



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:54 AM UTC

PDB ID : 1Y44 / pdb_00001y44
Title : Crystal structure of RNase Z
Authors : de la Sierra-Gallay, I.L.; Pellegrini, O.; Condon, C.
Deposited on : 2004-11-30
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	9% 61% 21% • 16%
1	B	320	6% 72% 20% • 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	602	-	X	-	-
4	GOL	A	603	-	X	-	-
4	GOL	B	601	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4614 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribonuclease Z.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	Se	0	0	0
			2104	1339	360	399	2	4			
1	B	297	Total	C	N	O	S	Se	0	0	0
			2297	1460	393	437	2	5			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP P54548
A	46	MSE	ILE	engineered mutation	UNP P54548
A	64	MSE	MET	modified residue	UNP P54548
A	166	MSE	MET	modified residue	UNP P54548
A	228	MSE	LEU	engineered mutation	UNP P54548
A	308	LYS	-	cloning artifact	UNP P54548
A	309	LEU	-	cloning artifact	UNP P54548
A	310	ALA	-	cloning artifact	UNP P54548
A	311	ALA	-	cloning artifact	UNP P54548
A	312	ALA	-	cloning artifact	UNP P54548
A	313	LEU	-	cloning artifact	UNP P54548
A	314	GLU	-	cloning artifact	UNP P54548
A	315	HIS	-	cloning artifact	UNP P54548
A	316	HIS	-	cloning artifact	UNP P54548
A	317	HIS	-	cloning artifact	UNP P54548
A	318	HIS	-	cloning artifact	UNP P54548
A	319	HIS	-	cloning artifact	UNP P54548
A	320	HIS	-	cloning artifact	UNP P54548
B	1	MSE	MET	modified residue	UNP P54548
B	46	MSE	ILE	engineered mutation	UNP P54548
B	64	MSE	MET	modified residue	UNP P54548
B	166	MSE	MET	modified residue	UNP P54548
B	228	MSE	LEU	engineered mutation	UNP P54548
B	308	LYS	-	cloning artifact	UNP P54548
B	309	LEU	-	cloning artifact	UNP P54548

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	310	ALA	-	cloning artifact	UNP P54548
B	311	ALA	-	cloning artifact	UNP P54548
B	312	ALA	-	cloning artifact	UNP P54548
B	313	LEU	-	cloning artifact	UNP P54548
B	314	GLU	-	cloning artifact	UNP P54548
B	315	HIS	-	cloning artifact	UNP P54548
B	316	HIS	-	cloning artifact	UNP P54548
B	317	HIS	-	cloning artifact	UNP P54548
B	318	HIS	-	cloning artifact	UNP P54548
B	319	HIS	-	cloning artifact	UNP P54548
B	320	HIS	-	cloning artifact	UNP P54548

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Zn 2 2	0	0

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	72	Total	O	0	0
			72	72		
6	B	104	Total	O	0	0
			104	104		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ribonuclease Z



• Molecule 1: Ribonuclease Z



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	42.98Å 188.33Å 177.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.78 – 2.10 34.78 – 2.10	Depositor EDS
% Data completeness (in resolution range)	89.1 (34.78-2.10) 88.6 (34.78-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 2.05Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.215 , 0.248 0.223 , 0.257	Depositor DCC
R_{free} test set	7097 reflections (8.28%)	wwPDB-VP
Wilson B-factor (Å ²)	29.3	Xtriage
Anisotropy	0.413	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 42.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4614	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MES, ZN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2142	0.91	6/2891 (0.2%)
1	B	0.40	0/2335	0.96	9/3151 (0.3%)
All	All	0.39	0/4477	0.94	15/6042 (0.2%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	THR	N-CA-C	10.89	126.25	110.24
1	B	20	THR	N-CA-C	10.76	125.84	110.23
1	B	120	ILE	N-CA-C	8.37	119.17	110.05
1	B	168	ILE	CA-C-N	8.19	125.64	119.66
1	B	168	ILE	C-N-CA	8.19	125.64	119.66
1	B	209	SER	N-CA-C	7.96	119.59	111.07
1	A	64	MSE	N-CA-C	6.87	121.51	113.20
1	B	69	VAL	N-CA-C	6.52	119.90	113.71
1	A	213	ARG	N-CA-C	-6.01	101.62	110.52
1	A	146	GLY	N-CA-C	-5.71	101.19	111.19
1	B	262	ALA	N-CA-C	-5.44	103.35	110.53
1	B	146	GLY	N-CA-C	-5.42	101.10	112.04
1	A	120	ILE	N-CA-C	5.16	120.07	109.34
1	B	182	THR	N-CA-C	-5.10	101.39	109.96
1	A	66	GLY	N-CA-C	5.08	119.03	112.83

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2104	0	2106	51	0
1	B	2297	0	2313	46	0
2	A	2	0	0	0	0
3	A	5	0	0	0	0
4	A	12	0	8	0	0
4	B	6	0	4	0	0
5	B	12	0	13	3	0
6	A	72	0	0	2	0
6	B	104	0	0	2	0
All	All	4614	0	4444	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:GLN:HE21	1:A:295:ALA:H	1.00	0.99
1:B:283:GLN:HE21	1:B:295:ALA:H	1.10	0.93
1:A:148:ARG:HB2	1:A:221:LEU:HD11	1.62	0.82
1:B:148:ARG:HH21	1:B:150:GLN:HE22	1.31	0.77
1:A:132:ILE:HG23	1:A:150:GLN:HB3	1.67	0.76
1:B:173:VAL:HG23	1:B:183:VAL:HG11	1.71	0.73
1:B:169:PRO:HG3	6:B:902:HOH:O	1.91	0.71
1:B:148:ARG:HH21	1:B:150:GLN:NE2	1.89	0.70
1:B:173:VAL:CG2	1:B:183:VAL:HG11	2.21	0.70
1:A:157:SER:H	1:A:198:GLU:HB2	1.56	0.69
1:A:214:VAL:HG22	1:A:252:GLN:HB3	1.76	0.68
1:A:283:GLN:NE2	1:A:295:ALA:H	1.84	0.68
1:A:30:ARG:HG2	1:A:130:GLN:HE22	1.59	0.67
1:A:283:GLN:HE21	1:A:295:ALA:N	1.83	0.66
1:A:154:VAL:HG22	1:A:201:LYS:HB2	1.78	0.66
1:B:139:ILE:HB	1:B:142:VAL:CG1	2.26	0.65
1:B:35:LEU:HD22	1:B:56:ILE:HD13	1.79	0.65
1:A:219:LYS:HB3	1:A:256:THR:HG23	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280:LEU:O	1:A:284:LYS:HE2	1.99	0.62
1:B:55:LYS:HD3	5:B:801:MES:H81	1.80	0.62
1:A:148:ARG:HH21	1:A:150:GLN:HE22	1.47	0.61
1:A:156:GLY:HA3	1:A:198:GLU:O	2.01	0.60
1:B:154:VAL:HB	1:B:201:LYS:HB2	1.82	0.60
1:B:212:THR:HB	1:B:234:PHE:CE1	2.37	0.59
1:B:207:VAL:HG21	1:B:222:ALA:HA	1.84	0.59
1:A:148:ARG:HB2	1:A:221:LEU:CD1	2.31	0.58
1:B:156:GLY:HA3	1:B:198:GLU:O	2.02	0.58
1:B:283:GLN:HE21	1:B:295:ALA:N	1.93	0.58
1:B:236:LYS:C	1:B:273:ARG:HE	2.13	0.57
1:A:12:ILE:H	1:A:12:ILE:HD13	1.70	0.56
1:B:236:LYS:C	1:B:273:ARG:HH21	2.14	0.56
1:A:57:GLU:HG2	1:A:58:LYS:HG3	1.87	0.56
1:A:132:ILE:CG2	1:A:150:GLN:HB3	2.36	0.56
1:A:124:ILE:HG12	1:A:134:THR:HG22	1.88	0.55
1:B:283:GLN:NE2	1:B:295:ALA:H	1.91	0.54
1:B:67:ASP:OD1	1:B:68:HIS:HD2	1.89	0.54
1:B:46:MSE:HE3	1:B:51:ILE:HG22	1.90	0.54
1:A:148:ARG:HH21	1:A:150:GLN:NE2	2.06	0.54
1:A:303:ASN:O	1:A:305:PRO:HD3	2.08	0.53
1:A:154:VAL:CG2	1:A:201:LYS:HB2	2.38	0.53
1:B:139:ILE:HG21	1:B:213:ARG:HE	1.72	0.53
1:B:139:ILE:O	1:B:142:VAL:HG12	2.09	0.53
1:A:158:LEU:HD23	1:A:197:LEU:CD2	2.39	0.52
1:A:249:THR:H	1:A:252:GLN:NE2	2.08	0.51
1:A:140:HIS:CE1	1:A:211:ASP:HB3	2.45	0.51
1:A:92:GLY:O	1:A:119:GLU:HA	2.11	0.51
1:B:136:VAL:CG1	1:B:217:LYS:HE3	2.41	0.51
1:A:122:GLU:OE2	1:A:136:VAL:HG23	2.11	0.51
1:B:136:VAL:HG13	1:B:217:LYS:HE3	1.93	0.49
1:A:96:ILE:HG22	1:A:119:GLU:HG2	1.94	0.49
1:A:151:GLU:O	1:A:203:GLY:HA3	2.12	0.49
1:A:249:THR:H	1:A:252:GLN:HE21	1.59	0.49
1:A:221:LEU:C	1:A:221:LEU:HD13	2.37	0.49
1:A:82:GLN:NE2	6:A:1012:HOH:O	2.45	0.48
1:A:72:LEU:HB2	1:A:73:PRO:HD3	1.95	0.48
1:B:223:ARG:NH2	1:B:259:GLU:O	2.47	0.48
1:A:12:ILE:HD13	1:A:12:ILE:N	2.29	0.48
1:B:232:ALA:HB2	1:B:267:LEU:HB3	1.96	0.48
1:B:250:THR:OG1	1:B:282:LEU:HD22	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:ARG:HG2	1:B:130:GLN:OE1	2.14	0.47
1:B:148:ARG:HB2	1:B:221:LEU:HD22	1.96	0.47
1:A:97:LYS:O	1:A:101:GLU:HG3	2.16	0.46
1:B:213:ARG:HH11	1:B:213:ARG:HG3	1.80	0.46
1:B:139:ILE:HB	1:B:142:VAL:HG11	1.96	0.46
1:A:140:HIS:HA	1:A:246:TYR:HB3	1.98	0.45
1:A:40:GLU:O	1:A:41:ALA:HB3	2.16	0.45
1:B:32:SER:HB3	5:B:801:MES:H62	1.98	0.45
1:B:86:ASP:OD2	5:B:801:MES:H71	2.16	0.45
1:A:15:LYS:NZ	6:A:1014:HOH:O	2.50	0.44
1:B:40:GLU:O	1:B:41:ALA:HB3	2.17	0.44
1:A:127:GLU:HB2	1:A:132:ILE:HD12	2.00	0.44
1:A:63:HIS:CE1	1:A:211:ASP:HB2	2.53	0.44
1:A:64:MSE:HG2	1:A:93:PRO:HG2	2.00	0.44
1:A:214:VAL:CG2	1:A:252:GLN:HB3	2.47	0.43
1:A:271:SER:C	1:A:273:ARG:H	2.27	0.43
1:A:228:MSE:HE1	1:A:256:THR:HG22	2.00	0.43
1:A:154:VAL:CG2	1:A:201:LYS:HD2	2.49	0.43
1:B:23:ALA:HA	1:B:35:LEU:HD12	2.01	0.42
1:B:148:ARG:HE	1:B:150:GLN:HE21	1.66	0.42
1:A:154:VAL:HA	1:A:155:PRO:HD3	1.92	0.42
1:B:209:SER:OG	1:B:230:HIS:HD2	2.03	0.42
1:A:148:ARG:CB	1:A:221:LEU:HD11	2.42	0.41
1:B:207:VAL:HG13	1:B:221:LEU:HD13	2.02	0.41
1:B:134:THR:HG23	6:B:823:HOH:O	2.20	0.41
1:B:214:VAL:HG21	1:B:252:GLN:HB3	2.03	0.41
1:B:273:ARG:HG2	1:B:273:ARG:HH11	1.84	0.41
1:A:209:SER:CB	1:A:218:LEU:HD11	2.50	0.41
1:A:251:GLU:O	1:A:255:VAL:HG23	2.21	0.41
1:B:5:PHE:CZ	1:B:266:ILE:HG21	2.56	0.41
1:A:102:THR:O	1:A:106:VAL:HG22	2.20	0.41
1:B:177:ILE:HG23	1:B:193:GLY:HA2	2.02	0.41
1:B:274:TYR:N	1:B:274:TYR:CD1	2.89	0.41
1:A:132:ILE:HG23	1:A:132:ILE:O	2.20	0.41
1:B:4:LEU:HD23	1:B:51:ILE:CD1	2.51	0.41
1:B:274:TYR:CD2	1:B:282:LEU:HG	2.56	0.40
1:B:298:ASP:O	1:B:299:PHE:HB2	2.22	0.40
1:A:4:LEU:HD23	1:A:51:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/320 (83%)	248 (94%)	17 (6%)	0	100	100
1	B	293/320 (92%)	282 (96%)	9 (3%)	2 (1%)	18	15
All	All	558/640 (87%)	530 (95%)	26 (5%)	2 (0%)	30	28

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	276	GLY
1	B	140	HIS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/263 (86%)	216 (96%)	9 (4%)	28	29
1	B	247/263 (94%)	241 (98%)	6 (2%)	43	49
All	All	472/526 (90%)	457 (97%)	15 (3%)	34	38

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ILE
1	A	35	LEU
1	A	96	ILE
1	A	111	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	218	LEU
1	A	221	LEU
1	A	231	GLU
1	A	274	TYR
1	A	281	GLU
1	B	28	GLU
1	B	35	LEU
1	B	111	LEU
1	B	218	LEU
1	B	221	LEU
1	B	223	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	82	GLN
1	A	130	GLN
1	A	150	GLN
1	A	252	GLN
1	A	264	GLN
1	A	283	GLN
1	B	43	GLN
1	B	48	HIS
1	B	63	HIS
1	B	65	HIS
1	B	150	GLN
1	B	194	ASN
1	B	230	HIS
1	B	264	GLN
1	B	283	GLN
1	B	303	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	603	-	5,5,5	4.80	5 (100%)	5,5,5	6.11	3 (60%)
3	PO4	A	945	2	4,4,4	1.60	0	6,6,6	0.47	0
5	MES	B	801	-	12,12,12	9.20	8 (66%)	15,16,16	2.26	5 (33%)
4	GOL	A	602	-	5,5,5	4.75	5 (100%)	5,5,5	6.14	3 (60%)
4	GOL	B	601	-	5,5,5	4.81	5 (100%)	5,5,5	6.14	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	603	-	-	2/4/4/4	-
5	MES	B	801	-	-	0/6/14/14	0/1/1/1
4	GOL	B	601	-	-	2/4/4/4	-
4	GOL	A	602	-	-	2/4/4/4	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	801	MES	C8-S	-24.00	1.43	1.77
5	B	801	MES	O2S-S	12.67	1.80	1.45
5	B	801	MES	O1S-S	12.42	1.80	1.45
5	B	801	MES	O3S-S	8.69	1.80	1.47
4	B	601	GOL	C3-C2	-8.15	1.20	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	GOL	C3-C2	-8.10	1.20	1.51
4	A	602	GOL	C3-C2	-7.96	1.21	1.51
5	B	801	MES	C7-C8	-4.79	1.39	1.52
4	A	602	GOL	O1-C1	4.52	1.61	1.42
4	A	603	GOL	O1-C1	4.48	1.61	1.42
4	B	601	GOL	O1-C1	4.46	1.61	1.42
4	A	602	GOL	O3-C3	3.43	1.56	1.42
4	B	601	GOL	O3-C3	3.32	1.56	1.42
4	A	603	GOL	O3-C3	3.27	1.56	1.42
4	B	601	GOL	C1-C2	-3.12	1.39	1.51
4	A	603	GOL	C1-C2	-3.11	1.39	1.51
4	A	603	GOL	O2-C2	-3.03	1.34	1.43
4	A	602	GOL	C1-C2	-3.03	1.40	1.51
4	B	601	GOL	O2-C2	-2.90	1.34	1.43
5	B	801	MES	C3-C2	-2.86	1.39	1.50
4	A	602	GOL	O2-C2	-2.85	1.35	1.43
5	B	801	MES	C5-C6	-2.69	1.40	1.50
5	B	801	MES	C7-N4	-2.35	1.42	1.47

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	602	GOL	O3-C3-C2	11.17	160.67	110.38
4	B	601	GOL	O3-C3-C2	11.17	160.67	110.38
4	A	603	GOL	O3-C3-C2	11.13	160.49	110.38
4	B	601	GOL	O2-C2-C3	7.20	138.97	109.18
4	A	602	GOL	O2-C2-C3	7.18	138.91	109.18
4	A	603	GOL	O2-C2-C3	7.17	138.87	109.18
5	B	801	MES	O3S-S-C8	4.81	115.42	106.00
5	B	801	MES	O1S-S-C8	4.44	113.43	106.73
4	B	601	GOL	O1-C1-C2	3.39	125.63	110.38
4	A	602	GOL	O1-C1-C2	3.38	125.57	110.38
4	A	603	GOL	O1-C1-C2	3.31	125.30	110.38
5	B	801	MES	O3S-S-O2S	-2.62	104.85	111.40
5	B	801	MES	O2S-S-O1S	-2.46	105.81	113.82
5	B	801	MES	O2S-S-C8	2.17	110.01	106.73

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	602	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	603	GOL	O1-C1-C2-C3
4	A	603	GOL	C1-C2-C3-O3
4	B	601	GOL	C1-C2-C3-O3
4	A	602	GOL	O1-C1-C2-O2
4	B	601	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	801	MES	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	265/320 (82%)	0.76	30 (11%)	10 10	23, 36, 65, 83	0
1	B	292/320 (91%)	0.48	20 (6%)	23 25	22, 32, 59, 76	0
All	All	557/640 (87%)	0.61	50 (8%)	15 16	22, 34, 64, 83	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	HIS	6.1
1	B	142	VAL	6.1
1	B	139	ILE	5.7
1	B	235	ALA	5.0
1	B	307	GLY	4.9
1	A	274	TYR	4.4
1	A	276	GLY	4.3
1	A	158	LEU	3.8
1	B	248	SER	3.6
1	A	197	LEU	3.3
1	A	278	ALA	3.3
1	B	140	HIS	3.2
1	B	276	GLY	3.1
1	B	209	SER	3.1
1	B	143	GLU	3.0
1	A	257	ALA	3.0
1	A	156	GLY	2.9
1	A	200	PRO	2.8
1	B	141	GLY	2.8
1	A	157	SER	2.7
1	A	223	ARG	2.7
1	A	284	LYS	2.6
1	A	273	ARG	2.6
1	A	272	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	138	VAL	2.5
1	A	280	LEU	2.5
1	A	220	GLU	2.5
1	A	219	LYS	2.5
1	B	82	GLN	2.4
1	A	261	ARG	2.4
1	A	28	GLU	2.4
1	A	307	GLY	2.4
1	B	210	GLY	2.4
1	A	260	ALA	2.4
1	A	216	ASP	2.3
1	B	273	ARG	2.3
1	A	199	PRO	2.3
1	A	290	PHE	2.2
1	A	258	LYS	2.2
1	A	277	ASP	2.2
1	B	249	THR	2.2
1	A	288	ASP	2.2
1	B	211	ASP	2.2
1	B	275	GLN	2.2
1	B	236	LYS	2.1
1	A	154	VAL	2.1
1	A	237	GLU	2.0
1	A	259	GLU	2.0
1	B	252	GLN	2.0
1	A	294	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	B	601	6/6	0.77	0.21	67,73,75,79	0
3	PO4	A	945	5/5	0.79	0.16	61,63,65,65	0
4	GOL	A	602	6/6	0.83	0.15	64,67,68,69	0
5	MES	B	801	12/12	0.84	0.19	68,73,77,78	0
4	GOL	A	603	6/6	0.86	0.24	64,66,66,67	0
2	ZN	A	401	1/1	0.98	0.11	40,40,40,40	0
2	ZN	A	400	1/1	0.99	0.04	38,38,38,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.