



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:26 AM UTC

PDB ID : 2Y4G / pdb_00002y4g
Title : Structure of the Tirandamycin-bound FAD-dependent tirandamycin oxidase TamL in P212121 space group
Authors : Carlson, J.C.; Li, S.; Gunatilleke, S.S.; Anzai, Y.; Burr, D.A.; Podust, L.M.; Sherman, D.H.
Deposited on : 2011-01-05
Resolution : 2.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	13299 (2.04-2.00)
Clashscore	190562	1022 (2.02-2.02)
Ramachandran outliers	187476	1014 (2.02-2.02)
Sidechain outliers	187428	1014 (2.02-2.02)
RSRZ outliers	180081	13314 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	530	
1	B	530	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	A	1505	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8921 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TAML.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	500	Total	C	N	O	S	0	12	0
			3943	2481	714	738	10			
1	B	500	Total	C	N	O	S	0	19	0
			4001	2513	732	748	8			

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-29	MET	-	expression tag	UNP D3Y1I2
A	-28	GLY	-	expression tag	UNP D3Y1I2
A	-27	SER	-	expression tag	UNP D3Y1I2
A	-26	HIS	-	expression tag	UNP D3Y1I2
A	-25	HIS	-	expression tag	UNP D3Y1I2
A	-24	HIS	-	expression tag	UNP D3Y1I2
A	-23	HIS	-	expression tag	UNP D3Y1I2
A	-22	HIS	-	expression tag	UNP D3Y1I2
A	-21	HIS	-	expression tag	UNP D3Y1I2
A	-20	HIS	-	expression tag	UNP D3Y1I2
A	-19	HIS	-	expression tag	UNP D3Y1I2
A	-18	GLY	-	expression tag	UNP D3Y1I2
A	-17	SER	-	expression tag	UNP D3Y1I2
A	-16	ASP	-	expression tag	UNP D3Y1I2
A	-15	TYR	-	expression tag	UNP D3Y1I2
A	-14	ASP	-	expression tag	UNP D3Y1I2
A	-13	ILE	-	expression tag	UNP D3Y1I2
A	-12	PRO	-	expression tag	UNP D3Y1I2
A	-11	THR	-	expression tag	UNP D3Y1I2
A	-10	THR	-	expression tag	UNP D3Y1I2
A	-9	GLU	-	expression tag	UNP D3Y1I2
A	-8	ASN	-	expression tag	UNP D3Y1I2
A	-7	LEU	-	expression tag	UNP D3Y1I2
A	-6	TYR	-	expression tag	UNP D3Y1I2
A	-5	PHE	-	expression tag	UNP D3Y1I2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLN	-	expression tag	UNP D3Y1I2
A	-3	GLY	-	expression tag	UNP D3Y1I2
A	-2	SER	-	expression tag	UNP D3Y1I2
A	-1	GLU	-	expression tag	UNP D3Y1I2
A	0	PHE	-	expression tag	UNP D3Y1I2
B	-29	MET	-	expression tag	UNP D3Y1I2
B	-28	GLY	-	expression tag	UNP D3Y1I2
B	-27	SER	-	expression tag	UNP D3Y1I2
B	-26	HIS	-	expression tag	UNP D3Y1I2
B	-25	HIS	-	expression tag	UNP D3Y1I2
B	-24	HIS	-	expression tag	UNP D3Y1I2
B	-23	HIS	-	expression tag	UNP D3Y1I2
B	-22	HIS	-	expression tag	UNP D3Y1I2
B	-21	HIS	-	expression tag	UNP D3Y1I2
B	-20	HIS	-	expression tag	UNP D3Y1I2
B	-19	HIS	-	expression tag	UNP D3Y1I2
B	-18	GLY	-	expression tag	UNP D3Y1I2
B	-17	SER	-	expression tag	UNP D3Y1I2
B	-16	ASP	-	expression tag	UNP D3Y1I2
B	-15	TYR	-	expression tag	UNP D3Y1I2
B	-14	ASP	-	expression tag	UNP D3Y1I2
B	-13	ILE	-	expression tag	UNP D3Y1I2
B	-12	PRO	-	expression tag	UNP D3Y1I2
B	-11	THR	-	expression tag	UNP D3Y1I2
B	-10	THR	-	expression tag	UNP D3Y1I2
B	-9	GLU	-	expression tag	UNP D3Y1I2
B	-8	ASN	-	expression tag	UNP D3Y1I2
B	-7	LEU	-	expression tag	UNP D3Y1I2
B	-6	TYR	-	expression tag	UNP D3Y1I2
B	-5	PHE	-	expression tag	UNP D3Y1I2
B	-4	GLN	-	expression tag	UNP D3Y1I2
B	-3	GLY	-	expression tag	UNP D3Y1I2
B	-2	SER	-	expression tag	UNP D3Y1I2
B	-1	GLU	-	expression tag	UNP D3Y1I2
B	0	PHE	-	expression tag	UNP D3Y1I2

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Mg 2 2	0	0
3	B	2	Total Mg 2 2	0	0

- Molecule 4 is TIRANDAMYCIN E (CCD ID: TIR) (formula: $C_{22}H_{29}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 29	C 22	N 1	O 6	0	0
4	B	1	Total 29	C 22	N 1	O 6	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	4	Total Cl 4 4	0	0
5	B	1	Total Cl 1 1	0	0

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $\text{C}_3\text{H}_8\text{O}_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	373	Total	O	0	0
			373	373		
7	B	407	Total	O	0	0
			407	407		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: TAML

Chain A: 



• Molecule 1: TAML

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.02Å 130.40Å 134.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	134.54 – 2.03 93.64 – 2.03	Depositor EDS
% Data completeness (in resolution range)	91.4 (134.54-2.03) 91.4 (93.64-2.03)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.03Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.159 , 0.236 0.159 , 0.233	Depositor DCC
R_{free} test set	3397 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	22.9	Xtriage
Anisotropy	0.336	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.014 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8921	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, FAD, GOL, MG, TIR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.18	3/4046 (0.1%)	1.12	10/5529 (0.2%)
1	B	1.14	3/4106 (0.1%)	1.08	8/5610 (0.1%)
All	All	1.16	6/8152 (0.1%)	1.10	18/11139 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	105	VAL	CA-CB	5.70	1.61	1.54
1	A	39	ALA	CA-CB	5.62	1.62	1.53
1	A	168	ILE	C-O	-5.43	1.18	1.24
1	B	118	PRO	CA-C	5.13	1.58	1.53
1	B	479	VAL	CA-CB	5.06	1.60	1.54
1	A	42	GLU	C-O	-5.05	1.18	1.24

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	462	VAL	CA-C-N	-7.82	112.78	120.52
1	B	462	VAL	C-N-CA	-7.82	112.78	120.52
1	A	462	VAL	CA-C-N	-7.08	113.37	120.31
1	A	462	VAL	C-N-CA	-7.08	113.37	120.31
1	B	28	ASP	CA-C-N	-7.03	113.07	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	28	ASP	C-N-CA	-7.03	113.07	120.03
1	A	28	ASP	CA-C-N	-7.00	112.57	119.78
1	A	28	ASP	C-N-CA	-7.00	112.57	119.78
1	A	62	HIS	N-CA-C	6.08	120.69	113.16
1	A	447	TYR	CA-C-N	-5.53	114.26	119.85
1	A	447	TYR	C-N-CA	-5.53	114.26	119.85
1	A	241	ARG	N-CA-C	-5.51	105.28	111.28
1	B	259	PRO	N-CA-C	-5.41	107.37	114.03
1	B	402	TYR	N-CA-C	-5.32	100.50	109.07
1	A	207	VAL	N-CA-C	5.07	119.84	108.88
1	B	276	ALA	N-CA-C	5.05	116.63	108.66
1	A	234	LEU	N-CA-C	5.04	117.00	108.02
1	B	91	ARG	CG-CD-NE	-5.01	100.98	112.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	206	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3943	0	3800	58	0
1	B	4001	0	3845	44	0
2	A	53	0	29	8	0
2	B	53	0	30	8	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	29	0	28	5	0
4	B	29	0	28	8	0
5	A	4	0	0	1	0
5	B	1	0	0	0	0
6	A	18	0	24	12	0
6	B	6	0	8	0	0
7	A	373	0	0	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	407	0	0	10	0
All	All	8921	0	7792	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:HIS:ND1	2:B:600:FAD:HM82	0.93	1.24
1:A:62:HIS:CE1	2:A:600:FAD:HM82	1.72	1.23
1:A:62:HIS:ND1	2:A:600:FAD:HM82	1.41	1.14
2:B:600:FAD:N5	4:B:800:TIR:H16	1.67	1.09
2:A:600:FAD:N5	4:A:800:TIR:H16	1.71	1.05
1:A:24:ARG:HH22	6:A:1505:GOL:H31	1.21	1.03
1:B:62:HIS:CG	2:B:600:FAD:HM82	1.93	1.03
1:B:346[B]:ARG:HD3	7:B:2276:HOH:O	1.61	0.99
1:A:463:PRO:HA	6:A:1507:GOL:H11	1.45	0.95
1:B:496[B]:ARG:HD2	7:B:2393:HOH:O	1.67	0.93
1:A:279[B]:MET:CE	1:A:297:TYR:OH	2.20	0.89
1:A:405[B]:THR:HG22	7:A:2289:HOH:O	1.70	0.89
2:B:600:FAD:C4X	4:B:800:TIR:H16	2.04	0.86
1:A:279[B]:MET:HE2	1:A:297:TYR:OH	1.78	0.84
1:A:463:PRO:HA	6:A:1507:GOL:C1	2.12	0.78
1:B:359:ARG:NH1	1:B:425:ASP:OD2	2.18	0.76
2:A:600:FAD:C4X	4:A:800:TIR:H16	2.19	0.73
1:A:279[B]:MET:HE1	1:A:297:TYR:OH	1.92	0.69
1:A:130:HIS:HD2	2:A:600:FAD:O2'	1.76	0.68
1:A:496:ARG:HD3	5:A:1504:CL:CL	2.32	0.67
1:B:444:TYR:CZ	1:B:446:ASN:HB2	2.30	0.67
1:A:435[A]:VAL:HG13	7:A:2309:HOH:O	1.96	0.65
1:B:411:GLN:O	1:B:414:VAL:HG12	1.97	0.64
1:A:52:GLY:O	6:A:1506:GOL:H31	1.98	0.63
1:A:292:LYS:O	1:A:296:THR:HG23	1.98	0.63
1:A:70:ASN:ND2	1:A:72:ASP:HB2	2.13	0.63
1:A:191:ASN:HD21	1:A:494:SER:HA	1.64	0.62
1:A:444:TYR:CZ	1:A:446:ASN:HB2	2.35	0.61
1:B:227:THR:HG23	1:B:309:PRO:HB2	1.83	0.61
1:A:317:PRO:HD3	7:A:2192:HOH:O	1.99	0.61
1:B:120:GLY:H	1:B:130:HIS:CE1	2.19	0.60
1:A:46[A]:SER:O	1:A:50:ARG:HG3	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:ARG:NH2	6:A:1505:GOL:H31	2.05	0.59
1:A:338:LYS:HZ2	6:A:1505:GOL:H32	1.66	0.58
1:B:340:LYS:HE3	1:B:420:ARG:HA	1.85	0.58
1:A:231:TRP:CD1	1:A:272:SER:HA	2.38	0.58
1:A:171:ARG:HD2	7:A:2163:HOH:O	2.04	0.58
1:A:39:ALA:O	1:A:43[A]:GLN:HG2	2.03	0.57
1:A:62:HIS:ND1	2:A:600:FAD:C8	2.60	0.57
1:A:338:LYS:NZ	6:A:1505:GOL:H32	2.19	0.57
1:B:62:HIS:ND1	2:B:600:FAD:C8	2.65	0.57
1:B:88:ASP:OD1	1:B:90:GLU:HB2	2.04	0.57
1:B:496[B]:ARG:NH2	7:B:2395:HOH:O	2.29	0.57
4:A:800:TIR:H121	4:A:800:TIR:H315	1.86	0.56
1:A:210[B]:GLU:HG2	7:A:2184:HOH:O	2.04	0.56
1:B:219:PRO:O	1:B:318:TRP:HB2	2.05	0.56
1:A:338:LYS:HE2	6:A:1505:GOL:O1	2.07	0.55
1:A:71:SER:HB3	7:A:2037:HOH:O	2.05	0.55
1:A:347:SER:HB2	7:A:2261:HOH:O	2.06	0.55
1:A:159:ASP:HB3	1:A:165[A]:ARG:NH1	2.22	0.55
1:A:455:GLU:HG2	1:A:456:GLU:N	2.23	0.54
1:B:62:HIS:CE1	2:B:600:FAD:C8M	2.81	0.54
1:B:363:THR:HA	7:B:2295:HOH:O	2.07	0.53
1:B:191:ASN:HD21	1:B:494:SER:HA	1.74	0.52
1:B:224:LEU:HD11	1:B:321:SER:HB2	1.91	0.52
1:A:120:GLY:H	1:A:130:HIS:CE1	2.28	0.52
1:A:191:ASN:ND2	1:A:495:VAL:H	2.07	0.51
1:B:405[A]:THR:HG22	7:B:2322:HOH:O	2.09	0.51
2:A:600:FAD:N5	4:A:800:TIR:C16	2.61	0.50
1:B:346[B]:ARG:HD2	7:B:2213:HOH:O	2.12	0.50
2:B:600:FAD:C4X	4:B:800:TIR:C16	2.86	0.50
1:B:371[B]:VAL:HG23	1:B:403:VAL:HG13	1.92	0.50
1:A:463:PRO:CA	6:A:1507:GOL:H11	2.31	0.49
1:B:374:LEU:HD12	1:B:374:LEU:N	2.29	0.48
1:A:219:PRO:O	1:A:318:TRP:HB2	2.13	0.48
1:A:234:LEU:O	7:A:2195:HOH:O	2.20	0.48
1:B:30:GLU:OE2	1:B:74:ARG:HD3	2.13	0.48
1:A:231:TRP:CG	1:A:272:SER:HA	2.49	0.48
4:B:800:TIR:C21	4:B:800:TIR:H14	2.44	0.48
1:B:130:HIS:HD2	2:B:600:FAD:O2'	1.98	0.47
1:A:434:PRO:O	1:A:442:GLY:HA2	2.14	0.46
1:A:451:ASP:OD1	6:A:1505:GOL:H12	2.14	0.46
1:A:355:THR:O	1:A:359:ARG:HG3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:ASP:HB3	7:B:2066:HOH:O	2.15	0.46
4:B:800:TIR:H14	4:B:800:TIR:H121	1.98	0.45
1:A:402:TYR:HB3	1:A:419[A]:ILE:HD11	1.98	0.45
1:A:241:ARG:HA	1:A:241:ARG:HD2	1.82	0.45
1:A:70:ASN:HD21	1:A:72:ASP:HB2	1.81	0.45
1:A:159:ASP:HB3	1:A:165[A]:ARG:HH12	1.82	0.45
4:B:800:TIR:C15	4:B:800:TIR:O4	2.64	0.45
1:B:436:PRO:HA	1:B:441:ASP:HA	1.99	0.44
2:A:600:FAD:C4X	4:A:800:TIR:C16	2.91	0.44
1:B:234:LEU:HD21	1:B:277[A]:LEU:HD11	1.98	0.44
1:B:346[B]:ARG:NH1	7:B:2275:HOH:O	2.49	0.44
1:B:91:ARG:HD3	7:B:2113:HOH:O	2.17	0.43
1:B:151:HIS:CD2	1:B:201[B]:ARG:HD3	2.52	0.43
1:B:191:ASN:ND2	1:B:495:VAL:H	2.16	0.43
4:B:800:TIR:O4	4:B:800:TIR:H215	2.17	0.43
1:A:16:ASP:OD1	1:B:317:PRO:HB2	2.19	0.43
1:A:132:LEU:HD13	1:A:189:GLY:HA2	2.00	0.43
1:B:177:ASN:ND2	1:B:483:TRP:HH2	2.16	0.43
1:B:175:ASP:OD1	1:B:176:PRO:HD2	2.17	0.43
1:A:444:TYR:CE2	1:A:446:ASN:HB2	2.52	0.43
1:A:70:ASN:ND2	1:A:72:ASP:H	2.17	0.43
1:B:434:PRO:O	1:B:442:GLY:HA2	2.19	0.42
1:B:77:MET:HE3	1:B:77:MET:HB2	1.95	0.42
1:B:177:ASN:ND2	1:B:483:TRP:CH2	2.88	0.42
1:B:355:THR:O	1:B:359:ARG:HB2	2.19	0.42
1:A:52:GLY:C	6:A:1506:GOL:H31	2.44	0.42
1:B:254:SER:HB2	1:B:397:ILE:HG22	2.02	0.41
1:A:436:PRO:HA	1:A:441:ASP:HA	2.02	0.41
1:B:201[B]:ARG:HE	1:B:201[B]:ARG:HB2	1.64	0.41
1:A:469:TYR:O	1:A:470:LYS:C	2.62	0.41
1:A:31:GLU:OE1	1:A:33:HIS:HE1	2.03	0.41
1:A:227:THR:HG23	1:A:309:PRO:HB2	2.02	0.41
1:A:338:LYS:HZ3	6:A:1505:GOL:H11	1.84	0.41
1:B:242:LEU:C	1:B:242:LEU:HD23	2.46	0.41
1:B:234:LEU:CD2	1:B:277[A]:LEU:HD11	2.51	0.41
1:B:341:ALA:HB3	7:B:2341:HOH:O	2.21	0.41
4:B:800:TIR:H121	4:B:800:TIR:H9	1.92	0.41
1:A:247:GLY:HA3	1:A:347:SER:CB	2.51	0.40
1:A:219:PRO:HB3	1:A:284:ASP:CG	2.47	0.40
1:A:470:LYS:NZ	7:A:2332:HOH:O	2.53	0.40
1:B:120:GLY:HA2	1:B:136:TYR:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	510/530 (96%)	498 (98%)	12 (2%)	0	100	100
1	B	517/530 (98%)	503 (97%)	14 (3%)	0	100	100
All	All	1027/1060 (97%)	1001 (98%)	26 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	401/421 (95%)	387 (96%)	14 (4%)	32	27
1	B	407/421 (97%)	399 (98%)	8 (2%)	48	48
All	All	808/842 (96%)	786 (97%)	22 (3%)	40	37

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ILE
1	A	43[A]	GLN
1	A	43[B]	GLN
1	A	132	LEU
1	A	201	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	244	ARG
1	A	248	ARG
1	A	292	LYS
1	A	296	THR
1	A	359	ARG
1	A	400	ILE
1	A	435[A]	VAL
1	A	435[B]	VAL
1	A	455	GLU
1	B	70	ASN
1	B	132	LEU
1	B	213	ARG
1	B	308	GLN
1	B	339	ILE
1	B	359	ARG
1	B	400	ILE
1	B	403	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	HIS
1	A	70	ASN
1	A	130	HIS
1	A	177	ASN
1	A	191	ASN
1	A	253	ASN
1	B	130	HIS
1	B	151	HIS
1	B	177	ASN
1	B	191	ASN
1	B	282	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 9 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	B	1502	-	5,5,5	0.50	0	5,5,5	1.43	0
2	FAD	A	600	1	58,58,58	1.04	3 (5%)	85,89,89	1.80	22 (25%)
6	GOL	A	1506	-	5,5,5	0.99	0	5,5,5	1.20	1 (20%)
2	FAD	B	600	1	58,58,58	1.42	7 (12%)	85,89,89	1.82	24 (28%)
4	TIR	B	800	3	31,31,31	1.86	8 (25%)	30,47,47	3.74	9 (30%)
6	GOL	A	1507	-	5,5,5	0.67	0	5,5,5	1.18	0
4	TIR	A	800	3	31,31,31	1.73	9 (29%)	30,47,47	3.56	11 (36%)
6	GOL	A	1505	-	5,5,5	0.75	0	5,5,5	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	1502	-	-	2/4/4/4	-
2	FAD	A	600	1	-	6/34/50/50	0/6/6/6
6	GOL	A	1506	-	-	2/4/4/4	-
2	FAD	B	600	1	-	6/34/50/50	0/6/6/6
4	TIR	B	800	3	-	3/17/62/62	0/3/3/3
6	GOL	A	1507	-	-	2/4/4/4	-
4	TIR	A	800	3	-	2/17/62/62	0/3/3/3
6	GOL	A	1505	-	-	4/4/4/4	-

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	800	TIR	O1-C2	4.54	1.32	1.23
2	B	600	FAD	P-O3P	4.40	1.64	1.59
4	B	800	TIR	C3-C4	3.97	1.51	1.40
2	B	600	FAD	C4X-N5	3.89	1.39	1.30
4	B	800	TIR	O1-C2	3.73	1.30	1.23
4	B	800	TIR	C5-C4	3.62	1.50	1.45
4	A	800	TIR	O6-C22	3.61	1.30	1.23
2	B	600	FAD	C4-N3	-3.60	1.32	1.38
4	B	800	TIR	O6-C22	3.22	1.29	1.23
4	A	800	TIR	C5-C4	3.19	1.49	1.45
4	B	800	TIR	C1-N	3.09	1.49	1.44
4	B	800	TIR	C17-C18	3.04	1.37	1.33
4	A	800	TIR	C3-C4	2.97	1.48	1.40
4	A	800	TIR	C1-N	2.89	1.49	1.44
4	B	800	TIR	C16-C17	2.86	1.54	1.50
2	B	600	FAD	C9-C8	2.67	1.43	1.39
2	A	600	FAD	C4X-N5	2.59	1.36	1.30
2	B	600	FAD	C9A-N10	-2.48	1.36	1.41
4	B	800	TIR	C22-N	2.42	1.37	1.34
2	B	600	FAD	C1'-C2'	-2.26	1.49	1.52
4	A	800	TIR	C22-N	2.26	1.37	1.34
2	A	600	FAD	C4A-N9A	-2.24	1.33	1.37
2	A	600	FAD	C5A-N7A	-2.19	1.35	1.39
2	B	600	FAD	C4A-N9A	-2.10	1.33	1.37
4	A	800	TIR	O2-C11	2.09	1.45	1.42
4	A	800	TIR	C16-C17	2.08	1.53	1.50
4	A	800	TIR	O2-C10	2.01	1.47	1.44

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	800	TIR	C1-C2-C3	16.18	115.08	106.86
4	A	800	TIR	C1-C2-C3	14.56	114.26	106.86
4	B	800	TIR	C3-C22-N	8.27	116.88	107.25
4	A	800	TIR	C3-C22-N	7.16	115.59	107.25
2	B	600	FAD	N3A-C2A-N1A	-5.20	120.71	128.58
2	A	600	FAD	C5A-C4A-N3A	-4.76	120.17	126.72
4	A	800	TIR	C5-C4-C3	-4.67	119.40	124.39
4	A	800	TIR	O1-C2-C3	-4.46	121.34	128.60
4	B	800	TIR	C5-C4-C3	-4.34	119.75	124.39
2	B	600	FAD	C4X-C10-N10	4.23	122.53	116.48
2	B	600	FAD	C4-C4X-N5	4.14	123.93	118.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	FAD	O2A-PA-O3P	3.93	117.90	107.27
2	A	600	FAD	C4-N3-C2	-3.89	118.73	125.64
2	B	600	FAD	C5A-C4A-N3A	-3.77	121.53	126.72
2	A	600	FAD	C4'-C3'-C2'	-3.72	107.37	113.57
4	B	800	TIR	O1-C2-C3	-3.70	122.58	128.60
2	A	600	FAD	N3A-C2A-N1A	-3.64	123.07	128.58
2	B	600	FAD	C4-N3-C2	-3.55	119.34	125.64
2	B	600	FAD	O2P-P-O3P	3.53	116.82	107.27
4	B	800	TIR	C5-C6-C7	-3.52	121.03	126.23
4	A	800	TIR	O5-C4-C5	3.42	120.37	115.70
2	B	600	FAD	C10-C4X-N5	-3.35	117.96	124.81
2	B	600	FAD	C4'-C3'-C2'	-3.31	108.06	113.57
2	B	600	FAD	C2A-N3A-C4A	3.22	119.70	111.83
2	A	600	FAD	C10-C4X-N5	-3.21	118.26	124.81
2	A	600	FAD	C4-C4X-N5	3.16	122.58	118.21
2	B	600	FAD	O3'-C3'-C2'	-3.11	101.87	108.93
2	A	600	FAD	C2A-N3A-C4A	3.09	119.38	111.83
2	A	600	FAD	C4A-C5A-N7A	-3.05	107.09	110.58
2	A	600	FAD	N9A-C8A-N7A	-2.99	109.69	113.94
4	B	800	TIR	O4-C16-C17	2.91	115.85	109.27
4	A	800	TIR	O4-C16-C17	2.91	115.85	109.27
2	A	600	FAD	C5A-N7A-C8A	2.89	108.00	103.45
4	A	800	TIR	O2-C10-C14	2.88	114.74	109.59
2	B	600	FAD	O4-C4-N3	-2.87	114.72	120.11
2	A	600	FAD	C4X-C10-N10	2.85	120.56	116.48
2	A	600	FAD	N3A-C4A-N9A	2.85	132.01	127.17
2	B	600	FAD	C7M-C7-C8	2.85	126.57	120.76
2	B	600	FAD	O2A-PA-O3P	2.84	114.95	107.27
4	B	800	TIR	O5-C4-C5	2.82	119.54	115.70
2	B	600	FAD	C4X-C4-N3	2.77	120.30	113.25
2	A	600	FAD	C4X-C4-N3	2.70	120.12	113.25
2	A	600	FAD	O3P-PA-O1A	-2.68	102.63	110.70
2	A	600	FAD	C4X-C10-N1	-2.65	118.09	124.59
2	A	600	FAD	C9-C9A-N10	2.55	125.28	121.85
2	B	600	FAD	O3B-C3B-C2B	-2.53	103.69	111.82
2	B	600	FAD	C2A-N1A-C6A	2.50	122.84	118.73
2	A	600	FAD	C10-N1-C2	2.48	122.22	116.85
6	A	1506	GOL	C3-C2-C1	2.46	120.81	111.80
4	A	800	TIR	C16-C17-C18	-2.43	118.60	124.37
2	A	600	FAD	C1'-C2'-C3'	-2.42	103.10	109.66
2	B	600	FAD	C4X-C10-N1	-2.37	118.78	124.59
2	B	600	FAD	N3A-C4A-N9A	2.35	131.17	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	FAD	O2B-C2B-C1B	2.35	118.18	110.10
4	B	800	TIR	O6-C22-C3	-2.35	120.97	129.43
2	B	600	FAD	C4A-C5A-N7A	-2.30	107.95	110.58
2	A	600	FAD	O4B-C1B-N9A	2.28	112.48	108.09
2	A	600	FAD	O4-C4-C4X	-2.28	120.52	126.53
2	B	600	FAD	C6-C7-C8	-2.22	116.43	119.69
2	B	600	FAD	O4'-C4'-C5'	-2.21	105.12	109.99
4	A	800	TIR	O6-C22-C3	-2.17	121.61	129.43
2	B	600	FAD	C5X-C6-C7	2.12	124.76	120.83
2	B	600	FAD	N9A-C8A-N7A	-2.10	110.95	113.94
2	A	600	FAD	C5X-N5-C4X	2.10	121.48	118.09
4	B	800	TIR	O6-C22-N	-2.08	122.15	125.34
4	A	800	TIR	C9-C10-C14	-2.07	112.23	115.56
4	A	800	TIR	C6-C5-C4	-2.03	119.23	122.49

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	600	FAD	O3'-C3'-C4'-C5'
2	B	600	FAD	O3'-C3'-C4'-C5'
6	A	1505	GOL	C1-C2-C3-O3
6	A	1506	GOL	O1-C1-C2-O2
6	A	1506	GOL	O1-C1-C2-C3
6	B	1502	GOL	O1-C1-C2-C3
4	A	800	TIR	C5-C6-C7-C21
4	B	800	TIR	C5-C6-C7-C21
6	A	1505	GOL	O2-C2-C3-O3
2	B	600	FAD	O3'-C3'-C4'-O4'
2	A	600	FAD	C2'-C3'-C4'-C5'
4	A	800	TIR	C5-C6-C7-C8
6	A	1505	GOL	O1-C1-C2-C3
6	A	1507	GOL	C1-C2-C3-O3
6	A	1507	GOL	O2-C2-C3-O3
2	A	600	FAD	O3'-C3'-C4'-O4'
2	B	600	FAD	C2'-C3'-C4'-C5'
6	B	1502	GOL	O1-C1-C2-O2
2	A	600	FAD	C2'-C3'-C4'-O4'
4	B	800	TIR	C5-C6-C7-C8
2	B	600	FAD	C2'-C3'-C4'-O4'
6	A	1505	GOL	O1-C1-C2-O2
4	B	800	TIR	C14-C10-C9-C20

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	600	FAD	PA-O3P-P-O2P
2	B	600	FAD	PA-O3P-P-O2P
2	A	600	FAD	PA-O3P-P-O1P
2	B	600	FAD	PA-O3P-P-O1P

There are no ring outliers.


7 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	FAD	8	0
6	A	1506	GOL	2	0
2	B	600	FAD	8	0
4	B	800	TIR	8	0
6	A	1507	GOL	3	0
4	A	800	TIR	5	0
6	A	1505	GOL	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand FAD B 600



Ligand TIR B 800





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	500/530 (94%)	-0.71	2 (0%) 88 89	8, 19, 37, 48	12 (2%)
1	B	500/530 (94%)	-0.75	3 (0%) 85 86	7, 19, 38, 49	19 (3%)
All	All	1000/1060 (94%)	-0.73	5 (0%) 87 87	7, 19, 37, 49	31 (3%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	500	ALA	3.7
1	B	1	MET	3.1
1	A	3	HIS	2.1
1	A	500	ALA	2.1
1	B	206	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	GOL	A	1505	6/6	0.89	0.16	34,36,37,42	0
6	GOL	A	1506	6/6	0.90	0.12	34,41,42,42	0
6	GOL	B	1502	6/6	0.91	0.14	39,46,47,50	0
4	TIR	B	800	29/29	0.93	0.07	21,27,30,32	0
5	CL	B	1501	1/1	0.94	0.10	68,68,68,68	0
4	TIR	A	800	29/29	0.94	0.07	25,31,33,35	0
6	GOL	A	1507	6/6	0.95	0.11	19,34,37,38	0
5	CL	A	1504	1/1	0.98	0.06	48,48,48,48	0
3	MG	B	700	1/1	0.98	0.05	28,28,28,28	0
5	CL	A	1503	1/1	0.98	0.11	53,53,53,53	0
3	MG	A	900	1/1	0.99	0.03	27,27,27,27	0
2	FAD	A	600	53/53	0.99	0.03	8,13,16,19	0
3	MG	B	900	1/1	0.99	0.02	33,33,33,33	0
2	FAD	B	600	53/53	0.99	0.03	8,13,16,17	0
3	MG	A	700	1/1	0.99	0.03	24,24,24,24	0
5	CL	A	1501	1/1	0.99	0.04	43,43,43,43	0
5	CL	A	1502	1/1	0.99	0.09	38,38,38,38	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TIR B 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TIR A 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.