



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:43 AM UTC

PDB ID : 4Y4Q / pdb_00004y4q
Title : Crystal structure of sortase B from Type II pilus of *Streptococcus pneumoniae*
Authors : Shaik, M.M.; Dessen, A.; Di Guilmi, A.M.
Deposited on : 2015-02-10
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	243	
1	B	243	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2959 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sortase, SrtB family.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	174	Total	C	N	O	S	0	0	0
			1398	894	230	270	4			
1	B	175	Total	C	N	O	S	0	0	0
			1407	899	231	273	4			

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	MET	-	initiating methionine	UNP M7N1R6
A	19	VAL	-	expression tag	UNP M7N1R6
A	20	SER	-	expression tag	UNP M7N1R6
A	21	LEU	-	expression tag	UNP M7N1R6
A	22	SER	-	expression tag	UNP M7N1R6
A	23	PRO	-	expression tag	UNP M7N1R6
A	24	ASN	-	expression tag	UNP M7N1R6
A	25	PRO	-	expression tag	UNP M7N1R6
A	26	LEU	-	expression tag	UNP M7N1R6
A	27	LEU	-	expression tag	UNP M7N1R6
A	28	GLY	-	expression tag	UNP M7N1R6
A	29	LEU	-	expression tag	UNP M7N1R6
A	30	ASP	-	expression tag	UNP M7N1R6
A	31	SER	-	expression tag	UNP M7N1R6
A	32	THR	-	expression tag	UNP M7N1R6
A	33	GLU	-	expression tag	UNP M7N1R6
A	34	ASN	-	expression tag	UNP M7N1R6
A	35	LEU	-	expression tag	UNP M7N1R6
A	36	TYR	-	expression tag	UNP M7N1R6
A	37	PHE	-	expression tag	UNP M7N1R6
A	38	GLN	-	expression tag	UNP M7N1R6
A	39	GLY	-	expression tag	UNP M7N1R6
A	40	ILE	-	expression tag	UNP M7N1R6
A	41	ASP	-	expression tag	UNP M7N1R6
A	42	PRO	-	expression tag	UNP M7N1R6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	43	PHE	-	expression tag	UNP M7N1R6
A	44	THR	-	expression tag	UNP M7N1R6
A	45	MET	-	expression tag	UNP M7N1R6
B	18	MET	-	initiating methionine	UNP M7N1R6
B	19	VAL	-	expression tag	UNP M7N1R6
B	20	SER	-	expression tag	UNP M7N1R6
B	21	LEU	-	expression tag	UNP M7N1R6
B	22	SER	-	expression tag	UNP M7N1R6
B	23	PRO	-	expression tag	UNP M7N1R6
B	24	ASN	-	expression tag	UNP M7N1R6
B	25	PRO	-	expression tag	UNP M7N1R6
B	26	LEU	-	expression tag	UNP M7N1R6
B	27	LEU	-	expression tag	UNP M7N1R6
B	28	GLY	-	expression tag	UNP M7N1R6
B	29	LEU	-	expression tag	UNP M7N1R6
B	30	ASP	-	expression tag	UNP M7N1R6
B	31	SER	-	expression tag	UNP M7N1R6
B	32	THR	-	expression tag	UNP M7N1R6
B	33	GLU	-	expression tag	UNP M7N1R6
B	34	ASN	-	expression tag	UNP M7N1R6
B	35	LEU	-	expression tag	UNP M7N1R6
B	36	TYR	-	expression tag	UNP M7N1R6
B	37	PHE	-	expression tag	UNP M7N1R6
B	38	GLN	-	expression tag	UNP M7N1R6
B	39	GLY	-	expression tag	UNP M7N1R6
B	40	ILE	-	expression tag	UNP M7N1R6
B	41	ASP	-	expression tag	UNP M7N1R6
B	42	PRO	-	expression tag	UNP M7N1R6
B	43	PHE	-	expression tag	UNP M7N1R6
B	44	THR	-	expression tag	UNP M7N1R6
B	45	MET	-	expression tag	UNP M7N1R6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	71	Total O 71 71	0	0
2	B	83	Total O 83 83	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sortase, SrtB family



• Molecule 1: Sortase, SrtB family



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	74.15Å 101.14Å 143.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.31 – 2.16 41.31 – 2.16	Depositor EDS
% Data completeness (in resolution range)	95.6 (41.31-2.16) 95.7 (41.31-2.16)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.50 (at 2.16Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.188 , 0.232 0.209 , 0.245	Depositor DCC
R_{free} test set	1413 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	31.6	Xtriage
Anisotropy	0.539	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2959	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 49.11 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.8187e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	3/1430 (0.2%)	0.93	8/1937 (0.4%)
1	B	0.47	0/1439	0.86	4/1949 (0.2%)
All	All	0.71	3/2869 (0.1%)	0.90	12/3886 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	77	GLY	C-N	23.09	1.66	1.33
1	A	243	LEU	C-N	11.09	1.49	1.33
1	A	76	SER	C-N	-6.54	1.24	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	76	SER	O-C-N	-10.69	105.89	123.00
1	A	243	LEU	O-C-N	-8.44	113.25	122.03
1	A	108	ASP	N-CA-C	8.12	122.25	111.28
1	B	149	VAL	N-CA-C	6.64	117.42	110.72
1	B	109	ASN	CB-CA-C	-5.64	110.09	116.63
1	B	154	MET	CB-CA-C	-5.52	109.72	117.23
1	B	100	ASP	N-CA-C	-5.46	99.19	108.26
1	A	245	VAL	N-CA-C	5.43	117.71	108.86
1	A	100	ASP	N-CA-C	-5.30	99.65	108.34
1	A	231	PRO	N-CA-C	-5.15	106.37	113.53
1	A	244	ASP	CA-C-N	-5.13	114.53	122.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	244	ASP	C-N-CA	-5.13	114.53	122.69

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	243	LEU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1398	0	1326	32	1
1	B	1407	0	1332	37	1
2	A	71	0	0	1	0
2	B	83	0	0	1	0
All	All	2959	0	2658	67	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:VAL:HG13	1:B:151:ASN:H	1.09	1.16
1:A:245:VAL:HG13	1:A:248:GLY:HA3	1.40	1.01
1:B:149:VAL:CG1	1:B:151:ASN:H	1.79	0.96
1:A:170:HIS:O	2:A:301:HOH:O	1.88	0.90
1:B:149:VAL:HG13	1:B:151:ASN:N	1.90	0.85
1:A:245:VAL:CG1	1:A:248:GLY:HA3	2.08	0.83
1:B:170:HIS:O	2:B:301:HOH:O	2.02	0.77
1:B:154:MET:O	1:B:155:PHE:HB2	1.82	0.77
1:A:100:ASP:O	1:A:101:TYR:CD1	2.43	0.72
1:B:149:VAL:HG11	1:B:152:GLY:H	1.55	0.71
1:B:149:VAL:O	1:B:150:GLU:HB3	1.91	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:PHE:HB3	1:A:80:LYS:H	1.57	0.69
1:A:166:PHE:CE2	1:A:170:HIS:CE1	2.81	0.68
1:A:124:THR:HG22	1:A:125:GLY:O	1.95	0.67
1:A:245:VAL:HG13	1:A:248:GLY:CA	2.22	0.65
1:B:154:MET:O	1:B:155:PHE:CB	2.47	0.62
1:B:100:ASP:O	1:B:101:TYR:CD1	2.55	0.60
1:A:242:PHE:CE1	1:A:244:ASP:HB2	2.37	0.59
1:B:190:LEU:HD12	1:B:251:ILE:HB	1.85	0.59
1:A:148:HIS:CD2	1:A:154:MET:HG2	2.38	0.58
1:B:149:VAL:CG1	1:B:152:GLY:H	2.15	0.58
1:A:166:PHE:CD2	1:A:170:HIS:CE1	2.93	0.56
1:B:100:ASP:O	1:B:101:TYR:CG	2.59	0.55
1:B:97:THR:CG2	1:B:170:HIS:CD2	2.89	0.55
1:A:190:LEU:HD13	1:A:192:VAL:HG13	1.90	0.54
1:A:166:PHE:CZ	1:A:170:HIS:CE1	2.95	0.54
1:A:100:ASP:O	1:A:101:TYR:CG	2.62	0.53
1:B:123:ALA:O	1:B:124:THR:OG1	2.19	0.53
1:A:166:PHE:CD2	1:A:170:HIS:HE1	2.28	0.50
1:B:97:THR:HG22	1:B:170:HIS:CD2	2.47	0.49
1:A:123:ALA:O	1:A:125:GLY:N	2.39	0.49
1:A:120:GLU:N	1:A:120:GLU:OE1	2.46	0.48
1:A:148:HIS:HD2	1:A:149:VAL:N	2.11	0.48
1:B:149:VAL:CG1	1:B:150:GLU:N	2.75	0.48
1:A:245:VAL:HG22	1:A:246:THR:N	2.29	0.47
1:B:190:LEU:CD1	1:B:251:ILE:HB	2.44	0.47
1:B:123:ALA:C	1:B:124:THR:HG23	2.40	0.47
1:B:196:ASP:OD1	1:B:198:ASN:HB2	2.15	0.47
1:B:194:ALA:HB3	1:B:247:ASN:ND2	2.30	0.47
1:B:149:VAL:O	1:B:150:GLU:CB	2.58	0.46
1:B:166:PHE:CZ	1:B:170:HIS:CE1	3.03	0.46
1:A:190:LEU:HD12	1:A:251:ILE:HB	1.96	0.46
1:B:190:LEU:HD13	1:B:192:VAL:HG13	1.99	0.45
1:A:205:GLN:OE1	1:B:108:ASP:HB2	2.17	0.45
1:A:176:TYR:OH	1:A:179:GLY:HA2	2.16	0.45
1:B:214:LEU:HD11	1:B:229:LEU:HD13	1.97	0.45
1:B:91:TRP:HE1	1:B:100:ASP:CG	2.25	0.44
1:B:187:PHE:CZ	1:B:229:LEU:HD11	2.52	0.44
1:B:154:MET:HB3	1:B:155:PHE:H	1.50	0.44
1:A:245:VAL:CG2	1:A:246:THR:N	2.80	0.44
1:A:162:ALA:HA	1:A:189:MET:HE2	2.00	0.43
1:A:148:HIS:CD2	1:A:149:VAL:N	2.87	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:GLU:O	1:B:150:GLU:HG2	2.19	0.43
1:B:108:ASP:O	1:B:108:ASP:OD1	2.37	0.43
1:B:127:ILE:HG21	1:B:144:ILE:HD12	2.01	0.42
1:A:108:ASP:HA	1:B:205:GLN:OE1	2.19	0.42
1:A:207:GLU:HG3	1:A:231:PRO:HG2	2.02	0.42
1:A:229:LEU:HD23	1:A:229:LEU:HA	1.80	0.42
1:A:140:PHE:CD2	1:A:210:GLN:HG2	2.55	0.41
1:B:108:ASP:O	1:B:108:ASP:CG	2.62	0.41
1:B:100:ASP:C	1:B:101:TYR:CG	2.98	0.41
1:A:137:PHE:O	1:A:234:ARG:HD2	2.21	0.41
1:A:196:ASP:OD1	1:A:198:ASN:HB2	2.20	0.41
1:B:166:PHE:CE2	1:B:170:HIS:CE1	3.09	0.41
1:B:154:MET:O	1:B:155:PHE:CD2	2.75	0.40
1:B:150:GLU:O	1:B:150:GLU:CG	2.70	0.40
1:A:100:ASP:C	1:A:101:TYR:CG	2.99	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:PHE:CZ	1:B:76:SER:OG[7_555]	2.08	0.12

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	170/243 (70%)	165 (97%)	4 (2%)	1 (1%)	21	15
1	B	171/243 (70%)	163 (95%)	6 (4%)	2 (1%)	10	5
All	All	341/486 (70%)	328 (96%)	10 (3%)	3 (1%)	14	9

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	244	ASP
1	B	155	PHE
1	B	125	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/213 (70%)	143 (95%)	7 (5%)	23	21
1	B	151/213 (71%)	145 (96%)	6 (4%)	28	27
All	All	301/426 (71%)	288 (96%)	13 (4%)	26	24

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	PHE
1	A	109	ASN
1	A	149	VAL
1	A	189	MET
1	A	243	LEU
1	A	246	THR
1	A	247	ASN
1	B	78	PHE
1	B	110	GLU
1	B	149	VAL
1	B	154	MET
1	B	165	GLU
1	B	247	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	ASN
1	A	148	HIS
1	A	164	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	198	ASN
1	A	211	GLN
1	B	82	GLN
1	B	147	HIS
1	B	164	GLN
1	B	198	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	77:GLY	C	78:PHE	N	1.66

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	174/243 (71%)	0.91	32 (18%) 3 4	25, 43, 104, 142	0
1	B	175/243 (72%)	0.71	31 (17%) 4 4	20, 40, 109, 135	0
All	All	349/486 (71%)	0.81	63 (18%) 3 4	20, 42, 105, 142	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	149	VAL	10.3
1	B	77	GLY	9.1
1	A	77	GLY	8.7
1	B	153	VAL	8.5
1	A	78	PHE	7.8
1	A	149	VAL	7.5
1	A	76	SER	6.8
1	B	76	SER	6.7
1	A	259	THR	6.6
1	B	154	MET	6.4
1	B	109	ASN	6.3
1	A	153	VAL	6.2
1	A	245	VAL	6.1
1	A	79	SER	5.7
1	B	78	PHE	5.3
1	B	155	PHE	5.3
1	A	243	LEU	5.3
1	B	124	THR	5.2
1	A	244	ASP	5.2
1	A	170	HIS	5.1
1	B	259	THR	5.0
1	B	170	HIS	4.7
1	A	154	MET	4.5
1	A	100	ASP	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	109	ASN	4.4
1	A	151	ASN	4.3
1	A	231	PRO	4.2
1	B	152	GLY	4.2
1	A	152	GLY	4.1
1	A	124	THR	4.1
1	B	100	ASP	4.0
1	B	150	GLU	3.8
1	A	123	ALA	3.8
1	A	148	HIS	3.7
1	B	123	ALA	3.7
1	A	150	GLU	3.6
1	A	242	PHE	3.6
1	A	108	ASP	3.5
1	B	79	SER	3.3
1	B	110	GLU	3.2
1	A	107	LYS	3.2
1	B	122	ALA	3.1
1	B	243	LEU	3.1
1	A	246	THR	3.1
1	A	258	ASP	2.9
1	A	122	ALA	2.9
1	B	176	TYR	2.8
1	B	148	HIS	2.8
1	B	120	GLU	2.7
1	A	190	LEU	2.6
1	A	147	HIS	2.5
1	B	244	ASP	2.4
1	B	108	ASP	2.4
1	A	176	TYR	2.4
1	A	128	PHE	2.3
1	A	120	GLU	2.3
1	B	107	LYS	2.2
1	B	121	PHE	2.2
1	B	246	THR	2.2
1	B	89	LEU	2.2
1	B	151	ASN	2.2
1	B	147	HIS	2.1
1	B	241	CYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.