



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:59 PM UTC

PDB ID : 8Y4E / pdb_00008y4e
Title : Crystal structure of SARS main protease in complex with Bofutrelvir
Authors : Lin, C.; Wang, W.W.; Zhang, J.; Li, J.
Deposited on : 2024-01-30
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	11% 79% 21%
1	B	298	29% 78% 22%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4610 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3C-like proteinase nsp5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	298	Total	C	N	O	S	0	0	0
			2191	1394	370	407	20			
1	B	298	Total	C	N	O	S	0	0	0
			2191	1394	370	407	20			

- Molecule 2 is {N}-[(2 {S})-3-cyclohexyl-1-oxidanylidene-1-[(2 {S})-1-oxidanylidene-3-[(3 {S})-2-oxidanylidene-pyrrolidin-3-yl]propan-2-yl]amino]propan-2-yl]-1 {H}-indole-2-carboxamide (CCD ID: FHR) (formula: C₂₅H₃₂N₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			33	25	4	4		
2	B	1	Total	C	N	O	0	0
			33	25	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	86	Total 86	O 86	0	0
3	B	76	Total 76	O 76	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 3C-like proteinase nsp5



- Molecule 1: 3C-like proteinase nsp5



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	55.01Å 59.79Å 67.84Å 91.95° 102.78° 108.40°	Depositor
Resolution (Å)	26.82 – 2.04 26.82 – 2.04	Depositor EDS
% Data completeness (in resolution range)	97.5 (26.82-2.04) 97.4 (26.82-2.04)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 2.04Å)	Xtriage
Refinement program	PHENIX 1.12_2829, PHENIX 1.12_2829	Depositor
R, R_{free}	0.238 , 0.274 0.238 , 0.275	Depositor DCC
R_{free} test set	2381 reflections (4.71%)	wwPDB-VP
Wilson B-factor (Å ²)	32.4	Xtriage
Anisotropy	0.395	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4610	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FHR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/2241	0.55	0/3060
1	B	0.39	0/2241	0.62	0/3060
All	All	0.37	0/4482	0.59	0/6120

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2191	0	2045	46	0
1	B	2191	0	2045	57	0
2	A	33	0	0	0	0
2	B	33	0	0	1	0
3	A	86	0	0	11	0
3	B	76	0	0	8	0
All	All	4610	0	4090	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:ASP:O	3:A:401:HOH:O	1.87	0.93
1:B:3:PHE:HZ	1:B:296:VAL:HA	1.34	0.92
1:B:217:ARG:O	3:B:401:HOH:O	1.99	0.81
1:A:4:ARG:NH2	3:A:408:HOH:O	2.19	0.75
1:B:62:SER:O	1:B:65:SER:OG	2.10	0.70
1:B:31:TRP:CD2	1:B:95:ASN:HB2	2.27	0.69
1:A:58:LEU:O	3:A:403:HOH:O	2.11	0.68
1:A:33:ASP:OD2	3:A:402:HOH:O	2.10	0.68
1:B:216:ASP:OD1	3:B:403:HOH:O	2.12	0.68
1:A:263:ASP:OD2	3:A:404:HOH:O	2.12	0.68
1:A:6:MET:HE3	1:B:124:GLY:HA3	1.76	0.66
1:A:81:SER:OG	3:A:405:HOH:O	2.14	0.65
1:A:299:GLN:O	3:A:406:HOH:O	2.15	0.64
1:B:211:ALA:HB1	1:B:216:ASP:HB3	1.80	0.63
1:B:3:PHE:CZ	1:B:296:VAL:HA	2.25	0.61
1:A:131:ARG:HH22	1:A:289:ASP:CG	2.07	0.61
1:A:131:ARG:HD3	1:A:197:ASP:OD2	2.02	0.60
1:B:106:ILE:HD12	1:B:130:MET:HB2	1.82	0.60
1:A:201:THR:H	1:A:240:GLU:HG2	1.66	0.59
1:A:40:ARG:HA	1:A:87:LEU:HG	1.85	0.59
1:A:257:THR:HB	1:A:259:ILE:HD12	1.85	0.58
1:B:106:ILE:CD1	1:B:130:MET:HB2	2.33	0.58
1:B:209:TYR:CE1	1:B:257:THR:HG21	2.39	0.57
1:A:128:CYS:HA	3:A:407:HOH:O	2.05	0.56
1:B:280:THR:HG23	1:B:283:GLY:H	1.69	0.56
1:A:109:GLY:HA2	1:A:200:ILE:HD13	1.88	0.56
1:B:56:ASP:O	1:B:60:ARG:HG3	2.06	0.56
1:B:268:LEU:O	1:B:272:LEU:HB2	2.06	0.55
1:B:218:TRP:O	3:B:404:HOH:O	2.18	0.55
1:B:4:ARG:C	1:B:291:PHE:HZ	2.14	0.55
1:B:217:ARG:O	1:B:217:ARG:HG2	2.06	0.55
1:A:233:VAL:N	3:A:401:HOH:O	2.23	0.54
1:A:4:ARG:O	1:A:299:GLN:NE2	2.37	0.54
1:B:108:PRO:HB3	1:B:132:PRO:HA	1.91	0.53
1:B:40:ARG:HA	1:B:87:LEU:HG	1.90	0.53
1:A:280:THR:HG22	1:A:285:THR:HG22	1.91	0.52
1:A:106:ILE:HG23	1:A:160:CYS:HB2	1.92	0.52
1:A:56:ASP:O	1:A:60:ARG:HG3	2.08	0.52
1:B:217:ARG:N	3:B:403:HOH:O	2.43	0.52
1:A:290:GLU:OE1	3:A:407:HOH:O	2.19	0.51
1:B:127:GLN:NE2	3:B:405:HOH:O	2.18	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:THR:OG1	1:B:191:ALA:N	2.42	0.50
1:A:131:ARG:HD2	1:A:137:LYS:HE3	1.93	0.50
1:B:95:ASN:OD1	1:B:97:LYS:N	2.44	0.50
1:A:62:SER:O	1:A:65:SER:OG	2.31	0.49
1:B:209:TYR:HE1	1:B:257:THR:HG21	1.77	0.49
1:B:31:TRP:CE2	1:B:95:ASN:HB2	2.48	0.49
1:B:211:ALA:HB2	1:B:281:ILE:HG23	1.93	0.49
1:B:211:ALA:O	1:B:216:ASP:N	2.46	0.49
1:B:225:THR:OG1	1:B:226:THR:N	2.46	0.48
1:A:27:LEU:HD21	1:A:42:VAL:HB	1.94	0.48
1:B:270:GLU:O	1:B:272:LEU:N	2.47	0.48
1:B:285:THR:O	1:B:285:THR:OG1	2.31	0.47
1:A:198:THR:HG22	1:A:238:ASN:OD1	2.14	0.47
1:B:163:HIS:NE2	2:B:301:FHR:O30	2.42	0.47
1:A:50:LEU:O	1:A:188:ARG:NE	2.47	0.47
1:B:213:ILE:HD11	1:B:253:LEU:HD22	1.97	0.46
1:B:223:PHE:CD1	1:B:224:THR:N	2.83	0.46
1:B:106:ILE:HD11	1:B:130:MET:HE2	1.97	0.46
1:A:106:ILE:HD11	1:A:130:MET:HB2	1.97	0.46
1:B:83:GLN:OE1	1:B:88:ARG:HD3	2.17	0.45
1:B:270:GLU:C	1:B:272:LEU:N	2.74	0.45
1:B:113:SER:O	1:B:149:GLY:HA2	2.16	0.45
1:B:86:LEU:HG	1:B:179:GLY:HA2	1.98	0.44
1:A:201:THR:OG1	1:A:240:GLU:HG2	2.17	0.44
1:A:175:THR:HG22	1:A:181:PHE:HA	1.99	0.44
1:A:190:THR:O	1:A:192:GLN:HG3	2.17	0.44
1:A:207:TRP:CZ3	1:A:287:LEU:HA	2.52	0.44
1:A:86:LEU:HG	1:A:179:GLY:HA2	2.00	0.44
1:A:95:ASN:HB3	1:A:98:THR:OG1	2.17	0.44
1:B:120:GLY:O	3:B:407:HOH:O	2.21	0.44
1:B:74:GLN:O	3:B:406:HOH:O	2.20	0.44
1:B:280:THR:CG2	1:B:283:GLY:H	2.30	0.43
1:B:262:LEU:HD23	1:B:262:LEU:HA	1.79	0.43
1:A:6:MET:CE	1:B:124:GLY:HA3	2.47	0.43
1:B:17:MET:HG3	1:B:117:CYS:SG	2.58	0.43
1:B:92:ASP:OD1	1:B:93:THR:N	2.52	0.43
1:B:285:THR:O	3:B:408:HOH:O	2.21	0.43
1:A:282:LEU:HD23	1:A:282:LEU:HA	1.79	0.43
1:A:56:ASP:O	1:A:59:ILE:HG22	2.18	0.43
1:A:106:ILE:HG23	1:A:160:CYS:CB	2.48	0.43
1:A:113:SER:O	1:A:149:GLY:HA2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:PHE:HE2	1:B:151:ASN:OD1	2.01	0.42
1:A:92:ASP:OD1	1:A:93:THR:N	2.52	0.42
1:B:211:ALA:C	1:B:216:ASP:O	2.62	0.42
1:A:111:THR:HG23	1:A:292:THR:HG23	2.02	0.42
1:B:207:TRP:CH2	1:B:281:ILE:HB	2.55	0.42
1:B:40:ARG:HD3	1:B:85:CYS:HA	2.00	0.42
1:B:257:THR:HG23	1:B:259:ILE:H	1.85	0.42
1:A:105:ARG:HD2	1:A:176:ASP:OD2	2.20	0.41
1:A:121:SER:HA	1:A:122:PRO:HD3	1.91	0.41
1:B:106:ILE:HD11	1:B:130:MET:CE	2.50	0.41
1:B:140:PHE:HB3	1:B:144:SER:OG	2.20	0.41
1:A:63:ASN:HB3	1:A:77:VAL:O	2.21	0.41
1:A:107:GLN:OE1	3:A:409:HOH:O	2.21	0.41
1:B:63:ASN:ND2	1:B:78:ILE:O	2.54	0.40
1:B:27:LEU:HD21	1:B:42:VAL:HB	2.03	0.40
1:A:131:ARG:NH2	1:A:289:ASP:OD1	2.54	0.40
1:B:209:TYR:O	1:B:213:ILE:HG13	2.21	0.40
1:A:188:ARG:HG2	1:A:190:THR:HG22	2.04	0.40
1:B:209:TYR:CD1	1:B:257:THR:HG21	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/298 (99%)	289 (98%)	7 (2%)	0	100	100
1	B	296/298 (99%)	277 (94%)	17 (6%)	2 (1%)	18	10
All	All	592/596 (99%)	566 (96%)	24 (4%)	2 (0%)	36	30

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	277	ASN
1	B	271	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/256 (87%)	222 (100%)	0	100	100
1	B	222/256 (87%)	221 (100%)	1 (0%)	81	85
All	All	444/512 (87%)	443 (100%)	1 (0%)	87	91

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	280	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	134	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FHR	A	301	1	35,36,36	6.51	18 (51%)	44,49,49	2.81	9 (20%)
2	FHR	B	301	1	35,36,36	6.30	17 (48%)	44,49,49	1.53	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FHR	A	301	1	-	7/25/44/44	0/4/4/4
2	FHR	B	301	1	-	2/25/44/44	0/4/4/4

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	FHR	C29-N28	26.00	1.61	1.33
2	B	301	FHR	C29-N28	25.23	1.60	1.33
2	A	301	FHR	C26-C27	12.10	1.70	1.53
2	B	301	FHR	C26-C27	11.99	1.70	1.53
2	A	301	FHR	C09-C10	11.75	1.58	1.39
2	B	301	FHR	C09-C10	11.40	1.58	1.39
2	A	301	FHR	C06-C05	10.68	1.59	1.41
2	B	301	FHR	C06-C05	10.03	1.58	1.41
2	A	301	FHR	C26-C25	-8.58	1.30	1.54
2	B	301	FHR	C26-C25	-8.57	1.30	1.54
2	A	301	FHR	C07-C06	7.81	1.52	1.38
2	A	301	FHR	C08-C09	7.71	1.52	1.38
2	A	301	FHR	C27-N28	-7.30	1.30	1.46
2	B	301	FHR	C08-C09	7.29	1.51	1.38
2	B	301	FHR	C07-C06	7.24	1.51	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	FHR	C27-N28	-7.07	1.31	1.46
2	A	301	FHR	C02-N12	6.31	1.47	1.34
2	B	301	FHR	C02-N12	6.27	1.47	1.34
2	B	301	FHR	C21-N22	5.59	1.46	1.34
2	A	301	FHR	C21-N22	5.21	1.45	1.34
2	A	301	FHR	C08-C07	4.99	1.49	1.38
2	B	301	FHR	C08-C07	4.72	1.48	1.38
2	A	301	FHR	O33-C21	-3.56	1.16	1.23
2	B	301	FHR	O33-C21	-3.33	1.17	1.23
2	A	301	FHR	O01-C02	-3.24	1.17	1.23
2	A	301	FHR	C24-C25	3.23	1.60	1.53
2	B	301	FHR	C25-C29	3.22	1.60	1.52
2	A	301	FHR	C25-C29	2.91	1.59	1.52
2	A	301	FHR	C14-C15	2.68	1.57	1.53
2	B	301	FHR	C03-C02	2.65	1.54	1.48
2	B	301	FHR	C24-C25	2.63	1.59	1.53
2	B	301	FHR	O01-C02	-2.51	1.18	1.23
2	A	301	FHR	C03-C02	2.47	1.54	1.48
2	A	301	FHR	O30-C29	-2.42	1.18	1.23
2	B	301	FHR	O30-C29	-2.16	1.19	1.23

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	FHR	C03-C02-N12	11.36	132.03	116.86
2	A	301	FHR	C13-N12-C02	8.38	136.10	122.00
2	A	301	FHR	O01-C02-C03	-5.76	113.67	121.09
2	A	301	FHR	O01-C02-N12	-5.02	114.25	123.09
2	A	301	FHR	C14-C13-N12	4.02	119.65	110.58
2	B	301	FHR	C15-C14-C13	-3.85	109.34	114.52
2	A	301	FHR	C21-C13-N12	-3.50	101.63	111.11
2	A	301	FHR	C27-N28-C29	-3.43	106.51	113.79
2	B	301	FHR	C27-N28-C29	-3.39	106.59	113.79
2	B	301	FHR	C03-C02-N12	3.27	121.23	116.86
2	A	301	FHR	O32-C31-C23	-3.04	116.94	124.77
2	B	301	FHR	O32-C31-C23	-3.01	117.03	124.77
2	A	301	FHR	C14-C13-C21	2.60	116.74	110.59
2	B	301	FHR	C24-C23-C31	-2.48	107.18	110.99
2	B	301	FHR	C13-C21-N22	2.31	121.55	116.63
2	B	301	FHR	O33-C21-N22	-2.17	119.07	122.96
2	B	301	FHR	C26-C25-C29	2.05	105.68	102.87

There are no chirality outliers.

All (9) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	301	FHR	C03-C02-N12-C13
2	A	301	FHR	O01-C02-N12-C13
2	A	301	FHR	C13-C14-C15-C20
2	A	301	FHR	C13-C14-C15-C16
2	B	301	FHR	N12-C13-C14-C15
2	B	301	FHR	C21-C13-C14-C15
2	A	301	FHR	C14-C13-N12-C02
2	A	301	FHR	N12-C13-C21-O33
2	A	301	FHR	N12-C13-C21-N22

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	FHR	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	298/298 (100%)	0.94	34 (11%) 10 9	22, 40, 56, 63	0
1	B	298/298 (100%)	1.76	87 (29%) 1 0	22, 39, 74, 92	0
All	All	596/596 (100%)	1.35	121 (20%) 3 2	22, 39, 64, 92	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	282	LEU	14.2
1	B	271	LEU	11.0
1	B	278	GLY	10.5
1	B	274	ASN	10.1
1	B	214	ASN	9.1
1	B	218	TRP	8.8
1	B	280	THR	8.8
1	B	284	SER	8.0
1	B	213	ILE	7.9
1	B	279	ARG	7.9
1	B	283	GLY	7.7
1	B	281	ILE	7.6
1	B	219	PHE	6.7
1	B	272	LEU	6.6
1	B	285	THR	6.6
1	B	294	PHE	6.3
1	B	275	GLY	6.1
1	B	277	ASN	6.0
1	B	273	GLN	5.9
1	B	216	ASP	5.8
1	B	228	ASN	5.8
1	B	270	GLU	5.8
1	B	3	PHE	5.7
1	B	223	PHE	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	224	THR	5.5
1	B	220	LEU	5.3
1	B	276	MET	5.0
1	B	226	THR	4.6
1	B	48	ASP	4.4
1	B	232	LEU	4.4
1	B	229	ASP	4.3
1	B	46	ALA	4.3
1	B	215	GLY	4.2
1	B	222	ARG	4.2
1	B	49	MET	4.1
1	B	211	ALA	4.1
1	B	286	ILE	4.1
1	B	212	VAL	4.1
1	B	2	GLY	3.8
1	B	78	ILE	3.8
1	B	221	ASN	3.8
1	A	2	GLY	3.8
1	B	237	TYR	3.7
1	A	75	LEU	3.7
1	B	291	PHE	3.6
1	B	64	HIS	3.6
1	B	72	ASN	3.6
1	B	269	LYS	3.6
1	B	77	VAL	3.5
1	B	191	ALA	3.5
1	B	51	ASN	3.5
1	B	225	THR	3.4
1	B	154	TYR	3.4
1	B	190	THR	3.3
1	A	50	LEU	3.3
1	A	79	GLY	3.3
1	B	235	MET	3.3
1	A	46	ALA	3.1
1	B	236	LYS	3.1
1	B	31	TRP	3.0
1	B	73	VAL	3.0
1	A	224	THR	3.0
1	B	297	VAL	2.9
1	B	50	LEU	2.9
1	A	233	VAL	2.9
1	B	217	ARG	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	294	PHE	2.9
1	B	227	LEU	2.8
1	A	73	VAL	2.8
1	B	233	VAL	2.8
1	B	299	GLN	2.7
1	A	214	ASN	2.7
1	A	228	ASN	2.7
1	A	276	MET	2.6
1	B	66	PHE	2.6
1	A	63	ASN	2.6
1	B	298	ARG	2.6
1	A	31	TRP	2.6
1	A	55	GLU	2.6
1	A	223	PHE	2.6
1	A	93	THR	2.6
1	B	57	LEU	2.6
1	B	44	CYS	2.6
1	B	79	GLY	2.6
1	B	94	SER	2.6
1	A	74	GLN	2.5
1	B	106	ILE	2.5
1	B	47	GLU	2.5
1	B	24	THR	2.5
1	B	45	THR	2.5
1	A	277	ASN	2.5
1	B	55	GLU	2.4
1	A	258	GLY	2.4
1	A	65	SER	2.4
1	A	154	TYR	2.4
1	A	64	HIS	2.4
1	B	25	THR	2.4
1	A	240	GLU	2.4
1	A	229	ASP	2.4
1	A	215	GLY	2.3
1	B	189	GLN	2.3
1	A	237	TYR	2.3
1	B	62	SER	2.3
1	A	278	GLY	2.3
1	B	63	ASN	2.2
1	A	230	PHE	2.2
1	B	87	LEU	2.2
1	B	76	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	197	ASP	2.2
1	B	43	ILE	2.1
1	B	70	ALA	2.1
1	B	67	LEU	2.1
1	B	93	THR	2.1
1	B	89	LEU	2.1
1	A	260	ALA	2.1
1	A	56	ASP	2.0
1	B	192	GLN	2.0
1	A	286	ILE	2.0
1	B	61	LYS	2.0
1	A	25	THR	2.0
1	A	225	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FHR	A	301	33/33	0.81	0.18	25,36,53,59	0
2	FHR	B	301	33/33	0.92	0.11	31,40,55,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FHR A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FHR B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.