



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:26 AM UTC

PDB ID : 6Y60 / pdb_00006y60
Title : Structure of Human Polyomavirus 12 VP1 in complex with 3'-Sialyllactosamine
Authors : Stroh, L.J.; Rustmeier, N.H.; Stehle, T.
Deposited on : 2020-02-26
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	277	3% 88% 6% 6%
1	BBB	277	5% 85% 8% 6%
1	CCC	277	14% 85% 8% 7%
1	DDD	277	6% 87% 6% 6%
1	EEE	277	% 88% 5% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	FFF	277	
1	GGG	277	
1	HHH	277	
1	III	277	
1	JJJ	277	
2	A	2	
2	B	2	
2	C	2	
2	D	2	
2	E	2	
2	F	2	
2	G	2	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 21950 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	260	Total	C	N	O	S	0	0	0
			1994	1264	336	380	14			
1	BBB	260	Total	C	N	O	S	0	0	0
			1986	1256	336	380	14			
1	CCC	258	Total	C	N	O	S	0	0	0
			1957	1239	331	374	13			
1	DDD	259	Total	C	N	O	S	0	0	0
			1974	1250	335	376	13			
1	EEE	260	Total	C	N	O	S	0	0	0
			2008	1269	340	385	14			
1	FFF	259	Total	C	N	O	S	0	1	0
			1991	1260	334	383	14			
1	GGG	258	Total	C	N	O	S	0	0	0
			1979	1253	335	377	14			
1	HHH	258	Total	C	N	O	S	0	0	0
			1949	1232	331	373	13			
1	III	258	Total	C	N	O	S	0	0	0
			1972	1248	335	376	13			
1	JJJ	260	Total	C	N	O	S	0	0	0
			1999	1266	336	383	14			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
AAA	23	GLY	-	expression tag	UNP M4T5D3
AAA	24	SER	-	expression tag	UNP M4T5D3
AAA	25	HIS	-	expression tag	UNP M4T5D3
AAA	26	MET	-	expression tag	UNP M4T5D3
BBB	23	GLY	-	expression tag	UNP M4T5D3
BBB	24	SER	-	expression tag	UNP M4T5D3
BBB	25	HIS	-	expression tag	UNP M4T5D3
BBB	26	MET	-	expression tag	UNP M4T5D3
CCC	23	GLY	-	expression tag	UNP M4T5D3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
CCC	24	SER	-	expression tag	UNP M4T5D3
CCC	25	HIS	-	expression tag	UNP M4T5D3
CCC	26	MET	-	expression tag	UNP M4T5D3
DDD	23	GLY	-	expression tag	UNP M4T5D3
DDD	24	SER	-	expression tag	UNP M4T5D3
DDD	25	HIS	-	expression tag	UNP M4T5D3
DDD	26	MET	-	expression tag	UNP M4T5D3
EEE	23	GLY	-	expression tag	UNP M4T5D3
EEE	24	SER	-	expression tag	UNP M4T5D3
EEE	25	HIS	-	expression tag	UNP M4T5D3
EEE	26	MET	-	expression tag	UNP M4T5D3
FFF	23	GLY	-	expression tag	UNP M4T5D3
FFF	24	SER	-	expression tag	UNP M4T5D3
FFF	25	HIS	-	expression tag	UNP M4T5D3
FFF	26	MET	-	expression tag	UNP M4T5D3
GGG	23	GLY	-	expression tag	UNP M4T5D3
GGG	24	SER	-	expression tag	UNP M4T5D3
GGG	25	HIS	-	expression tag	UNP M4T5D3
GGG	26	MET	-	expression tag	UNP M4T5D3
HHH	23	GLY	-	expression tag	UNP M4T5D3
HHH	24	SER	-	expression tag	UNP M4T5D3
HHH	25	HIS	-	expression tag	UNP M4T5D3
HHH	26	MET	-	expression tag	UNP M4T5D3
III	23	GLY	-	expression tag	UNP M4T5D3
III	24	SER	-	expression tag	UNP M4T5D3
III	25	HIS	-	expression tag	UNP M4T5D3
III	26	MET	-	expression tag	UNP M4T5D3
JJJ	23	GLY	-	expression tag	UNP M4T5D3
JJJ	24	SER	-	expression tag	UNP M4T5D3
JJJ	25	HIS	-	expression tag	UNP M4T5D3
JJJ	26	MET	-	expression tag	UNP M4T5D3

- Molecule 2 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	A	2	Total	C	N	O	0	0	0
			32	17	1	14			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			32	17	1	14			
2	C	2	Total	C	N	O	0	0	0
			32	17	1	14			
2	D	2	Total	C	N	O	0	0	0
			32	17	1	14			
2	E	2	Total	C	N	O	0	0	0
			32	17	1	14			
2	F	2	Total	C	N	O	0	0	0
			32	17	1	14			
2	G	2	Total	C	N	O	0	0	0
			32	17	1	14			

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	AAA	1	Total	O	P	0	0
			5	4	1		
3	BBB	1	Total	O	P	0	0
			5	4	1		
3	CCC	1	Total	O	P	0	0
			5	4	1		
3	DDD	1	Total	O	P	0	0
			5	4	1		
3	EEE	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is N-acetyl-alpha-neuraminic acid (CCD ID: SIA) (formula: $C_{11}H_{19}NO_9$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	BBB	1	Total	C	N	O	0	0
			21	11	1	9		
4	CCC	1	Total	C	N	O	0	0
			21	11	1	9		
4	GGG	1	Total	C	N	O	0	0
			21	11	1	9		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	AAA	206	Total	O	0	0
			206	206		
5	BBB	164	Total	O	0	1
			165	165		
5	CCC	145	Total	O	0	0
			145	145		
5	DDD	159	Total	O	0	0
			159	159		
5	EEE	206	Total	O	0	0
			206	206		
5	FFF	198	Total	O	0	0
			198	198		
5	GGG	164	Total	O	0	0
			164	164		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	HHH	183	Total 183	O 183	0	0
5	III	189	Total 189	O 189	0	0
5	JJJ	211	Total 214	O 214	0	3


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1




- Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1








• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1



• Molecule 1: Capsid protein VP1



- Molecule 1: Capsid protein VP1



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose




- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose




- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose




- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose



- Molecule 2: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.32Å 141.72Å 251.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.37 – 1.80 47.37 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (47.37-1.80) 99.5 (47.37-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.97 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.203 , 0.243 0.210 , 0.251	Depositor DCC
R_{free} test set	2741 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.616	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	21950	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, SIA, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AAA	1.03	1/2044 (0.0%)	1.24	0/2791
1	BBB	1.06	1/2036 (0.0%)	1.30	1/2784 (0.0%)
1	CCC	1.08	0/2007	1.31	0/2747
1	DDD	1.03	0/2024	1.28	4/2768 (0.1%)
1	EEE	1.00	0/2058	1.26	1/2811 (0.0%)
1	FFF	1.02	0/2041	1.27	4/2789 (0.1%)
1	GGG	1.09	1/2029 (0.0%)	1.31	1/2772 (0.0%)
1	HHH	1.06	0/1999	1.31	1/2738 (0.0%)
1	III	1.04	0/2022	1.27	0/2765
1	JJJ	1.03	1/2049 (0.0%)	1.23	0/2799
All	All	1.05	4/20309 (0.0%)	1.28	12/27764 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AAA	145	SER	C-O	6.09	1.31	1.23
1	JJJ	114	VAL	C-O	6.07	1.30	1.23
1	BBB	269	GLY	C-O	5.39	1.27	1.24
1	GGG	158	ASP	C-O	5.04	1.30	1.23

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	DDD	181	THR	CA-C-N	6.33	131.71	122.41
1	DDD	181	THR	C-N-CA	6.33	131.71	122.41
1	FFF	146	THR	CA-CB-OG1	-5.45	101.42	109.60
1	FFF	72	THR	N-CA-C	-5.41	106.35	113.17
1	EEE	129	ASP	CA-CB-CG	5.38	117.98	112.60
1	DDD	170	TYR	CB-CA-C	5.34	117.11	109.26
1	BBB	104	ASN	CA-CB-CG	5.30	117.90	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	GGG	129	ASP	CA-CB-CG	5.20	117.80	112.60
1	FFF	138	VAL	CA-C-N	5.14	124.85	119.92
1	FFF	138	VAL	C-N-CA	5.14	124.85	119.92
1	DDD	182	ASP	N-CA-CB	-5.06	102.81	110.35
1	HHH	236	THR	CA-CB-OG1	-5.03	102.06	109.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	1994	0	1894	10	0
1	BBB	1986	0	1885	15	0
1	CCC	1957	0	1844	16	0
1	DDD	1974	0	1874	11	0
1	EEE	2008	0	1927	10	0
1	FFF	1991	0	1879	6	0
1	GGG	1979	0	1888	17	0
1	HHH	1949	0	1830	15	0
1	III	1972	0	1872	12	0
1	JJJ	1999	0	1904	6	0
2	A	32	0	28	0	0
2	B	32	0	28	1	0
2	C	32	0	28	0	0
2	D	32	0	28	0	0
2	E	32	0	28	0	0
2	F	32	0	28	0	0
2	G	32	0	28	1	0
3	AAA	5	0	0	0	0
3	BBB	5	0	0	0	0
3	CCC	5	0	0	0	0
3	DDD	5	0	0	0	0
3	EEE	5	0	0	0	0
4	BBB	21	0	18	0	0
4	CCC	21	0	18	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	GGG	21	0	18	0	0
5	AAA	206	0	0	0	0
5	BBB	165	0	0	0	0
5	CCC	145	0	0	2	0
5	DDD	159	0	0	1	0
5	EEE	206	0	0	0	0
5	FFF	198	0	0	2	0
5	GGG	164	0	0	2	0
5	HHH	183	0	0	2	0
5	III	189	0	0	0	0
5	JJJ	214	0	0	1	0
All	All	21950	0	19047	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:DDD:43:GLN:HE22	1:DDD:291:GLN:HG3	1.45	0.81
1:BBB:121:SER:HB3	1:BBB:235:LEU:HD23	1.66	0.75
1:HHH:224:ASN:ND2	5:HHH:401:HOH:O	2.26	0.68
1:AAA:43:GLN:HE22	1:AAA:291:GLN:HG3	1.58	0.68
1:CCC:278:HIS:ND1	5:CCC:401:HOH:O	2.29	0.65
1:AAA:213:PRO:HG3	1:EEE:119:ILE:HD11	1.80	0.63
1:FFF:121:SER:HB3	1:FFF:235:LEU:HD23	1.84	0.59
1:DDD:43:GLN:NE2	1:DDD:291:GLN:HG3	2.16	0.59
1:FFF:197:LYS:CD	5:FFF:490:HOH:O	2.51	0.59
1:EEE:248:GLU:H	1:EEE:248:GLU:CD	2.12	0.58
1:CCC:157:LEU:HD12	1:CCC:216:ASN:OD1	2.05	0.56
1:AAA:119:ILE:HD11	1:BBB:213:PRO:HG3	1.86	0.56
1:HHH:110:GLU:O	1:HHH:292:LEU:HA	2.05	0.55
1:DDD:121:SER:HB3	1:DDD:235:LEU:HD23	1.87	0.55
1:CCC:234:VAL:HG22	1:DDD:226:TYR:CD1	2.41	0.55
1:BBB:111:ALA:HA	1:BBB:292:LEU:HD23	1.90	0.54
1:HHH:248:GLU:CB	5:HHH:500:HOH:O	2.54	0.54
1:GGG:119:ILE:HD11	1:HHH:213:PRO:HG3	1.88	0.53
1:DDD:131:MET:HE2	1:DDD:140:HIS:O	2.08	0.53
1:BBB:149:MET:HE1	1:BBB:157:LEU:CD2	2.40	0.52
1:CCC:100:ASP:OD1	1:CCC:102:THR:N	2.39	0.51
1:BBB:56:ASP:CG	1:BBB:58:THR:HG1	2.19	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:HHH:149:MET:HE3	1:HHH:211:PRO:HG3	1.92	0.51
1:GGG:99:GLU:CG	5:GGG:515:HOH:O	2.59	0.51
1:GGG:43:GLN:HE22	1:GGG:291:GLN:CG	2.24	0.51
1:GGG:47:PHE:HE1	1:GGG:119:ILE:CD1	2.23	0.51
1:GGG:278:HIS:ND1	5:GGG:401:HOH:O	2.24	0.50
1:HHH:96:LEU:HA	1:HHH:258:ASP:OD2	2.11	0.50
1:GGG:78:ARG:O	1:GGG:80:PRO:HD3	2.11	0.49
1:III:237:PHE:CE1	1:JJJ:223:GLY:HA3	2.48	0.49
1:GGG:41:ILE:HA	1:GGG:292:LEU:O	2.13	0.49
1:AAA:248:GLU:H	1:AAA:248:GLU:CD	2.20	0.49
1:HHH:168:VAL:HG11	1:HHH:170:TYR:CZ	2.48	0.49
1:III:131:MET:HE2	1:III:140:HIS:O	2.13	0.49
1:BBB:56:ASP:OD1	1:BBB:58:THR:N	2.35	0.48
1:BBB:124:LEU:HD22	1:BBB:142:VAL:HB	1.95	0.48
1:CCC:98:ASN:C	1:CCC:100:ASP:H	2.21	0.48
1:DDD:122:ASN:HB2	1:EEE:206:ILE:O	2.14	0.48
1:AAA:237:PHE:CZ	1:BBB:223:GLY:HA3	2.49	0.47
1:AAA:43:GLN:NE2	1:AAA:291:GLN:HG3	2.27	0.47
1:EEE:149:MET:HE3	1:EEE:264:CYS:HA	1.96	0.47
1:FFF:128:HIS:C	1:FFF:128:HIS:ND1	2.72	0.47
1:BBB:56:ASP:OD1	1:BBB:58:THR:OG1	2.30	0.46
1:GGG:119:ILE:HD11	1:HHH:213:PRO:CG	2.46	0.46
1:HHH:85:PRO:HG2	1:HHH:206:ILE:HG12	1.97	0.46
1:III:151:ALA:HB3	1:III:263:SER:HB2	1.98	0.46
1:BBB:163:GLN:HG2	1:BBB:208:THR:HG22	1.96	0.46
1:EEE:118:VAL:HB	1:EEE:235:LEU:HD21	1.96	0.46
1:EEE:117:GLU:HG2	1:EEE:119:ILE:CD1	2.46	0.45
1:GGG:178:LYS:HA	1:GGG:183:VAL:HG23	1.98	0.45
1:III:162:ILE:O	1:III:208:THR:HA	2.17	0.45
1:CCC:131:MET:HE2	1:CCC:140:HIS:O	2.16	0.45
1:HHH:158:ASP:HB2	1:HHH:216:ASN:ND2	2.31	0.45
1:HHH:122:ASN:HB2	1:III:206:ILE:O	2.16	0.44
1:HHH:163:GLN:HG2	1:HHH:208:THR:HG22	1.99	0.44
1:GGG:248:GLU:H	1:GGG:248:GLU:CD	2.24	0.44
1:III:206:ILE:HG21	1:III:265:CYS:SG	2.57	0.44
1:FFF:289:ASN:ND2	5:FFF:411:HOH:O	2.51	0.44
1:BBB:111:ALA:O	1:BBB:252:GLY:HA3	2.18	0.44
1:JJJ:224:ASN:ND2	5:JJJ:410:HOH:O	2.49	0.44
1:DDD:75:GLU:O	1:DDD:169:GLN:NE2	2.51	0.44
1:BBB:149:MET:HE1	1:BBB:157:LEU:HD22	2.00	0.43
1:JJJ:121:SER:HB3	1:JJJ:235:LEU:HD12	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:CCC:100:ASP:OD1	1:CCC:100:ASP:C	2.61	0.43
1:HHH:78:ARG:O	1:HHH:80:PRO:HD3	2.18	0.43
1:EEE:100:ASP:OD1	1:EEE:102:THR:OG1	2.35	0.43
1:JJJ:110:GLU:OE1	1:JJJ:295:ARG:HD2	2.19	0.43
1:CCC:100:ASP:OD1	1:CCC:102:THR:CB	2.67	0.43
1:JJJ:220:ARG:NH2	1:JJJ:251:VAL:O	2.52	0.43
1:AAA:129:ASP:HB2	1:AAA:131:MET:SD	2.59	0.43
1:EEE:73:ALA:HB2	2:G:1:GAL:H61	2.01	0.43
1:III:237:PHE:CZ	1:JJJ:223:GLY:HA3	2.54	0.43
1:GGG:56:ASP:OD1	1:GGG:56:ASP:C	2.62	0.42
1:CCC:248:GLU:CB	5:CCC:476:HOH:O	2.67	0.42
1:GGG:168:VAL:HG11	1:GGG:170:TYR:CZ	2.55	0.42
1:DDD:57:GLU:HA	1:DDD:62:TYR:CG	2.54	0.42
1:FFF:45:GLU:HG2	1:FFF:287:TYR:CE1	2.54	0.42
1:FFF:237:PHE:CE2	1:GGG:223:GLY:HA3	2.54	0.42
1:III:163:GLN:O	1:III:188:GLN:HA	2.20	0.42
5:DDD:401:HOH:O	2:B:2:SIA:O1B	2.22	0.42
1:GGG:191:ASP:OD1	1:GGG:191:ASP:C	2.63	0.42
1:III:168:VAL:HG11	1:III:170:TYR:CZ	2.55	0.42
1:CCC:191:ASP:OD1	1:CCC:193:SER:OG	2.34	0.41
1:HHH:117:GLU:OE1	1:HHH:237:PHE:HB2	2.20	0.41
1:III:44:ILE:HG12	1:III:292:LEU:CD1	2.50	0.41
1:DDD:57:GLU:HA	1:DDD:62:TYR:CD2	2.55	0.41
1:GGG:52:MET:O	1:GGG:65:SER:HB3	2.19	0.41
1:HHH:237:PHE:CZ	1:III:223:GLY:HA3	2.56	0.41
1:GGG:206:ILE:HG21	1:GGG:265:CYS:SG	2.60	0.41
1:CCC:237:PHE:CZ	1:DDD:223:GLY:HA3	2.55	0.41
1:CCC:178:LYS:HA	1:CCC:183:VAL:HG23	2.02	0.41
1:AAA:168:VAL:HG11	1:AAA:170:TYR:CZ	2.56	0.41
1:CCC:149:MET:HA	1:CCC:222:PHE:O	2.20	0.41
1:CCC:184:THR:O	1:CCC:187:ILE:HG22	2.21	0.41
1:III:220:ARG:NH2	1:III:251:VAL:O	2.53	0.41
1:AAA:234:VAL:HG22	1:BBB:226:TYR:CD1	2.56	0.41
1:CCC:190:LEU:HD22	1:CCC:190:LEU:HA	1.95	0.40
1:EEE:74:ARG:HG2	1:EEE:167:LEU:HD12	2.03	0.40
1:DDD:187:ILE:HD12	1:DDD:187:ILE:HA	1.89	0.40
1:AAA:121:SER:HB3	1:AAA:235:LEU:HD23	2.04	0.40
1:EEE:149:MET:HE3	1:EEE:149:MET:HB3	1.77	0.40
1:BBB:56:ASP:OD1	1:BBB:56:ASP:C	2.64	0.40
1:BBB:122:ASN:HB2	1:CCC:206:ILE:O	2.22	0.40
1:GGG:131:MET:HE2	1:GGG:140:HIS:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	258/277 (93%)	250 (97%)	8 (3%)	0	100	100
1	BBB	258/277 (93%)	253 (98%)	5 (2%)	0	100	100
1	CCC	256/277 (92%)	241 (94%)	14 (6%)	1 (0%)	30	19
1	DDD	257/277 (93%)	245 (95%)	12 (5%)	0	100	100
1	EEE	258/277 (93%)	247 (96%)	11 (4%)	0	100	100
1	FFF	258/277 (93%)	251 (97%)	7 (3%)	0	100	100
1	GGG	256/277 (92%)	248 (97%)	8 (3%)	0	100	100
1	HHH	256/277 (92%)	244 (95%)	11 (4%)	1 (0%)	30	19
1	III	256/277 (92%)	249 (97%)	7 (3%)	0	100	100
1	JJJ	258/277 (93%)	250 (97%)	8 (3%)	0	100	100
All	All	2571/2770 (93%)	2478 (96%)	91 (4%)	2 (0%)	48	34

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	CCC	99	GLU
1	HHH	103	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	211/240 (88%)	209 (99%)	2 (1%)	70	67
1	BBB	213/240 (89%)	206 (97%)	7 (3%)	33	21
1	CCC	207/240 (86%)	206 (100%)	1 (0%)	81	80
1	DDD	210/240 (88%)	209 (100%)	1 (0%)	81	80
1	EEE	219/240 (91%)	216 (99%)	3 (1%)	59	52
1	FFF	211/240 (88%)	207 (98%)	4 (2%)	50	41
1	GGG	212/240 (88%)	209 (99%)	3 (1%)	59	52
1	HHH	206/240 (86%)	199 (97%)	7 (3%)	32	20
1	III	210/240 (88%)	207 (99%)	3 (1%)	59	52
1	JJJ	214/240 (89%)	213 (100%)	1 (0%)	81	80
All	All	2113/2400 (88%)	2081 (98%)	32 (2%)	57	49

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	190	LEU
1	AAA	226	TYR
1	BBB	74	ARG
1	BBB	81	LYS
1	BBB	149	MET
1	BBB	171	PRO
1	BBB	177	PRO
1	BBB	190	LEU
1	BBB	226	TYR
1	CCC	190	LEU
1	DDD	117	GLU
1	EEE	81	LYS
1	EEE	117	GLU
1	EEE	190	LEU
1	FFF	74	ARG
1	FFF	117	GLU
1	FFF	224	ASN
1	FFF	226	TYR
1	GGG	74	ARG
1	GGG	190	LEU
1	GGG	226	TYR
1	HHH	74	ARG
1	HHH	102	THR
1	HHH	190	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	HHH	224	ASN
1	HHH	226	TYR
1	HHH	235	LEU
1	HHH	292	LEU
1	III	74	ARG
1	III	117	GLU
1	III	226	TYR
1	JJJ	226	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GAL	A	1	2	12,12,12	0.73	0	17,17,17	1.03	0
2	SIA	A	2	2	20,20,21	0.91	0	21,28,31	1.37	3 (14%)
2	GAL	B	1	2	12,12,12	0.82	0	17,17,17	1.49	5 (29%)
2	SIA	B	2	2	20,20,21	0.98	1 (5%)	21,28,31	1.33	2 (9%)
2	GAL	C	1	2	12,12,12	0.83	0	17,17,17	1.01	0
2	SIA	C	2	2	20,20,21	1.01	2 (10%)	21,28,31	1.20	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GAL	D	1	2	12,12,12	0.79	0	17,17,17	1.25	3 (17%)
2	SIA	D	2	2	20,20,21	1.31	1 (5%)	21,28,31	1.13	2 (9%)
2	GAL	E	1	2	12,12,12	0.81	0	17,17,17	1.19	1 (5%)
2	SIA	E	2	2	20,20,21	1.13	0	21,28,31	0.86	1 (4%)
2	GAL	F	1	2	12,12,12	0.85	0	17,17,17	1.31	1 (5%)
2	SIA	F	2	2	20,20,21	1.30	2 (10%)	21,28,31	1.12	1 (4%)
2	GAL	G	1	2	12,12,12	0.93	0	17,17,17	1.71	4 (23%)
2	SIA	G	2	2	20,20,21	0.97	0	21,28,31	1.36	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	A	1	2	-	2/2/22/22	0/1/1/1
2	SIA	A	2	2	-	1/18/34/38	0/1/1/1
2	GAL	B	1	2	-	0/2/22/22	0/1/1/1
2	SIA	B	2	2	-	1/18/34/38	0/1/1/1
2	GAL	C	1	2	-	2/2/22/22	0/1/1/1
2	SIA	C	2	2	-	1/18/34/38	0/1/1/1
2	GAL	D	1	2	-	2/2/22/22	0/1/1/1
2	SIA	D	2	2	-	3/18/34/38	0/1/1/1
2	GAL	E	1	2	-	1/2/22/22	0/1/1/1
2	SIA	E	2	2	-	2/18/34/38	0/1/1/1
2	GAL	F	1	2	-	1/2/22/22	0/1/1/1
2	SIA	F	2	2	-	1/18/34/38	0/1/1/1
2	GAL	G	1	2	-	0/2/22/22	0/1/1/1
2	SIA	G	2	2	-	1/18/34/38	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	2	SIA	C7-C6	2.92	1.56	1.52
2	D	2	SIA	C4-C5	2.82	1.55	1.53
2	F	2	SIA	C4-C5	2.48	1.55	1.53
2	C	2	SIA	C2-C1	-2.22	1.49	1.52
2	B	2	SIA	C2-C1	-2.19	1.49	1.52
2	C	2	SIA	C7-C6	2.04	1.55	1.52

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2	SIA	O6-C2-C3	-3.99	105.20	110.56
2	F	1	GAL	O5-C5-C6	3.60	115.36	106.44
2	D	2	SIA	O6-C2-C3	-3.46	105.91	110.56
2	G	1	GAL	O5-C5-C6	3.44	114.96	106.44
2	G	2	SIA	O1A-C1-C2	-3.30	115.71	122.85
2	G	1	GAL	O2-C2-C3	-3.29	102.63	110.38
2	G	2	SIA	O1B-C1-C2	3.03	120.60	112.71
2	B	2	SIA	O1B-C1-C2	2.93	120.34	112.71
2	G	1	GAL	O4-C4-C3	-2.83	103.71	110.38
2	A	2	SIA	O6-C2-C1	2.64	112.69	107.72
2	C	2	SIA	O6-C2-C3	-2.55	107.13	110.56
2	B	1	GAL	C1-C2-C3	2.45	115.36	110.36
2	B	1	GAL	O2-C2-C3	-2.45	104.60	110.38
2	A	2	SIA	O1B-C1-C2	2.45	119.07	112.71
2	C	2	SIA	O1B-C1-C2	2.41	118.99	112.71
2	B	1	GAL	O5-C5-C6	2.41	112.42	106.44
2	D	1	GAL	O4-C4-C3	-2.39	104.74	110.38
2	B	1	GAL	C1-O5-C5	-2.37	109.07	113.65
2	B	2	SIA	O1A-C1-C2	-2.28	117.92	122.85
2	E	1	GAL	O3-C3-C2	-2.24	105.10	110.38
2	D	1	GAL	O3-C3-C4	-2.23	105.13	110.38
2	F	2	SIA	O1B-C1-C2	2.19	118.39	112.71
2	C	2	SIA	O1A-C1-C2	-2.16	118.17	122.85
2	E	2	SIA	O1A-C1-C2	-2.11	118.29	122.85
2	B	1	GAL	O4-C4-C5	2.09	114.47	109.32
2	G	1	GAL	O5-C1-C2	2.07	113.94	110.30
2	G	2	SIA	C6-C5-N5	2.07	114.20	110.91
2	D	2	SIA	O1B-C1-C2	2.05	118.05	112.71
2	D	1	GAL	O5-C5-C6	2.04	111.51	106.44

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	GAL	O5-C5-C6-O6
2	C	1	GAL	C4-C5-C6-O6
2	D	1	GAL	C4-C5-C6-O6
2	A	1	GAL	O5-C5-C6-O6
2	D	1	GAL	O5-C5-C6-O6
2	E	1	GAL	O5-C5-C6-O6
2	A	1	GAL	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	2	SIA	O8-C8-C9-O9
2	D	2	SIA	O1A-C1-C2-O6
2	E	2	SIA	O1A-C1-C2-O6
2	F	2	SIA	O1A-C1-C2-O6
2	G	2	SIA	O1A-C1-C2-O6
2	E	2	SIA	O8-C8-C9-O9
2	D	2	SIA	C7-C8-C9-O9
2	A	2	SIA	O1A-C1-C2-O6
2	B	2	SIA	O1A-C1-C2-O6
2	C	2	SIA	O1A-C1-C2-O6
2	F	1	GAL	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	SIA	1	0
2	G	1	GAL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	EEE	303	-	4,4,4	0.73	0	6,6,6	0.67	0
3	PO4	AAA	303	-	4,4,4	1.15	1 (25%)	6,6,6	0.63	0
3	PO4	CCC	302	-	4,4,4	0.85	0	6,6,6	0.86	0
4	SIA	GGG	301	-	21,21,21	1.57	2 (9%)	24,31,31	1.11	1 (4%)
4	SIA	BBB	301	-	21,21,21	1.44	3 (14%)	24,31,31	1.36	3 (12%)
3	PO4	BBB	302	-	4,4,4	0.53	0	6,6,6	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SIA	CCC	301	-	21,21,21	1.30	1 (4%)	24,31,31	1.31	1 (4%)
3	PO4	DDD	303	-	4,4,4	0.73	0	6,6,6	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SIA	BBB	301	-	-	0/20/38/38	0/1/1/1
4	SIA	CCC	301	-	-	1/20/38/38	0/1/1/1
4	SIA	GGG	301	-	-	1/20/38/38	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	GGG	301	SIA	O2-C2	5.47	1.47	1.39
4	CCC	301	SIA	O2-C2	4.64	1.46	1.39
4	BBB	301	SIA	O2-C2	4.54	1.46	1.39
4	BBB	301	SIA	C3-C4	2.22	1.56	1.53
3	AAA	303	PO4	P-O1	2.22	1.55	1.50
4	GGG	301	SIA	C3-C2	2.20	1.54	1.51
4	BBB	301	SIA	C4-C5	2.12	1.55	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	BBB	301	SIA	O6-C6-C5	-4.20	106.00	109.84
4	CCC	301	SIA	O1A-C1-C2	-3.63	117.80	123.85
4	GGG	301	SIA	C6-C5-N5	2.50	114.89	110.91
4	BBB	301	SIA	O1B-C1-O1A	-2.23	116.71	123.86
4	BBB	301	SIA	O6-C6-C7	2.13	109.98	106.65

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	GGG	301	SIA	O1A-C1-C2-O6
4	CCC	301	SIA	O8-C8-C9-O9


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand SIA BBB 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	260/277 (93%)	0.29	8 (3%) 51 51	21, 29, 47, 64	0
1	BBB	260/277 (93%)	0.77	15 (5%) 29 27	22, 34, 50, 62	0
1	CCC	258/277 (93%)	1.12	40 (15%) 5 4	24, 38, 58, 75	0
1	DDD	259/277 (93%)	0.63	17 (6%) 24 23	22, 34, 53, 73	0
1	EEE	260/277 (93%)	0.08	4 (1%) 72 72	20, 27, 47, 60	0
1	FFF	259/277 (93%)	0.29	6 (2%) 61 61	18, 29, 46, 74	1 (0%)
1	GGG	258/277 (93%)	0.79	18 (6%) 22 21	21, 35, 51, 66	0
1	HHH	258/277 (93%)	0.97	29 (11%) 10 8	23, 35, 54, 71	0
1	III	258/277 (93%)	0.45	12 (4%) 36 35	20, 31, 50, 69	0
1	JJJ	260/277 (93%)	0.07	2 (0%) 82 83	18, 26, 39, 62	0
All	All	2590/2770 (93%)	0.55	151 (5%) 29 27	18, 32, 51, 75	1 (0%)

All (151) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	AAA	173	GLY	4.5
1	BBB	102	THR	4.3
1	GGG	41	ILE	4.3
1	DDD	102	THR	4.1
1	BBB	226	TYR	4.1
1	HHH	106	LEU	3.9
1	AAA	96	LEU	3.7
1	HHH	97	LEU	3.7
1	HHH	96	LEU	3.6
1	CCC	41	ILE	3.6
1	FFF	41	ILE	3.6
1	CCC	96	LEU	3.5
1	DDD	299	ASN	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	CCC	76	THR	3.5
1	DDD	41	ILE	3.4
1	EEE	299	ASN	3.4
1	DDD	297	VAL	3.3
1	HHH	100	ASP	3.3
1	AAA	102	THR	3.3
1	CCC	102	THR	3.3
1	HHH	298	ARG	3.3
1	HHH	107	LEU	3.2
1	FFF	226	TYR	3.2
1	CCC	106	LEU	3.2
1	HHH	102	THR	3.2
1	EEE	40	SER	3.2
1	HHH	104	ASN	3.1
1	CCC	97	LEU	3.1
1	CCC	101	MET	3.1
1	AAA	226	TYR	3.1
1	DDD	226	TYR	3.1
1	CCC	107	LEU	3.1
1	AAA	41	ILE	3.1
1	BBB	96	LEU	3.1
1	AAA	40	SER	3.1
1	DDD	104	ASN	3.0
1	HHH	180	VAL	3.0
1	III	41	ILE	3.0
1	HHH	183	VAL	2.9
1	GGG	104	ASN	2.9
1	III	226	TYR	2.9
1	BBB	92	ILE	2.9
1	BBB	257	GLY	2.9
1	GGG	298	ARG	2.9
1	DDD	96	LEU	2.9
1	HHH	42	THR	2.8
1	HHH	47	PHE	2.8
1	BBB	46	ALA	2.8
1	HHH	101	MET	2.8
1	III	106	LEU	2.8
1	CCC	173	GLY	2.8
1	DDD	97	LEU	2.8
1	GGG	48	LEU	2.8
1	CCC	44	ILE	2.8
1	BBB	173	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	CCC	183	VAL	2.7
1	HHH	226	TYR	2.7
1	FFF	96	LEU	2.7
1	HHH	41	ILE	2.7
1	DDD	101	MET	2.7
1	CCC	99	GLU	2.7
1	HHH	99	GLU	2.7
1	BBB	180	VAL	2.7
1	CCC	204	TYR	2.7
1	III	257	GLY	2.6
1	III	102	THR	2.6
1	JJJ	102	THR	2.6
1	HHH	198	LEU	2.6
1	HHH	44	ILE	2.6
1	CCC	174	LEU	2.6
1	CCC	209	TRP	2.6
1	III	100	ASP	2.5
1	AAA	97	LEU	2.5
1	CCC	48	LEU	2.5
1	GGG	183	VAL	2.5
1	GGG	97	LEU	2.5
1	III	97	LEU	2.5
1	CCC	257	GLY	2.5
1	HHH	174	LEU	2.4
1	CCC	156	PRO	2.4
1	EEE	226	TYR	2.4
1	DDD	173	GLY	2.4
1	FFF	257	GLY	2.4
1	BBB	40	SER	2.4
1	CCC	185	ALA	2.4
1	CCC	226	TYR	2.4
1	III	119	ILE	2.4
1	CCC	104	ASN	2.4
1	HHH	90	ALA	2.4
1	CCC	287	TYR	2.4
1	CCC	177	PRO	2.3
1	III	101	MET	2.3
1	CCC	168	VAL	2.3
1	GGG	102	THR	2.3
1	CCC	90	ALA	2.3
1	CCC	261	PHE	2.3
1	CCC	170	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	GGG	119	ILE	2.3
1	DDD	183	VAL	2.3
1	HHH	173	GLY	2.3
1	CCC	94	LEU	2.3
1	HHH	190	LEU	2.3
1	BBB	99	GLU	2.3
1	HHH	62	TYR	2.3
1	EEE	41	ILE	2.3
1	HHH	119	ILE	2.3
1	HHH	95	PRO	2.2
1	HHH	46	ALA	2.2
1	HHH	89	CYS	2.2
1	FFF	98	ASN	2.2
1	III	104	ASN	2.2
1	AAA	257	GLY	2.2
1	CCC	47	PHE	2.2
1	GGG	226	TYR	2.2
1	HHH	181	THR	2.2
1	HHH	61	TRP	2.2
1	BBB	101	MET	2.2
1	DDD	106	LEU	2.2
1	CCC	92	ILE	2.2
1	CCC	182	ASP	2.2
1	CCC	154	GLY	2.2
1	GGG	173	GLY	2.2
1	DDD	298	ARG	2.2
1	DDD	99	GLU	2.1
1	III	103	CYS	2.1
1	CCC	260	LEU	2.1
1	CCC	42	THR	2.1
1	FFF	102	THR	2.1
1	GGG	42	THR	2.1
1	DDD	175	ILE	2.1
1	JJJ	226	TYR	2.1
1	GGG	103	CYS	2.1
1	DDD	159	LEU	2.1
1	CCC	72	THR	2.1
1	DDD	42	THR	2.1
1	GGG	47	PHE	2.1
1	BBB	119	ILE	2.1
1	CCC	206	ILE	2.1
1	GGG	44	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	GGG	46	ALA	2.1
1	BBB	89	CYS	2.1
1	CCC	109	TRP	2.1
1	BBB	63	GLY	2.0
1	CCC	202	GLY	2.0
1	GGG	263	SER	2.0
1	CCC	103	CYS	2.0
1	CCC	157	LEU	2.0
1	GGG	106	LEU	2.0
1	GGG	107	LEU	2.0
1	III	99	GLU	2.0
1	BBB	47	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GAL	A	1	12/12	-	-	45,60,63,64	0
2	SIA	A	2	20/21	-	-	24,31,38,41	0
2	GAL	B	1	12/12	-	-	44,58,62,72	0
2	SIA	B	2	20/21	-	-	30,34,42,47	0
2	GAL	C	1	12/12	-	-	39,54,65,71	0
2	SIA	C	2	20/21	-	-	24,31,37,39	0
2	GAL	D	1	12/12	-	-	42,54,60,63	0
2	SIA	D	2	20/21	-	-	26,31,41,42	0
2	GAL	E	1	12/12	-	-	46,59,62,68	0
2	SIA	E	2	20/21	-	-	29,36,49,51	0
2	GAL	F	1	12/12	-	-	43,55,60,65	0
2	SIA	F	2	20/21	-	-	27,31,41,42	0
2	GAL	G	1	12/12	-	-	36,50,54,62	0
2	SIA	G	2	20/21	-	-	25,30,37,42	0




The following is a graphical depiction of the model fit to experimental electron density for oligosac-

charide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SIA	CCC	301	21/21	0.88	0.10	34,42,47,50	0
4	SIA	GGG	301	21/21	0.88	0.09	28,33,42,46	0
4	SIA	BBB	301	21/21	0.90	0.09	29,35,39,40	0
3	PO4	BBB	302	5/5	0.95	0.09	39,40,42,42	0
3	PO4	AAA	303	5/5	0.96	0.12	34,35,38,41	0
3	PO4	CCC	302	5/5	0.96	0.08	33,35,39,42	0
3	PO4	EEE	303	5/5	0.96	0.12	32,32,38,39	0
3	PO4	DDD	303	5/5	0.98	0.08	28,32,36,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SIA CCC 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIA GGG 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SIA BBB 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.