



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 07:12 PM UTC

PDB ID : 6Y69 / pdb_00006y69
EMDB ID : EMD-10705
Title : Cryo-EM structure of an Escherichia coli 70S ribosome in complex with antibiotic TetracenomycinX
Authors : Wieland, M.; Wilson, D.N.
Deposited on : 2020-02-26
Resolution : 2.86 Å(reported)
Based on initial model : 6H4N

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	12017 (2.36 - 3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	1539	
2	b	218	
3	c	206	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	d	205	
5	e	157	
6	f	100	
7	g	155	
8	h	129	
9	i	127	
10	j	98	
11	k	116	
12	l	123	
13	m	114	
14	n	101	
15	o	88	
16	p	82	
17	q	80	
18	r	65	
19	s	79	
20	t	85	
21	u	65	
22	A	2903	
23	B	120	
24	C	271	
25	D	209	
26	E	201	
27	F	177	
28	G	176	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	H	79	100% 82% 18%
30	J	142	6% 87% 13%
31	K	122	8% 87% 13%
32	L	143	7% 85% 14%
33	M	136	8% 80% 18%
34	N	120	90% 10%
35	O	116	16% 87% 13%
36	P	114	8% 82% 17%
37	Q	117	85% 15%
38	R	103	13% 88% 12%
39	S	110	5% 76% 24%
40	T	93	18% 90% 10%
41	U	102	22% 87% 11%
42	V	94	21% 94% 6%
43	W	75	5% 93% 7%
44	X	77	8% 94% 6%
45	Y	63	27% 84% 16%
46	Z	58	9% 84% 16%
47	0	56	7% 80% 20%
48	1	50	8% 92% 8%
49	2	46	85% 15%
50	3	64	5% 91% 8%
51	4	38	8% 66% 34%
52	6	66	100% 85% 15%
53	w	77	92% 56% 39%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	x	95	41% 85% 12%

2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 143804 atoms, of which 22 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	a	1539	Total	C	N	O	P	0	0
			33016	14725	6052	10700	1539		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	b	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	c	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	e	157	Total	C	N	O	S	0	0
			1141	709	218	208	6		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	f	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	g	155	Total	C	N	O	S	0	0
			1228	767	237	220	4		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	j	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	k	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	l	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	m	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	n	101	Total	C	N	O	S	0	0
			799	498	165	133	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
n	35	ALA	-	insertion	UNP P0AG59

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	q	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	r	65	Total	C	N	O	0	0
			504	317	96	91		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	s	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	u	65	Total	C	N	O	S	0	0
			495	307	100	87	1		

- Molecule 22 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	A	2887	Total	C	N	O	P	0	0
			61985	27650	11410	20038	2887		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	747	C	U	conflict	GB 939732440
A	1847	G	A	conflict	GB 939732440
A	2069	A	G	conflict	GB 939732440

- Molecule 23 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	B	120	Total	C	N	O	P	0	0
			2572	1145	471	836	120		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	120	A	U	conflict	GB 1373146531

- Molecule 24 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	C	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 25 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	D	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 26 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	E	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 27 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	F	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 28 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	G	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 29 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms				AltConf	Trace
29	H	79	Total	C	N	O	0	0
			581	363	101	117		

- Molecule 30 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 31 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	K	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 32 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	L	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 33 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 34 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	N	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 35 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	O	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 36 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 37 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Q	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 38 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 39 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 40 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	T	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 41 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	U	102	Total	C	N	O		0	0
			779	492	146	141			

- Molecule 42 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 43 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	W	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 44 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 45 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 46 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 47 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 48 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	1	50	Total	C	N	O	S	0	0
			409	263	75	71			

- Molecule 49 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 50 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 51 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 52 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	6	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 53 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	w	74	Total	C	N	O	P	0	0
			1582	705	288	515	74		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
w	29	U	G	conflict	GB 1789840096
w	41	A	C	conflict	GB 1789840096


- Molecule 54 is a protein called Ribosome hibernation promoting factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	x	95	Total	C	N	O	S	0	0
			754	474	133	145	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
x	57	ASP	ASN	conflict	UNP P0AFX0
x	61	LEU	ILE	conflict	UNP P0AFX0

- Molecule 55 is Tetracenomycin X (CCD ID: OCW) (formula: $C_{24}H_{22}O_{11}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
55	A	1	Total	C	H	O	0
			57	24	22	11	


- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
56	A	2	Total	Mg	0
			2	2	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S ribosomal RNA





• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3





• Molecule 4: 30S ribosomal protein S4









• Molecule 5: 30S ribosomal protein S5





• Molecule 6: 30S ribosomal protein S6




• Molecule 7: 30S ribosomal protein S7




• Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10




• Molecule 11: 30S ribosomal protein S11




• Molecule 12: 30S ribosomal protein S12






• Molecule 13: 30S ribosomal protein S13








- Molecule 14: 30S ribosomal protein S14





- Molecule 15: 30S ribosomal protein S15





- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19







• Molecule 20: 30S ribosomal protein S20




• Molecule 21: 30S ribosomal protein S21





• Molecule 22: 23S ribosomal RNA











• Molecule 23: 5S ribosomal RNA




• Molecule 24: 50S ribosomal protein L2




• Molecule 25: 50S ribosomal protein L3





• Molecule 26: 50S ribosomal protein L4








- Molecule 27: 50S ribosomal protein L5





- Molecule 28: 50S ribosomal protein L6





- Molecule 29: 50S ribosomal protein L9




- Molecule 30: 50S ribosomal protein L13




- Molecule 31: 50S ribosomal protein L14





- Molecule 32: 50S ribosomal protein L15




- Molecule 33: 50S ribosomal protein L16





- Molecule 34: 50S ribosomal protein L17




- Molecule 35: 50S ribosomal protein L18




- Molecule 36: 50S ribosomal protein L19





- Molecule 37: 50S ribosomal protein L20









- Molecule 38: 50S ribosomal protein L21





- Molecule 39: 50S ribosomal protein L22




- Molecule 40: 50S ribosomal protein L23




- Molecule 41: 50S ribosomal protein L24




- Molecule 42: 50S ribosomal protein L25





- Molecule 43: 50S ribosomal protein L27





- Molecule 44: 50S ribosomal protein L28




- Molecule 45: 50S ribosomal protein L29





- Molecule 46: 50S ribosomal protein L30





- Molecule 47: 50S ribosomal protein L32




- Molecule 48: 50S ribosomal protein L33




- Molecule 49: 50S ribosomal protein L34




- Molecule 50: 50S ribosomal protein L35




- Molecule 51: 50S ribosomal protein L36




- Molecule 52: 50S ribosomal protein L31



- Molecule 53: E-site tRNA



- Molecule 54: Ribosome hibernation promoting factor



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	161915	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	28	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.465	Depositor
Minimum map value	-0.235	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	398.912, 398.912, 398.912	wwPDB
Map dimensions	368, 368, 368	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.084, 1.084, 1.084	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OCW, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	a	0.18	0/36967	0.29	2/57666 (0.0%)
2	b	0.26	0/1735	0.66	0/2338
3	c	0.22	0/1651	0.62	3/2225 (0.1%)
4	d	0.24	0/1665	0.61	0/2227
5	e	0.23	0/1154	0.56	0/1554
6	f	0.26	0/835	0.67	0/1128
7	g	0.33	0/1246	0.67	0/1672
8	h	0.19	0/989	0.45	0/1326
9	i	0.25	0/1034	0.74	0/1375
10	j	0.27	0/796	0.65	2/1077 (0.2%)
11	k	0.26	0/885	0.62	0/1195
12	l	0.30	0/969	0.69	3/1300 (0.2%)
13	m	0.22	0/892	0.68	0/1193
14	n	0.20	0/811	0.59	0/1081
15	o	0.25	0/722	0.61	1/964 (0.1%)
16	p	0.22	0/659	0.56	0/884
17	q	0.24	0/657	0.63	0/881
18	r	0.20	0/511	0.45	0/689
19	s	0.20	0/652	0.56	0/877
20	t	0.18	0/671	0.52	0/888
21	u	0.64	0/500	1.10	2/668 (0.3%)
22	A	0.23	0/69423	0.33	8/108301 (0.0%)
23	B	0.17	0/2876	0.29	0/4483
24	C	0.27	0/2121	0.57	0/2852
25	D	0.25	0/1586	0.54	0/2134
26	E	0.22	0/1571	0.50	0/2113
27	F	0.21	0/1434	0.55	2/1926 (0.1%)
28	G	0.19	0/1343	0.49	0/1816
29	H	0.28	0/586	0.67	0/792
30	J	0.22	0/1152	0.50	0/1551
31	K	0.26	0/947	0.60	0/1268
32	L	0.25	0/1054	0.64	2/1403 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	M	0.21	0/1093	0.54	0/1460
34	N	0.27	0/973	0.67	0/1301
35	O	0.20	0/902	0.55	1/1209 (0.1%)
36	P	0.24	0/929	0.51	0/1242
37	Q	0.24	0/960	0.50	0/1278
38	R	0.26	0/829	0.57	1/1107 (0.1%)
39	S	0.24	0/864	0.54	0/1156
40	T	0.22	0/744	0.51	0/994
41	U	0.20	0/787	0.61	0/1051
42	V	0.18	0/766	0.48	0/1025
43	W	0.23	0/582	0.47	0/769
44	X	0.25	0/635	0.53	0/848
45	Y	0.18	0/510	0.51	0/677
46	Z	0.20	0/453	0.44	0/605
47	0	0.24	0/450	0.64	0/599
48	1	0.18	0/416	0.50	1/554 (0.2%)
49	2	0.28	0/380	0.60	0/498
50	3	0.30	0/513	0.54	0/676
51	4	0.22	0/303	0.50	0/397
52	6	0.26	0/531	0.73	1/709 (0.1%)
53	w	0.17	0/1767	0.41	0/2749
54	x	0.35	0/764	0.65	0/1028
All	All	0.23	0/156245	0.41	29/233779 (0.0%)

There are no bond length outliers.

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	u	40	PRO	N-CA-C	-9.36	100.08	113.47
3	c	96	VAL	CA-C-N	9.13	131.25	119.84
3	c	96	VAL	C-N-CA	9.13	131.25	119.84
22	A	2505	G	C2'-C3'-O3'	7.67	121.01	109.50
22	A	91	A	C2'-C3'-O3'	7.34	120.52	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	33016	0	16617	152	0
2	b	1704	0	1732	81	0
3	c	1624	0	1699	43	0
4	d	1643	0	1710	43	0
5	e	1141	0	1170	16	0
6	f	817	0	808	25	0
7	g	1228	0	1279	40	0
8	h	979	0	1034	13	0
9	i	1022	0	1070	12	0
10	j	786	0	828	10	0
11	k	869	0	876	36	0
12	l	955	0	1019	29	0
13	m	883	0	944	14	0
14	n	799	0	841	10	0
15	o	714	0	737	8	0
16	p	649	0	666	7	0
17	q	648	0	691	13	0
18	r	504	0	502	14	0
19	s	637	0	665	14	0
20	t	665	0	714	9	0
21	u	495	0	486	96	0
22	A	61985	0	31172	261	0
23	B	2572	0	1302	8	0
24	C	2082	0	2157	24	0
25	D	1565	0	1616	16	0
26	E	1552	0	1619	9	0
27	F	1410	0	1447	22	0
28	G	1323	0	1374	19	0
29	H	581	0	591	8	0
30	J	1129	0	1162	12	0
31	K	938	0	1012	11	0
32	L	1045	0	1117	15	0
33	M	1074	0	1157	22	0
34	N	960	0	1000	7	0
35	O	892	0	923	10	0
36	P	917	0	965	17	0
37	Q	947	0	1022	17	0
38	R	816	0	839	9	0
39	S	857	0	922	17	0
40	T	738	0	807	6	0
41	U	779	0	834	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	V	753	0	780	4	0
43	W	575	0	592	4	0
44	X	625	0	655	3	0
45	Y	509	0	543	6	0
46	Z	449	0	491	5	0
47	0	444	0	461	8	0
48	1	409	0	440	2	0
49	2	377	0	418	5	0
50	3	504	0	574	5	0
51	4	302	0	343	10	0
52	6	522	0	522	7	0
53	w	1582	0	804	3	0
54	x	754	0	756	18	0
55	A	35	22	0	7	0
56	A	2	0	0	0	0
All	All	143782	22	96505	1106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1106 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
21:u:9:GLU:HB3	21:u:10:PRO:CD	1.34	1.51
21:u:34:ARG:O	21:u:36:PHE:CD1	1.70	1.43
6:f:2:ARG:HD2	6:f:91:ARG:NH2	1.35	1.39
3:c:89:VAL:CA	3:c:92:ASP:OD2	1.67	1.39
3:c:89:VAL:CG2	3:c:92:ASP:OD2	1.76	1.32

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	b	216/218 (99%)	188 (87%)	25 (12%)	3 (1%)	9	19
3	c	204/206 (99%)	189 (93%)	12 (6%)	3 (2%)	8	18
4	d	203/205 (99%)	179 (88%)	21 (10%)	3 (2%)	8	18
5	e	155/157 (99%)	144 (93%)	11 (7%)	0	100	100
6	f	98/100 (98%)	87 (89%)	10 (10%)	1 (1%)	12	25
7	g	153/155 (99%)	141 (92%)	11 (7%)	1 (1%)	18	35
8	h	127/129 (98%)	121 (95%)	6 (5%)	0	100	100
9	i	125/127 (98%)	108 (86%)	17 (14%)	0	100	100
10	j	96/98 (98%)	85 (88%)	11 (12%)	0	100	100
11	k	114/116 (98%)	104 (91%)	10 (9%)	0	100	100
12	l	121/123 (98%)	105 (87%)	14 (12%)	2 (2%)	7	16
13	m	112/114 (98%)	100 (89%)	11 (10%)	1 (1%)	14	28
14	n	99/101 (98%)	91 (92%)	8 (8%)	0	100	100
15	o	86/88 (98%)	81 (94%)	4 (5%)	1 (1%)	10	22
16	p	80/82 (98%)	72 (90%)	8 (10%)	0	100	100
17	q	78/80 (98%)	71 (91%)	5 (6%)	2 (3%)	4	9
18	r	63/65 (97%)	62 (98%)	1 (2%)	0	100	100
19	s	77/79 (98%)	70 (91%)	7 (9%)	0	100	100
20	t	83/85 (98%)	82 (99%)	1 (1%)	0	100	100
21	u	63/65 (97%)	49 (78%)	9 (14%)	5 (8%)	1	1
24	C	269/271 (99%)	255 (95%)	14 (5%)	0	100	100
25	D	207/209 (99%)	197 (95%)	10 (5%)	0	100	100
26	E	199/201 (99%)	190 (96%)	9 (4%)	0	100	100
27	F	175/177 (99%)	165 (94%)	10 (6%)	0	100	100
28	G	174/176 (99%)	164 (94%)	9 (5%)	1 (1%)	21	38
29	H	77/79 (98%)	68 (88%)	9 (12%)	0	100	100
30	J	140/142 (99%)	136 (97%)	4 (3%)	0	100	100
31	K	120/122 (98%)	109 (91%)	11 (9%)	0	100	100
32	L	141/143 (99%)	128 (91%)	13 (9%)	0	100	100
33	M	134/136 (98%)	127 (95%)	4 (3%)	3 (2%)	5	12
34	N	118/120 (98%)	108 (92%)	10 (8%)	0	100	100
35	O	114/116 (98%)	111 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	P	112/114 (98%)	107 (96%)	5 (4%)	0	100	100
37	Q	115/117 (98%)	115 (100%)	0	0	100	100
38	R	101/103 (98%)	96 (95%)	5 (5%)	0	100	100
39	S	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
40	T	91/93 (98%)	88 (97%)	3 (3%)	0	100	100
41	U	100/102 (98%)	88 (88%)	11 (11%)	1 (1%)	12	25
42	V	92/94 (98%)	92 (100%)	0	0	100	100
43	W	73/75 (97%)	71 (97%)	2 (3%)	0	100	100
44	X	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
45	Y	61/63 (97%)	58 (95%)	3 (5%)	0	100	100
46	Z	56/58 (97%)	54 (96%)	2 (4%)	0	100	100
47	0	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
48	1	48/50 (96%)	47 (98%)	1 (2%)	0	100	100
49	2	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
50	3	62/64 (97%)	57 (92%)	4 (6%)	1 (2%)	7	17
51	4	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
52	6	64/66 (97%)	54 (84%)	10 (16%)	0	100	100
54	x	93/95 (98%)	82 (88%)	10 (11%)	1 (1%)	11	24
All	All	5606/5706 (98%)	5205 (93%)	372 (7%)	29 (0%)	26	42

5 of 29 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	c	96	VAL
3	c	97	PRO
4	d	28	ASP
4	d	29	THR
4	d	152	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	b	180/180 (100%)	170 (94%)	10 (6%)	19	40
3	c	170/170 (100%)	166 (98%)	4 (2%)	43	67
4	d	172/172 (100%)	166 (96%)	6 (4%)	32	57
5	e	114/119 (96%)	114 (100%)	0	100	100
6	f	87/87 (100%)	83 (95%)	4 (5%)	24	48
7	g	128/128 (100%)	123 (96%)	5 (4%)	28	54
8	h	104/104 (100%)	103 (99%)	1 (1%)	68	83
9	i	105/105 (100%)	105 (100%)	0	100	100
10	j	86/86 (100%)	86 (100%)	0	100	100
11	k	89/89 (100%)	86 (97%)	3 (3%)	32	58
12	l	103/103 (100%)	99 (96%)	4 (4%)	28	54
13	m	92/92 (100%)	91 (99%)	1 (1%)	65	81
14	n	79/83 (95%)	79 (100%)	0	100	100
15	o	76/76 (100%)	76 (100%)	0	100	100
16	p	65/65 (100%)	65 (100%)	0	100	100
17	q	74/74 (100%)	72 (97%)	2 (3%)	39	63
18	r	48/56 (86%)	48 (100%)	0	100	100
19	s	70/70 (100%)	70 (100%)	0	100	100
20	t	65/65 (100%)	65 (100%)	0	100	100
21	u	44/55 (80%)	26 (59%)	18 (41%)	0	0
24	C	216/216 (100%)	216 (100%)	0	100	100
25	D	164/164 (100%)	164 (100%)	0	100	100
26	E	165/165 (100%)	165 (100%)	0	100	100
27	F	148/148 (100%)	147 (99%)	1 (1%)	76	87
28	G	137/137 (100%)	137 (100%)	0	100	100
29	H	62/62 (100%)	62 (100%)	0	100	100
30	J	116/116 (100%)	116 (100%)	0	100	100
31	K	103/103 (100%)	103 (100%)	0	100	100
32	L	102/102 (100%)	102 (100%)	0	100	100
33	M	109/109 (100%)	107 (98%)	2 (2%)	51	73
34	N	100/100 (100%)	100 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
35	O	86/86 (100%)	86 (100%)	0	100	100
36	P	99/99 (100%)	98 (99%)	1 (1%)	68	83
37	Q	89/89 (100%)	89 (100%)	0	100	100
38	R	84/84 (100%)	83 (99%)	1 (1%)	63	80
39	S	93/93 (100%)	93 (100%)	0	100	100
40	T	80/80 (100%)	80 (100%)	0	100	100
41	U	83/83 (100%)	81 (98%)	2 (2%)	43	67
42	V	78/78 (100%)	78 (100%)	0	100	100
43	W	57/57 (100%)	57 (100%)	0	100	100
44	X	67/67 (100%)	67 (100%)	0	100	100
45	Y	55/55 (100%)	55 (100%)	0	100	100
46	Z	48/48 (100%)	48 (100%)	0	100	100
47	0	47/47 (100%)	47 (100%)	0	100	100
48	1	45/45 (100%)	45 (100%)	0	100	100
49	2	38/38 (100%)	38 (100%)	0	100	100
50	3	51/51 (100%)	51 (100%)	0	100	100
51	4	34/34 (100%)	34 (100%)	0	100	100
52	6	59/59 (100%)	59 (100%)	0	100	100
54	x	80/81 (99%)	78 (98%)	2 (2%)	42	66
All	All	4646/4675 (99%)	4579 (99%)	67 (1%)	57	78

5 of 67 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
21	u	46	ARG
33	M	59	ARG
54	x	26	LYS
7	g	77	ARG
6	f	93	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 82 such sidechains are listed below:

Mol	Chain	Res	Type
35	O	61	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	W	72	ASN
36	P	11	GLN
39	S	40	ASN
50	3	30	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1538/1539 (99%)	229 (14%)	0
22	A	2884/2903 (99%)	508 (17%)	14 (0%)
23	B	119/120 (99%)	15 (12%)	1 (0%)
53	w	72/77 (93%)	27 (37%)	0
All	All	4613/4639 (99%)	779 (16%)	15 (0%)

5 of 779 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	4	U
1	a	6	G
1	a	7	A
1	a	9	G
1	a	22	G

5 of 15 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	A	2286	G
22	A	2808	G
22	A	2391	G
23	B	52	A
22	A	2507	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
55	OCW	A	3001	56	35,38,38	2.43	10 (28%)	44,61,61	2.55	19 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	OCW	A	3001	56	-	4/13/62/62	0/4/4/4

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	A	3001	OCW	O04-C32	-8.28	1.26	1.45
55	A	3001	OCW	O05-C15	-4.68	1.14	1.21
55	A	3001	OCW	O09-C34	-4.46	1.30	1.42
55	A	3001	OCW	C17-C18	-3.85	1.35	1.41
55	A	3001	OCW	O03-C14	3.29	1.48	1.42

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	A	3001	OCW	O04-C20-C14	9.11	117.60	110.07
55	A	3001	OCW	O04-C20-C21	-7.06	119.73	126.02
55	A	3001	OCW	C34-O09-C30	4.18	123.64	117.51
55	A	3001	OCW	O09-C30-C28	-3.84	120.29	125.16
55	A	3001	OCW	O10-C33-C29	3.49	120.47	112.28

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
55	A	3001	OCW	C29-C33-O10-C35
55	A	3001	OCW	O11-C33-O10-C35
55	A	3001	OCW	C19-C13-O01-C27
55	A	3001	OCW	C12-C13-O01-C27

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
55	A	3001	OCW	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10705. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 184




Y Index: 184




Z Index: 184


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 189




Y Index: 222




Z Index: 182


6.3.2 Raw map



X Index: 180



Y Index: 195




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 676 nm³; this corresponds to an approximate mass of 611 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.350 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.350 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.86	-	-
Author-provided FSC curve	2.87	3.20	2.91
Unmasked-calculated*	3.16	4.16	3.22

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.16 differs from the reported value 2.86 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10705 and PDB model 6Y69. Per-residue inclusion information can be found in section [3](#) on page [16](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7020	 0.4860
0	 0.7060	 0.5350
1	 0.6230	 0.5050
2	 0.7940	 0.5700
3	 0.7960	 0.5790
4	 0.6640	 0.5170
6	 0.0120	 0.2730
A	 0.8200	 0.5240
B	 0.7720	 0.4570
C	 0.7440	 0.5520
D	 0.7350	 0.5530
E	 0.5910	 0.5050
F	 0.3820	 0.3880
G	 0.4070	 0.4270
H	 0.0360	 0.3290
J	 0.6960	 0.5290
K	 0.6870	 0.5390
L	 0.6900	 0.5150
M	 0.6660	 0.5250
N	 0.7700	 0.5500
O	 0.5860	 0.4520
P	 0.6690	 0.5370
Q	 0.7520	 0.5590
R	 0.6590	 0.5100
S	 0.6900	 0.5410
T	 0.5510	 0.4710
U	 0.5350	 0.4700
V	 0.5690	 0.4860
W	 0.7170	 0.5440
X	 0.6870	 0.5260
Y	 0.4930	 0.4250
Z	 0.6570	 0.5220
a	 0.7340	 0.4540
b	 0.3530	 0.3710
c	 0.4090	 0.4110



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	 0.3700	 0.4110
e	 0.5850	 0.4830
f	 0.4920	 0.4240
g	 0.3200	 0.3820
h	 0.5890	 0.4940
i	 0.2350	 0.3190
j	 0.2390	 0.3350
k	 0.4990	 0.4520
l	 0.6180	 0.5040
m	 0.2490	 0.3310
n	 0.3700	 0.3890
o	 0.5740	 0.4770
p	 0.5450	 0.4540
q	 0.5220	 0.4710
r	 0.4780	 0.4410
s	 0.2540	 0.3540
t	 0.5090	 0.4350
u	 0.3260	 0.4030
w	 0.1470	 0.2880
x	 0.4320	 0.4520