



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 05:10 PM UTC

PDB ID : 2Y83 / pdb_00002y83
EMDB ID : EMD-1872
Title : Actin filament pointed end
Authors : Narita, A.; Oda, T.; Maeda, Y.
Deposited on : 2011-02-02
Resolution : 22.90 Å (reported)
Based on initial model : 2ZWH

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 22.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	17 (22.40 - 23.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	O	375	51% 73% 23% .
1	P	375	12% 76% 19% 5%
1	Q	375	6% 80% 18% .
1	R	375	11% 79% 18% ..

Continued on next page...

Mol	Chain	Length	Quality of chain
1	S	375	11% 76% 20% • •
1	T	375	12% 80% 16% •

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 33546 atoms, of which 15780 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACTIN, ALPHA SKELETAL MUSCLE.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	O	375	5551	1854	2618	493	565	21	0	0
1	P	375	5551	1854	2618	493	565	21	0	0
1	Q	375	5551	1854	2618	493	565	21	0	0
1	R	375	5551	1854	2618	493	565	21	0	0
1	S	375	5551	1854	2618	493	565	21	0	0
1	T	375	5551	1854	2618	493	565	21	0	0

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms						AltConf
			Total	C	H	N	O	P	
2	O	1	39	10	12	5	10	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf
2	P	1	Total	C	H	N	O	P	0
			39	10	12	5	10	2	
2	Q	1	Total	C	H	N	O	P	0
			39	10	12	5	10	2	
2	R	1	Total	C	H	N	O	P	0
			39	10	12	5	10	2	
2	S	1	Total	C	H	N	O	P	0
			39	10	12	5	10	2	
2	T	1	Total	C	H	N	O	P	0
			39	10	12	5	10	2	


- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
3	O	1	Total	Ca	0
			1	1	
3	P	1	Total	Ca	0
			1	1	
3	Q	1	Total	Ca	0
			1	1	
3	R	1	Total	Ca	0
			1	1	
3	S	1	Total	Ca	0
			1	1	
3	T	1	Total	Ca	0
			1	1	


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE





• Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE









• Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE




• Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE





• Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE





• Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	714	Depositor
Resolution determination method	Not provided	
CTF correction method	PHASE AND AMPLITUDE	Depositor
Microscope	JEOL 3200FSC	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	34	Depositor
Minimum defocus (nm)	5000	Depositor
Maximum defocus (nm)	8000	Depositor
Magnification	40000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	16.474	Depositor
Minimum map value	-11.913	Depositor
Average map value	0.224	Depositor
Map value standard deviation	3.230	Depositor
Recommended contour level	4.61	Depositor
Map size ($\text{\AA}$)	136.5, 136.5, 197.925	wwPDB
Map dimensions	40, 40, 58	wwPDB
Map angles ($^\circ$)	90, 90, 90	wwPDB
Pixel spacing ($\text{\AA}$)	3.4125, 3.4125, 3.4125	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	O	1.01	0/2996	1.72	52/4058 (1.3%)
1	P	1.01	1/2996 (0.0%)	1.72	53/4058 (1.3%)
1	Q	0.84	0/2996	1.56	18/4058 (0.4%)
1	R	0.85	0/2996	1.57	27/4058 (0.7%)
1	S	0.84	0/2996	1.61	34/4058 (0.8%)
1	T	0.87	0/2996	1.61	36/4058 (0.9%)
All	All	0.91	1/17976 (0.0%)	1.63	220/24348 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	O	0	14
1	P	0	13
1	Q	0	13
1	R	0	12
1	S	0	16
1	T	0	12
All	All	0	80

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	P	13	GLY	CA-C	-5.52	1.44	1.51

All (220) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	O	325	MET	N-CA-C	10.30	124.55	108.79
1	P	325	MET	N-CA-C	9.64	123.54	108.79
1	S	167	GLU	CA-C-N	8.32	127.31	121.65
1	S	167	GLU	C-N-CA	8.32	127.31	121.65
1	O	291	LYS	CA-C-N	8.29	136.93	122.09
1	O	291	LYS	C-N-CA	8.29	136.93	122.09
1	P	291	LYS	CA-C-N	8.23	136.67	121.52
1	P	291	LYS	C-N-CA	8.23	136.67	121.52
1	P	356	TRP	N-CA-C	8.16	120.45	110.41
1	O	40	HIS	CA-CB-CG	8.08	121.88	113.80
1	P	203	THR	N-CA-C	7.96	122.26	112.23
1	P	337	TYR	CA-C-N	7.48	130.53	120.65
1	P	337	TYR	C-N-CA	7.48	130.53	120.65
1	P	140	LEU	CA-C-N	7.42	130.55	120.54
1	P	140	LEU	C-N-CA	7.42	130.55	120.54
1	T	310	ALA	CA-C-N	7.41	130.43	120.65
1	T	310	ALA	C-N-CA	7.41	130.43	120.65
1	O	27	PRO	N-CA-C	7.40	121.58	111.22
1	P	27	PRO	N-CA-C	7.37	121.53	111.22
1	S	49	GLN	N-CA-C	7.28	118.86	111.07
1	O	203	THR	N-CA-C	7.22	121.32	112.23
1	T	170	ALA	N-CA-C	7.21	120.95	110.42
1	O	10	CYS	N-CA-C	7.21	119.21	107.32
1	R	266	PHE	CA-CB-CG	-7.21	106.59	113.80
1	P	55	GLY	CA-C-N	7.13	130.07	120.65
1	P	55	GLY	C-N-CA	7.13	130.07	120.65
1	O	310	ALA	CA-C-N	7.13	130.70	120.79
1	O	310	ALA	C-N-CA	7.13	130.70	120.79
1	P	310	ALA	CA-C-N	7.08	130.63	120.79
1	P	310	ALA	C-N-CA	7.08	130.63	120.79
1	O	140	LEU	CA-C-N	7.03	130.00	120.38
1	O	140	LEU	C-N-CA	7.03	130.00	120.38
1	Q	310	ALA	CA-C-N	6.96	130.46	120.79
1	Q	310	ALA	C-N-CA	6.96	130.46	120.79
1	O	55	GLY	CA-C-N	6.92	129.78	120.65
1	O	55	GLY	C-N-CA	6.92	129.78	120.65
1	S	173	HIS	CA-CB-CG	-6.89	106.91	113.80
1	O	337	TYR	CA-C-N	6.74	130.16	120.79
1	O	337	TYR	C-N-CA	6.74	130.16	120.79
1	P	57	GLU	N-CA-CB	6.72	120.15	110.06
1	P	50	LYS	N-CA-C	6.64	120.71	110.42
1	P	141	SER	CA-C-N	6.63	130.01	120.79
1	P	141	SER	C-N-CA	6.63	130.01	120.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	O	326	LYS	N-CA-CB	6.62	121.41	110.42
1	O	50	LYS	N-CA-C	6.62	120.67	110.42
1	O	63	GLY	N-CA-C	6.59	122.42	113.99
1	O	141	SER	CA-C-N	6.55	129.90	120.79
1	O	141	SER	C-N-CA	6.55	129.90	120.79
1	P	122	ILE	CB-CA-C	-6.54	103.47	112.04
1	T	362	TYR	CA-C-N	6.51	130.59	120.82
1	T	362	TYR	C-N-CA	6.51	130.59	120.82
1	P	244	ASP	CA-CB-CG	-6.51	106.09	112.60
1	Q	184	ASP	CA-CB-CG	-6.47	106.13	112.60
1	Q	80	ASP	N-CA-C	-6.42	103.34	112.13
1	O	290	ARG	CA-C-N	6.41	129.16	120.38
1	O	290	ARG	C-N-CA	6.41	129.16	120.38
1	Q	12	ASN	CA-CB-CG	6.41	119.01	112.60
1	P	326	LYS	N-CA-CB	6.40	119.80	110.58
1	P	252	ASN	CA-C-N	6.40	130.84	120.60
1	P	252	ASN	C-N-CA	6.40	130.84	120.60
1	S	310	ALA	CA-C-N	6.36	129.04	120.65
1	S	310	ALA	C-N-CA	6.36	129.04	120.65
1	S	184	ASP	CA-CB-CG	-6.34	106.26	112.60
1	P	80	ASP	N-CA-C	6.31	118.97	111.33
1	T	6	THR	N-CA-CB	6.31	121.16	110.49
1	P	58	ALA	N-CA-C	6.27	117.80	110.97
1	P	290	ARG	CA-C-N	6.26	129.00	120.54
1	P	290	ARG	C-N-CA	6.26	129.00	120.54
1	T	223	PHE	CA-C-N	6.24	128.92	120.38
1	T	223	PHE	C-N-CA	6.24	128.92	120.38
1	Q	371	HIS	CA-CB-CG	6.23	120.03	113.80
1	S	82	MET	N-CA-C	6.23	118.07	111.28
1	S	54	VAL	CA-C-N	6.22	127.00	120.03
1	S	54	VAL	C-N-CA	6.22	127.00	120.03
1	O	80	ASP	N-CA-C	6.18	119.66	111.75
1	S	87	HIS	CA-C-N	6.16	128.86	120.54
1	S	87	HIS	C-N-CA	6.16	128.86	120.54
1	S	55	GLY	N-CA-C	6.16	120.34	112.83
1	O	252	ASN	CA-C-N	6.14	130.43	120.60
1	O	252	ASN	C-N-CA	6.14	130.43	120.60
1	P	130	PRO	N-CA-C	6.13	121.52	113.86
1	O	57	GLU	N-CA-CB	6.13	119.25	110.06
1	O	130	PRO	N-CA-C	6.12	121.52	113.86
1	R	184	ASP	CA-CB-CG	-6.07	106.53	112.60
1	O	141	SER	N-CA-C	6.05	118.65	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	80	ASP	CA-C-N	6.01	133.02	121.54
1	Q	80	ASP	C-N-CA	6.01	133.02	121.54
1	P	38	PRO	CA-C-N	6.00	130.73	120.71
1	P	38	PRO	C-N-CA	6.00	130.73	120.71
1	O	142	LEU	N-CA-CB	-5.97	100.75	109.82
1	R	226	GLU	CA-C-N	5.96	128.55	120.44
1	R	226	GLU	C-N-CA	5.96	128.55	120.44
1	S	304	THR	CA-C-N	5.94	128.83	120.28
1	S	304	THR	C-N-CA	5.94	128.83	120.28
1	S	174	ALA	CA-C-N	5.93	128.45	120.50
1	S	174	ALA	C-N-CA	5.93	128.45	120.50
1	T	173	HIS	CA-CB-CG	5.92	119.72	113.80
1	P	142	LEU	N-CA-CB	-5.91	100.84	109.82
1	R	362	TYR	CA-C-N	5.87	128.46	120.54
1	R	362	TYR	C-N-CA	5.87	128.46	120.54
1	O	129	VAL	N-CA-C	5.86	121.54	108.88
1	R	6	THR	N-CA-CB	5.85	120.38	110.49
1	Q	356	TRP	CA-CB-CG	5.85	124.72	113.60
1	T	230	ALA	N-CA-C	5.85	119.94	112.34
1	O	58	ALA	N-CA-C	5.84	117.51	111.03
1	Q	127	PHE	CA-CB-CG	-5.82	107.98	113.80
1	P	210	ARG	CA-C-N	5.82	128.00	120.44
1	P	210	ARG	C-N-CA	5.82	128.00	120.44
1	S	91	TYR	N-CA-C	5.81	117.31	110.97
1	R	212	ILE	CA-C-N	5.80	128.37	120.54
1	R	212	ILE	C-N-CA	5.80	128.37	120.54
1	O	338	SER	CA-C-N	5.76	128.03	120.60
1	O	338	SER	C-N-CA	5.76	128.03	120.60
1	P	129	VAL	N-CA-C	5.76	121.32	108.88
1	T	56	ASP	CA-C-N	5.73	127.89	120.44
1	T	56	ASP	C-N-CA	5.73	127.89	120.44
1	Q	6	THR	N-CA-CB	5.73	120.17	110.49
1	S	362	TYR	CA-C-N	5.72	128.75	120.79
1	S	362	TYR	C-N-CA	5.72	128.75	120.79
1	O	264	PRO	N-CA-C	5.72	121.50	114.35
1	O	210	ARG	CA-C-N	5.70	127.92	120.28
1	O	210	ARG	C-N-CA	5.70	127.92	120.28
1	S	179	ASP	CA-CB-CG	-5.69	106.91	112.60
1	R	109	PRO	N-CA-C	5.69	120.16	110.95
1	Q	212	ILE	CA-C-N	5.68	128.20	120.54
1	Q	212	ILE	C-N-CA	5.68	128.20	120.54
1	T	349	LEU	CA-C-N	5.66	128.65	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	T	349	LEU	C-N-CA	5.66	128.65	120.38
1	T	87	HIS	CA-C-N	5.65	128.17	120.54
1	T	87	HIS	C-N-CA	5.65	128.17	120.54
1	T	222	ASP	N-CA-C	-5.65	100.71	109.24
1	O	161	HIS	N-CA-C	5.64	117.59	108.34
1	P	338	SER	CA-C-N	5.64	127.87	120.60
1	P	338	SER	C-N-CA	5.64	127.87	120.60
1	S	163	VAL	N-CA-C	5.63	113.12	107.55
1	T	127	PHE	CA-CB-CG	-5.62	108.18	113.80
1	P	141	SER	N-CA-C	5.61	117.84	111.11
1	R	237	GLU	N-CA-C	5.60	118.47	110.24
1	O	263	GLN	N-CA-C	5.58	120.71	108.66
1	Q	223	PHE	CA-C-N	5.56	128.00	120.38
1	Q	223	PHE	C-N-CA	5.56	128.00	120.38
1	R	259	GLU	CA-C-N	5.55	128.49	120.38
1	R	259	GLU	C-N-CA	5.55	128.49	120.38
1	P	265	SER	CA-C-N	5.54	127.65	120.44
1	P	265	SER	C-N-CA	5.54	127.65	120.44
1	S	305	MET	N-CA-C	5.54	118.08	111.71
1	T	201	VAL	N-CA-C	5.52	115.76	110.74
1	S	319	ALA	N-CA-C	5.50	117.74	111.02
1	O	200	PHE	CA-CB-CG	-5.49	108.31	113.80
1	T	158	GLY	N-CA-C	5.48	119.12	112.49
1	R	78	ASN	N-CA-CB	5.48	119.75	110.49
1	O	291	LYS	N-CA-C	5.46	117.94	111.33
1	P	263	GLN	N-CA-C	5.46	120.44	108.66
1	R	264	PRO	CA-C-N	5.45	127.84	120.38
1	R	264	PRO	C-N-CA	5.45	127.84	120.38
1	O	275	HIS	CA-CB-CG	5.44	119.24	113.80
1	S	325	MET	N-CA-C	5.44	117.91	110.24
1	P	4	GLU	CA-C-N	5.42	127.81	120.44
1	P	4	GLU	C-N-CA	5.42	127.81	120.44
1	R	312	ARG	N-CA-C	5.42	117.18	111.28
1	P	275	HIS	CA-CB-CG	5.41	119.21	113.80
1	S	127	PHE	CA-CB-CG	-5.40	108.40	113.80
1	R	77	THR	CA-C-N	5.39	131.84	121.54
1	R	77	THR	C-N-CA	5.39	131.84	121.54
1	P	64	ILE	N-CA-C	-5.36	106.62	113.22
1	R	271	SER	CA-C-N	5.36	131.78	121.54
1	R	271	SER	C-N-CA	5.36	131.78	121.54
1	P	138	ALA	N-CA-C	5.35	117.86	111.71
1	T	136	ILE	CA-C-N	5.35	128.23	120.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	T	136	ILE	C-N-CA	5.35	128.23	120.79
1	R	137	GLN	CA-C-N	5.33	127.68	120.38
1	R	137	GLN	C-N-CA	5.33	127.68	120.38
1	O	122	ILE	CB-CA-C	-5.31	105.08	112.04
1	T	31	PHE	O-C-N	-5.29	117.79	121.65
1	T	63	GLY	CA-C-N	5.28	129.41	120.64
1	T	63	GLY	C-N-CA	5.28	129.41	120.64
1	P	167	GLU	CA-C-N	5.28	126.12	121.58
1	P	167	GLU	C-N-CA	5.28	126.12	121.58
1	O	4	GLU	CA-C-N	5.28	127.62	120.44
1	O	4	GLU	C-N-CA	5.28	127.62	120.44
1	O	262	PHE	N-CA-C	-5.27	106.98	113.41
1	R	323	SER	N-CA-C	5.27	117.77	111.71
1	S	266	PHE	CA-CB-CG	-5.26	108.54	113.80
1	T	161	HIS	CA-CB-CG	5.25	119.05	113.80
1	T	78	ASN	N-CA-C	5.24	114.94	108.19
1	S	48	GLY	CA-C-N	5.23	127.23	120.44
1	S	48	GLY	C-N-CA	5.23	127.23	120.44
1	T	33	SER	CA-C-N	5.23	127.70	120.49
1	T	33	SER	C-N-CA	5.23	127.70	120.49
1	P	262	PHE	N-CA-C	-5.22	107.03	113.41
1	T	48	GLY	CA-C-N	5.21	131.49	121.54
1	T	48	GLY	C-N-CA	5.21	131.49	121.54
1	R	371	HIS	CA-CB-CG	5.21	119.01	113.80
1	O	279	TYR	CB-CA-C	-5.20	102.15	110.79
1	S	34	ILE	N-CA-C	5.20	114.75	107.37
1	O	167	GLU	CA-C-N	5.19	126.18	121.82
1	O	167	GLU	C-N-CA	5.19	126.18	121.82
1	P	368	SER	CA-C-N	5.18	128.85	120.55
1	P	368	SER	C-N-CA	5.18	128.85	120.55
1	R	127	PHE	CA-CB-CG	-5.18	108.62	113.80
1	O	128	ASN	N-CA-C	5.16	121.80	110.80
1	P	128	ASN	N-CA-C	5.15	121.78	110.80
1	P	279	TYR	CB-CA-C	-5.14	102.25	110.79
1	Q	56	ASP	CA-CB-CG	5.14	117.74	112.60
1	O	193	LEU	CA-C-N	5.14	127.88	120.38
1	O	193	LEU	C-N-CA	5.14	127.88	120.38
1	T	252	ASN	CA-C-N	5.13	131.33	121.54
1	T	252	ASN	C-N-CA	5.13	131.33	121.54
1	T	262	PHE	CA-CB-CG	-5.13	108.67	113.80
1	P	291	LYS	N-CA-C	5.12	117.25	111.11
1	Q	362	TYR	CA-C-N	5.08	127.04	120.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	362	TYR	C-N-CA	5.08	127.04	120.44
1	S	163	VAL	O-C-N	-5.07	118.17	121.37
1	S	237	GLU	N-CA-C	5.07	117.66	110.10
1	T	4	GLU	CA-C-N	5.06	127.02	120.44
1	T	4	GLU	C-N-CA	5.06	127.02	120.44
1	R	1	ASP	CA-CB-CG	-5.03	107.57	112.60
1	O	10	CYS	O-C-N	-5.01	117.47	123.28
1	S	264	PRO	CA-C-N	5.00	128.32	120.82
1	S	264	PRO	C-N-CA	5.00	128.32	120.82

There are no chirality outliers.

All (80) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	O	108	ALA	Peptide
1	O	116	ARG	Sidechain
1	O	177	ARG	Sidechain
1	O	179	ASP	Peptide
1	O	183	ARG	Sidechain
1	O	206	ARG	Sidechain
1	O	256	ARG	Sidechain
1	O	28	ARG	Sidechain
1	O	306	TYR	Sidechain
1	O	335	ARG	Sidechain
1	O	37	ARG	Sidechain
1	O	372	ARG	Sidechain
1	O	65	LEU	Peptide
1	O	95	ARG	Sidechain
1	P	108	ALA	Peptide
1	P	116	ARG	Sidechain
1	P	177	ARG	Sidechain
1	P	179	ASP	Peptide
1	P	183	ARG	Sidechain
1	P	206	ARG	Sidechain
1	P	255	PHE	Sidechain
1	P	256	ARG	Sidechain
1	P	28	ARG	Sidechain
1	P	306	TYR	Sidechain
1	P	335	ARG	Sidechain
1	P	372	ARG	Sidechain
1	P	65	LEU	Peptide
1	Q	108	ALA	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	Q	116	ARG	Sidechain
1	Q	177	ARG	Sidechain
1	Q	188	TYR	Sidechain
1	Q	196	ARG	Sidechain
1	Q	198	TYR	Sidechain
1	Q	239	SER	Peptide
1	Q	254	ARG	Sidechain
1	Q	306	TYR	Peptide
1	Q	312	ARG	Sidechain
1	Q	335	ARG	Sidechain
1	Q	39	ARG	Sidechain
1	Q	95	ARG	Sidechain
1	R	108	ALA	Peptide
1	R	116	ARG	Sidechain
1	R	147	ARG	Sidechain
1	R	196	ARG	Sidechain
1	R	206	ARG	Sidechain
1	R	266	PHE	Sidechain
1	R	306	TYR	Peptide
1	R	312	ARG	Sidechain
1	R	335	ARG	Sidechain
1	R	45	VAL	Peptide
1	R	65	LEU	Peptide
1	R	95	ARG	Sidechain
1	S	108	ALA	Peptide
1	S	116	ARG	Sidechain
1	S	133	TYR	Sidechain
1	S	147	ARG	Sidechain
1	S	173	HIS	Sidechain
1	S	177	ARG	Sidechain
1	S	193	LEU	Peptide
1	S	196	ARG	Sidechain
1	S	210	ARG	Sidechain
1	S	306	TYR	Peptide
1	S	335	ARG	Sidechain
1	S	372	ARG	Sidechain
1	S	39	ARG	Sidechain
1	S	53	TYR	Sidechain
1	S	7	ALA	Peptide
1	S	95	ARG	Sidechain
1	T	108	ALA	Peptide
1	T	147	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	T	177	ARG	Sidechain
1	T	196	ARG	Sidechain
1	T	254	ARG	Sidechain
1	T	28	ARG	Sidechain
1	T	312	ARG	Sidechain
1	T	335	ARG	Sidechain
1	T	39	ARG	Sidechain
1	T	53	TYR	Sidechain
1	T	69	TYR	Peptide
1	T	95	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	O	2933	2618	2894	11	0
1	P	2933	2618	2894	9	0
1	Q	2933	2618	2894	8	0
1	R	2933	2618	2894	4	0
1	S	2933	2618	2894	13	0
1	T	2933	2618	2894	7	0
2	O	27	12	12	0	0
2	P	27	12	12	0	0
2	Q	27	12	12	0	0
2	R	27	12	12	0	0
2	S	27	12	12	0	0
2	T	27	12	12	0	0
3	O	1	0	0	0	0
3	P	1	0	0	0	0
3	Q	1	0	0	0	0
3	R	1	0	0	0	0
3	S	1	0	0	0	0
3	T	1	0	0	0	0
All	All	17766	15780	17436	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:253:GLU:H	1:Q:253:GLU:CD	2.02	0.68
1:R:253:GLU:H	1:R:253:GLU:CD	2.08	0.61
1:T:253:GLU:H	1:T:253:GLU:CD	2.09	0.61
1:S:208:ILE:HD12	1:S:242:LEU:HD22	1.83	0.61
1:T:54:VAL:HG22	1:T:55:GLY:H	1.70	0.57
1:P:262:PHE:HA	1:P:273:GLY:HA3	1.88	0.56
1:O:262:PHE:HA	1:O:273:GLY:HA3	1.86	0.56
1:R:364:GLU:H	1:R:364:GLU:CD	2.15	0.54
1:P:150:GLY:HA2	1:P:293:LEU:HA	1.90	0.54
1:O:150:GLY:HA2	1:O:293:LEU:HA	1.90	0.54
1:Q:364:GLU:H	1:Q:364:GLU:CD	2.15	0.53
1:S:286:ASP:CG	1:S:287:ILE:H	2.17	0.53
1:S:364:GLU:H	1:S:364:GLU:CD	2.17	0.53
1:P:4:GLU:CD	1:P:5:THR:H	2.18	0.52
1:O:270:GLU:H	1:O:270:GLU:CD	2.17	0.52
1:Q:54:VAL:HG22	1:Q:55:GLY:H	1.75	0.51
1:O:4:GLU:CD	1:O:5:THR:H	2.18	0.51
1:S:54:VAL:HG22	1:S:55:GLY:H	1.76	0.51
1:S:253:GLU:H	1:S:253:GLU:CD	2.19	0.50
1:O:186:THR:HG23	1:O:210:ARG:HA	1.92	0.50
1:S:195:GLU:CD	1:T:113:LYS:HZ3	2.19	0.50
1:S:136:ILE:H	1:S:136:ILE:HD12	1.77	0.50
1:O:153:LEU:HD11	1:O:274:ILE:HB	1.93	0.49
1:T:364:GLU:CD	1:T:364:GLU:H	2.20	0.48
1:O:253:GLU:H	1:O:253:GLU:CD	2.21	0.48
1:P:253:GLU:H	1:P:253:GLU:CD	2.22	0.48
1:Q:4:GLU:CD	1:Q:5:THR:H	2.22	0.47
1:Q:287:ILE:HA	1:Q:290:ARG:HH12	1.79	0.47
1:S:210:ARG:HH21	1:S:214:GLU:CD	2.24	0.46
1:Q:136:ILE:HD12	1:Q:136:ILE:H	1.80	0.46
1:S:62:ARG:HH22	1:S:211:ASP:CG	2.24	0.45
1:S:87:HIS:CE1	1:S:91:TYR:CE1	3.06	0.44
1:P:107:GLU:CD	1:P:116:ARG:HH12	2.25	0.44
1:Q:40:HIS:CE1	1:S:170:ALA:HA	2.52	0.44
1:S:270:GLU:H	1:S:270:GLU:CD	2.24	0.44
1:O:282:ILE:HD13	1:O:294:TYR:CE2	2.53	0.44
1:P:186:THR:HG23	1:P:210:ARG:HA	1.99	0.44
1:P:136:ILE:HD12	1:P:136:ILE:H	1.84	0.43
1:P:282:ILE:HD13	1:P:294:TYR:CE2	2.54	0.42
1:S:113:LYS:HZ2	1:S:113:LYS:HB3	1.84	0.42
1:Q:165:ILE:HD12	1:Q:169:TYR:CE1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:4:GLU:CD	1:R:5:THR:H	2.29	0.41
1:O:64:ILE:HD12	1:O:64:ILE:H	1.85	0.41
1:R:109:PRO:HB2	1:R:161:HIS:CG	2.56	0.41
1:T:84:LYS:HA	1:T:87:HIS:CD2	2.55	0.41
1:O:259:GLU:CD	1:O:312:ARG:HH12	2.29	0.41
1:P:248:ILE:H	1:P:248:ILE:HD12	1.85	0.41
1:T:62:ARG:HH22	1:T:211:ASP:CG	2.28	0.41
1:T:87:HIS:CD2	1:T:127:PHE:CZ	3.09	0.41
1:O:136:ILE:HD12	1:O:136:ILE:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	O	373/375 (100%)	301 (81%)	57 (15%)	15 (4%)	2	18
1	P	373/375 (100%)	306 (82%)	50 (13%)	17 (5%)	2	17
1	Q	373/375 (100%)	299 (80%)	55 (15%)	19 (5%)	1	15
1	R	373/375 (100%)	298 (80%)	53 (14%)	22 (6%)	1	13
1	S	373/375 (100%)	301 (81%)	54 (14%)	18 (5%)	2	16
1	T	373/375 (100%)	301 (81%)	57 (15%)	15 (4%)	2	18
All	All	2238/2250 (100%)	1806 (81%)	326 (15%)	106 (5%)	3	16

All (106) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	O	70	PRO
1	O	180	LEU
1	P	70	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	P	180	LEU
1	Q	6	THR
1	Q	49	GLN
1	Q	81	ASP
1	Q	324	THR
1	R	6	THR
1	R	78	ASN
1	R	137	GLN
1	R	173	HIS
1	S	2	GLU
1	S	81	ASP
1	S	95	ARG
1	S	236	LEU
1	T	49	GLN
1	O	129	VAL
1	O	246	GLN
1	O	290	ARG
1	O	309	ILE
1	P	43	VAL
1	P	129	VAL
1	P	236	LEU
1	P	290	ARG
1	P	309	ILE
1	Q	95	ARG
1	Q	146	GLY
1	Q	244	ASP
1	Q	267	ILE
1	R	2	GLU
1	R	55	GLY
1	R	236	LEU
1	R	272	ALA
1	R	324	THR
1	S	194	THR
1	S	289	ILE
1	T	6	THR
1	O	43	VAL
1	O	236	LEU
1	O	244	ASP
1	P	110	LEU
1	Q	2	GLU
1	Q	251	GLY
1	R	95	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	253	GLU
1	R	315	LYS
1	R	374	CYS
1	S	25	ASP
1	S	203	THR
1	S	324	THR
1	T	2	GLU
1	T	110	LEU
1	O	25	ASP
1	O	89	THR
1	O	110	LEU
1	P	25	ASP
1	P	51	ASP
1	Q	25	ASP
1	Q	110	LEU
1	Q	309	ILE
1	Q	362	TYR
1	Q	374	CYS
1	R	25	ASP
1	R	362	TYR
1	S	5	THR
1	S	128	ASN
1	S	309	ILE
1	S	362	TYR
1	T	25	ASP
1	T	62	ARG
1	T	253	GLU
1	T	315	LYS
1	O	7	ALA
1	P	7	ALA
1	P	244	ASP
1	Q	245	GLY
1	Q	257	CYS
1	R	181	ALA
1	R	197	GLY
1	R	251	GLY
1	R	309	ILE
1	T	257	CYS
1	T	309	ILE
1	T	374	CYS
1	P	89	THR
1	P	137	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	S	73	HIS
1	S	230	ALA
1	S	322	PRO
1	S	374	CYS
1	T	54	VAL
1	T	362	TYR
1	P	42	GLY
1	Q	197	GLY
1	Q	289	ILE
1	S	54	VAL
1	O	55	GLY
1	P	55	GLY
1	R	289	ILE
1	O	71	ILE
1	P	38	PRO
1	R	158	GLY
1	T	251	GLY
1	T	175	ILE
1	R	54	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	O	318/318 (100%)	287 (90%)	31 (10%)	8	24
1	P	318/318 (100%)	290 (91%)	28 (9%)	9	28
1	Q	318/318 (100%)	294 (92%)	24 (8%)	12	33
1	R	318/318 (100%)	284 (89%)	34 (11%)	6	21
1	S	318/318 (100%)	288 (91%)	30 (9%)	8	26
1	T	318/318 (100%)	290 (91%)	28 (9%)	9	28
All	All	1908/1908 (100%)	1733 (91%)	175 (9%)	11	27

All (175) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	6	THR
1	O	39	ARG
1	O	49	GLN
1	O	64	ILE
1	O	66	THR
1	O	88	HIS
1	O	107	GLU
1	O	130	PRO
1	O	147	ARG
1	O	157	ASP
1	O	162	ASN
1	O	177	ARG
1	O	183	ARG
1	O	191	LYS
1	O	194	THR
1	O	202	THR
1	O	207	GLU
1	O	211	ASP
1	O	238	LYS
1	O	241	GLU
1	O	256	ARG
1	O	257	CYS
1	O	270	GLU
1	O	275	HIS
1	O	286	ASP
1	O	292	ASP
1	O	299	MET
1	O	315	LYS
1	O	316	GLU
1	O	325	MET
1	O	334	GLU
1	P	6	THR
1	P	38	PRO
1	P	41	GLN
1	P	49	GLN
1	P	64	ILE
1	P	80	ASP
1	P	88	HIS
1	P	107	GLU
1	P	130	PRO
1	P	147	ARG
1	P	159	VAL
1	P	160	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	P	162	ASN
1	P	177	ARG
1	P	183	ARG
1	P	202	THR
1	P	207	GLU
1	P	238	LYS
1	P	241	GLU
1	P	275	HIS
1	P	286	ASP
1	P	292	ASP
1	P	305	MET
1	P	315	LYS
1	P	316	GLU
1	P	325	MET
1	P	334	GLU
1	P	372	ARG
1	Q	37	ARG
1	Q	49	GLN
1	Q	113	LYS
1	Q	147	ARG
1	Q	183	ARG
1	Q	195	GLU
1	Q	196	ARG
1	Q	202	THR
1	Q	207	GLU
1	Q	211	ASP
1	Q	218	TYR
1	Q	238	LYS
1	Q	246	GLN
1	Q	270	GLU
1	Q	284	LYS
1	Q	291	LYS
1	Q	315	LYS
1	Q	325	MET
1	Q	326	LYS
1	Q	328	LYS
1	Q	340	TRP
1	Q	364	GLU
1	Q	367	PRO
1	Q	372	ARG
1	R	12	ASN
1	R	14	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	39	ARG
1	R	49	GLN
1	R	59	GLN
1	R	107	GLU
1	R	109	PRO
1	R	113	LYS
1	R	123	MET
1	R	137	GLN
1	R	147	ARG
1	R	169	TYR
1	R	183	ARG
1	R	195	GLU
1	R	196	ARG
1	R	205	GLU
1	R	207	GLU
1	R	211	ASP
1	R	218	TYR
1	R	219	VAL
1	R	238	LYS
1	R	241	GLU
1	R	246	GLN
1	R	270	GLU
1	R	291	LYS
1	R	297	ASN
1	R	326	LYS
1	R	328	LYS
1	R	336	LYS
1	R	356	TRP
1	R	363	ASP
1	R	364	GLU
1	R	367	PRO
1	R	372	ARG
1	S	4	GLU
1	S	68	LYS
1	S	111	ASN
1	S	113	LYS
1	S	147	ARG
1	S	151	ILE
1	S	157	ASP
1	S	162	ASN
1	S	173	HIS
1	S	183	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	S	192	ILE
1	S	196	ARG
1	S	218	TYR
1	S	219	VAL
1	S	238	LYS
1	S	246	GLN
1	S	253	GLU
1	S	270	GLU
1	S	291	LYS
1	S	315	LYS
1	S	326	LYS
1	S	328	LYS
1	S	336	LYS
1	S	351	THR
1	S	352	PHE
1	S	356	TRP
1	S	363	ASP
1	S	364	GLU
1	S	367	PRO
1	S	372	ARG
1	T	49	GLN
1	T	59	GLN
1	T	78	ASN
1	T	81	ASP
1	T	101	HIS
1	T	136	ILE
1	T	147	ARG
1	T	162	ASN
1	T	165	ILE
1	T	171	LEU
1	T	183	ARG
1	T	194	THR
1	T	196	ARG
1	T	207	GLU
1	T	218	TYR
1	T	238	LYS
1	T	246	GLN
1	T	270	GLU
1	T	286	ASP
1	T	289	ILE
1	T	297	ASN
1	T	315	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	T	328	LYS
1	T	336	LYS
1	T	356	TRP
1	T	363	ASP
1	T	364	GLU
1	T	372	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	O	87	HIS
1	O	88	HIS
1	O	246	GLN
1	O	297	ASN
1	P	41	GLN
1	P	87	HIS
1	P	88	HIS
1	P	121	GLN
1	P	173	HIS
1	Q	40	HIS
1	Q	92	ASN
1	Q	252	ASN
1	R	73	HIS
1	R	87	HIS
1	R	92	ASN
1	R	297	ASN
1	S	92	ASN
1	S	354	GLN
1	T	87	HIS
1	T	92	ASN
1	T	252	ASN
1	T	297	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	O	400	3	28,29,29	1.53	1 (3%)	43,45,45	1.19	3 (6%)
2	ADP	S	400	3	28,29,29	1.75	1 (3%)	43,45,45	0.83	2 (4%)
2	ADP	P	400	3	28,29,29	1.57	1 (3%)	43,45,45	1.18	3 (6%)
2	ADP	T	400	3	28,29,29	1.60	1 (3%)	43,45,45	0.72	2 (4%)
2	ADP	Q	400	3	28,29,29	1.69	1 (3%)	43,45,45	0.90	2 (4%)
2	ADP	R	400	3	28,29,29	1.40	1 (3%)	43,45,45	1.12	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	O	400	3	-	4/16/32/32	0/3/3/3
2	ADP	S	400	3	-	0/16/32/32	0/3/3/3
2	ADP	P	400	3	-	4/16/32/32	0/3/3/3
2	ADP	T	400	3	-	0/16/32/32	0/3/3/3
2	ADP	Q	400	3	-	6/16/32/32	0/3/3/3
2	ADP	R	400	3	-	5/16/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	S	400	ADP	PA-O3A	-8.78	1.50	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Q	400	ADP	PA-O3A	-8.39	1.50	1.59
2	T	400	ADP	PA-O3A	-7.97	1.50	1.59
2	P	400	ADP	PA-O3A	-7.63	1.51	1.59
2	O	400	ADP	PA-O3A	-7.41	1.51	1.59
2	R	400	ADP	PA-O3A	-6.70	1.52	1.59

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	O	400	ADP	O2A-PA-O3A	4.54	119.56	107.27
2	P	400	ADP	O2A-PA-O3A	4.42	119.23	107.27
2	R	400	ADP	O2A-PA-O3A	4.41	119.19	107.27
2	O	400	ADP	O3B-PB-O1B	-3.95	95.43	110.83
2	P	400	ADP	O3B-PB-O1B	-3.92	95.57	110.83
2	R	400	ADP	O3B-PB-O1B	-3.80	96.04	110.83
2	S	400	ADP	O3B-PB-O1B	-2.92	99.47	110.83
2	Q	400	ADP	O3B-PB-O1B	-2.71	100.30	110.83
2	S	400	ADP	O3B-PB-O2B	2.62	117.61	107.80
2	T	400	ADP	O3B-PB-O1B	-2.48	101.17	110.83
2	T	400	ADP	O3B-PB-O2B	2.38	116.74	107.80
2	Q	400	ADP	O3B-PB-O2B	2.20	116.07	107.80
2	O	400	ADP	O5'-PA-O1A	-2.13	100.50	108.94
2	P	400	ADP	O5'-PA-O1A	-2.12	100.54	108.94

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	O	400	ADP	C5'-O5'-PA-O3A
2	P	400	ADP	C5'-O5'-PA-O3A
2	Q	400	ADP	C5'-O5'-PA-O1A
2	Q	400	ADP	C5'-O5'-PA-O2A
2	Q	400	ADP	C5'-O5'-PA-O3A
2	O	400	ADP	C3'-C4'-C5'-O5'
2	Q	400	ADP	C3'-C4'-C5'-O5'
2	R	400	ADP	O4'-C4'-C5'-O5'
2	P	400	ADP	C3'-C4'-C5'-O5'
2	R	400	ADP	C3'-C4'-C5'-O5'
2	Q	400	ADP	O4'-C4'-C5'-O5'
2	R	400	ADP	C2'-C1'-N9-C8
2	O	400	ADP	C5'-O5'-PA-O1A
2	P	400	ADP	C5'-O5'-PA-O1A

Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	P	400	ADP	O4'-C4'-C5'-O5'
2	R	400	ADP	C2'-C1'-N9-C4
2	O	400	ADP	O4'-C4'-C5'-O5'
2	Q	400	ADP	C2'-C1'-N9-C8
2	R	400	ADP	O4'-C1'-N9-C8



There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1872. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 20



Y Index: 20




Z Index: 29

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 15



Y Index: 20




Z Index: 15


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.61. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 335 nm³; this corresponds to an approximate mass of 303 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-1872 and PDB model 2Y83. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.61 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4.61).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4.61) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8100	0.0520
O	0.4750	0.0280
P	0.8600	0.0540
Q	0.9130	0.0510
R	0.8760	0.0550
S	0.8780	0.0570
T	0.8620	0.0650

1.0

0.0

<0.0