



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:02 AM UTC

PDB ID : 6Y88 / pdb_00006y88
Title : IGPS (Indole-3-glycerol phosphate synthase) from *Pseudomonas aeruginosa* in complex with substrate inhibitor rCdRP
Authors : Soderholm, A.; Selmer, M.
Deposited on : 2020-03-03
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	% 84%8%8%
1	B	287	86%7%8%
1	C	287	% 84%8%8%
1	D	287	2% 86%6%8%
1	E	287	% 85%7%8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	287	 2% 86% 6% 8%
1	H	287	 2% 85% 7% 8%
2	G	277	 8% 84% 7% 9%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 34437 atoms, of which 16871 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indole-3-glycerol phosphate synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	264	Total	C	H	N	O	S	0	1	0
			4139	1292	2101	355	384	7			
1	B	265	Total	C	H	N	O	S	0	1	0
			4150	1295	2106	356	386	7			
1	C	264	Total	C	H	N	O	S	0	4	0
			4170	1299	2121	357	386	7			
1	D	265	Total	C	H	N	O	S	0	0	0
			4150	1294	2103	359	387	7			
1	E	265	Total	C	H	N	O	S	0	2	0
			4171	1300	2119	359	386	7			
1	F	265	Total	C	H	N	O	S	0	3	0
			4170	1301	2117	356	389	7			
1	H	264	Total	C	H	N	O	S	0	0	0
			4120	1286	2089	354	384	7			

There are 63 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	279	THR	-	expression tag	UNP A0A367MAM9
A	280	SER	-	expression tag	UNP A0A367MAM9
A	281	GLY	-	expression tag	UNP A0A367MAM9
A	282	HIS	-	expression tag	UNP A0A367MAM9
A	283	HIS	-	expression tag	UNP A0A367MAM9
A	284	HIS	-	expression tag	UNP A0A367MAM9
A	285	HIS	-	expression tag	UNP A0A367MAM9
A	286	HIS	-	expression tag	UNP A0A367MAM9
A	287	HIS	-	expression tag	UNP A0A367MAM9
B	279	THR	-	expression tag	UNP A0A367MAM9
B	280	SER	-	expression tag	UNP A0A367MAM9
B	281	GLY	-	expression tag	UNP A0A367MAM9
B	282	HIS	-	expression tag	UNP A0A367MAM9
B	283	HIS	-	expression tag	UNP A0A367MAM9
B	284	HIS	-	expression tag	UNP A0A367MAM9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	285	HIS	-	expression tag	UNP A0A367MAM9
B	286	HIS	-	expression tag	UNP A0A367MAM9
B	287	HIS	-	expression tag	UNP A0A367MAM9
C	279	THR	-	expression tag	UNP A0A367MAM9
C	280	SER	-	expression tag	UNP A0A367MAM9
C	281	GLY	-	expression tag	UNP A0A367MAM9
C	282	HIS	-	expression tag	UNP A0A367MAM9
C	283	HIS	-	expression tag	UNP A0A367MAM9
C	284	HIS	-	expression tag	UNP A0A367MAM9
C	285	HIS	-	expression tag	UNP A0A367MAM9
C	286	HIS	-	expression tag	UNP A0A367MAM9
C	287	HIS	-	expression tag	UNP A0A367MAM9
D	279	THR	-	expression tag	UNP A0A367MAM9
D	280	SER	-	expression tag	UNP A0A367MAM9
D	281	GLY	-	expression tag	UNP A0A367MAM9
D	282	HIS	-	expression tag	UNP A0A367MAM9
D	283	HIS	-	expression tag	UNP A0A367MAM9
D	284	HIS	-	expression tag	UNP A0A367MAM9
D	285	HIS	-	expression tag	UNP A0A367MAM9
D	286	HIS	-	expression tag	UNP A0A367MAM9
D	287	HIS	-	expression tag	UNP A0A367MAM9
E	279	THR	-	expression tag	UNP A0A367MAM9
E	280	SER	-	expression tag	UNP A0A367MAM9
E	281	GLY	-	expression tag	UNP A0A367MAM9
E	282	HIS	-	expression tag	UNP A0A367MAM9
E	283	HIS	-	expression tag	UNP A0A367MAM9
E	284	HIS	-	expression tag	UNP A0A367MAM9
E	285	HIS	-	expression tag	UNP A0A367MAM9
E	286	HIS	-	expression tag	UNP A0A367MAM9
E	287	HIS	-	expression tag	UNP A0A367MAM9
F	279	THR	-	expression tag	UNP A0A367MAM9
F	280	SER	-	expression tag	UNP A0A367MAM9
F	281	GLY	-	expression tag	UNP A0A367MAM9
F	282	HIS	-	expression tag	UNP A0A367MAM9
F	283	HIS	-	expression tag	UNP A0A367MAM9
F	284	HIS	-	expression tag	UNP A0A367MAM9
F	285	HIS	-	expression tag	UNP A0A367MAM9
F	286	HIS	-	expression tag	UNP A0A367MAM9
F	287	HIS	-	expression tag	UNP A0A367MAM9
H	279	THR	-	expression tag	UNP A0A367MAM9
H	280	SER	-	expression tag	UNP A0A367MAM9
H	281	GLY	-	expression tag	UNP A0A367MAM9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	282	HIS	-	expression tag	UNP A0A367MAM9
H	283	HIS	-	expression tag	UNP A0A367MAM9
H	284	HIS	-	expression tag	UNP A0A367MAM9
H	285	HIS	-	expression tag	UNP A0A367MAM9
H	286	HIS	-	expression tag	UNP A0A367MAM9
H	287	HIS	-	expression tag	UNP A0A367MAM9


- Molecule 2 is a protein called Indole-3-glycerol phosphate synthase, Indole-3-glycerol phosphate synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	G	253	Total	C	H	N	O	S	0	1	0
			3830	1200	1928	329	366	7			

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
G	279	THR	-	expression tag	UNP A0A367MAM9
G	280	SER	-	expression tag	UNP A0A367MAM9
G	281	GLY	-	expression tag	UNP A0A367MAM9
G	282	HIS	-	expression tag	UNP A0A367MAM9
G	283	HIS	-	expression tag	UNP A0A367MAM9
G	284	HIS	-	expression tag	UNP A0A367MAM9
G	285	HIS	-	expression tag	UNP A0A367MAM9
G	286	HIS	-	expression tag	UNP A0A367MAM9
G	287	HIS	-	expression tag	UNP A0A367MAM9

- Molecule 3 is 1-(O-CARBOXY-PHENYLAMINO)-1-DEOXY-D-RIBULOSE-5-PHOSPHATE (CCD ID: 137) (formula: C₁₂H₁₈NO₉P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		
3	B	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		
3	C	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		
3	D	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		
3	E	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		
3	F	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		
3	H	1	Total	C	H	N	O	P	0	0
			41	12	18	1	9	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			14	3	8	3		
4	B	1	Total	C	H	O	0	0
			14	3	8	3		
4	B	1	Total	C	H	O	0	0
			14	3	8	3		
4	C	1	Total	C	H	O	0	0
			14	3	8	3		
4	C	1	Total	C	H	O	0	0
			14	3	8	3		
4	E	1	Total	C	H	O	0	0
			14	3	8	3		
4	H	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 5 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	E	1	Total	C	H	O	0	0
			18	6	5	7		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	G	1	Total	O	P	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	209	Total 209	O 209	0	0
7	B	179	Total 179	O 179	0	0
7	C	160	Total 160	O 160	0	0
7	D	100	Total 100	O 100	0	0
7	E	205	Total 205	O 205	0	0
7	F	110	Total 110	O 110	0	0
7	G	76	Total 76	O 76	0	0
7	H	90	Total 90	O 90	0	0


- Molecule 1: Indole-3-glycerol phosphate synthase




- Molecule 1: Indole-3-glycerol phosphate synthase



- Molecule 1: Indole-3-glycerol phosphate synthase



- Molecule 2: Indole-3-glycerol phosphate synthase, Indole-3-glycerol phosphate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	164.71Å 150.68Å 114.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.04 – 2.10 48.04 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.04-2.10) 100.0 (48.04-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.173 , 0.218 0.174 , 0.219	Depositor DCC
R_{free} test set	8298 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.208	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	34437	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 137, CIT, PO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/2068	0.68	0/2802
1	B	0.57	0/2074	0.66	0/2810
1	C	0.57	0/2088	0.66	0/2828
1	D	0.47	0/2074	0.61	0/2807
1	E	0.56	0/2085	0.65	0/2824
1	F	0.45	0/2089	0.59	0/2830
1	H	0.44	0/2058	0.60	0/2788
2	G	0.51	0/1858	0.63	0/2517
All	All	0.52	0/16394	0.64	0/22206

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2038	2101	2101	18	0
1	B	2044	2106	2106	11	2
1	C	2049	2121	2121	21	0
1	D	2047	2103	2103	13	0
1	E	2052	2119	2119	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2053	2117	2117	14	0
1	H	2031	2089	2089	13	0
2	G	1902	1928	1889	14	2
3	A	23	18	15	1	0
3	B	23	18	15	1	0
3	C	23	18	15	0	0
3	D	23	18	15	0	0
3	E	23	18	15	0	0
3	F	23	18	15	0	0
3	H	23	18	15	0	0
4	A	6	8	8	1	0
4	B	12	16	16	1	0
4	C	12	16	16	0	0
4	E	6	8	8	2	0
4	H	6	8	8	1	0
5	E	13	5	5	0	0
6	G	5	0	0	0	0
7	A	209	0	0	4	0
7	B	179	0	0	1	0
7	C	160	0	0	7	0
7	D	100	0	0	1	0
7	E	205	0	0	3	0
7	F	110	0	0	3	0
7	G	76	0	0	2	0
7	H	90	0	0	1	0
All	All	17566	16871	16811	117	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:LYS:NZ	3:B:301:137:O2'	2.12	0.80
1:E:53:ARG:NH1	1:E:55:GLU:OE1	2.21	0.73
1:C:53:ARG:NH1	7:C:401:HOH:O	2.22	0.71
2:G:151:ASP:OD2	7:G:401:HOH:O	2.12	0.67
1:B:252:ARG:NH2	7:B:404:HOH:O	2.29	0.65
1:C:29:GLU:OE1	1:C:32:ARG:NH2	2.30	0.65
1:F:217:ARG:NH2	7:F:404:HOH:O	2.32	0.62
2:G:86:GLU:OE1	2:G:116:CYS:HB2	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:14:LYS:NZ	1:H:98:ASP:OD1	2.36	0.59
1:C:49:GLU:OE2	1:C:53:ARG:NH2	2.36	0.58
1:H:32:ARG:NH2	7:H:402:HOH:O	2.36	0.58
1:A:53:ARG:NH1	1:A:55:GLU:OE2	2.37	0.58
1:D:204:SER:OG	1:D:206:GLU:OE1	2.22	0.57
1:E:215:ILE:HD12	1:E:221:VAL:HG22	1.86	0.57
1:F:175:ASP:OD2	7:F:401:HOH:O	2.17	0.56
1:B:14:LYS:NZ	1:B:98:ASP:OD1	2.39	0.56
1:D:248:GLU:OE2	1:D:252:ARG:NH2	2.39	0.55
1:E:49:GLU:OE2	1:E:53:ARG:NH2	2.31	0.55
1:E:73:ARG:HH21	4:E:303:GOL:H12	1.71	0.55
1:C:215:ILE:HD13	1:C:221:VAL:HG22	1.89	0.54
1:B:14:LYS:HE3	1:B:17:GLU:OE1	2.07	0.53
1:C:53:ARG:HD3	7:C:412:HOH:O	2.08	0.53
1:E:45:ASN:ND2	7:E:401:HOH:O	2.36	0.53
1:A:30[A]:VAL:HG12	1:A:133:VAL:HG12	1.89	0.52
2:G:29:GLU:OE2	2:G:32:ARG:NH2	2.43	0.52
1:D:148:SER:HB3	1:D:178:GLU:OE2	2.10	0.51
2:G:30:VAL:HG21	2:G:130:TYR:CE1	2.45	0.51
1:F:258:LEU:C	1:F:258:LEU:HD13	2.36	0.50
1:F:75:HIS:O	7:F:402:HOH:O	2.19	0.50
3:A:301:137:H2'	7:A:411:HOH:O	2.12	0.50
2:G:53:ARG:NH1	2:G:55:GLU:OE2	2.45	0.50
2:G:63:LYS:H	2:G:251:MET:CE	2.25	0.49
1:C:251:MET:HE2	1:C:251:MET:HA	1.93	0.49
1:F:193:ILE:HD11	1:F:215:ILE:HD11	1.93	0.49
1:C:136:ARG:NH1	7:C:404:HOH:O	2.44	0.49
1:D:32:ARG:HG2	1:D:35:ARG:NH2	2.27	0.49
1:H:193:ILE:HD11	1:H:215:ILE:HD11	1.93	0.49
1:B:215:ILE:HD13	1:B:221:VAL:HG22	1.94	0.49
1:E:110:LYS:NZ	7:E:408:HOH:O	2.46	0.49
1:H:14:LYS:HE3	1:H:17:GLU:OE1	2.12	0.48
1:A:31:GLU:HG2	7:A:529:HOH:O	2.13	0.48
1:H:57:ALA:O	1:H:243:ALA:HA	2.14	0.48
1:E:196[A]:ARG:NH1	1:E:201:PHE:O	2.47	0.47
1:F:230:ARG:HG2	1:F:230:ARG:O	2.14	0.47
1:D:49:GLU:HG3	1:D:50:ARG:N	2.30	0.47
1:C:49:GLU:HG3	7:E:496:HOH:O	2.14	0.46
1:D:174:HIS:HE1	7:D:479:HOH:O	1.99	0.46
2:G:173:VAL:HG11	2:G:179:LEU:HA	1.96	0.46
1:C:83[B]:ARG:NH2	7:C:411:HOH:O	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:9:LYS:NZ	1:H:16:GLU:OE2	2.44	0.46
1:A:69:LYS:HE3	7:A:469:HOH:O	2.15	0.46
2:G:124:ASP:HB3	2:G:126:MET:HE3	1.98	0.46
1:D:174:HIS:O	1:D:174:HIS:CG	2.68	0.46
1:A:27:LEU:HA	1:A:30[B]:VAL:HG22	1.97	0.46
1:B:101:PHE:O	4:B:302:GOL:H32	2.15	0.46
2:G:63:LYS:H	2:G:251:MET:HE2	1.81	0.45
1:A:212:LEU:N	1:A:213:PRO:CD	2.78	0.45
2:G:30:VAL:HG12	2:G:133:VAL:HG12	1.97	0.45
1:C:49:GLU:OE2	1:C:53:ARG:CZ	2.64	0.45
1:A:174:HIS:CG	1:A:174:HIS:O	2.69	0.45
1:F:230:ARG:HD3	1:F:234:GLU:OE2	2.17	0.45
1:A:124:ASP:HB3	1:A:126:MET:HE3	2.00	0.44
7:C:414:HOH:O	1:E:49:GLU:HG3	2.16	0.44
1:C:53:ARG:NH1	7:C:412:HOH:O	2.48	0.44
1:H:14:LYS:HE3	4:H:302:GOL:H12	1.99	0.44
1:B:212:LEU:HB2	1:B:213:PRO:HD3	1.99	0.44
1:A:143:ILE:C	1:A:143:ILE:HD12	2.43	0.44
1:A:134:GLU:OE1	7:A:401:HOH:O	2.21	0.44
1:D:174:HIS:O	1:D:174:HIS:CD2	2.71	0.44
1:A:3:VAL:HB	1:A:4:PRO:HD3	1.99	0.44
1:C:30[B]:VAL:HG12	1:C:133:VAL:HG12	1.99	0.44
1:F:250:PHE:CD1	1:F:250:PHE:N	2.84	0.44
1:A:16:GLU:O	1:A:20:GLU:HG3	2.18	0.44
1:B:54:LYS:HE3	1:B:240:GLU:OE1	2.17	0.44
1:E:73:ARG:HH21	4:E:303:GOL:C1	2.31	0.44
2:G:184:LYS:HE3	7:G:459:HOH:O	2.17	0.43
1:E:85:TYR:OH	1:E:251:MET:HE3	2.17	0.43
1:A:41:ARG:HE	4:A:302:GOL:H2	1.82	0.43
1:B:27:LEU:O	1:B:30[B]:VAL:HG12	2.19	0.43
1:C:14:LYS:NZ	1:C:98:ASP:OD1	2.51	0.43
1:H:69:LYS:HE3	1:H:248:GLU:OE1	2.18	0.43
1:D:73:ARG:NH2	1:D:253:ALA:O	2.41	0.43
1:B:63:LYS:HE3	1:B:72:LEU:CD1	2.48	0.43
1:C:38:ASP:OD1	1:C:38:ASP:C	2.62	0.43
2:G:216:PRO:HB3	1:H:214:GLU:HA	2.01	0.42
1:A:69:LYS:HE2	1:A:248:GLU:OE1	2.19	0.42
1:F:43:PHE:CE2	1:F:92:CYS:HB3	2.54	0.42
1:C:14:LYS:HE2	1:C:124:ASP:OD1	2.19	0.42
1:A:31:GLU:HG2	1:A:133:VAL:HG11	2.02	0.42
1:H:109:LEU:C	1:H:109:LEU:HD23	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:124:ASP:HB3	1:C:126:MET:HE3	2.01	0.42
1:H:215:ILE:HD13	1:H:221:VAL:HG22	2.02	0.42
1:E:176:GLY:O	1:E:180:GLU:HG2	2.20	0.41
1:F:266:GLN:O	1:F:266:GLN:HG3	2.20	0.41
1:E:265:PHE:O	1:E:266:GLN:HG2	2.20	0.41
1:F:265:PHE:O	1:F:266:GLN:C	2.64	0.41
1:H:124:ASP:HB3	1:H:126:MET:HE3	2.02	0.41
1:F:212:LEU:N	1:F:213:PRO:HD2	2.35	0.41
1:C:174:HIS:O	1:C:174:HIS:CG	2.73	0.41
1:D:101:PHE:CD1	1:D:101:PHE:N	2.88	0.41
1:E:124:ASP:HB3	1:E:126:MET:HE3	2.02	0.41
1:F:192:GLY:HA2	1:F:222:VAL:O	2.20	0.41
1:A:174:HIS:HD2	1:A:194:ASN:O	2.03	0.41
1:B:175:ASP:OD1	1:B:175:ASP:C	2.63	0.41
1:A:261:LYS:HD2	1:D:267:GLU:O	2.20	0.41
1:C:27:LEU:HA	1:C:30[A]:VAL:HG22	2.03	0.41
1:D:192:GLY:HA2	1:D:222:VAL:O	2.21	0.41
2:G:126:MET:HE2	2:G:126:MET:HA	2.03	0.41
1:A:3:VAL:O	1:A:4:PRO:C	2.64	0.41
1:H:192:GLY:HA2	1:H:222:VAL:O	2.21	0.41
1:D:14:LYS:HG3	1:D:125:PHE:HB2	2.03	0.40
1:E:30[B]:VAL:CG1	1:E:134:GLU:HA	2.52	0.40
2:G:224:GLU:O	2:G:225:SER:CB	2.69	0.40
1:C:176:GLY:O	1:C:180:GLU:HG2	2.21	0.40
1:C:212:LEU:N	1:C:213:PRO:CD	2.85	0.40
1:E:126:MET:HA	1:E:126:MET:HE2	2.04	0.40
1:C:6:VAL:HG12	7:C:449:HOH:O	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:HIS:HD1	2:G:86:GLU:OE2[4_557]	1.30	0.30
1:B:75:HIS:ND1	2:G:86:GLU:OE2[4_557]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/287 (92%)	259 (98%)	4 (2%)	0	100	100
1	B	264/287 (92%)	260 (98%)	3 (1%)	1 (0%)	30	28
1	C	266/287 (93%)	262 (98%)	4 (2%)	0	100	100
1	D	263/287 (92%)	256 (97%)	7 (3%)	0	100	100
1	E	265/287 (92%)	262 (99%)	3 (1%)	0	100	100
1	F	266/287 (93%)	260 (98%)	6 (2%)	0	100	100
1	H	262/287 (91%)	252 (96%)	9 (3%)	1 (0%)	30	28
2	G	236/277 (85%)	227 (96%)	7 (3%)	2 (1%)	16	12
All	All	2085/2286 (91%)	2038 (98%)	43 (2%)	4 (0%)	43	44

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	38	ASP
1	B	38	ASP
2	G	225	SER
2	G	247	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/232 (93%)	214 (100%)	1 (0%)	81	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	216/232 (93%)	216 (100%)	0	100	100
1	C	218/232 (94%)	218 (100%)	0	100	100
1	D	215/232 (93%)	214 (100%)	1 (0%)	81	88
1	E	217/232 (94%)	216 (100%)	1 (0%)	81	88
1	F	218/232 (94%)	218 (100%)	0	100	100
1	H	214/232 (92%)	212 (99%)	2 (1%)	70	78
2	G	194/212 (92%)	194 (100%)	0	100	100
All	All	1707/1836 (93%)	1702 (100%)	5 (0%)	86	91

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LYS
1	D	267	GLU
1	E	215	ILE
1	H	14	LYS
1	H	49	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	174	HIS
1	B	174	HIS
1	D	266	GLN
1	F	75	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	CIT	E	302	-	12,12,12	1.20	1 (8%)	17,17,17	1.86	4 (23%)
3	137	C	301	-	23,23,23	0.60	0	30,32,32	0.92	2 (6%)
6	PO4	G	301	-	4,4,4	1.00	0	6,6,6	0.40	0
3	137	F	301	-	23,23,23	0.64	1 (4%)	30,32,32	0.78	0
3	137	H	301	-	23,23,23	0.46	0	30,32,32	0.66	0
3	137	A	301	-	23,23,23	0.27	0	30,32,32	1.05	3 (10%)
4	GOL	B	302	-	5,5,5	0.30	0	5,5,5	0.78	0
4	GOL	C	303	-	5,5,5	0.45	0	5,5,5	0.35	0
3	137	E	301	-	23,23,23	0.44	0	30,32,32	1.01	2 (6%)
3	137	D	301	-	23,23,23	0.28	0	30,32,32	0.71	0
3	137	B	301	-	23,23,23	0.50	0	30,32,32	1.22	3 (10%)
4	GOL	C	302	-	5,5,5	0.34	0	5,5,5	0.62	0
4	GOL	B	303	-	5,5,5	0.45	0	5,5,5	0.38	0
4	GOL	H	302	-	5,5,5	0.15	0	5,5,5	0.92	0
4	GOL	A	302	-	5,5,5	0.45	0	5,5,5	0.45	0
4	GOL	E	303	-	5,5,5	0.39	0	5,5,5	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CIT	E	302	-	-	0/16/16/16	-
3	137	C	301	-	-	6/23/23/23	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	137	F	301	-	-	6/23/23/23	0/1/1/1
3	137	H	301	-	-	8/23/23/23	0/1/1/1
3	137	A	301	-	-	7/23/23/23	0/1/1/1
4	GOL	B	302	-	-	2/4/4/4	-
4	GOL	C	303	-	-	2/4/4/4	-
3	137	E	301	-	-	10/23/23/23	0/1/1/1
3	137	D	301	-	-	8/23/23/23	0/1/1/1
3	137	B	301	-	-	2/23/23/23	0/1/1/1
4	GOL	C	302	-	-	2/4/4/4	-
4	GOL	B	303	-	-	4/4/4/4	-
4	GOL	H	302	-	-	2/4/4/4	-
4	GOL	A	302	-	-	2/4/4/4	-
4	GOL	E	303	-	-	2/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	301	137	P-O1P	-2.58	1.42	1.50
5	E	302	CIT	C3-C6	2.34	1.55	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	302	CIT	O6-C6-C3	4.40	121.58	113.14
3	B	301	137	C2'-C1'-NH	4.04	122.72	111.53
5	E	302	CIT	C3-C4-C5	-3.05	105.57	113.92
3	E	301	137	C2'-C3'-C4'	-2.95	108.66	113.57
3	A	301	137	C2'-C3'-C4'	-2.77	108.96	113.57
5	E	302	CIT	O4-C5-C4	2.63	122.68	114.35
3	E	301	137	O3P-P-O2P	2.55	117.35	107.80
3	A	301	137	O3P-P-O5'	-2.53	100.07	106.67
5	E	302	CIT	O6-C6-O5	-2.50	115.86	123.86
3	C	301	137	O3'-C3'-C2'	2.23	113.99	108.93
3	A	301	137	O3'-C3'-C2'	2.22	113.98	108.93
3	B	301	137	O5'-P-O1P	2.17	112.31	106.44
3	B	301	137	C2'-C3'-C4'	-2.17	109.96	113.57
3	C	301	137	C2'-C3'-C4'	-2.17	109.97	113.57

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	301	137	NH-C1'-C2'-C3'
3	B	301	137	NH-C1'-C2'-O2'
3	C	301	137	C1'-C2'-C3'-C4'
3	D	301	137	C1'-C2'-C3'-C4'
3	D	301	137	C1'-C2'-C3'-O3'
3	E	301	137	C1'-C2'-C3'-C4'
3	H	301	137	C1'-C2'-C3'-C4'
4	B	302	GOL	C1-C2-C3-O3
4	C	302	GOL	O1-C1-C2-C3
4	E	303	GOL	C1-C2-C3-O3
3	D	301	137	O2'-C2'-C3'-C4'
4	B	303	GOL	O2-C2-C3-O3
4	C	302	GOL	O1-C1-C2-O2
3	D	301	137	O2'-C2'-C3'-O3'
3	C	301	137	O2'-C2'-C3'-C4'
3	E	301	137	C2'-C3'-C4'-O4'
3	E	301	137	O2'-C2'-C3'-C4'
3	H	301	137	O2'-C2'-C3'-C4'
3	C	301	137	O2'-C2'-C3'-O3'
3	H	301	137	O2'-C2'-C3'-O3'
4	A	302	GOL	O1-C1-C2-C3
4	B	303	GOL	O1-C1-C2-C3
4	B	303	GOL	C1-C2-C3-O3
4	C	303	GOL	O1-C1-C2-C3
4	A	302	GOL	O1-C1-C2-O2
4	B	302	GOL	O2-C2-C3-O3
4	C	303	GOL	O1-C1-C2-O2
4	E	303	GOL	O2-C2-C3-O3
3	E	301	137	O2'-C2'-C3'-O3'
3	F	301	137	O2'-C2'-C3'-C4'
3	F	301	137	O2'-C2'-C3'-O3'
3	A	301	137	O2'-C2'-C3'-O3'
3	A	301	137	O2'-C2'-C3'-C4'
3	E	301	137	O3'-C3'-C4'-O4'
4	B	303	GOL	O1-C1-C2-O2
3	D	301	137	C2'-C3'-C4'-O4'
3	C	301	137	C1'-C2'-C3'-O3'
3	E	301	137	C1'-C2'-C3'-O3'
3	H	301	137	C1'-C2'-C3'-O3'
4	H	302	GOL	O1-C1-C2-C3
3	A	301	137	C2'-C1'-NH-C2
3	C	301	137	C2'-C1'-NH-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	E	301	137	C2'-C3'-C4'-C5'
3	C	301	137	NH-C1'-C2'-C3'
3	E	301	137	NH-C1'-C2'-C3'
3	F	301	137	NH-C1'-C2'-C3'
3	A	301	137	C2'-C3'-C4'-O4'
3	H	301	137	C2'-C3'-C4'-O4'
3	E	301	137	O3'-C3'-C4'-C5'
3	D	301	137	NH-C1'-C2'-C3'
3	H	301	137	NH-C1'-C2'-C3'
4	H	302	GOL	O1-C1-C2-O2
3	A	301	137	NH-C1'-C2'-C3'
3	A	301	137	C1'-C2'-C3'-O3'
3	F	301	137	C1'-C2'-C3'-O3'
3	A	301	137	NH-C1'-C2'-O2'
3	D	301	137	NH-C1'-C2'-O2'
3	H	301	137	NH-C1'-C2'-O2'
3	F	301	137	C2'-C3'-C4'-O4'
3	D	301	137	C2'-C1'-NH-C2
3	E	301	137	C2'-C1'-NH-C2
3	F	301	137	C2'-C1'-NH-C2
3	H	301	137	C2'-C1'-NH-C2


There are no ring outliers.

6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	137	1	0
4	B	302	GOL	1	0
3	B	301	137	1	0
4	H	302	GOL	1	0
4	A	302	GOL	1	0
4	E	303	GOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 137 H 301




Ligand 137 A 301




Ligand 137 E 301



Ligand 137 D 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	G	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	G	22:UNK	C	25:VAL	N	7.20

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/287 (91%)	-0.65	2 (0%) 82 84	19, 30, 51, 81	1 (0%)
1	B	265/287 (92%)	-0.67	0 100 100	17, 30, 51, 79	1 (0%)
1	C	264/287 (91%)	-0.58	3 (1%) 78 80	18, 32, 55, 92	4 (1%)
1	D	265/287 (92%)	0.03	7 (2%) 57 60	26, 42, 84, 101	0
1	E	265/287 (92%)	-0.61	3 (1%) 78 80	18, 31, 52, 99	2 (0%)
1	F	265/287 (92%)	0.04	5 (1%) 66 69	20, 45, 71, 98	3 (1%)
1	H	264/287 (91%)	0.05	5 (1%) 66 69	27, 46, 76, 111	0
2	G	239/277 (86%)	0.22	23 (9%) 13 14	23, 40, 105, 120	1 (0%)
All	All	2091/2286 (91%)	-0.28	48 (2%) 61 64	17, 36, 71, 120	12 (0%)

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	G	72	LEU	5.9
1	D	4	PRO	4.7
1	A	3	VAL	4.2
2	G	25	VAL	4.0
2	G	65	ALA	3.9
2	G	198	LEU	3.6
1	D	6	VAL	3.5
2	G	267	GLU	3.5
2	G	71	VAL	3.5
2	G	68	SER	3.4
1	E	4	PRO	3.3
2	G	125	PHE	3.2
2	G	201	PHE	3.0
1	H	265	PHE	3.0
1	H	258	LEU	2.8
1	A	74	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	70	GLY	2.7
2	G	28	ALA	2.7
1	H	262	ARG	2.7
2	G	75	HIS	2.7
2	G	105	ALA	2.6
2	G	67	PRO	2.6
1	F	234	GLU	2.6
1	D	71	VAL	2.5
1	E	3	VAL	2.4
2	G	33	LEU	2.4
1	H	263	LEU	2.4
1	C	3	VAL	2.3
2	G	266	GLN	2.3
2	G	253	ALA	2.3
1	E	2	SER	2.2
2	G	103	GLN	2.2
2	G	96	LEU	2.2
1	C	2	SER	2.2
1	F	258	LEU	2.2
1	H	72	LEU	2.1
1	D	75	HIS	2.1
1	D	76	PHE	2.1
1	F	265	PHE	2.1
2	G	34	ALA	2.1
2	G	252	ARG	2.1
1	F	74	GLU	2.0
2	G	249	ALA	2.1
1	D	262	ARG	2.0
2	G	104	GLY	2.0
1	C	74	GLU	2.0
1	D	253	ALA	2.0
1	F	35	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	C	303	6/6	0.79	0.16	51,62,74,74	0
4	GOL	A	302	6/6	0.80	0.15	46,57,68,72	0
4	GOL	E	303	6/6	0.81	0.15	32,53,82,86	0
4	GOL	B	302	6/6	0.87	0.12	24,44,62,67	0
4	GOL	B	303	6/6	0.89	0.13	43,59,71,82	0
4	GOL	C	302	6/6	0.90	0.13	39,56,65,67	0
3	137	D	301	23/23	0.91	0.12	38,62,77,83	0
4	GOL	H	302	6/6	0.93	0.13	40,51,59,61	0
5	CIT	E	302	13/13	0.93	0.08	35,45,62,62	0
3	137	F	301	23/23	0.94	0.09	39,48,59,65	0
6	PO4	G	301	5/5	0.94	0.09	41,55,61,64	0
3	137	H	301	23/23	0.96	0.07	42,53,67,73	0
3	137	C	301	23/23	0.97	0.07	25,35,48,58	0
3	137	E	301	23/23	0.98	0.05	19,29,41,61	0
3	137	A	301	23/23	0.98	0.05	22,31,43,56	0
3	137	B	301	23/23	0.98	0.05	22,27,43,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 137 D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 137 F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 137 H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 137 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 137 E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 137 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 137 B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.