



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 08:23 AM UTC

PDB ID : 4Y9J / pdb_00004y9j
Title : Crystal Structure of Caenorhabditis elegans ACDH-11 in complex with C11-CoA
Authors : Li, Z.J.; Sun, F.
Deposited on : 2015-02-17
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	593	2% 86% 13%
1	B	593	2% 87% 12%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 10680 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein ACDH-11, isoform b.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	592	Total	C	N	O	S	0	11	0
			4697	2951	834	890	22			
1	B	593	Total	C	N	O	S	0	3	0
			4637	2916	823	877	21			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is S-{(3S,5R,9R)-1-[(2R,3S,4R,5R)-5-(6-amino-9H-purin-9-yl)-4-hydroxy-3-(phosphonoxy)tetrahydrofuran-2-yl]-3,5,9-trihydroxy-8,8-dimethyl-3,5-dioxido-10,14-dioxo-2,4,6-trioxa-11,15-diaza-3lambda 5 ,5lambda 5 -diphosphaheptadecan-17-yl} undecanethioate (CCD ID: UCC) (formula: $C_{32}H_{56}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			60	32	7	17	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			60	32	7	17	3	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	591	Total	O	0	0
			591	591		
4	B	529	Total	O	0	0
			529	529		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein ACDH-11, isoform b



- Molecule 1: Protein ACDH-11, isoform b



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	138.56Å 116.68Å 115.29Å 90.00° 124.02° 90.00°	Depositor
Resolution (Å)	50.00 – 1.80 50.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-1.80) 99.6 (50.00-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.145 , 0.186 0.157 , 0.195	Depositor DCC
R_{free} test set	6857 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	33.2	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	10680	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, UCC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.27	7/4780 (0.1%)	1.13	6/6454 (0.1%)
1	B	1.22	10/4723 (0.2%)	1.12	7/6377 (0.1%)
All	All	1.25	17/9503 (0.2%)	1.13	13/12831 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	213	GLY	C-O	8.94	1.35	1.23
1	A	95	PRO	N-CA	-6.22	1.39	1.47
1	B	493	GLU	C-O	5.93	1.31	1.24
1	B	115	GLU	CA-C	5.91	1.60	1.52
1	A	288	GLN	CA-C	-5.86	1.45	1.52
1	B	610	THR	CA-CB	5.67	1.60	1.52
1	B	246	ASP	CA-C	5.54	1.60	1.52
1	B	42	LEU	C-O	5.49	1.30	1.24
1	A	29	HIS	N-CA	-5.49	1.39	1.46
1	A	289	MET	N-CA	-5.46	1.39	1.46
1	A	417	THR	N-CA	-5.29	1.41	1.46
1	B	549	ILE	C-O	5.25	1.30	1.24
1	A	158	GLY	N-CA	5.24	1.53	1.45
1	B	291	ARG	CD-NE	-5.13	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	335	ILE	CA-C	5.12	1.59	1.52
1	B	603	GLU	N-CA	-5.12	1.40	1.46
1	B	28	SER	CA-C	-5.01	1.46	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	387	MET	CG-SD-CE	-9.73	79.49	100.90
1	B	497	GLY	N-CA-C	-6.79	104.11	111.93
1	B	228	ILE	CB-CA-C	-5.77	105.00	111.80
1	B	51	ILE	CB-CA-C	-5.43	102.39	111.29
1	A	479	SER	N-CA-C	5.31	118.59	110.20
1	B	479	SER	N-CA-C	5.26	119.42	112.89
1	A	500	LYS	CB-CA-C	-5.21	102.92	111.68
1	A	540	SER	N-CA-C	5.16	117.58	111.33
1	A	542	ALA	N-CA-C	5.11	116.54	111.07
1	B	585	LEU	N-CA-C	-5.09	106.23	112.90
1	B	51	ILE	N-CA-C	5.04	119.82	109.34
1	A	332[A]	ILE	O-C-N	-5.01	117.01	121.87
1	A	332[B]	ILE	O-C-N	-5.01	117.01	121.87

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331[B]	ASN	Peptide
1	B	480	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4697	0	4758	103	0
1	B	4637	0	4701	62	1
2	A	53	0	31	6	0
2	B	53	0	31	0	0
3	A	60	0	52	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	60	0	52	2	0
4	A	591	0	0	56	0
4	B	529	0	0	36	0
All	All	10680	0	9625	172	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:200:LYS:HG2	4:B:1121:HOH:O	1.44	1.14
1:A:521:GLN:HG2	4:A:1095:HOH:O	1.49	1.12
1:A:330[B]:LEU:O	1:A:331[B]:ASN:HB2	1.64	0.97
3:A:702:UCC:H28	4:A:803:HOH:O	1.64	0.97
1:A:330[B]:LEU:HD11	1:A:334[B]:ARG:NH2	1.81	0.95
1:A:314:GLU:HG3	4:A:1228:HOH:O	1.68	0.94
1:A:61:PRO:HB2	4:A:808:HOH:O	1.72	0.89
1:A:486:LEU:HB3	4:A:1310:HOH:O	1.73	0.88
1:B:330:LEU:HB2	4:B:844:HOH:O	1.72	0.88
1:A:330[B]:LEU:HD13	1:A:464:GLU:OE1	1.75	0.86
1:A:206:GLN:HB2	1:A:329[B]:MET:HE2	1.58	0.84
1:A:196:ARG:HD2	4:A:1221:HOH:O	1.76	0.83
1:A:93:GLU:HG2	4:A:819:HOH:O	1.77	0.83
1:A:330[A]:LEU:HD13	3:A:702:UCC:N6	1.95	0.82
1:B:183:HIS:HD2	1:B:186:ALA:H	1.28	0.82
1:A:588:LEU:HD12	4:A:1204:HOH:O	1.81	0.80
1:B:519:GLN:HE21	1:B:519:GLN:HA	1.46	0.80
1:A:331[A]:ASN:HA	1:A:417:THR:HG21	1.62	0.80
1:A:400:SER:HB3	4:A:837:HOH:O	1.83	0.79
2:A:701:FAD:H4'	4:A:813:HOH:O	1.82	0.79
1:B:108:ASP:OD1	4:B:801:HOH:O	2.00	0.79
1:A:330[B]:LEU:HD11	1:A:334[B]:ARG:HH21	1.46	0.78
1:A:93:GLU:CG	4:A:819:HOH:O	2.31	0.77
1:A:19:THR:N	4:A:804:HOH:O	2.17	0.77
1:A:206:GLN:HB2	1:A:329[B]:MET:CE	2.16	0.76
1:A:330[B]:LEU:HD11	1:A:334[B]:ARG:CZ	2.15	0.76
1:A:334[B]:ARG:NH2	4:A:803:HOH:O	2.18	0.76
2:A:701:FAD:C4'	4:A:813:HOH:O	2.33	0.75
1:A:541:VAL:HG11	4:A:1204:HOH:O	1.85	0.75
1:A:215:SER:O	4:A:801:HOH:O	2.08	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:504:GLU:HG3	4:B:1156:HOH:O	1.90	0.71
1:B:490:LYS:O	1:B:493:GLU:HG3	1.90	0.71
1:B:519:GLN:HG2	4:B:1260:HOH:O	1.90	0.71
4:A:1179:HOH:O	1:B:603:GLU:HB3	1.91	0.71
1:B:63:SER:HB2	4:B:938:HOH:O	1.90	0.70
1:B:479:SER:HB2	4:B:912:HOH:O	1.92	0.70
1:B:569:ASN:O	4:B:802:HOH:O	2.09	0.70
1:B:486:LEU:HD12	4:B:955:HOH:O	1.92	0.69
1:B:497:GLY:O	1:B:498:ASN:CG	2.36	0.69
1:A:330[A]:LEU:CD1	3:A:702:UCC:C6	2.71	0.68
1:A:334[A]:ARG:CD	1:A:417:THR:HG22	2.23	0.68
1:A:331[B]:ASN:ND2	4:A:806:HOH:O	2.27	0.68
1:A:108:ASP:OD2	4:A:802:HOH:O	2.10	0.68
1:B:234:ARG:HH11	1:B:236:HIS:CE1	2.12	0.68
1:A:334[A]:ARG:HD3	1:A:417:THR:HG22	1.77	0.67
3:A:702:UCC:OP2	4:A:803:HOH:O	2.12	0.67
1:A:330[B]:LEU:C	1:A:330[B]:LEU:HD12	2.20	0.66
1:B:583:GLN:NE2	4:B:807:HOH:O	2.28	0.66
1:A:400:SER:CB	4:A:837:HOH:O	2.43	0.65
1:A:234:ARG:HH11	1:A:236:HIS:CE1	2.15	0.65
1:A:330[A]:LEU:HD13	3:A:702:UCC:C6	2.26	0.65
1:B:570:GLN:HA	4:B:802:HOH:O	1.96	0.65
1:A:592:TRP:HB2	4:A:1204:HOH:O	1.97	0.64
1:B:234:ARG:HH11	1:B:236:HIS:HE1	1.45	0.64
1:A:481:LYS:HB3	4:A:900:HOH:O	1.96	0.64
1:A:108:ASP:CG	4:A:802:HOH:O	2.41	0.63
1:A:168:ASP:OD2	1:A:336:HIS:HE1	1.81	0.62
1:B:276:LYS:CE	4:B:1080:HOH:O	2.46	0.62
1:B:168:ASP:OD2	1:B:336:HIS:HE1	1.83	0.61
1:B:200:LYS:HE3	4:B:1194:HOH:O	1.99	0.61
1:A:169:GLY:HA3	1:A:329[B]:MET:HG3	1.83	0.61
1:A:571:SER:HB3	4:A:1179:HOH:O	2.02	0.60
1:A:330[B]:LEU:CD1	1:A:334[B]:ARG:NE	2.65	0.60
1:A:340:ALA:CB	3:A:702:UCC:H18	2.32	0.59
1:A:100:GLN:HG2	4:A:1025:HOH:O	2.03	0.59
4:A:1043:HOH:O	1:B:372:HIS:HD2	1.85	0.59
1:B:551:ARG:HD2	4:B:807:HOH:O	2.03	0.59
1:A:208[B]:MET:SD	1:A:330[B]:LEU:HD23	2.43	0.58
1:B:108:ASP:CG	4:B:801:HOH:O	2.45	0.58
1:A:206:GLN:CB	1:A:329[B]:MET:HE2	2.33	0.58
1:A:561:HIS:CE1	4:A:859:HOH:O	2.55	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:571:SER:CB	4:A:1179:HOH:O	2.51	0.57
1:B:85:HIS:HB2	4:B:1217:HOH:O	2.03	0.57
1:A:330[A]:LEU:HD12	3:A:702:UCC:C6	2.34	0.57
1:A:583:GLN:HG3	4:A:902:HOH:O	2.05	0.57
1:A:485:LEU:HB3	4:A:1095:HOH:O	2.04	0.56
1:B:63:SER:C	4:B:938:HOH:O	2.48	0.56
1:A:330[B]:LEU:HD11	1:A:334[B]:ARG:NE	2.21	0.55
1:A:131:ILE:O	1:A:142:ARG:HB2	2.06	0.55
1:A:330[B]:LEU:HA	1:A:333[B]:THR:OG1	2.06	0.55
1:B:583:GLN:OE1	4:B:803:HOH:O	2.18	0.55
1:B:151:PHE:CZ	1:B:387:MET:HE1	2.42	0.55
1:B:596:GLU:HG2	4:B:1152:HOH:O	2.07	0.55
1:A:234:ARG:HH11	1:A:236:HIS:HE1	1.55	0.55
1:A:64:GLU:HG2	4:A:808:HOH:O	2.07	0.54
1:A:330[B]:LEU:CD1	1:A:334[B]:ARG:CZ	2.83	0.54
1:A:336:HIS:HD2	4:A:1066:HOH:O	1.90	0.54
1:A:368:LYS:NZ	4:A:809:HOH:O	2.31	0.54
1:A:463:TRP:CE3	3:A:702:UCC:H4	2.43	0.54
1:B:340:ALA:CB	3:B:702:UCC:H18	2.38	0.53
1:B:140:PHE:HA	1:B:398:GLY:HA3	1.91	0.53
1:A:372:HIS:HD2	4:B:927:HOH:O	1.91	0.53
1:A:166:MET:O	1:A:329[B]:MET:HE3	2.09	0.53
1:B:276:LYS:HE3	4:B:1080:HOH:O	2.08	0.53
1:A:567:VAL:HG23	4:A:859:HOH:O	2.09	0.53
1:A:166:MET:HB3	1:A:329[B]:MET:CE	2.40	0.52
1:A:206:GLN:NE2	1:A:330[B]:LEU:HB2	2.24	0.52
1:A:326[B]:ILE:O	1:A:326[B]:ILE:HG13	2.09	0.52
1:B:183:HIS:CD2	1:B:186:ALA:H	2.19	0.52
1:A:330[A]:LEU:CD1	3:A:702:UCC:C5	2.88	0.52
1:B:276:LYS:NZ	4:B:819:HOH:O	2.43	0.52
1:A:315:ARG:NH1	1:A:317:GLY:O	2.41	0.52
1:A:93:GLU:HG3	4:A:819:HOH:O	2.05	0.51
1:B:482:GLU:O	1:B:484:ILE:HD12	2.11	0.51
1:B:485:LEU:HD21	1:B:521:GLN:HA	1.93	0.51
1:B:573:ILE:HD12	4:B:802:HOH:O	2.10	0.51
1:A:166:MET:HB3	1:A:329[B]:MET:HE3	1.94	0.50
1:A:583:GLN:CG	4:A:902:HOH:O	2.58	0.50
1:B:591:GLU:OE1	4:B:804:HOH:O	2.20	0.50
1:A:588:LEU:CD1	4:A:1204:HOH:O	2.51	0.49
1:B:251:LEU:HD12	1:B:329:MET:HE2	1.94	0.49
1:B:276:LYS:HE2	4:B:1080:HOH:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:336:HIS:HD2	4:B:1031:HOH:O	1.96	0.49
1:A:166:MET:CA	1:A:329[B]:MET:HE3	2.44	0.48
1:A:485:LEU:HD11	1:A:524:LEU:HD13	1.96	0.48
1:B:477:VAL:HG12	1:B:484:ILE:HG12	1.95	0.48
1:B:212:LYS:HD3	4:B:1284:HOH:O	2.14	0.47
1:A:334[A]:ARG:HB2	1:A:417:THR:CG2	2.45	0.47
1:A:19:THR:CA	4:A:804:HOH:O	2.59	0.47
1:A:334[A]:ARG:HB2	1:A:417:THR:HG23	1.95	0.47
2:A:701:FAD:H1B	4:A:995:HOH:O	2.13	0.47
1:A:167:THR:HG23	1:A:193:LEU:HD22	1.98	0.46
4:A:995:HOH:O	1:B:366:GLN:HG2	2.15	0.46
1:A:334[A]:ARG:HD2	1:A:417:THR:HG22	1.95	0.46
1:A:535:GLU:HG3	1:A:535:GLU:O	2.16	0.46
1:A:19:THR:HA	4:A:804:HOH:O	2.16	0.46
1:A:498:ASN:HB2	4:A:1062:HOH:O	2.17	0.45
1:A:206:GLN:HE22	1:A:330[B]:LEU:HB2	1.82	0.45
1:A:330[A]:LEU:CD1	3:A:702:UCC:N6	2.75	0.45
1:B:96:ARG:NH1	4:B:815:HOH:O	2.40	0.45
1:A:481:LYS:HB2	4:A:816:HOH:O	2.17	0.45
1:B:500:LYS:HG3	4:B:1196:HOH:O	2.16	0.45
1:B:479:SER:CB	4:B:912:HOH:O	2.61	0.44
1:A:327[B]:SER:O	1:A:331[B]:ASN:CB	2.65	0.44
3:A:702:UCC:CP5	4:A:803:HOH:O	2.42	0.44
1:A:172:LYS:HG3	1:A:328[B]:ASN:HB3	2.00	0.44
1:A:79:ILE:HA	1:A:83:VAL:HB	1.99	0.44
1:A:99:HIS:HD2	4:A:802:HOH:O	1.99	0.43
1:A:169:GLY:CA	1:A:329[B]:MET:HA	2.48	0.43
1:A:504:GLU:HG2	4:A:1109:HOH:O	2.18	0.43
1:A:196:ARG:CD	4:A:1221:HOH:O	2.50	0.43
1:B:326:ILE:HD12	1:B:326:ILE:HA	1.89	0.43
2:A:701:FAD:C4A	4:A:995:HOH:O	2.67	0.43
1:A:599:LYS:HG2	4:A:1311:HOH:O	2.19	0.43
1:A:473:ASP:HB2	4:A:917:HOH:O	2.18	0.43
1:B:93:GLU:HG2	4:B:834:HOH:O	2.17	0.43
1:A:314:GLU:CG	4:A:1228:HOH:O	2.47	0.43
1:B:135:ASP:OD1	1:B:135:ASP:N	2.37	0.43
1:B:63:SER:CB	4:B:938:HOH:O	2.59	0.43
1:B:327:SER:HB3	4:B:831:HOH:O	2.19	0.43
1:B:372:HIS:HE1	4:B:977:HOH:O	2.02	0.42
1:A:387:MET:HE3	1:A:387:MET:HB3	1.83	0.42
1:A:509:SER:OG	1:A:577:TYR:HA	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:VAL:CG2	1:A:117:HIS:NE2	2.83	0.42
1:A:334[A]:ARG:HD2	1:A:417:THR:CG2	2.50	0.42
1:A:535:GLU:HB3	4:A:1281:HOH:O	2.19	0.42
1:B:604:ILE:HG21	1:B:604:ILE:HD13	1.80	0.41
1:B:165:ALA:HB2	3:B:702:UCC:H56	2.02	0.41
1:A:535:GLU:O	1:A:535:GLU:CG	2.68	0.41
1:B:94:GLN:OE1	4:B:805:HOH:O	2.22	0.41
1:B:167:THR:HG23	1:B:193:LEU:HD22	2.03	0.41
1:A:23:ARG:NH2	1:A:26:GLN:HG3	2.35	0.41
1:A:295:LYS:HG2	1:B:445:MET:HE1	2.02	0.41
1:B:500:LYS:HG2	4:B:1202:HOH:O	2.21	0.41
1:B:599:LYS:NZ	1:B:603:GLU:OE2	2.48	0.41
1:A:215:SER:HB2	2:A:701:FAD:O1A	2.21	0.41
1:A:571:SER:CA	4:A:1179:HOH:O	2.68	0.41
2:A:701:FAD:C1B	4:A:995:HOH:O	2.69	0.41
1:B:212:LYS:HE2	1:B:212:LYS:HB3	1.90	0.41
1:A:330[B]:LEU:CD1	1:A:334[B]:ARG:HE	2.34	0.40
1:A:387:MET:HG3	4:A:1152:HOH:O	2.20	0.40
1:B:348:ILE:HD12	1:B:348:ILE:HA	1.96	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:565:SER:OG	1:B:565:SER:OG[2_555]	1.95	0.25

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	601/593 (101%)	588 (98%)	10 (2%)	3 (0%)	24 14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	594/593 (100%)	583 (98%)	11 (2%)	0	100	100
All	All	1195/1186 (101%)	1171 (98%)	21 (2%)	3 (0%)	43	25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	331[A]	ASN
1	A	331[B]	ASN
1	A	481	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	508/497 (102%)	500 (98%)	8 (2%)	55	47
1	B	500/497 (101%)	486 (97%)	14 (3%)	38	26
All	All	1008/994 (101%)	986 (98%)	22 (2%)	45	34

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	THR
1	A	159	LEU
1	A	267	SER
1	A	493	GLU
1	A	502	GLU
1	A	504	GLU
1	A	567	VAL
1	A	599	LYS
1	B	19	THR
1	B	112	VAL
1	B	135	ASP
1	B	140	PHE
1	B	230	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	264	LEU
1	B	280	GLU
1	B	315	ARG
1	B	326	ILE
1	B	493	GLU
1	B	519	GLN
1	B	522	LYS
1	B	533	GLN
1	B	567	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	206	GLN
1	A	236	HIS
1	A	283	ASN
1	A	336	HIS
1	A	372	HIS
1	A	442	GLN
1	A	533	GLN
1	B	99	HIS
1	B	183	HIS
1	B	236	HIS
1	B	328	ASN
1	B	336	HIS
1	B	372	HIS
1	B	442	GLN
1	B	519	GLN
1	B	608	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UCC	A	702	-	60,62,62	1.72	9 (15%)	82,88,88	1.74	18 (21%)
3	UCC	B	702	-	60,62,62	1.53	10 (16%)	82,88,88	2.81	27 (32%)
2	FAD	B	701	-	58,58,58	1.81	15 (25%)	85,89,89	1.82	25 (29%)
2	FAD	A	701	-	58,58,58	1.94	13 (22%)	85,89,89	2.25	27 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UCC	A	702	-	-	17/61/77/77	0/3/3/3
3	UCC	B	702	-	-	16/61/77/77	0/3/3/3
2	FAD	B	701	-	-	1/34/50/50	0/6/6/6
2	FAD	A	701	-	-	2/34/50/50	0/6/6/6

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	FAD	PA-O3P	6.29	1.66	1.59
3	A	702	UCC	P2-O6	5.98	1.65	1.59
2	A	701	FAD	C9A-C5X	5.92	1.50	1.41
3	B	702	UCC	OA1-CA1	5.49	1.29	1.21
3	A	702	UCC	OA1-CA1	5.42	1.29	1.21
3	A	702	UCC	P1-O6	5.14	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	FAD	C5A-C4A	5.05	1.48	1.39
2	B	701	FAD	C4X-N5	4.77	1.41	1.30
2	A	701	FAD	C8A-N7A	4.34	1.40	1.31
2	B	701	FAD	C5A-C4A	4.34	1.46	1.39
2	B	701	FAD	C2-N3	-4.33	1.29	1.39
2	B	701	FAD	P-O3P	4.28	1.64	1.59
3	B	702	UCC	C5-C4	4.20	1.46	1.39
3	A	702	UCC	C5-C4	4.01	1.46	1.39
2	B	701	FAD	C4-N3	-3.82	1.31	1.38
3	A	702	UCC	CA2-CA1	3.71	1.54	1.50
3	B	702	UCC	CA1-S	-3.61	1.67	1.76
2	A	701	FAD	C4-N3	-3.41	1.32	1.38
3	B	702	UCC	P2-O6	3.39	1.63	1.59
3	A	702	UCC	CA1-S	-3.35	1.68	1.76
2	B	701	FAD	C9A-C5X	3.27	1.46	1.41
2	B	701	FAD	C6-C7	3.19	1.44	1.39
3	B	702	UCC	C5-C6	2.95	1.49	1.41
2	A	701	FAD	C4X-N5	2.92	1.37	1.30
2	A	701	FAD	P-O3P	2.92	1.62	1.59
3	B	702	UCC	CA2-CA1	2.90	1.53	1.50
3	B	702	UCC	CP9-CPB	2.81	1.59	1.53
2	B	701	FAD	C8A-N7A	2.75	1.37	1.31
3	A	702	UCC	C4-N9	-2.73	1.32	1.37
2	B	701	FAD	C9-C9A	2.59	1.43	1.39
3	A	702	UCC	C5-C6	2.55	1.48	1.41
2	A	701	FAD	C8-C7	2.48	1.46	1.40
2	A	701	FAD	C2-N3	-2.48	1.33	1.39
2	A	701	FAD	C5A-C6A	2.46	1.47	1.41
2	A	701	FAD	C9A-N10	-2.44	1.36	1.41
3	B	702	UCC	OP3-CP8	2.34	1.46	1.42
2	B	701	FAD	C9A-N10	-2.30	1.37	1.41
2	B	701	FAD	C1'-N10	-2.28	1.42	1.47
2	B	701	FAD	C10-N10	2.22	1.42	1.37
2	B	701	FAD	C5A-C6A	2.15	1.47	1.41
2	B	701	FAD	O3B-C3B	2.11	1.48	1.43
3	B	702	UCC	C4-N9	-2.10	1.33	1.37
2	B	701	FAD	C6-C5X	2.10	1.43	1.40
3	A	702	UCC	C8-N7	2.10	1.35	1.31
2	A	701	FAD	C4A-N3A	2.07	1.38	1.34
2	A	701	FAD	O4B-C1B	2.06	1.46	1.42
3	B	702	UCC	P1-O5'	2.02	1.67	1.59

All (97) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	702	UCC	CP7-CPB-CPA	9.32	123.60	108.22
3	B	702	UCC	CP9-CPB-CPA	-8.45	94.28	108.22
3	B	702	UCC	CP9-CPB-CP7	-8.31	92.63	109.20
2	A	701	FAD	C4A-N9A-C8A	6.40	112.46	105.74
3	B	702	UCC	CA2-CA1-S	-6.33	105.86	113.40
2	A	701	FAD	N3A-C2A-N1A	-6.14	119.29	128.58
3	B	702	UCC	CP7-CPB-CP8	6.12	119.21	108.77
2	A	701	FAD	N3A-C4A-N9A	5.97	137.32	127.17
2	A	701	FAD	C5A-C4A-N3A	-5.29	119.43	126.72
3	B	702	UCC	C4-N9-C8	5.20	111.19	105.74
3	B	702	UCC	CP9-CPB-CP8	-5.05	100.17	108.77
3	B	702	UCC	C5-C4-N3	-4.99	119.85	126.72
3	A	702	UCC	C4-N9-C8	4.95	110.93	105.74
3	B	702	UCC	N3-C4-N9	4.92	135.54	127.17
2	B	701	FAD	C5A-C4A-N3A	-4.70	120.25	126.72
3	A	702	UCC	N3-C4-N9	4.67	135.11	127.17
3	A	702	UCC	C5-C4-N3	-4.64	120.33	126.72
2	A	701	FAD	C2A-N3A-C4A	4.51	122.84	111.83
3	A	702	UCC	N1-C2-N3	-4.49	121.79	128.58
2	B	701	FAD	C5X-C9A-N10	4.34	121.89	117.97
2	A	701	FAD	N9A-C8A-N7A	-4.30	107.83	113.94
2	A	701	FAD	C4'-C3'-C2'	-4.18	106.61	113.57
3	A	702	UCC	C2-N3-C4	4.08	121.81	111.83
3	B	702	UCC	CP4-CP5-NP2	-4.07	103.34	112.00
3	B	702	UCC	OA1-CA1-CA2	4.05	128.65	123.98
2	B	701	FAD	N3A-C4A-N9A	4.02	134.00	127.17
2	A	701	FAD	C4-C4X-N5	3.93	123.64	118.21
2	A	701	FAD	C9A-C5X-N5	-3.93	118.29	122.45
3	B	702	UCC	C2-N3-C4	3.86	121.26	111.83
2	B	701	FAD	C5X-N5-C4X	-3.84	111.88	118.09
3	B	702	UCC	N9-C8-N7	-3.77	108.58	113.94
3	B	702	UCC	N1-C2-N3	-3.77	122.88	128.58
2	B	701	FAD	C4A-N9A-C8A	3.66	109.58	105.74
3	B	702	UCC	OP3-CP8-CPB	-3.43	102.24	110.18
3	B	702	UCC	CA8-CA7-CA6	-3.40	97.16	114.37
3	B	702	UCC	CA3-CA2-CA1	3.39	119.75	112.27
2	A	701	FAD	C2A-N1A-C6A	3.35	124.23	118.73
2	A	701	FAD	O2'-C2'-C3'	3.33	117.05	109.25
2	A	701	FAD	O4-C4-C4X	-3.29	117.85	126.53
3	B	702	UCC	C5-N7-C8	3.26	108.57	103.45
2	B	701	FAD	C4X-C10-N10	3.15	120.99	116.48
2	B	701	FAD	N3A-C2A-N1A	-3.12	123.86	128.58
2	B	701	FAD	C2A-N3A-C4A	3.10	119.41	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	FAD	C5A-C6A-N6A	-3.10	115.61	123.29
3	B	702	UCC	C4-C5-N7	-3.08	107.06	110.58
3	A	702	UCC	N9-C8-N7	-3.03	109.64	113.94
2	B	701	FAD	N9A-C8A-N7A	-3.02	109.64	113.94
2	B	701	FAD	C9A-N10-C10	-2.98	116.20	120.75
3	B	702	UCC	CP2-NP1-CP3	-2.95	117.34	122.82
3	A	702	UCC	CP7-CPB-CP8	2.93	113.76	108.77
2	B	701	FAD	C4A-C5A-N7A	-2.92	107.25	110.58
2	A	701	FAD	N6A-C6A-N1A	2.88	124.78	118.38
2	A	701	FAD	C5A-N7A-C8A	2.88	107.97	103.45
2	B	701	FAD	C6-C5X-N5	-2.83	113.75	118.44
2	B	701	FAD	O2-C2-N1	-2.81	117.13	121.80
2	A	701	FAD	C4B-O4B-C1B	-2.80	103.28	109.47
3	B	702	UCC	O6-P1-O12	-2.76	102.39	110.70
2	B	701	FAD	C5A-N7A-C8A	2.73	107.75	103.45
3	A	702	UCC	CP2-NP1-CP3	-2.72	117.77	122.82
2	B	701	FAD	C9-C8-C7	2.71	123.67	119.69
2	A	701	FAD	O4B-C1B-N9A	2.64	113.17	108.09
3	A	702	UCC	O3'-P3-O31	-2.60	100.06	109.33
3	A	702	UCC	O21-P2-O6	2.58	114.24	107.27
2	B	701	FAD	C7M-C7-C8	2.57	126.01	120.76
3	B	702	UCC	O21-P2-O22	2.53	124.23	112.44
2	A	701	FAD	C1'-C2'-C3'	-2.53	102.80	109.66
2	B	701	FAD	C7M-C7-C6	-2.50	115.17	119.57
2	B	701	FAD	O4B-C1B-N9A	2.50	112.88	108.09
2	A	701	FAD	C6A-C5A-N7A	2.49	136.90	132.09
3	A	702	UCC	C6-C5-N7	2.49	136.90	132.09
3	A	702	UCC	CP1-S-CA1	2.48	109.17	101.84
2	A	701	FAD	C6-C5X-N5	2.45	122.51	118.44
2	A	701	FAD	O4B-C4B-C3B	2.45	110.01	105.15
2	A	701	FAD	C2'-C1'-N10	2.41	121.58	110.20
2	B	701	FAD	C6-C5X-C9A	2.38	122.32	119.05
3	B	702	UCC	O6-P2-O22	-2.38	103.53	110.70
2	A	701	FAD	O2-C2-N1	-2.38	117.84	121.80
2	A	701	FAD	C5A-C4A-N9A	-2.37	103.23	105.81
3	A	702	UCC	OA1-CA1-CA2	2.36	126.71	123.98
3	B	702	UCC	C6-C5-N7	2.36	136.64	132.09
3	B	702	UCC	CP1-S-CA1	2.33	108.74	101.84
2	B	701	FAD	C2A-N1A-C6A	2.33	122.56	118.73
2	B	701	FAD	N3-C2-N1	2.28	124.36	119.50
2	B	701	FAD	O3B-C3B-C2B	-2.28	104.51	111.82
3	A	702	UCC	O33-P3-O31	2.26	119.65	110.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	FAD	O4'-C4'-C5'	2.25	114.94	109.99
3	B	702	UCC	OA1-CA1-S	2.19	125.47	122.68
2	B	701	FAD	C2'-C1'-N10	2.17	120.44	110.20
3	A	702	UCC	O11-P1-O12	2.15	122.46	112.44
2	A	701	FAD	C5X-N5-C4X	2.13	121.54	118.09
3	B	702	UCC	O11-P1-O6	2.10	112.95	107.27
2	B	701	FAD	O4B-C4B-C3B	2.10	109.32	105.15
2	B	701	FAD	N6A-C6A-N1A	2.08	123.00	118.38
3	A	702	UCC	O33-P3-O3'	-2.07	97.77	105.85
3	A	702	UCC	C4-C5-N7	-2.03	108.26	110.58
3	A	702	UCC	C5-N7-C8	2.03	106.64	103.45
2	A	701	FAD	C4X-C4-N3	2.02	118.40	113.25

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	702	UCC	CA1-CA2-CA3-CA4
3	A	702	UCC	C5'-O5'-P1-O6
3	A	702	UCC	C5'-O5'-P1-O11
3	B	702	UCC	CA1-CA2-CA3-CA4
3	B	702	UCC	CP6-CP8-CPB-CPA
3	B	702	UCC	O7-CPA-CPB-CP7
3	B	702	UCC	C5'-O5'-P1-O6
3	B	702	UCC	C5'-O5'-P1-O11
3	B	702	UCC	C5'-O5'-P1-O12
3	A	702	UCC	CA6-CA7-CA8-CA9
3	B	702	UCC	CA2-CA3-CA4-CA5
3	B	702	UCC	CA7-CA8-CA9-C10
3	A	702	UCC	C11-C10-CA9-CA8
3	A	702	UCC	CA2-CA3-CA4-CA5
3	B	702	UCC	CA6-CA7-CA8-CA9
3	A	702	UCC	CA3-CA4-CA5-CA6
3	B	702	UCC	CA3-CA4-CA5-CA6
3	B	702	UCC	C11-C10-CA9-CA8
3	A	702	UCC	P1-O6-P2-O22
3	A	702	UCC	P2-O6-P1-O5'
3	B	702	UCC	P2-O6-P1-O5'
3	A	702	UCC	CP3-CP4-CP5-NP2
2	A	701	FAD	PA-O3P-P-O1P
3	B	702	UCC	P1-O6-P2-O21
3	A	702	UCC	OP2-CP6-CP8-OP3

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	702	UCC	O7-CPA-CPB-CP7
3	A	702	UCC	C5'-O5'-P1-O12
3	B	702	UCC	OP3-CP8-CPB-CPA
2	A	701	FAD	PA-O3P-P-O2P
3	A	702	UCC	P1-O6-P2-O21
3	A	702	UCC	C3'-O3'-P3-O32
3	A	702	UCC	CA7-CA8-CA9-C10
3	B	702	UCC	P1-O6-P2-O22
3	A	702	UCC	NP2-CP6-CP8-OP3
3	B	702	UCC	NP2-CP6-CP8-OP3
2	B	701	FAD	PA-O3P-P-O2P


There are no ring outliers.


3 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	702	UCC	11	0
3	B	702	UCC	2	0
2	A	701	FAD	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	592/593 (99%)	-0.16	9 (1%) 72 72	16, 40, 68, 96	11 (1%)
1	B	593/593 (100%)	-0.08	13 (2%) 62 62	21, 45, 79, 116	3 (0%)
All	All	1185/1186 (99%)	-0.12	22 (1%) 66 66	16, 43, 74, 116	14 (1%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	610	THR	4.7
1	B	20	ILE	4.1
1	B	19	THR	3.9
1	B	611	ALA	3.7
1	B	480	GLY	3.3
1	A	532	ILE	2.9
1	B	532	ILE	2.8
1	A	330[A]	LEU	2.7
1	B	21	THR	2.5
1	A	264	LEU	2.4
1	A	269	GLY	2.4
1	A	215	SER	2.3
1	B	22	ALA	2.2
1	B	497	GLY	2.2
1	B	531	ALA	2.2
1	A	20	ILE	2.1
1	A	220	GLY	2.1
1	B	261	GLY	2.1
1	B	330	LEU	2.1
1	A	19	THR	2.1
1	B	28	SER	2.0
1	B	565	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	UCC	A	702	60/60	0.85	0.15	41,53,57,59	48
2	FAD	A	701	53/53	0.92	0.10	31,49,58,64	0
3	UCC	B	702	60/60	0.95	0.08	43,53,61,65	0
2	FAD	B	701	53/53	0.97	0.06	29,37,40,40	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UCC A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD A 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UCC B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.