



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:22 PM UTC

PDB ID : 8Y9R / pdb_00008y9r
Title : Crystal structure of Spiral2 microtubule-binding domain from *Physcomitrella patens*
Authors : Hayashi, I.
Deposited on : 2024-02-07
Resolution : 2.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	5% 65% 29% ..
1	B	287	3% 64% 31% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8678 atoms, of which 4431 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Microtubule binding protein.

Mol	Chain	Residues	Atoms								ZeroOcc	AltConf	Trace
1	A	282	Total	C	H	N	O	S	Se		54	0	0
			4324	1331	2213	371	396	7	6				
1	B	281	Total	C	H	N	O	S	Se		56	0	0
			4329	1332	2218	372	393	7	7				

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	GLY	-	expression tag	UNP A0A2K1IUB4
A	16	SER	-	expression tag	UNP A0A2K1IUB4
A	17	HIS	-	expression tag	UNP A0A2K1IUB4
A	18	MSE	-	expression tag	UNP A0A2K1IUB4
B	15	GLY	-	expression tag	UNP A0A2K1IUB4
B	16	SER	-	expression tag	UNP A0A2K1IUB4
B	17	HIS	-	expression tag	UNP A0A2K1IUB4
B	18	MSE	-	expression tag	UNP A0A2K1IUB4


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	11	Total	O	0	0
			11	11		
2	B	14	Total	O	0	0
			14	14		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Microtubule binding protein



• Molecule 1: Microtubule binding protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.83Å 95.65Å 150.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.09 – 2.80 48.09 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.09-2.80) 99.9 (48.09-2.80)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.215 , 0.276 (Not available) , 0.268	Depositor DCC
R_{free} test set	1107 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	53.7	Xtriage
Anisotropy	0.122	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8678	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4885e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.71	0/2130	1.32	13/2876 (0.5%)
1	B	0.74	0/2131	1.33	14/2876 (0.5%)
All	All	0.73	0/4261	1.32	27/5752 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	6
All	All	0	13

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	301	ASP	CA-CB-CG	8.16	120.76	112.60
1	B	72	ASP	CA-CB-CG	8.01	120.61	112.60
1	A	72	ASP	CA-CB-CG	7.54	120.14	112.60
1	B	70	ASP	CA-CB-CG	7.00	119.60	112.60
1	A	117	ASP	CA-CB-CG	6.33	118.93	112.60
1	A	70	ASP	CA-CB-CG	5.96	118.56	112.60
1	B	115	ASP	CA-CB-CG	5.93	118.53	112.60
1	A	41	THR	CB-CA-C	-5.92	100.17	110.17
1	A	26	LYS	N-CA-C	-5.76	105.00	111.28
1	B	287	ASP	CA-CB-CG	5.68	118.28	112.60
1	B	73	SER	CA-C-N	5.61	130.14	122.34
1	B	73	SER	C-N-CA	5.61	130.14	122.34
1	A	66	THR	CA-CB-OG1	-5.47	101.40	109.60
1	A	164	THR	N-CA-CB	5.40	118.06	110.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	179	GLU	CB-CG-CD	5.40	121.78	112.60
1	B	112	ARG	CG-CD-NE	-5.32	100.29	112.00
1	B	70	ASP	N-CA-CB	5.28	117.64	109.98
1	B	26	LYS	N-CA-C	-5.22	105.48	111.07
1	B	152	PHE	CB-CA-C	5.21	119.14	110.90
1	A	283	LYS	CB-CA-C	-5.21	101.08	112.38
1	B	71	THR	CA-CB-OG1	5.15	117.33	109.60
1	B	47	GLU	CB-CG-CD	5.13	121.33	112.60
1	A	222	SER	CA-C-O	-5.07	116.17	121.55
1	A	290	THR	CA-CB-OG1	-5.05	102.03	109.60
1	B	70	ASP	CB-CA-C	-5.03	103.16	110.95
1	A	47	GLU	CB-CG-CD	5.02	121.13	112.60
1	A	287	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	112	ARG	Sidechain
1	A	121	ARG	Sidechain
1	A	140	SER	Peptide
1	A	267	ARG	Sidechain
1	A	39	ARG	Sidechain
1	A	73	SER	Peptide
1	A	80	ARG	Sidechain
1	B	112	ARG	Sidechain
1	B	121	ARG	Sidechain
1	B	142	ALA	Peptide
1	B	267	ARG	Sidechain
1	B	73	SER	Peptide
1	B	80	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2111	2213	2203	70	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2111	2218	2211	83	0
2	A	11	0	0	2	0
2	B	14	0	0	4	0
All	All	4247	4431	4414	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:ALA:HB1	1:A:162:LEU:HD21	1.41	1.00
1:B:154:ALA:HB1	1:B:162:LEU:HD21	1.44	0.98
1:B:72:ASP:HB3	1:B:112:ARG:HH21	1.38	0.88
1:B:121:ARG:HH11	1:B:121:ARG:HG3	1.46	0.80
1:B:91:ALA:O	1:B:94:HIS:O	1.99	0.79
1:B:104:LYS:HE2	2:B:401:HOH:O	1.83	0.78
1:B:245:ARG:NH1	1:B:280:ASP:OD2	2.17	0.78
1:A:121:ARG:HG3	1:A:121:ARG:HH11	1.47	0.78
1:A:245:ARG:NH1	1:A:280:ASP:OD2	2.17	0.77
1:B:141:GLY:O	1:B:144:THR:HG22	1.85	0.77
1:B:181:HIS:ND1	1:B:184:THR:HG23	2.00	0.76
1:B:104:LYS:NZ	2:B:401:HOH:O	2.18	0.75
1:B:104:LYS:CE	2:B:401:HOH:O	2.36	0.73
1:A:23:ILE:CG2	1:B:168:MSE:HE3	2.19	0.72
1:A:159:HIS:O	1:A:163:GLN:HG2	1.90	0.71
1:A:154:ALA:HB1	1:A:162:LEU:CD2	2.18	0.71
1:B:226:LEU:HD21	1:B:259:VAL:HG11	1.72	0.71
1:B:283:LYS:CG	1:B:284:PRO:HD3	2.21	0.70
1:B:159:HIS:O	1:B:163:GLN:HG2	1.93	0.68
1:A:80:ARG:NH1	1:A:115:ASP:OD2	2.25	0.68
1:A:23:ILE:HG21	1:B:168:MSE:HE3	1.75	0.66
1:A:261:ASN:OD1	1:A:301:ASP:HB2	1.94	0.66
1:A:80:ARG:NH1	1:A:112:ARG:HH22	1.93	0.65
1:B:195:MSE:HE3	1:B:201:PHE:CE1	2.32	0.64
1:B:283:LYS:HG2	1:B:284:PRO:HD3	1.80	0.64
1:A:94:HIS:HB2	1:A:98:LEU:HD12	1.81	0.63
1:A:152:PHE:HE2	1:A:188:LEU:HD22	1.64	0.61
1:B:251:ALA:O	1:B:255:MSE:HG3	2.00	0.61
1:A:72:ASP:O	1:A:112:ARG:NH1	2.34	0.61
1:B:154:ALA:HB1	1:B:162:LEU:CD2	2.25	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:251:ALA:O	1:A:255:MSE:HG3	2.01	0.60
1:A:96:ASP:C	1:A:98:LEU:H	2.09	0.59
1:A:300:TYR:O	1:A:301:ASP:O	2.20	0.59
1:A:23:ILE:CD1	1:B:168:MSE:HE1	2.32	0.59
1:B:174:LEU:CD2	1:B:185:LEU:HD22	2.32	0.59
1:A:102:LEU:HB3	1:A:103:PRO:HD3	1.85	0.59
1:B:102:LEU:HB3	1:B:103:PRO:HD3	1.85	0.59
1:A:283:LYS:HB2	1:A:284:PRO:HD3	1.85	0.58
1:A:23:ILE:HG21	1:B:168:MSE:CE	2.33	0.58
1:B:72:ASP:HB3	1:B:112:ARG:NH2	2.14	0.57
1:A:121:ARG:NH2	1:A:164:THR:OG1	2.38	0.56
1:B:196:LEU:O	1:B:204:LYS:HE2	2.05	0.56
1:A:63:LEU:O	1:A:66:THR:HB	2.05	0.56
1:B:63:LEU:O	1:B:66:THR:HB	2.05	0.56
1:B:81:ARG:NH1	1:B:85:ARG:HH12	2.04	0.56
1:A:196:LEU:O	1:A:204:LYS:HE2	2.05	0.55
1:A:195:MSE:HE3	1:A:201:PHE:CE1	2.41	0.55
1:B:185:LEU:O	1:B:188:LEU:HG	2.06	0.55
1:A:261:ASN:ND2	2:A:402:HOH:O	2.39	0.55
1:B:174:LEU:HD22	1:B:185:LEU:HD22	1.89	0.55
1:B:223:ALA:HA	1:B:226:LEU:HD13	1.89	0.55
1:B:162:LEU:C	1:B:162:LEU:HD23	2.32	0.54
1:B:283:LYS:HG3	1:B:284:PRO:HD3	1.89	0.54
1:A:32:VAL:HG11	1:A:49:LEU:HG	1.89	0.54
1:B:96:ASP:C	1:B:98:LEU:H	2.16	0.54
1:A:274:LEU:HD22	1:A:289:VAL:HG13	1.89	0.54
1:B:32:VAL:HG11	1:B:49:LEU:HG	1.90	0.54
1:B:63:LEU:O	1:B:63:LEU:HD23	2.08	0.54
1:B:103:PRO:HG3	1:B:146:VAL:HG21	1.90	0.54
1:B:239:ASN:OD1	1:B:244:VAL:HG11	2.08	0.54
1:B:200:ASN:ND2	2:B:404:HOH:O	2.42	0.53
1:B:239:ASN:OD1	1:B:244:VAL:CG1	2.57	0.53
1:A:63:LEU:C	1:A:63:LEU:HD23	2.34	0.53
1:B:81:ARG:HH11	1:B:85:ARG:HH12	1.56	0.53
1:A:33:LEU:HD23	1:A:49:LEU:HD11	1.90	0.53
1:B:152:PHE:HE2	1:B:188:LEU:HD22	1.73	0.52
1:A:80:ARG:NH1	1:A:112:ARG:NH2	2.57	0.52
1:B:33:LEU:HD23	1:B:49:LEU:HD11	1.90	0.52
1:B:91:ALA:HA	1:B:98:LEU:HD22	1.91	0.52
1:B:63:LEU:HD23	1:B:63:LEU:C	2.35	0.52
1:A:152:PHE:CE2	1:A:188:LEU:HD22	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:HIS:CD2	1:A:184:THR:HG23	2.44	0.51
1:A:185:LEU:O	1:A:188:LEU:HG	2.10	0.51
1:A:23:ILE:HD13	1:B:168:MSE:HE1	1.92	0.51
1:B:81:ARG:HH11	1:B:85:ARG:NH1	2.09	0.51
1:B:152:PHE:CE2	1:B:188:LEU:HD22	2.45	0.51
1:A:223:ALA:HA	1:A:226:LEU:HD13	1.93	0.50
1:B:180:PRO:O	1:B:182:PRO:HD3	2.11	0.50
1:B:65:LEU:O	1:B:66:THR:C	2.53	0.50
1:A:63:LEU:O	1:A:63:LEU:HD23	2.11	0.50
1:A:65:LEU:O	1:A:66:THR:C	2.53	0.50
1:A:98:LEU:O	1:A:98:LEU:HD23	2.13	0.49
1:B:162:LEU:HD23	1:B:162:LEU:O	2.14	0.48
1:B:48:GLU:O	1:B:52:ILE:HG13	2.13	0.48
1:A:174:LEU:HD22	1:A:185:LEU:HD22	1.95	0.47
1:B:40:ASP:OD1	1:B:40:ASP:N	2.41	0.47
1:B:76:LYS:HG2	1:B:77:SER:H	1.80	0.47
1:B:83:CYS:O	1:B:87:VAL:HG23	2.13	0.47
1:B:282:VAL:HG12	1:B:284:PRO:HD2	1.96	0.47
1:A:98:LEU:CD2	1:A:105:MSE:SE	3.12	0.47
1:A:162:LEU:C	1:A:162:LEU:HD23	2.39	0.47
1:A:300:TYR:O	1:A:301:ASP:C	2.57	0.47
1:B:50:GLU:HG2	1:B:89:THR:HG21	1.97	0.47
1:A:96:ASP:C	1:A:98:LEU:N	2.74	0.46
1:A:52:ILE:O	1:A:56:LEU:HD13	2.15	0.46
1:A:180:PRO:O	1:A:182:PRO:HD3	2.16	0.46
1:A:261:ASN:CG	1:A:301:ASP:HB2	2.41	0.46
1:A:83:CYS:O	1:A:87:VAL:HG23	2.15	0.46
1:A:132:ALA:HA	1:A:147:PHE:CZ	2.50	0.46
1:B:52:ILE:O	1:B:56:LEU:HD13	2.16	0.46
1:B:246:LYS:HE2	1:B:250:GLU:OE2	2.16	0.46
1:A:121:ARG:HG3	1:A:121:ARG:NH1	2.24	0.46
1:A:207:LEU:O	1:A:211:VAL:HG23	2.14	0.46
1:B:143:VAL:O	1:B:146:VAL:HG12	2.16	0.45
1:B:226:LEU:HD21	1:B:259:VAL:CG1	2.45	0.45
1:B:117:ASP:HB3	1:B:120:ILE:HD13	1.99	0.45
1:A:181:HIS:HD2	1:A:184:THR:HG23	1.82	0.45
1:B:149:LYS:HB3	1:B:150:PRO:HD3	1.99	0.45
1:A:250:GLU:OE2	1:A:288:SER:OG	2.34	0.44
1:B:81:ARG:NH1	1:B:85:ARG:NH1	2.65	0.44
1:B:132:ALA:HA	1:B:147:PHE:CZ	2.52	0.44
1:A:48:GLU:O	1:A:52:ILE:HG13	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:VAL:CG1	1:B:49:LEU:HG	2.48	0.44
1:A:91:ALA:HA	1:A:98:LEU:HD13	2.00	0.44
1:B:270:VAL:HG12	1:B:274:LEU:HD12	2.01	0.43
1:B:154:ALA:CB	1:B:162:LEU:HD21	2.32	0.43
1:B:177:VAL:HG11	1:B:180:PRO:HB3	2.00	0.43
1:B:239:ASN:CG	1:B:244:VAL:HG11	2.42	0.43
1:B:274:LEU:HD22	1:B:289:VAL:HG13	1.99	0.43
1:A:217:VAL:O	1:A:218:PRO:C	2.62	0.43
1:B:207:LEU:O	1:B:211:VAL:HG23	2.18	0.43
1:B:195:MSE:HE2	1:B:207:LEU:HD22	2.02	0.42
1:A:155:LEU:HD13	1:A:195:MSE:HE1	2.00	0.42
1:B:274:LEU:CD2	1:B:289:VAL:HG13	2.49	0.42
1:B:195:MSE:CE	1:B:201:PHE:CE1	3.02	0.42
1:A:274:LEU:CD2	1:A:289:VAL:HG13	2.49	0.42
1:A:32:VAL:CG1	1:A:49:LEU:HG	2.50	0.42
1:A:195:MSE:HE2	1:A:207:LEU:HD22	2.02	0.42
1:B:249:ALA:O	1:B:252:LEU:HB2	2.20	0.42
1:A:159:HIS:CD2	1:A:160:LYS:H	2.37	0.41
1:B:239:ASN:CG	1:B:244:VAL:CG1	2.93	0.41
1:B:249:ALA:HB3	1:B:288:SER:HB3	2.02	0.41
1:A:154:ALA:CB	1:A:162:LEU:HD21	2.31	0.41
1:B:176:CYS:O	1:B:177:VAL:C	2.63	0.41
1:A:181:HIS:CE1	1:A:183:PRO:HG2	2.55	0.41
1:A:200:ASN:ND2	2:A:403:HOH:O	2.52	0.41
1:A:244:VAL:O	1:A:244:VAL:HG12	2.19	0.41
1:B:63:LEU:C	1:B:63:LEU:CD2	2.94	0.41
1:B:18:MSE:O	1:B:21:ALA:HB3	2.21	0.41
1:A:162:LEU:HD23	1:A:162:LEU:O	2.21	0.41
1:A:226:LEU:N	1:A:227:PRO:CD	2.84	0.41
1:B:76:LYS:HG2	1:B:77:SER:N	2.35	0.41
1:A:96:ASP:O	1:A:98:LEU:N	2.54	0.41
1:A:249:ALA:HB3	1:A:288:SER:HB3	2.02	0.41
1:A:249:ALA:O	1:A:252:LEU:HB2	2.21	0.41
1:B:96:ASP:C	1:B:98:LEU:N	2.78	0.40
1:B:226:LEU:N	1:B:227:PRO:CD	2.84	0.40
1:A:148:VAL:O	1:A:149:LYS:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	278/287 (97%)	263 (95%)	15 (5%)	0	100	100
1	B	277/287 (96%)	261 (94%)	15 (5%)	1 (0%)	30	60
All	All	555/574 (97%)	524 (94%)	30 (5%)	1 (0%)	43	72

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	199	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/229 (95%)	203 (94%)	14 (6%)	15	43
1	B	233/229 (102%)	226 (97%)	7 (3%)	36	72
All	All	450/458 (98%)	429 (95%)	21 (5%)	23	57

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	SER
1	A	38	ASP
1	A	40	ASP
1	A	41	THR
1	A	44	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	76	LYS
1	A	97	LEU
1	A	146	VAL
1	A	177	VAL
1	A	206	SER
1	A	224	SER
1	A	250	GLU
1	A	261	ASN
1	A	297	LYS
1	B	40	ASP
1	B	57	SER
1	B	58	PRO
1	B	76	LYS
1	B	177	VAL
1	B	262	SER
1	B	288	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	HIS
1	A	181	HIS
1	A	225	GLN
1	B	200	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/287 (95%)	0.10	13 (4%) 36 29	35, 56, 102, 127	0
1	B	274/287 (95%)	-0.10	9 (3%) 49 39	33, 52, 86, 112	0
All	All	549/574 (95%)	-0.00	22 (4%) 42 33	33, 54, 92, 127	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	136	GLY	7.2
1	A	17	HIS	5.7
1	B	136	GLY	4.8
1	B	17	HIS	4.4
1	A	301	ASP	4.3
1	B	140	SER	3.7
1	B	300	TYR	3.5
1	B	71	THR	3.2
1	B	141	GLY	2.9
1	B	142	ALA	2.8
1	A	141	GLY	2.8
1	A	159	HIS	2.8
1	A	76	LYS	2.7
1	A	140	SER	2.7
1	A	142	ALA	2.4
1	B	97	LEU	2.4
1	A	38	ASP	2.4
1	A	188	LEU	2.2
1	A	104	LYS	2.2
1	A	181	HIS	2.2
1	B	76	LYS	2.1
1	A	300	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.