



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:00 PM UTC

PDB ID : 4YAF / pdb_00004yaf
Title : rat CYPOR with 2'-AMP
Authors : Xia, C.; Kim, J.J.P.
Deposited on : 2015-02-17
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	622	4% 83% 14% .
1	B	622	16% 77% 20% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PO4	B	704	-	X	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 10977 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADPH–cytochrome P450 reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	609	Total	C	N	O	S	0	0	0
			4867	3087	835	922	23			
1	B	605	Total	C	N	O	S	0	0	0
			4804	3045	830	906	23			

- Molecule 2 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
3	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 4 is ADENOSINE-2'-MONOPHOSPHATE (CCD ID: 2AM) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 23	C 10	N 5	O 7	P 1	0	0
4	B	1	Total 23	C 10	N 5	O 7	P 1	0	0

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	596	Total	O	0	0
			596	596		
6	B	491	Total	O	0	0
			491	491		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NADPH-cytochrome P450 reductase



• Molecule 1: NADPH-cytochrome P450 reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	102.04Å 115.29Å 118.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.24 – 1.91 46.24 – 1.91	Depositor EDS
% Data completeness (in resolution range)	99.2 (46.24-1.91) 99.3 (46.24-1.91)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.10 (at 1.91Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, R_{free}	0.205 , 0.239 0.205 , 0.238	Depositor DCC
R_{free} test set	5432 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	30.3	Xtriage
Anisotropy	0.247	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.008 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10977	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, FMN, 2AM, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	2/4984 (0.0%)	0.85	11/6747 (0.2%)
1	B	0.36	0/4919	0.86	12/6657 (0.2%)
All	All	0.39	2/9903 (0.0%)	0.85	23/13404 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	472	CYS	C-O	-6.70	1.16	1.24
1	A	78	ARG	C-O	-5.62	1.17	1.23

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	128	ILE	N-CA-C	7.66	125.27	109.34
1	A	421	VAL	N-CA-C	7.34	117.32	110.42
1	A	140	TYR	CB-CA-C	6.41	124.16	111.22
1	B	77	GLY	N-CA-C	-6.09	105.98	115.67
1	B	128	ILE	CB-CA-C	-6.08	101.31	111.29
1	B	251	GLU	N-CA-C	-6.01	105.87	112.72
1	B	541	MET	N-CA-C	-5.95	104.88	111.36
1	B	129	ASP	CB-CA-C	-5.93	109.72	116.54
1	B	67	SER	N-CA-C	5.80	118.23	110.35
1	A	210	GLY	N-CA-C	-5.63	99.84	113.18
1	A	596	SER	N-CA-C	5.42	117.95	111.71
1	B	252	ASP	N-CA-C	5.32	119.53	112.72
1	A	301	MET	N-CA-C	5.25	117.80	109.50
1	A	541	MET	N-CA-C	-5.22	105.67	111.36
1	A	146	THR	N-CA-C	-5.20	103.67	110.53
1	A	137	MET	N-CA-C	5.19	117.36	108.90
1	A	159	THR	N-CA-C	5.15	117.18	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	421	VAL	N-CA-C	5.13	115.25	110.42
1	A	383	THR	N-CA-C	5.11	116.85	111.28
1	A	634	ARG	N-CA-C	5.09	116.91	111.36
1	B	427	ILE	N-CA-C	5.08	115.69	110.36
1	B	346	MET	N-CA-C	5.08	114.84	108.45
1	B	66	GLU	CB-CA-C	-5.03	101.18	113.15

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4867	0	4709	60	0
1	B	4804	0	4610	82	0
2	A	31	0	19	1	0
2	B	31	0	19	0	0
3	A	53	0	31	0	0
3	B	53	0	31	0	0
4	A	23	0	12	0	0
4	B	23	0	12	0	0
5	B	5	0	0	0	0
6	A	596	0	0	8	0
6	B	491	0	0	10	0
All	All	10977	0	9443	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:MET:HE2	1:A:188:VAL:HG23	1.50	0.94
1:A:581:ARG:HH21	1:A:584:LYS:HD3	1.37	0.89
1:B:72:LYS:HD2	1:B:354:GLU:HB3	1.58	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:LEU:HG	1:B:152:PHE:CD1	2.22	0.75
1:A:254:ASP:HB2	1:A:257:LYS:HE2	1.71	0.71
1:A:581:ARG:NH2	1:A:584:LYS:HD3	2.06	0.71
1:B:477:GLU:HG3	1:B:487:LYS:HD2	1.72	0.70
1:A:184:MET:HE3	1:A:184:MET:HA	1.74	0.69
1:A:376:ASP:HB3	1:A:449:PRO:HG2	1.75	0.67
1:B:115:GLU:OE1	1:B:148:ASN:HA	1.95	0.67
1:A:253:MET:HE2	1:A:257:LYS:HB2	1.77	0.66
1:B:86:SER:HB2	1:B:91:ALA:HB3	1.77	0.65
1:A:633:ALA:HB2	1:A:676:VAL:HB	1.78	0.65
1:A:629:VAL:HB	1:A:674:LEU:HD23	1.78	0.65
1:A:257:LYS:HA	1:A:266:LEU:HD21	1.79	0.64
1:B:156:LEU:HB3	1:B:191:ARG:HG2	1.79	0.63
1:B:222:GLN:C	1:B:225:PRO:HD2	2.23	0.63
1:B:81:ILE:HD12	1:B:110:MET:HE2	1.80	0.63
1:B:376:ASP:HB3	1:B:449:PRO:HG2	1.79	0.63
1:B:70:VAL:HG12	1:B:74:LYS:HE3	1.81	0.62
1:B:69:PHE:CE1	1:B:121:ASP:HB2	2.35	0.61
1:B:76:THR:HG21	1:B:78:ARG:HE	1.65	0.61
1:B:561:LEU:HD22	1:B:590:GLN:HB2	1.82	0.60
1:A:638:LYS:HA	1:A:638:LYS:HE3	1.82	0.60
1:A:88:THR:HB	2:A:701:FMN:O1P	2.02	0.59
1:B:548:ALA:O	1:B:552:GLU:HG2	2.05	0.56
1:A:551:ARG:HG3	1:A:557:VAL:HG21	1.87	0.56
1:B:191:ARG:NE	1:B:195:LEU:HD11	2.19	0.56
1:A:78:ARG:HG3	1:A:78:ARG:HH11	1.69	0.56
1:A:228:CYS:HA	1:A:233:VAL:CG2	2.36	0.55
1:B:125:LEU:N	1:B:126:PRO:HD2	2.21	0.55
1:A:75:LYS:HD2	6:A:1357:HOH:O	2.06	0.55
1:B:422:GLU:HG3	1:B:481:LYS:CE	2.37	0.55
1:B:223:PHE:O	1:B:227:VAL:HG23	2.07	0.55
1:A:555:LYS:HE2	6:A:1340:HOH:O	2.06	0.55
1:B:167:LYS:HG3	1:B:200:ILE:HD11	1.89	0.54
1:B:390:ALA:O	1:B:399:GLN:HG3	2.07	0.54
1:A:78:ARG:HH11	1:A:78:ARG:CG	2.21	0.53
1:B:76:THR:CG2	1:B:78:ARG:HE	2.21	0.52
1:B:167:LYS:CG	1:B:200:ILE:HD11	2.38	0.52
1:A:228:CYS:HA	1:A:233:VAL:HG22	1.90	0.52
1:B:191:ARG:O	1:B:195:LEU:HD13	2.09	0.52
1:B:481:LYS:HE3	6:B:1133:HOH:O	2.08	0.52
1:A:423:ALA:HA	1:A:481:LYS:HB2	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:GLN:HG2	6:A:1099:HOH:O	2.10	0.51
1:B:162:ASP:HA	1:B:195:LEU:O	2.10	0.51
1:A:156:LEU:HB3	1:A:191:ARG:HG2	1.93	0.51
1:A:145:PRO:HG3	1:A:184:MET:SD	2.51	0.51
1:B:549:TRP:O	1:B:553:GLN:HG2	2.10	0.50
1:A:298:ARG:HD3	6:A:1109:HOH:O	2.10	0.50
1:B:126:PRO:HD3	1:B:166:VAL:HG22	1.92	0.50
1:A:145:PRO:HG2	1:A:153:TYR:CG	2.46	0.50
1:B:167:LYS:N	1:B:167:LYS:HD2	2.27	0.50
1:B:222:GLN:O	1:B:225:PRO:HD2	2.11	0.50
1:B:93:GLU:HA	1:B:93:GLU:OE1	2.11	0.49
1:B:310:SER:O	1:B:311:LYS:HB2	2.12	0.49
1:A:514:ARG:HH11	1:A:514:ARG:HG2	1.75	0.49
1:B:70:VAL:HA	1:B:73:MET:HE3	1.95	0.49
1:A:541:MET:O	1:A:545:GLN:HG3	2.12	0.49
1:B:657:THR:HG23	6:B:1147:HOH:O	2.11	0.49
1:A:69:PHE:O	1:A:73:MET:HG3	2.13	0.49
1:B:652:GLY:N	1:B:653:PRO:HA	2.28	0.48
1:B:541:MET:O	1:B:545:GLN:HG3	2.14	0.48
1:B:656:HIS:O	1:B:660:VAL:HG23	2.14	0.48
1:A:246:GLU:HB3	1:A:351:LEU:HD21	1.96	0.48
1:B:633:ALA:HB2	1:B:676:VAL:HB	1.95	0.48
1:B:119:LEU:HD22	1:B:119:LEU:N	2.28	0.48
1:A:263:MET:HE2	1:A:323:TYR:CE1	2.48	0.48
1:B:266:LEU:HG	1:B:267:LYS:HG2	1.96	0.48
1:B:182:ASN:O	1:B:186:LYS:HG2	2.13	0.47
1:B:70:VAL:HG21	1:B:124:SER:HB2	1.97	0.47
1:B:145:PRO:HB3	1:B:184:MET:SD	2.55	0.47
1:B:88:THR:HG22	6:B:899:HOH:O	2.14	0.47
1:B:253:MET:SD	1:B:364:PRO:HG3	2.54	0.47
1:B:332:ASN:OD1	1:B:368:ARG:NH1	2.47	0.47
1:A:561:LEU:HD12	1:A:561:LEU:N	2.30	0.46
1:B:133:VAL:O	1:B:133:VAL:HG13	2.16	0.46
1:A:88:THR:O	1:A:88:THR:HG22	2.16	0.46
1:B:614:GLU:HG2	6:B:1218:HOH:O	2.16	0.46
1:A:253:MET:CE	1:A:257:LYS:HE3	2.46	0.46
1:B:180:HIS:HB3	1:B:183:ALA:HB2	1.96	0.46
1:B:629:VAL:HB	1:B:674:LEU:HD23	1.97	0.46
1:B:132:LEU:HD12	1:B:167:LYS:O	2.15	0.46
1:B:76:THR:HB	1:B:78:ARG:HG2	1.98	0.46
1:A:254:ASP:HB2	1:A:257:LYS:CE	2.43	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:411:GLU:HA	1:A:414:GLU:OE1	2.16	0.46
1:B:82:VAL:O	1:B:111:SER:HA	2.15	0.46
1:A:515:LYS:HE3	6:A:1336:HOH:O	2.16	0.46
1:B:101:ASP:HB2	1:B:224:TRP:CZ2	2.51	0.45
1:B:599:GLN:HG3	1:B:601:HIS:CE1	2.51	0.45
1:B:148:ASN:HB3	6:B:1236:HOH:O	2.16	0.45
1:B:382:ARG:CZ	6:B:932:HOH:O	2.64	0.45
1:B:75:LYS:HD2	6:B:1252:HOH:O	2.17	0.45
1:B:175:ASN:HB3	1:B:178:TYR:CD1	2.52	0.45
1:A:120:ALA:HA	1:A:155:TRP:CZ2	2.52	0.45
1:A:528:VAL:HG12	1:A:530:MET:HG3	1.99	0.44
1:B:104:ARG:O	1:B:235:ALA:HA	2.17	0.44
1:A:78:ARG:HD3	1:A:110:MET:HB3	1.99	0.44
1:B:93:GLU:HG3	6:B:938:HOH:O	2.17	0.44
1:A:78:ARG:NH2	1:A:352:ASP:OD2	2.51	0.44
1:B:475:ALA:HA	1:B:491:THR:HB	1.99	0.44
1:B:186:LYS:HE2	1:B:186:LYS:HB3	1.85	0.44
1:B:433:ASP:C	1:B:435:PRO:HD3	2.43	0.44
1:B:250:HIS:CG	1:B:253:MET:HE3	2.52	0.44
1:B:80:ILE:O	1:B:109:GLY:HA2	2.18	0.44
1:B:167:LYS:HD3	6:B:968:HOH:O	2.16	0.44
1:A:304:GLU:HG2	1:A:470:HIS:CD2	2.53	0.44
1:B:105:TYR:O	1:B:107:MET:HG3	2.18	0.44
1:B:167:LYS:HB3	1:B:200:ILE:CG1	2.48	0.44
1:A:652:GLY:N	1:A:653:PRO:HA	2.32	0.43
1:B:540:PHE:HA	1:B:543:PHE:HB2	1.99	0.43
1:B:84:TYR:CD1	1:B:84:TYR:O	2.72	0.43
1:A:184:MET:HE3	1:A:187:TYR:HB3	1.99	0.43
1:A:222:GLN:C	1:A:225:PRO:HD2	2.44	0.43
1:A:538:ALA:HB3	1:A:539:PRO:CD	2.49	0.43
1:B:214:GLU:OE1	1:B:413:LYS:HE3	2.19	0.43
1:B:380:PRO:HA	1:B:381:PRO:HD3	1.92	0.43
1:B:214:GLU:CD	1:B:413:LYS:HE3	2.44	0.43
1:A:180:HIS:HB3	1:A:183:ALA:HB2	2.01	0.43
1:A:599:GLN:HG2	1:A:601:HIS:O	2.19	0.42
1:A:125:LEU:N	1:A:126:PRO:CD	2.81	0.42
1:B:257:LYS:HA	1:B:266:LEU:HD21	2.01	0.42
1:A:141:GLY:O	1:A:142:GLU:HB2	2.19	0.42
1:A:267:LYS:HA	6:A:1245:HOH:O	2.18	0.42
1:A:551:ARG:HG3	1:A:557:VAL:CG2	2.49	0.42
1:A:184:MET:HE2	1:A:188:VAL:CG2	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:LYS:HA	1:B:274:PRO:HD3	1.89	0.41
1:B:626:HIS:CD2	1:B:671:ARG:HG2	2.55	0.41
1:A:638:LYS:HA	1:A:638:LYS:CE	2.50	0.41
1:B:79:ASN:ND2	1:B:80:ILE:HG13	2.35	0.41
1:B:213:GLU:O	1:B:217:ILE:HG13	2.20	0.41
1:A:108:ARG:HG3	1:A:108:ARG:HH11	1.85	0.41
1:A:253:MET:HG2	1:A:258:VAL:CG2	2.51	0.41
1:B:73:MET:HB3	1:B:78:ARG:HB2	2.03	0.41
1:B:610:LYS:NZ	6:B:802:HOH:O	2.53	0.41
1:A:564:TYR:CG	1:A:565:GLY:N	2.88	0.41
1:A:475:ALA:HA	1:A:491:THR:HB	2.03	0.40
1:A:514:ARG:NH1	6:A:818:HOH:O	2.54	0.40
1:B:266:LEU:O	1:B:267:LYS:HB2	2.21	0.40
1:A:87:GLN:HG2	6:A:810:HOH:O	2.21	0.40
1:A:327:ASP:OD1	1:A:329:ALA:HB3	2.21	0.40
1:B:527:PRO:HB2	1:B:625:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	603/622 (97%)	590 (98%)	13 (2%)	0	100	100
1	B	599/622 (96%)	570 (95%)	29 (5%)	0	100	100
All	All	1202/1244 (97%)	1160 (96%)	42 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	518/531 (98%)	512 (99%)	6 (1%)	63	57
1	B	502/531 (94%)	499 (99%)	3 (1%)	78	75
All	All	1020/1062 (96%)	1011 (99%)	9 (1%)	70	67

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	ARG
1	A	158	GLU
1	A	300	LEU
1	A	411	GLU
1	A	484	ARG
1	A	638	LYS
1	B	212	LEU
1	B	353	GLU
1	B	619	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	150	GLN
1	A	399	GLN
1	A	465	HIS
1	A	486	ASN
1	B	157	GLN
1	B	198	GLN
1	B	356	ASN
1	B	391	GLN
1	B	399	GLN
1	B	403	HIS
1	B	467	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	2AM	A	703	-	25,25,25	1.70	7 (28%)	38,38,38	2.13	12 (31%)
4	2AM	B	703	-	25,25,25	1.71	7 (28%)	38,38,38	2.13	11 (28%)
3	FAD	A	702	-	58,58,58	2.31	13 (22%)	85,89,89	1.95	16 (18%)
2	FMN	B	701	-	33,33,33	2.66	13 (39%)	48,50,50	1.63	12 (25%)
5	PO4	B	704	-	4,4,4	2.36	4 (100%)	6,6,6	1.14	1 (16%)
2	FMN	A	701	-	33,33,33	2.64	14 (42%)	48,50,50	1.59	12 (25%)
3	FAD	B	702	-	58,58,58	2.30	12 (20%)	85,89,89	1.96	17 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	2AM	A	703	-	-	4/11/27/27	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	2AM	B	703	-	-	3/11/27/27	0/3/3/3
3	FAD	A	702	-	-	2/34/50/50	0/6/6/6
2	FMN	B	701	-	-	0/18/18/18	0/3/3/3
2	FMN	A	701	-	-	0/18/18/18	0/3/3/3
3	FAD	B	702	-	-	1/34/50/50	0/6/6/6

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	FAD	C8A-N7A	8.58	1.48	1.31
3	B	702	FAD	C8A-N7A	8.51	1.48	1.31
2	B	701	FMN	C8M-C8	-6.80	1.38	1.51
2	A	701	FMN	C8M-C8	-6.59	1.38	1.51
3	A	702	FAD	C8A-N9A	6.19	1.48	1.37
3	A	702	FAD	C7M-C7	-6.14	1.39	1.51
3	A	702	FAD	C8M-C8	-6.14	1.39	1.51
3	B	702	FAD	C8A-N9A	6.13	1.48	1.37
3	B	702	FAD	C8M-C8	-6.12	1.39	1.51
3	B	702	FAD	C7M-C7	-6.10	1.39	1.51
2	B	701	FMN	C4A-N5	5.29	1.42	1.30
2	A	701	FMN	C4A-N5	5.23	1.42	1.30
2	B	701	FMN	C10-N10	5.19	1.48	1.37
2	B	701	FMN	C9-C9A	4.94	1.47	1.39
2	A	701	FMN	C10-N10	4.86	1.47	1.37
2	A	701	FMN	C9-C9A	4.86	1.47	1.39
2	A	701	FMN	C9A-N10	4.28	1.48	1.41
2	B	701	FMN	C9A-N10	4.19	1.48	1.41
2	A	701	FMN	C9A-C5A	4.13	1.47	1.41
2	B	701	FMN	C9A-C5A	4.08	1.47	1.41
2	A	701	FMN	C8-C7	3.91	1.50	1.40
2	B	701	FMN	C8-C7	3.85	1.50	1.40
3	A	702	FAD	C9A-N10	-3.82	1.34	1.41
3	B	702	FAD	C9A-N10	-3.77	1.34	1.41
3	B	702	FAD	C2A-N3A	3.67	1.40	1.33
4	B	703	2AM	C2-N1	3.63	1.40	1.33
4	A	703	2AM	C2-N1	3.63	1.40	1.33
3	A	702	FAD	C2A-N3A	3.61	1.40	1.33
4	B	703	2AM	C2-N3	3.59	1.40	1.33
4	A	703	2AM	C2-N3	3.57	1.40	1.33
3	B	702	FAD	C10-N1	3.56	1.40	1.33
3	B	702	FAD	C2A-N1A	3.55	1.40	1.33
3	A	702	FAD	C2A-N1A	3.55	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	FAD	C10-N1	3.53	1.40	1.33
2	B	701	FMN	C10-N1	3.26	1.39	1.33
2	A	701	FMN	C10-N1	3.23	1.39	1.33
4	B	703	2AM	C5-C4	-3.07	1.33	1.39
3	B	702	FAD	C5A-N7A	-3.05	1.33	1.39
4	A	703	2AM	C5-N7	-3.05	1.33	1.39
4	A	703	2AM	C5-C4	-3.03	1.33	1.39
3	A	702	FAD	C5A-N7A	-3.03	1.33	1.39
4	B	703	2AM	C5-N7	-3.02	1.33	1.39
2	A	701	FMN	C6-C5A	3.01	1.44	1.40
3	B	702	FAD	C5A-C4A	-2.92	1.33	1.39
2	B	701	FMN	C6-C5A	2.91	1.44	1.40
3	A	702	FAD	C5A-C4A	-2.86	1.34	1.39
5	B	704	PO4	P-O2	-2.70	1.46	1.54
3	A	702	FAD	C5X-N5	-2.68	1.34	1.39
3	A	702	FAD	C5A-C6A	-2.67	1.33	1.41
4	B	703	2AM	C5-C6	-2.67	1.33	1.41
2	A	701	FMN	O2'-C2'	2.66	1.48	1.43
3	B	702	FAD	C5X-N5	-2.65	1.34	1.39
4	A	703	2AM	C5-C6	-2.65	1.33	1.41
3	B	702	FAD	C5A-C6A	-2.64	1.33	1.41
2	B	701	FMN	O2'-C2'	2.63	1.48	1.43
2	B	701	FMN	C4'-C3'	2.56	1.57	1.53
2	A	701	FMN	C4'-C3'	2.52	1.57	1.53
5	B	704	PO4	P-O3	-2.44	1.47	1.54
4	B	703	2AM	C8-N9	-2.41	1.33	1.37
4	A	703	2AM	C8-N9	-2.38	1.33	1.37
2	A	701	FMN	C1'-C2'	2.28	1.55	1.52
2	A	701	FMN	C7M-C7	2.26	1.55	1.51
5	B	704	PO4	P-O4	-2.20	1.48	1.54
2	B	701	FMN	C1'-C2'	2.19	1.55	1.52
2	B	701	FMN	C7M-C7	2.18	1.55	1.51
2	A	701	FMN	C6-C7	2.09	1.42	1.39
4	A	703	2AM	C4-N9	-2.05	1.33	1.37
5	B	704	PO4	P-O1	-2.05	1.45	1.50
4	B	703	2AM	C4-N9	-2.04	1.33	1.37
3	A	702	FAD	C4A-N9A	-2.04	1.33	1.37

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	702	FAD	N9A-C8A-N7A	-9.42	100.56	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	702	FAD	N9A-C8A-N7A	-9.32	100.72	113.94
3	A	702	FAD	N3A-C2A-N1A	-7.41	117.37	128.58
3	B	702	FAD	N3A-C2A-N1A	-7.31	117.52	128.58
4	B	703	2AM	N3-C2-N1	-7.20	117.68	128.58
4	A	703	2AM	N3-C2-N1	-7.19	117.70	128.58
3	B	702	FAD	C5A-C4A-N3A	-4.45	120.58	126.72
3	A	702	FAD	C5A-C4A-N3A	-4.38	120.68	126.72
3	A	702	FAD	C5A-C4A-N9A	4.30	110.50	105.81
4	B	703	2AM	N9-C8-N7	-4.30	107.83	113.94
3	B	702	FAD	C5A-C4A-N9A	4.30	110.49	105.81
4	A	703	2AM	N9-C8-N7	-4.25	107.91	113.94
4	B	703	2AM	C5-C4-N3	-4.14	121.02	126.72
4	A	703	2AM	C5-C4-N3	-4.07	121.12	126.72
2	B	701	FMN	C9A-C5A-N5	4.01	126.71	122.45
2	A	701	FMN	C9A-C5A-N5	3.91	126.60	122.45
2	A	701	FMN	O4'-C4'-C3'	-3.61	100.79	109.25
2	B	701	FMN	O4'-C4'-C3'	-3.60	100.83	109.25
3	A	702	FAD	C2A-N3A-C4A	3.52	120.44	111.83
3	B	702	FAD	C2A-N3A-C4A	3.51	120.41	111.83
3	B	702	FAD	C5A-N7A-C8A	3.50	108.95	103.45
3	A	702	FAD	C5A-N7A-C8A	3.43	108.84	103.45
4	B	703	2AM	C2-N3-C4	3.29	119.86	111.83
4	A	703	2AM	C2-N3-C4	3.25	119.77	111.83
3	A	702	FAD	C4-N3-C2	-3.11	120.12	125.64
3	B	702	FAD	C4-N3-C2	-3.08	120.18	125.64
3	B	702	FAD	C4A-N9A-C8A	3.05	108.94	105.74
4	B	703	2AM	C5-N7-C8	3.02	108.19	103.45
3	A	702	FAD	C4A-N9A-C8A	3.01	108.90	105.74
4	A	703	2AM	C5-N7-C8	2.97	108.11	103.45
3	B	702	FAD	C5A-C6A-N6A	-2.84	116.24	123.29
3	A	702	FAD	C5A-C6A-N6A	-2.83	116.27	123.29
3	B	702	FAD	C10-C4X-N5	-2.80	119.10	124.81
2	A	701	FMN	C5A-C9A-N10	-2.79	115.44	117.97
2	B	701	FMN	O4-C4-N3	-2.76	114.92	120.11
2	B	701	FMN	C5A-C9A-N10	-2.75	115.48	117.97
3	A	702	FAD	C10-C4X-N5	-2.75	119.20	124.81
2	A	701	FMN	C4'-C3'-C2'	-2.70	109.07	113.57
4	A	703	2AM	C5-C6-N6	-2.70	116.60	123.29
2	B	701	FMN	O3P-P-O5'	-2.68	99.68	106.67
3	B	702	FAD	C4X-C4-N3	2.64	119.98	113.25
2	B	701	FMN	C4'-C3'-C2'	-2.62	109.21	113.57
4	B	703	2AM	C5-C6-N6	-2.60	116.85	123.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	702	FAD	C4X-C4-N3	2.59	119.85	113.25
2	B	701	FMN	C8M-C8-C7	2.56	125.99	120.76
2	A	701	FMN	C8M-C8-C7	2.55	125.97	120.76
2	A	701	FMN	O4-C4-N3	-2.55	115.32	120.11
4	A	703	2AM	O4'-C1'-C2'	-2.53	102.22	106.59
3	B	702	FAD	C2B-C3B-C4B	-2.51	97.76	102.61
2	A	701	FMN	C5A-N5-C4A	-2.48	114.08	118.09
2	B	701	FMN	C5A-N5-C4A	-2.46	114.11	118.09
4	A	703	2AM	C6-C5-C4	2.42	120.48	117.18
4	B	703	2AM	C6-C5-C4	2.41	120.47	117.18
4	B	703	2AM	C4-C5-N7	-2.41	107.83	110.58
3	A	702	FAD	C2B-C3B-C4B	-2.39	97.99	102.61
5	B	704	PO4	O4-P-O3	-2.36	100.56	107.91
4	A	703	2AM	C4-C5-N7	-2.36	107.88	110.58
3	B	702	FAD	C4X-C10-N10	2.32	119.81	116.48
2	A	701	FMN	O2P-P-O1P	2.31	119.83	110.83
2	B	701	FMN	O2P-P-O1P	2.31	119.83	110.83
4	B	703	2AM	C4-N9-C8	2.30	108.16	105.74
3	A	702	FAD	O4-C4-C4X	-2.27	120.54	126.53
3	A	702	FAD	C4X-C10-N10	2.27	119.72	116.48
2	A	701	FMN	C8M-C8-C9	-2.26	115.60	119.57
2	B	701	FMN	C8M-C8-C9	-2.25	115.60	119.57
3	B	702	FAD	C9A-C5X-N5	-2.25	120.06	122.45
4	A	703	2AM	C4-N9-C8	2.25	108.10	105.74
4	B	703	2AM	N3-C4-N9	2.24	130.98	127.17
3	B	702	FAD	C6A-C5A-C4A	2.23	120.22	117.18
3	A	702	FAD	C6A-C5A-C4A	2.19	120.17	117.18
2	A	701	FMN	C7M-C7-C6	-2.19	115.71	119.57
2	B	701	FMN	C7M-C7-C6	-2.18	115.72	119.57
2	A	701	FMN	O3P-P-O5'	-2.18	100.99	106.67
2	A	701	FMN	C9-C9A-N10	2.17	124.78	121.85
4	A	703	2AM	C5'-C4'-C3'	-2.17	109.97	115.10
4	A	703	2AM	N3-C4-N9	2.17	130.86	127.17
3	B	702	FAD	O4-C4-C4X	-2.16	120.82	126.53
4	B	703	2AM	C3'-C2'-C1'	-2.15	98.68	102.81
2	B	701	FMN	C9-C9A-N10	2.15	124.74	121.85
3	A	702	FAD	C9A-C5X-N5	-2.13	120.19	122.45
3	B	702	FAD	C5A-C6A-N1A	2.02	122.64	117.51

There are no chirality outliers.

All (10) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	B	703	2AM	C2'-C1'-N9-C8
4	B	703	2AM	C2'-C1'-N9-C4
4	A	703	2AM	C2'-C1'-N9-C8
4	A	703	2AM	C2'-C1'-N9-C4
4	A	703	2AM	C2'-O2'-P-O1P
4	B	703	2AM	C2'-O2'-P-O1P
3	A	702	FAD	PA-O3P-P-O1P
4	A	703	2AM	O4'-C1'-N9-C8
3	B	702	FAD	PA-O3P-P-O2P
3	A	702	FAD	PA-O3P-P-O2P


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	FMN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	609/622 (97%)	0.35	27 (4%) 39 43	22, 32, 49, 64	0
1	B	605/622 (97%)	0.85	100 (16%) 4 6	19, 37, 76, 90	0
All	All	1214/1244 (97%)	0.60	127 (10%) 11 15	19, 34, 70, 90	0

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	161	VAL	9.2
1	B	85	GLY	6.3
1	B	125	LEU	5.4
1	B	163	LEU	4.9
1	B	151	ASP	4.7
1	B	128	ILE	4.5
1	A	678	SER	4.2
1	B	160	ASP	4.1
1	B	252	ASP	4.1
1	B	235	ALA	4.0
1	B	69	PHE	4.0
1	B	162	ASP	3.9
1	B	70	VAL	3.9
1	B	80	ILE	3.9
1	B	233	VAL	3.9
1	B	103	HIS	3.8
1	A	141	GLY	3.8
1	B	192	LEU	3.7
1	A	140	TYR	3.5
1	A	235	ALA	3.5
1	B	101	ASP	3.5
1	B	254	ASP	3.5
1	B	106	GLY	3.4
1	B	210	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	242	ILE	3.3
1	B	102	ALA	3.2
1	A	500	ALA	3.2
1	B	152	PHE	3.2
1	B	76	THR	3.2
1	B	84	TYR	3.2
1	B	126	PRO	3.2
1	A	61	ALA	3.1
1	A	506	ARG	3.1
1	B	104	ARG	3.1
1	A	266	LEU	3.1
1	B	230	PHE	3.1
1	A	252	ASP	3.0
1	B	119	LEU	3.0
1	B	112	ALA	3.0
1	B	149	ALA	3.0
1	B	200	ILE	3.0
1	B	72	LYS	3.0
1	B	155	TRP	3.0
1	B	351	LEU	2.9
1	B	140	TYR	2.9
1	A	649	ALA	2.9
1	B	98	LEU	2.9
1	B	117	TYR	2.9
1	B	164	THR	2.9
1	A	633	ALA	2.9
1	A	63	PRO	2.8
1	B	646	ASP	2.8
1	B	99	SER	2.8
1	B	678	SER	2.8
1	B	158	GLU	2.8
1	B	120	ALA	2.8
1	B	231	PHE	2.8
1	B	195	LEU	2.8
1	A	106	GLY	2.8
1	B	166	VAL	2.8
1	A	234	GLU	2.7
1	B	129	ASP	2.7
1	B	159	THR	2.7
1	B	123	SER	2.7
1	B	105	TYR	2.6
1	B	201	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	122	LEU	2.6
1	A	179	GLU	2.6
1	A	273	LYS	2.6
1	A	180	HIS	2.5
1	B	67	SER	2.5
1	B	506	ARG	2.5
1	B	83	PHE	2.5
1	B	145	PRO	2.5
1	B	141	GLY	2.5
1	A	244	GLN	2.5
1	A	554	GLY	2.4
1	B	153	TYR	2.4
1	B	212	LEU	2.4
1	B	93	GLU	2.4
1	A	151	ASP	2.4
1	B	253	MET	2.4
1	A	253	MET	2.4
1	B	111	SER	2.4
1	B	409	SER	2.4
1	B	118	ASP	2.4
1	B	171	PHE	2.4
1	B	114	PRO	2.4
1	B	143	GLY	2.4
1	B	219	TRP	2.4
1	B	168	PHE	2.3
1	A	177	THR	2.3
1	B	148	ASN	2.3
1	B	501	GLY	2.3
1	B	170	VAL	2.3
1	B	146	THR	2.3
1	B	136	CYS	2.3
1	A	178	TYR	2.3
1	B	138	ALA	2.3
1	B	169	ALA	2.3
1	B	228	CYS	2.3
1	B	110	MET	2.3
1	B	173	LEU	2.3
1	B	66	GLU	2.2
1	B	234	GLU	2.2
1	B	75	LYS	2.2
1	B	147	ASP	2.2
1	B	194	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	271	ASN	2.2
1	B	65	LYS	2.2
1	B	188	VAL	2.2
1	B	139	THR	2.2
1	B	255	VAL	2.2
1	B	121	ASP	2.2
1	B	178	TYR	2.1
1	A	87	GLN	2.1
1	B	197	ALA	2.1
1	B	224	TRP	2.1
1	B	554	GLY	2.1
1	B	500	ALA	2.1
1	A	229	GLU	2.1
1	B	82	VAL	2.1
1	B	156	LEU	2.1
1	A	108	ARG	2.1
1	B	86	SER	2.0
1	B	130	LYS	2.0
1	B	226	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	PO4	B	704	5/5	0.78	0.15	68,71,71,71	0
2	FMN	B	701	31/31	0.92	0.11	49,60,63,63	0
2	FMN	A	701	31/31	0.92	0.10	33,39,43,45	0
4	2AM	B	703	23/23	0.95	0.07	25,27,31,38	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	2AM	A	703	23/23	0.96	0.06	26,27,29,38	0
3	FAD	A	702	53/53	0.97	0.06	20,24,30,33	0
3	FAD	B	702	53/53	0.98	0.05	18,22,30,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around FMN A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2AM B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2AM A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.