



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:57 AM UTC

PDB ID : 2YB0 / pdb_00002yb0
Title : The Crystal Structure of Leishmania major dUTPase in complex deoxyuridine
Authors : Hemsworth, G.R.; Moroz, O.V.; Fogg, M.J.; Scott, B.; Bosch-Navarrete, C.;
Gonzalez-Pacanowska, D.; Wilson, K.S.
Deposited on : 2011-02-25
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	20% 85% 10% 5%
1	B	271	30% 87% 8% ..
1	D	271	32% 86% 8% 6%
1	E	271	45% 87% 8% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DUTPASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			1992	1277	329	376	10			
1	B	263	Total	C	N	O	S	0	0	0
			2029	1297	337	385	10			
1	D	255	Total	C	N	O	S	0	0	0
			1969	1261	322	376	10			
1	E	264	Total	C	N	O	S	0	0	0
			2014	1285	334	385	10			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP O15826
A	-1	PRO	-	expression tag	UNP O15826
A	0	ALA	-	expression tag	UNP O15826
B	-2	GLY	-	expression tag	UNP O15826
B	-1	PRO	-	expression tag	UNP O15826
B	0	ALA	-	expression tag	UNP O15826
D	-2	GLY	-	expression tag	UNP O15826
D	-1	PRO	-	expression tag	UNP O15826
D	0	ALA	-	expression tag	UNP O15826
E	-2	GLY	-	expression tag	UNP O15826
E	-1	PRO	-	expression tag	UNP O15826
E	0	ALA	-	expression tag	UNP O15826

- Molecule 2 is 2'-DEOXYURIDINE (CCD ID: DUR) (formula: C₉H₁₂N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			16	9	2	5		
2	B	1	Total	C	N	O	0	0
			16	9	2	5		
2	D	1	Total	C	N	O	0	0
			16	9	2	5		
2	E	1	Total	C	N	O	0	0
			16	9	2	5		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	39	Total	O	0	0
			39	39		
4	B	19	Total	O	0	0
			19	19		
4	D	23	Total	O	0	0
			23	23		
4	E	16	Total	O	0	0
			16	16		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DUTPASE



• Molecule 1: DUTPASE





• Molecule 1: DUTPASE





● Molecule 1: DUTPASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	109.19Å 109.19Å 308.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	54.59 – 2.28 54.59 – 2.28	Depositor EDS
% Data completeness (in resolution range)	100.0 (54.59-2.28) 100.0 (54.59-2.28)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.05 (at 2.27Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.210 , 0.235 0.233 , 0.248	Depositor DCC
R_{free} test set	4921 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	48.0	Xtriage
Anisotropy	0.216	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8210	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, DUR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/2040	0.82	0/2789
1	B	0.68	0/2077	0.80	0/2835
1	D	0.73	0/2017	0.80	1/2758 (0.0%)
1	E	0.69	0/2062	0.80	1/2817 (0.0%)
All	All	0.71	0/8196	0.81	2/11199 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	111	MET	N-CA-C	5.16	116.92	109.07
1	E	221	VAL	N-CA-CB	-5.05	106.66	112.21

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1992	0	1877	14	0
1	B	2029	0	1902	21	0
1	D	1969	0	1841	9	0
1	E	2014	0	1859	16	0
2	A	16	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	16	0	12	0	0
2	D	16	0	12	0	0
2	E	16	0	12	0	0
3	A	15	0	0	0	0
3	B	10	0	0	1	0
3	D	10	0	0	0	0
3	E	10	0	0	1	0
4	A	39	0	0	0	0
4	B	19	0	0	0	0
4	D	23	0	0	0	0
4	E	16	0	0	0	0
All	All	8210	0	7527	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:LEU:HD22	1:B:91:MET:HE3	1.49	0.94
1:B:38:LEU:HD13	1:B:91:MET:CE	2.14	0.77
1:B:38:LEU:HD13	1:B:91:MET:HE1	1.67	0.77
1:B:71:ALA:O	1:B:75:ILE:HD12	1.85	0.76
1:B:38:LEU:CD2	1:B:91:MET:HE3	2.16	0.75
1:E:235:MET:HE1	1:E:251:ASP:HA	1.70	0.73
1:E:235:MET:CE	1:E:250:LYS:O	2.38	0.71
1:B:38:LEU:HD22	1:B:91:MET:CE	2.22	0.70
1:E:78:VAL:HG21	1:E:175:TYR:HB3	1.75	0.69
1:B:78:VAL:HG21	1:B:175:TYR:HB3	1.74	0.68
1:D:78:VAL:HG21	1:D:175:TYR:HB3	1.76	0.68
1:A:221:VAL:HG23	1:A:222:LEU:HD13	1.75	0.67
1:E:235:MET:HE1	1:E:250:LYS:O	1.95	0.66
1:A:78:VAL:HG21	1:A:175:TYR:HB3	1.78	0.66
1:A:199:VAL:HG22	1:A:204:GLU:HG3	1.78	0.64
1:B:263:ARG:C	1:B:264:LEU:HD12	2.24	0.63
1:B:38:LEU:CD1	1:B:91:MET:CE	2.76	0.63
1:D:48:GLU:OE1	1:D:76:GLU:OE1	2.18	0.61
1:E:91:MET:HE1	1:E:152:TYR:HB3	1.84	0.59
1:B:38:LEU:CD2	1:B:91:MET:CE	2.82	0.56
1:D:75:ILE:HD13	1:D:206:ASN:HB3	1.87	0.56
1:E:75:ILE:HD13	1:E:206:ASN:HB3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:LEU:CD1	1:B:91:MET:HE2	2.37	0.54
1:E:263:ARG:O	1:E:264:LEU:CB	2.57	0.53
1:E:215:ASP:OD1	1:E:215:ASP:N	2.41	0.52
1:D:62:LYS:NZ	3:E:1267:SO4:O3	2.40	0.52
1:E:235:MET:CE	1:E:251:ASP:HA	2.40	0.52
1:A:52:LEU:C	1:A:52:LEU:HD23	2.34	0.52
1:B:81:PHE:CE1	1:B:158:ILE:HG23	2.45	0.52
1:D:81:PHE:HE1	1:D:158:ILE:HG23	1.78	0.48
1:A:48:GLU:OE1	1:A:76:GLU:OE1	2.31	0.48
1:A:125:TYR:HB3	1:A:127:PHE:CE2	2.49	0.48
1:A:62:LYS:NZ	3:B:1268:SO4:O4	2.24	0.47
1:B:263:ARG:O	1:B:264:LEU:HD12	2.14	0.47
1:B:32:TRP:HA	1:B:35:VAL:HG22	1.98	0.46
1:A:28:ILE:O	1:A:192:LYS:NZ	2.43	0.46
1:D:216:VAL:CG1	1:D:217:SER:N	2.81	0.44
1:E:52:LEU:C	1:E:52:LEU:HD23	2.42	0.44
1:E:91:MET:HE2	1:E:91:MET:HB2	1.74	0.44
1:A:155:ASP:OD1	1:A:155:ASP:N	2.50	0.44
1:A:199:VAL:CG2	1:A:204:GLU:HG3	2.47	0.43
1:A:59:LYS:HG2	1:A:61:TRP:CH2	2.53	0.43
1:A:186:ARG:HG2	1:A:196:TYR:CE1	2.54	0.43
1:D:191:TYR:OH	1:E:62:LYS:HE2	2.19	0.43
1:D:77:LEU:HD21	1:D:142:PHE:HZ	1.84	0.42
1:E:31:SER:O	1:E:35:VAL:HG13	2.20	0.42
1:B:213:ILE:C	1:B:213:ILE:HD12	2.44	0.42
1:E:48:GLU:OE1	1:E:76:GLU:OE1	2.38	0.42
1:B:52:LEU:C	1:B:52:LEU:HD23	2.45	0.42
1:B:262:ASN:C	1:B:264:LEU:H	2.28	0.42
1:B:48:GLU:OE1	1:B:76:GLU:OE1	2.38	0.41
1:A:198:LYS:HG2	1:A:199:VAL:HG23	2.01	0.41
1:B:173:VAL:HG11	1:B:221:VAL:HG13	2.03	0.41
1:B:81:PHE:HE1	1:B:158:ILE:HG23	1.82	0.41
1:B:193:ASP:OD1	1:B:193:ASP:C	2.64	0.41
1:D:13:ILE:HD13	1:D:222:LEU:HA	2.02	0.41
1:E:235:MET:HE1	1:E:251:ASP:CA	2.43	0.41
1:A:193:ASP:OD1	1:A:195:SER:OG	2.37	0.40
1:E:221:VAL:HG12	1:E:222:LEU:HD13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/271 (94%)	249 (97%)	6 (2%)	1 (0%)	30	36
1	B	261/271 (96%)	257 (98%)	2 (1%)	2 (1%)	16	18
1	D	253/271 (93%)	246 (97%)	7 (3%)	0	100	100
1	E	262/271 (97%)	255 (97%)	5 (2%)	2 (1%)	16	18
All	All	1032/1084 (95%)	1007 (98%)	20 (2%)	5 (0%)	24	29

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	8	ASN
1	E	8	ASN
1	B	263	ARG
1	A	224	ALA
1	E	203	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	203/230 (88%)	194 (96%)	9 (4%)	25	35
1	B	204/230 (89%)	197 (97%)	7 (3%)	32	46
1	D	201/230 (87%)	197 (98%)	4 (2%)	48	65
1	E	199/230 (86%)	190 (96%)	9 (4%)	24	35
All	All	807/920 (88%)	778 (96%)	29 (4%)	31	44

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	112	THR
1	A	155	ASP
1	A	191	TYR
1	A	195	SER
1	A	209	LEU
1	A	222	LEU
1	A	233	SER
1	A	253	GLU
1	A	264	LEU
1	B	91	MET
1	B	111	MET
1	B	209	LEU
1	B	221	VAL
1	B	222	LEU
1	B	225	ASP
1	B	254	ARG
1	D	199	VAL
1	D	209	LEU
1	D	220	GLU
1	D	253	GLU
1	E	35	VAL
1	E	135	THR
1	E	199	VAL
1	E	209	LEU
1	E	215	ASP
1	E	221	VAL
1	E	222	LEU
1	E	253	GLU
1	E	254	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	ASN
1	A	187	GLN
1	B	72	ASN
1	B	187	GLN
1	D	8	ASN
1	D	211	ASN
1	E	187	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	DUR	B	1266	-	17,17,17	1.38	4 (23%)	24,24,24	1.81	5 (20%)
3	SO4	D	1268	-	4,4,4	0.26	0	6,6,6	0.28	0
3	SO4	A	1267	-	4,4,4	0.36	0	6,6,6	0.87	0
3	SO4	E	1267	-	4,4,4	0.25	0	6,6,6	0.89	0
2	DUR	E	1266	-	17,17,17	1.44	4 (23%)	24,24,24	1.87	5 (20%)
3	SO4	D	1267	-	4,4,4	0.21	0	6,6,6	0.31	0
3	SO4	A	1268	-	4,4,4	0.30	0	6,6,6	0.29	0
2	DUR	D	1266	-	17,17,17	1.19	2 (11%)	24,24,24	1.97	6 (25%)
3	SO4	B	1267	-	4,4,4	0.25	0	6,6,6	0.65	0
2	DUR	A	1266	-	17,17,17	1.45	4 (23%)	24,24,24	2.18	6 (25%)
3	SO4	B	1268	-	4,4,4	0.45	0	6,6,6	0.58	0
3	SO4	A	1269	-	4,4,4	0.41	0	6,6,6	0.30	0
3	SO4	E	1268	-	4,4,4	0.36	0	6,6,6	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DUR	B	1266	-	-	0/6/18/18	0/2/2/2
2	DUR	E	1266	-	-	0/6/18/18	0/2/2/2
2	DUR	A	1266	-	-	0/6/18/18	0/2/2/2
2	DUR	D	1266	-	-	2/6/18/18	0/2/2/2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	1266	DUR	C4-N3	-3.03	1.33	1.38
2	A	1266	DUR	C4-N3	-2.74	1.33	1.38
2	A	1266	DUR	C2-N3	-2.73	1.33	1.38
2	B	1266	DUR	C2-N3	-2.53	1.33	1.38
2	A	1266	DUR	C5-C4	-2.45	1.38	1.43
2	B	1266	DUR	C4-N3	-2.42	1.34	1.38
2	E	1266	DUR	C2-N3	-2.39	1.33	1.38
2	B	1266	DUR	C6-C5	2.33	1.40	1.35
2	A	1266	DUR	C2-N1	2.27	1.42	1.38
2	E	1266	DUR	C5-C4	-2.16	1.39	1.43
2	E	1266	DUR	C6-N1	-2.09	1.33	1.38
2	D	1266	DUR	C6-C5	2.08	1.39	1.35
2	D	1266	DUR	C5-C4	-2.07	1.39	1.43
2	B	1266	DUR	C5-C4	-2.02	1.39	1.43

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1266	DUR	C4-N3-C2	-5.08	120.31	126.61
2	D	1266	DUR	C4-N3-C2	-4.93	120.50	126.61
2	A	1266	DUR	O4'-C1'-N1	4.67	116.14	107.86
2	E	1266	DUR	C4-N3-C2	-4.55	120.97	126.61
2	B	1266	DUR	N3-C2-N1	4.49	120.74	114.89
2	B	1266	DUR	C4-N3-C2	-4.35	121.21	126.61
2	D	1266	DUR	N3-C2-N1	4.31	120.50	114.89
2	A	1266	DUR	N3-C2-N1	4.26	120.44	114.89
2	A	1266	DUR	C5-C4-N3	3.95	120.33	114.80
2	E	1266	DUR	N3-C2-N1	3.82	119.86	114.89
2	D	1266	DUR	C5-C4-N3	3.80	120.12	114.80
2	E	1266	DUR	C5-C4-N3	3.63	119.88	114.80
2	A	1266	DUR	O4-C4-C5	-3.50	119.13	125.16
2	D	1266	DUR	O2-C2-N1	-3.44	118.32	122.80
2	E	1266	DUR	O4-C4-C5	-3.33	119.42	125.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1266	DUR	C5-C4-N3	3.30	119.42	114.80
2	D	1266	DUR	O4-C4-C5	-3.26	119.54	125.16
2	E	1266	DUR	O2-C2-N1	-2.92	118.99	122.80
2	B	1266	DUR	O2-C2-N1	-2.82	119.13	122.80
2	B	1266	DUR	O4-C4-C5	-2.73	120.45	125.16
2	D	1266	DUR	O4'-C1'-N1	2.41	112.14	107.86
2	A	1266	DUR	C2'-C1'-N1	-2.14	108.47	113.81

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	1266	DUR	O4'-C4'-C5'-O5'
2	D	1266	DUR	C3'-C4'-C5'-O5'

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	1267	SO4	1	0
3	B	1268	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/271 (95%)	1.20	55 (21%) 2 2	37, 71, 127, 214	0
1	B	263/271 (97%)	1.67	80 (30%) 1 1	45, 84, 151, 224	0
1	D	255/271 (94%)	1.60	86 (33%) 1 1	41, 79, 151, 183	0
1	E	264/271 (97%)	2.09	123 (46%) 0 0	48, 95, 157, 236	0
All	All	1040/1084 (95%)	1.64	344 (33%) 1 1	37, 84, 150, 236	0

All (344) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	264	LEU	11.7
1	A	7	ALA	9.1
1	D	262	ASN	8.9
1	B	264	LEU	8.6
1	E	264	LEU	8.3
1	E	219	ASP	8.0
1	B	199	VAL	8.0
1	E	4	ALA	7.9
1	B	201	ASN	7.7
1	E	8	ASN	7.3
1	B	2	LYS	7.3
1	D	199	VAL	6.8
1	A	219	ASP	6.8
1	E	6	SER	6.5
1	B	197	VAL	6.5
1	E	65	ASN	6.5
1	A	225	ASP	6.4
1	B	7	ALA	6.3
1	E	3	ARG	6.3
1	B	5	ARG	6.2
1	D	8	ASN	6.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	7	ALA	6.1
1	D	201	ASN	6.0
1	D	261	GLU	5.9
1	E	263	ARG	5.9
1	B	215	ASP	5.9
1	D	258	LEU	5.8
1	E	201	ASN	5.8
1	E	199	VAL	5.7
1	A	260	LYS	5.7
1	B	4	ALA	5.6
1	D	200	ASN	5.6
1	A	8	ASN	5.6
1	B	203	VAL	5.6
1	E	5	ARG	5.5
1	A	215	ASP	5.4
1	B	200	ASN	5.3
1	D	9	ILE	5.3
1	B	219	ASP	5.3
1	A	258	LEU	5.3
1	E	195	SER	5.3
1	D	197	VAL	5.2
1	E	112	THR	5.2
1	E	203	VAL	5.1
1	A	218	LEU	5.1
1	D	188	LEU	5.0
1	E	197	VAL	5.0
1	D	260	LYS	5.0
1	D	247	SER	4.9
1	E	218	LEU	4.9
1	A	263	ARG	4.9
1	D	259	ALA	4.9
1	A	92	ARG	4.8
1	E	202	GLY	4.8
1	E	196	TYR	4.7
1	B	216	VAL	4.7
1	B	229	GLN	4.7
1	B	3	ARG	4.7
1	D	194	GLY	4.7
1	B	8	ASN	4.6
1	D	99	ILE	4.6
1	E	229	GLN	4.6
1	E	225	ASP	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	216	VAL	4.5
1	B	202	GLY	4.5
1	A	261	GLU	4.5
1	A	226	LYS	4.5
1	B	224	ALA	4.5
1	D	92	ARG	4.5
1	E	117	ALA	4.5
1	E	208	LEU	4.4
1	B	218	LEU	4.4
1	E	240	GLU	4.4
1	E	118	LYS	4.4
1	E	1	MET	4.4
1	E	64	LEU	4.3
1	E	210	HIS	4.3
1	E	110	VAL	4.3
1	D	30	PRO	4.3
1	B	198	LYS	4.3
1	E	119	GLU	4.3
1	E	163	TYR	4.2
1	D	256	PHE	4.2
1	B	6	SER	4.2
1	D	254	ARG	4.2
1	D	97	ASP	4.2
1	B	92	ARG	4.2
1	B	194	GLY	4.1
1	E	198	LYS	4.1
1	E	241	ALA	4.1
1	D	202	GLY	4.1
1	E	224	ALA	4.1
1	E	175	TYR	4.1
1	D	229	GLN	4.1
1	D	248	ASP	4.1
1	D	244	ILE	4.0
1	D	98	GLU	4.0
1	B	225	ASP	3.9
1	D	119	GLU	3.9
1	A	108	LYS	3.9
1	D	255	TRP	3.9
1	D	225	ASP	3.8
1	E	261	GLU	3.8
1	B	233	SER	3.8
1	B	196	TYR	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	258	LEU	3.7
1	E	188	LEU	3.7
1	E	194	GLY	3.7
1	D	195	SER	3.7
1	E	215	ASP	3.7
1	D	250	LYS	3.7
1	B	119	GLU	3.7
1	E	258	LEU	3.7
1	E	226	LYS	3.7
1	A	257	ALA	3.6
1	E	207	SER	3.6
1	A	119	GLU	3.6
1	A	262	ASN	3.6
1	D	196	TYR	3.6
1	D	93	SER	3.6
1	D	203	VAL	3.6
1	D	257	ALA	3.6
1	B	210	HIS	3.5
1	A	93	SER	3.5
1	B	207	SER	3.5
1	B	209	LEU	3.5
1	E	242	PHE	3.5
1	E	62	LYS	3.5
1	E	108	LYS	3.4
1	B	241	ALA	3.4
1	D	31	SER	3.4
1	A	104	LEU	3.4
1	D	104	LEU	3.4
1	E	211	ASN	3.4
1	E	136	GLN	3.4
1	E	209	LEU	3.4
1	D	192	LYS	3.4
1	D	193	ASP	3.4
1	E	14	LEU	3.4
1	E	93	SER	3.4
1	B	223	ASP	3.4
1	A	12	ALA	3.3
1	E	66	ALA	3.3
1	E	60	TRP	3.3
1	B	112	THR	3.3
1	D	27	MET	3.3
1	E	193	ASP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	208	LEU	3.3
1	B	247	SER	3.3
1	D	34	ALA	3.2
1	D	14	LEU	3.2
1	D	245	LYS	3.2
1	E	135	THR	3.2
1	B	240	GLU	3.2
1	E	12	ALA	3.2
1	B	65	ASN	3.2
1	D	94	THR	3.2
1	E	133	THR	3.2
1	E	217	SER	3.2
1	D	32	TRP	3.2
1	E	214	LYS	3.1
1	E	109	GLU	3.1
1	B	193	ASP	3.1
1	E	15	HIS	3.1
1	E	222	LEU	3.1
1	B	31	SER	3.1
1	D	189	SER	3.1
1	A	30	PRO	3.1
1	B	214	LYS	3.1
1	D	198	LYS	3.1
1	B	195	SER	3.1
1	E	205	ASP	3.1
1	B	108	LYS	3.1
1	D	239	TYR	3.1
1	E	2	LYS	3.1
1	B	220	GLU	3.1
1	B	263	ARG	3.1
1	D	10	PRO	3.1
1	E	115	LEU	3.1
1	E	245	LYS	3.0
1	A	224	ALA	3.0
1	A	259	ALA	3.0
1	D	224	ALA	3.0
1	D	253	GLU	3.0
1	A	15	HIS	3.0
1	D	242	PHE	3.0
1	B	246	GLU	3.0
1	E	121	THR	3.0
1	D	29	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	63	ASN	3.0
1	D	241	ALA	2.9
1	D	226	LYS	2.9
1	A	229	GLN	2.9
1	E	247	SER	2.9
1	B	104	LEU	2.9
1	A	245	LYS	2.9
1	D	108	LYS	2.9
1	D	191	TYR	2.9
1	A	155	ASP	2.9
1	A	188	LEU	2.9
1	B	242	PHE	2.9
1	D	243	GLN	2.9
1	E	213	ILE	2.9
1	E	97	ASP	2.9
1	E	260	LYS	2.9
1	D	101	ALA	2.9
1	E	61	TRP	2.9
1	B	245	LYS	2.8
1	E	233	SER	2.8
1	A	214	LYS	2.8
1	E	96	ASP	2.8
1	E	204	GLU	2.8
1	B	105	LYS	2.8
1	A	254	ARG	2.8
1	D	249	ARG	2.8
1	E	254	ARG	2.8
1	E	234	ILE	2.8
1	D	96	ASP	2.8
1	E	104	LEU	2.8
1	A	256	PHE	2.8
1	E	92	ARG	2.8
1	B	35	VAL	2.8
1	D	102	ALA	2.7
1	B	221	VAL	2.7
1	B	243	GLN	2.7
1	B	117	ALA	2.7
1	E	31	SER	2.7
1	E	220	GLU	2.7
1	B	188	LEU	2.7
1	B	250	LYS	2.7
1	B	93	SER	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	184	CYS	2.6
1	E	166	GLU	2.6
1	E	259	ALA	2.6
1	B	211	ASN	2.6
1	E	125	TYR	2.6
1	B	213	ILE	2.6
1	A	222	LEU	2.6
1	E	239	TYR	2.6
1	D	19	GLU	2.5
1	D	33	ARG	2.5
1	D	18	ALA	2.5
1	E	200	ASN	2.5
1	B	244	ILE	2.5
1	E	189	SER	2.5
1	E	221	VAL	2.5
1	D	187	GLN	2.5
1	D	227	TYR	2.5
1	E	212	CYS	2.5
1	B	226	LYS	2.5
1	D	100	PRO	2.5
1	B	15	HIS	2.5
1	D	35	VAL	2.5
1	E	122	SER	2.5
1	E	243	GLN	2.5
1	B	166	GLU	2.5
1	B	212	CYS	2.5
1	B	261	GLU	2.5
1	B	222	LEU	2.5
1	D	215	ASP	2.5
1	E	248	ASP	2.5
1	B	106	PRO	2.5
1	A	94	THR	2.4
1	A	195	SER	2.4
1	E	130	PHE	2.4
1	D	105	LYS	2.4
1	B	254	ARG	2.4
1	E	169	GLY	2.4
1	A	247	SER	2.4
1	E	75	ILE	2.4
1	A	97	ASP	2.4
1	E	131	PRO	2.4
1	E	236	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	99	ILE	2.4
1	D	185	ILE	2.4
1	A	243	GLN	2.4
1	B	249	ARG	2.4
1	B	248	ASP	2.4
1	D	106	PRO	2.4
1	A	110	VAL	2.4
1	D	228	VAL	2.4
1	E	244	ILE	2.4
1	E	249	ARG	2.4
1	E	116	PRO	2.3
1	D	26	ALA	2.3
1	B	217	SER	2.3
1	B	120	CYS	2.3
1	B	14	LEU	2.3
1	B	96	ASP	2.3
1	E	105	LYS	2.3
1	E	106	PRO	2.3
1	E	227	TYR	2.3
1	E	67	THR	2.3
1	A	216	VAL	2.3
1	E	223	ASP	2.3
1	E	16	SER	2.3
1	E	68	PRO	2.3
1	A	33	ARG	2.3
1	E	237	ASN	2.2
1	A	34	ALA	2.2
1	E	101	ALA	2.2
1	B	121	THR	2.2
1	A	118	LYS	2.2
1	B	63	ASN	2.2
1	A	95	PRO	2.2
1	A	106	PRO	2.2
1	D	95	PRO	2.2
1	A	11	GLY	2.2
1	D	15	HIS	2.2
1	D	109	GLU	2.2
1	D	12	ALA	2.2
1	E	9	ILE	2.2
1	B	110	VAL	2.2
1	E	70	LEU	2.2
1	A	19	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	252	ALA	2.2
1	B	99	ILE	2.1
1	A	35	VAL	2.1
1	B	29	ASP	2.1
1	A	98	GLU	2.1
1	E	253	GLU	2.1
1	A	101	ALA	2.1
1	D	207	SER	2.1
1	D	36	ARG	2.1
1	A	105	LYS	2.1
1	B	204	GLU	2.1
1	A	9	ILE	2.1
1	D	28	ILE	2.1
1	E	20	LEU	2.1
1	D	211	ASN	2.1
1	E	134	ASP	2.1
1	E	57	PRO	2.1
1	A	16	SER	2.1
1	A	227	TYR	2.1
1	E	191	TYR	2.1
1	D	16	SER	2.0
1	D	217	SER	2.0
1	E	34	ALA	2.0
1	E	120	CYS	2.0
1	E	171	ASN	2.0
1	E	190	GLY	2.0
1	E	250	LYS	2.0
1	A	233	SER	2.0
1	E	230	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	1268	5/5	0.74	0.17	72,81,83,88	0
3	SO4	E	1268	5/5	0.84	0.26	40,56,75,79	0
3	SO4	D	1268	5/5	0.86	0.12	58,71,78,86	0
3	SO4	B	1268	5/5	0.89	0.21	57,62,76,76	0
2	DUR	B	1266	16/16	0.93	0.14	29,37,65,70	0
2	DUR	D	1266	16/16	0.93	0.14	37,48,58,75	0
2	DUR	A	1266	16/16	0.93	0.13	31,41,53,57	0
3	SO4	A	1269	5/5	0.94	0.33	41,42,57,63	0
2	DUR	E	1266	16/16	0.95	0.12	30,38,61,66	0
3	SO4	E	1267	5/5	0.97	0.18	40,44,55,56	0
3	SO4	D	1267	5/5	0.97	0.17	44,48,54,54	0
3	SO4	B	1267	5/5	0.98	0.17	39,43,46,46	0
3	SO4	A	1267	5/5	0.99	0.15	34,35,37,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.