



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 07:41 AM UTC

PDB ID : 6YBH / pdb_00006ybh
Title : Deoxyribonucleoside Kinase
Authors : Allouche-Arnon, H.; Bar-Shir, A.; Dym, O.
Deposited on : 2020-03-17
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	3% 82% 14% ..
1	B	224	3% 81% 14% ..
1	C	224	4% 83% 10% 5%
1	D	224	3% 87% 11% .
1	E	224	6% 79% 13% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	224	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	306	-	-	X	-
4	GOL	F	304	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10856 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxynucleoside kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	217	Total	C	N	O	S	0	0	0
			1788	1145	302	331	10			
1	B	215	Total	C	N	O	S	0	0	0
			1777	1140	298	329	10			
1	C	212	Total	C	N	O	S	0	0	0
			1736	1113	294	318	11			
1	D	219	Total	C	N	O	S	0	0	0
			1820	1164	310	336	10			
1	E	209	Total	C	N	O	S	0	0	0
			1684	1083	287	303	11			
1	F	212	Total	C	N	O	S	0	0	0
			1670	1072	275	313	10			

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	initiating methionine	UNP Q9XZT6
A	19	ARG	GLN	engineered mutation	UNP Q9XZT6
A	23	ILE	VAL	engineered mutation	UNP Q9XZT6
A	45	ASP	ASN	engineered mutation	UNP Q9XZT6
A	81	VAL	GLN	engineered mutation	UNP Q9XZT6
A	91	MET	SER	engineered mutation	UNP Q9XZT6
A	94	GLN	ALA	engineered mutation	UNP Q9XZT6
A	100	VAL	LEU	engineered mutation	UNP Q9XZT6
A	123	TRP	SER	engineered mutation	UNP Q9XZT6
A	145	ILE	VAL	engineered mutation	UNP Q9XZT6
A	166	LYS	GLN	engineered mutation	UNP Q9XZT6
A	168	GLY	ALA	engineered mutation	UNP Q9XZT6
A	170	PRO	SER	engineered mutation	UNP Q9XZT6
A	173	LYS	SER	engineered mutation	UNP Q9XZT6
A	174	ASN	CYS	engineered mutation	UNP Q9XZT6
A	178	GLU	LYS	engineered mutation	UNP Q9XZT6
A	182	GLN	GLU	engineered mutation	UNP Q9XZT6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	185	GLN	GLU	engineered mutation	UNP Q9XZT6
B	12	MET	-	initiating methionine	UNP Q9XZT6
B	19	ARG	GLN	engineered mutation	UNP Q9XZT6
B	23	ILE	VAL	engineered mutation	UNP Q9XZT6
B	45	ASP	ASN	engineered mutation	UNP Q9XZT6
B	81	VAL	GLN	engineered mutation	UNP Q9XZT6
B	91	MET	SER	engineered mutation	UNP Q9XZT6
B	94	GLN	ALA	engineered mutation	UNP Q9XZT6
B	100	VAL	LEU	engineered mutation	UNP Q9XZT6
B	123	TRP	SER	engineered mutation	UNP Q9XZT6
B	145	ILE	VAL	engineered mutation	UNP Q9XZT6
B	166	LYS	GLN	engineered mutation	UNP Q9XZT6
B	168	GLY	ALA	engineered mutation	UNP Q9XZT6
B	170	PRO	SER	engineered mutation	UNP Q9XZT6
B	173	LYS	SER	engineered mutation	UNP Q9XZT6
B	174	ASN	CYS	engineered mutation	UNP Q9XZT6
B	178	GLU	LYS	engineered mutation	UNP Q9XZT6
B	182	GLN	GLU	engineered mutation	UNP Q9XZT6
B	185	GLN	GLU	engineered mutation	UNP Q9XZT6
C	12	MET	-	initiating methionine	UNP Q9XZT6
C	19	ARG	GLN	engineered mutation	UNP Q9XZT6
C	23	ILE	VAL	engineered mutation	UNP Q9XZT6
C	45	ASP	ASN	engineered mutation	UNP Q9XZT6
C	81	VAL	GLN	engineered mutation	UNP Q9XZT6
C	91	MET	SER	engineered mutation	UNP Q9XZT6
C	94	GLN	ALA	engineered mutation	UNP Q9XZT6
C	100	VAL	LEU	engineered mutation	UNP Q9XZT6
C	123	TRP	SER	engineered mutation	UNP Q9XZT6
C	145	ILE	VAL	engineered mutation	UNP Q9XZT6
C	166	LYS	GLN	engineered mutation	UNP Q9XZT6
C	168	GLY	ALA	engineered mutation	UNP Q9XZT6
C	170	PRO	SER	engineered mutation	UNP Q9XZT6
C	173	LYS	SER	engineered mutation	UNP Q9XZT6
C	174	ASN	CYS	engineered mutation	UNP Q9XZT6
C	178	GLU	LYS	engineered mutation	UNP Q9XZT6
C	182	GLN	GLU	engineered mutation	UNP Q9XZT6
C	185	GLN	GLU	engineered mutation	UNP Q9XZT6
D	12	MET	-	initiating methionine	UNP Q9XZT6
D	19	ARG	GLN	engineered mutation	UNP Q9XZT6
D	23	ILE	VAL	engineered mutation	UNP Q9XZT6
D	45	ASP	ASN	engineered mutation	UNP Q9XZT6
D	81	VAL	GLN	engineered mutation	UNP Q9XZT6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	91	MET	SER	engineered mutation	UNP Q9XZT6
D	94	GLN	ALA	engineered mutation	UNP Q9XZT6
D	100	VAL	LEU	engineered mutation	UNP Q9XZT6
D	123	TRP	SER	engineered mutation	UNP Q9XZT6
D	145	ILE	VAL	engineered mutation	UNP Q9XZT6
D	166	LYS	GLN	engineered mutation	UNP Q9XZT6
D	168	GLY	ALA	engineered mutation	UNP Q9XZT6
D	170	PRO	SER	engineered mutation	UNP Q9XZT6
D	173	LYS	SER	engineered mutation	UNP Q9XZT6
D	174	ASN	CYS	engineered mutation	UNP Q9XZT6
D	178	GLU	LYS	engineered mutation	UNP Q9XZT6
D	182	GLN	GLU	engineered mutation	UNP Q9XZT6
D	185	GLN	GLU	engineered mutation	UNP Q9XZT6
E	12	MET	-	initiating methionine	UNP Q9XZT6
E	19	ARG	GLN	engineered mutation	UNP Q9XZT6
E	23	ILE	VAL	engineered mutation	UNP Q9XZT6
E	45	ASP	ASN	engineered mutation	UNP Q9XZT6
E	81	VAL	GLN	engineered mutation	UNP Q9XZT6
E	91	MET	SER	engineered mutation	UNP Q9XZT6
E	94	GLN	ALA	engineered mutation	UNP Q9XZT6
E	100	VAL	LEU	engineered mutation	UNP Q9XZT6
E	123	TRP	SER	engineered mutation	UNP Q9XZT6
E	145	ILE	VAL	engineered mutation	UNP Q9XZT6
E	166	LYS	GLN	engineered mutation	UNP Q9XZT6
E	168	GLY	ALA	engineered mutation	UNP Q9XZT6
E	170	PRO	SER	engineered mutation	UNP Q9XZT6
E	173	LYS	SER	engineered mutation	UNP Q9XZT6
E	174	ASN	CYS	engineered mutation	UNP Q9XZT6
E	178	GLU	LYS	engineered mutation	UNP Q9XZT6
E	182	GLN	GLU	engineered mutation	UNP Q9XZT6
E	185	GLN	GLU	engineered mutation	UNP Q9XZT6
F	12	MET	-	initiating methionine	UNP Q9XZT6
F	19	ARG	GLN	engineered mutation	UNP Q9XZT6
F	23	ILE	VAL	engineered mutation	UNP Q9XZT6
F	45	ASP	ASN	engineered mutation	UNP Q9XZT6
F	81	VAL	GLN	engineered mutation	UNP Q9XZT6
F	91	MET	SER	engineered mutation	UNP Q9XZT6
F	94	GLN	ALA	engineered mutation	UNP Q9XZT6
F	100	VAL	LEU	engineered mutation	UNP Q9XZT6
F	123	TRP	SER	engineered mutation	UNP Q9XZT6
F	145	ILE	VAL	engineered mutation	UNP Q9XZT6
F	166	LYS	GLN	engineered mutation	UNP Q9XZT6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	168	GLY	ALA	engineered mutation	UNP Q9XZT6
F	170	PRO	SER	engineered mutation	UNP Q9XZT6
F	173	LYS	SER	engineered mutation	UNP Q9XZT6
F	174	ASN	CYS	engineered mutation	UNP Q9XZT6
F	178	GLU	LYS	engineered mutation	UNP Q9XZT6
F	182	GLN	GLU	engineered mutation	UNP Q9XZT6
F	185	GLN	GLU	engineered mutation	UNP Q9XZT6

- Molecule 2 is Pyrrolo-dC (CCD ID: 8LK) (formula: $C_{12}H_{15}N_3O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	12	3	4		
2	B	1	Total	C	N	O	0	0
			19	12	3	4		
2	C	1	Total	C	N	O	0	0
			19	12	3	4		
2	D	1	Total	C	N	O	0	0
			19	12	3	4		
2	E	1	Total	C	N	O	0	0
			19	12	3	4		
2	F	1	Total	C	N	O	0	0
			19	12	3	4		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	23	Total O 23 23	0	0
5	B	20	Total O 20 20	0	0
5	C	23	Total O 23 23	0	0
5	D	15	Total O 15 15	0	0
5	E	11	Total O 11 11	0	0
5	F	4	Total O 4 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Deoxynucleoside kinase




- Molecule 1: Deoxynucleoside kinase




- Molecule 1: Deoxynucleoside kinase




- Molecule 1: Deoxynucleoside kinase



- Molecule 1: Deoxynucleoside kinase



- Molecule 1: Deoxynucleoside kinase



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	190.93Å 190.93Å 115.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	42.66 – 2.40 42.66 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (42.66-2.40) 100.0 (42.66-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.206 , 0.263 0.211 , 0.266	Depositor DCC
R_{free} test set	2939 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	38.4	Xtriage
Anisotropy	0.444	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.016 for -2/3*h-1/3*k-4/3*l,-1/3*h-2/3*k+4/3*l,-1/3*h+1/3*k+1/3*l 0.011 for -h,1/3*h-1/3*k-4/3*l,-1/3*h-2/3*k+1/3*l 0.012 for -1/3*h+1/3*k+4/3*l,-k,2/3*h+1/3*k+1/3*l 0.012 for -h,2/3*h+1/3*k+4/3*l,1/3*h+2/3*k-1/3*l 0.018 for -1/3*h-2/3*k+4/3*l,-2/3*h-1/3*k-4/3*l,1/3*h-1/3*k-1/3*l 0.011 for 1/3*h+2/3*k-4/3*l,-k,-2/3*h-1/3*k-1/3*l 0.245 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10856	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 8LK, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	2/1831 (0.1%)	1.42	1/2482 (0.0%)
1	B	1.07	1/1820 (0.1%)	1.41	1/2466 (0.0%)
1	C	1.05	0/1775	1.43	0/2402
1	D	1.12	0/1863	1.43	0/2521
1	E	1.15	1/1725 (0.1%)	1.54	2/2342 (0.1%)
1	F	1.14	0/1707	1.57	1/2318 (0.0%)
All	All	1.10	4/10721 (0.0%)	1.46	5/14531 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	139	ILE	C-O	5.63	1.30	1.24
1	B	144	HIS	CE1-NE2	5.47	1.38	1.32
1	A	100	VAL	C-O	5.43	1.29	1.24
1	E	184	HIS	CE1-NE2	5.02	1.37	1.32

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	114	PHE	CA-CB-CG	-5.45	108.35	113.80
1	E	126	GLN	CA-C-N	5.40	125.93	119.94
1	E	126	GLN	C-N-CA	5.40	125.93	119.94
1	A	53	PRO	N-CA-CB	-5.18	98.63	102.25
1	F	120	ARG	CA-C-O	-5.01	115.54	120.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1788	0	1731	23	1
1	B	1777	0	1726	23	1
1	C	1736	0	1684	15	0
1	D	1820	0	1787	15	0
1	E	1684	0	1621	15	0
1	F	1670	0	1563	23	0
2	A	19	0	0	0	0
2	B	19	0	0	0	0
2	C	19	0	0	0	0
2	D	19	0	0	1	0
2	E	19	0	0	2	0
2	F	19	0	0	0	0
3	A	30	0	0	0	0
3	B	20	0	0	0	0
3	C	15	0	0	0	0
3	D	15	0	0	0	0
3	E	15	0	0	0	0
3	F	10	0	0	0	0
4	A	12	0	16	2	0
4	B	6	0	8	4	0
4	C	6	0	8	0	0
4	D	18	0	24	3	0
4	E	18	0	24	0	0
4	F	6	0	8	5	0
5	A	23	0	0	0	0
5	B	20	0	0	0	0
5	C	23	0	0	2	0
5	D	15	0	0	0	0
5	E	11	0	0	0	0
5	F	4	0	0	0	0
All	All	10856	0	10200	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:96:THR:OG1	4:F:304:GOL:O2	1.92	0.87
1:E:172:GLU:OE2	2:E:301:8LK:O3'	2.07	0.71
1:A:64:ASN:O	1:A:68:LEU:HD13	1.90	0.71
1:F:96:THR:HG1	4:F:304:GOL:HO2	1.30	0.70
1:E:12:MET:HE3	1:F:12:MET:CB	2.22	0.69
1:F:53:PRO:HD2	1:F:88:MET:HE1	1.76	0.68
1:F:53:PRO:CD	1:F:88:MET:HE1	2.25	0.67
1:A:53:PRO:HD2	1:A:88:MET:HE1	1.77	0.65
1:A:53:PRO:CD	1:A:88:MET:HE1	2.27	0.65
1:A:64:ASN:O	1:A:68:LEU:CD1	2.45	0.65
1:D:164:ILE:HD12	1:D:180:LEU:HD11	1.81	0.63
1:A:36:TYR:O	1:A:39:HIS:HD2	1.83	0.62
1:C:78:MET:HE3	1:C:132:LEU:HD21	1.80	0.62
1:C:12:MET:HE3	1:C:16:GLU:OE1	2.00	0.61
1:B:53:PRO:CD	1:B:88:MET:HE1	2.31	0.59
1:C:187:HIS:HE1	5:C:404:HOH:O	1.84	0.59
1:F:68:LEU:HD22	1:F:76:TRP:CE2	2.37	0.59
1:F:57:TRP:HZ2	1:F:88:MET:HE3	1.69	0.58
1:B:78:MET:HB3	1:B:79:PRO:CD	2.33	0.58
1:E:164:ILE:HD12	1:E:180:LEU:HD11	1.84	0.57
1:E:52:GLU:CB	2:E:301:8LK:O5'	2.54	0.56
1:D:220:ARG:HD3	4:D:305:GOL:H32	1.87	0.56
1:F:19:ARG:N	1:F:20:PRO:CD	2.69	0.55
1:A:57:TRP:HZ2	1:A:88:MET:HE3	1.71	0.55
1:B:81:VAL:HG21	1:B:115:VAL:CG2	2.36	0.55
1:A:144:HIS:HD2	4:A:308:GOL:H32	1.72	0.54
1:E:31:SER:HA	1:E:155:THR:HG21	1.90	0.54
1:B:64:ASN:O	1:B:68:LEU:HD13	2.07	0.54
1:D:167:ARG:HH12	4:D:306:GOL:H2	1.72	0.54
1:F:64:ASN:O	1:F:68:LEU:HD12	2.09	0.53
1:D:172:GLU:OE2	2:D:301:8LK:O3'	2.27	0.53
1:B:53:PRO:HD2	1:B:88:MET:HE1	1.91	0.53
1:D:43:TYR:HB2	1:D:47:ILE:HD12	1.91	0.53
1:A:19:ARG:N	1:A:20:PRO:CD	2.72	0.52
1:B:19:ARG:N	1:B:20:PRO:CD	2.72	0.52
1:D:19:ARG:N	1:D:20:PRO:CD	2.73	0.52
1:B:144:HIS:HD2	4:B:306:GOL:C3	2.22	0.52
1:A:78:MET:HB3	1:A:79:PRO:CD	2.40	0.51
1:A:80:PHE:O	1:A:84:VAL:HG23	2.10	0.51
1:B:57:TRP:HZ2	1:B:88:MET:HE3	1.75	0.51
1:F:155:THR:O	1:F:184:HIS:CD2	2.63	0.51
1:F:210:ASN:OD1	1:F:210:ASN:C	2.54	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:19:ARG:N	1:C:20:PRO:CD	2.75	0.49
1:F:22:THR:HA	1:F:101:LYS:O	2.11	0.49
1:B:144:HIS:CD2	4:B:306:GOL:H31	2.47	0.49
1:F:125:GLU:H	1:F:128:MET:HE3	1.77	0.49
1:A:69:MET:HG3	1:A:80:PHE:CD2	2.48	0.49
1:D:41:GLU:O	1:D:44:LYS:HB2	2.13	0.49
1:B:81:VAL:HG21	1:B:115:VAL:HG22	1.95	0.48
1:B:62:GLY:HA2	1:E:62:GLY:HA2	1.94	0.48
1:C:166:LYS:H	1:C:166:LYS:HD2	1.77	0.48
1:E:125:GLU:HB2	1:E:128:MET:HE3	1.94	0.48
1:F:13:LYS:O	1:F:16:GLU:HG3	2.14	0.48
1:B:164:ILE:HD12	1:B:180:LEU:HD11	1.96	0.47
1:B:43:TYR:HB2	1:B:47:ILE:HD12	1.96	0.47
1:A:119:ARG:HD3	1:A:129:TYR:CG	2.49	0.47
1:E:29:ILE:HG22	1:E:164:ILE:HD11	1.97	0.47
1:C:172:GLU:HA	1:C:172:GLU:OE1	2.14	0.47
1:E:78:MET:HG3	1:E:128:MET:HB3	1.96	0.47
1:F:78:MET:HG3	1:F:128:MET:SD	2.55	0.46
1:B:78:MET:HB3	1:B:79:PRO:HD3	1.97	0.45
1:E:24:LEU:O	1:E:150:ILE:HA	2.16	0.45
1:F:68:LEU:HD22	1:F:76:TRP:NE1	2.32	0.45
1:F:155:THR:HG23	1:F:207:ALA:HB3	1.98	0.45
1:B:144:HIS:HD2	4:B:306:GOL:H31	1.80	0.45
1:B:13:LYS:HD2	4:B:306:GOL:H32	1.98	0.45
1:E:43:TYR:HB2	1:E:47:ILE:HD12	1.99	0.45
1:A:144:HIS:CD2	4:A:308:GOL:H32	2.50	0.44
1:D:190:TRP:O	1:D:198:GLN:NE2	2.50	0.44
1:E:142:SER:OG	1:E:143:ILE:HD12	2.17	0.44
1:F:98:LYS:HD2	4:F:304:GOL:H12	1.99	0.44
1:A:164:ILE:HD12	1:A:180:LEU:HD11	2.00	0.44
1:A:119:ARG:HD3	1:A:129:TYR:CD1	2.52	0.44
1:B:89:LEU:HD12	1:B:89:LEU:HA	1.89	0.44
1:C:201:LYS:HA	1:C:201:LYS:HD3	1.85	0.43
1:F:213:ASN:O	1:F:216:THR:HG23	2.17	0.43
1:B:81:VAL:HG21	1:B:115:VAL:HG23	1.99	0.43
1:F:98:LYS:CE	4:F:304:GOL:H12	2.49	0.43
1:D:175:VAL:O	1:D:175:VAL:HG13	2.19	0.43
1:C:166:LYS:HD2	1:C:166:LYS:N	2.34	0.42
1:B:87:THR:OG1	1:B:88:MET:HE2	2.18	0.42
1:C:78:MET:CB	1:C:79:PRO:CD	2.96	0.42
1:F:98:LYS:NZ	4:F:304:GOL:H12	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:199:SER:O	1:F:200:CYS:HB2	2.20	0.42
1:E:69:MET:HE2	1:E:118:MET:HE2	2.01	0.42
1:A:89:LEU:HD23	1:A:89:LEU:HA	1.86	0.42
1:A:150:ILE:HB	1:A:202:VAL:HG22	2.02	0.42
1:A:68:LEU:HD23	1:A:76:TRP:CE2	2.54	0.42
1:D:89:LEU:HD23	1:D:89:LEU:HA	1.89	0.42
1:A:64:ASN:OD1	1:A:64:ASN:C	2.63	0.42
1:C:194:GLN:OE1	1:C:198:GLN:HG3	2.20	0.42
1:A:69:MET:HE3	1:A:69:MET:HB3	1.96	0.41
1:C:89:LEU:HD12	1:C:89:LEU:HA	1.93	0.41
1:D:31:SER:HA	1:D:155:THR:HG21	2.02	0.41
1:D:169:ARG:NH1	1:D:172:GLU:OE2	2.53	0.41
1:F:89:LEU:HD23	1:F:89:LEU:HA	1.85	0.41
1:A:22:THR:HA	1:A:101:LYS:O	2.21	0.41
1:C:92:HIS:CE1	1:C:103:MET:HE1	2.56	0.41
1:C:117:ASN:OD1	1:C:182:GLN:HB3	2.21	0.41
1:B:172:GLU:HA	1:B:175:VAL:HG23	2.03	0.41
1:B:76:TRP:HA	1:B:79:PRO:HG2	2.02	0.41
1:A:57:TRP:HZ2	1:A:88:MET:CE	2.33	0.41
1:B:69:MET:HG3	1:B:80:PHE:CG	2.56	0.41
1:C:196:ARG:NH1	5:C:406:HOH:O	2.54	0.41
1:D:190:TRP:CD1	1:D:198:GLN:HE21	2.39	0.41
1:E:37:LEU:HD11	1:E:104:GLU:HB2	2.03	0.41
1:D:69:MET:HE3	1:D:69:MET:HB3	2.01	0.41
1:E:39:HIS:CD2	1:E:214:ILE:O	2.74	0.41
1:D:167:ARG:HH12	4:D:306:GOL:C2	2.33	0.40
1:B:78:MET:CB	1:B:79:PRO:CD	2.97	0.40
1:A:78:MET:CB	1:A:79:PRO:CD	2.99	0.40
1:C:69:MET:CE	1:C:118:MET:HE2	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:HIS:O	1:B:193:HIS:O[9_544]	1.54	0.66

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/224 (96%)	207 (96%)	8 (4%)	0	100	100
1	B	213/224 (95%)	201 (94%)	11 (5%)	1 (0%)	24	37
1	C	206/224 (92%)	194 (94%)	12 (6%)	0	100	100
1	D	217/224 (97%)	209 (96%)	8 (4%)	0	100	100
1	E	207/224 (92%)	196 (95%)	10 (5%)	1 (0%)	24	37
1	F	206/224 (92%)	194 (94%)	10 (5%)	2 (1%)	12	20
All	All	1264/1344 (94%)	1201 (95%)	59 (5%)	4 (0%)	36	50

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	72	ASP
1	F	200	CYS
1	B	68	LEU
1	E	197	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/208 (92%)	185 (96%)	7 (4%)	31	52
1	B	192/208 (92%)	185 (96%)	7 (4%)	31	52
1	C	186/208 (89%)	179 (96%)	7 (4%)	29	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	199/208 (96%)	193 (97%)	6 (3%)	36	58
1	E	175/208 (84%)	169 (97%)	6 (3%)	32	54
1	F	171/208 (82%)	169 (99%)	2 (1%)	63	81
All	All	1115/1248 (89%)	1080 (97%)	35 (3%)	35	57

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	HIS
1	A	61	ASN
1	A	81	VAL
1	A	109	SER
1	A	140	GLU
1	A	198	GLN
1	A	201	LYS
1	B	39	HIS
1	B	61	ASN
1	B	67	GLU
1	B	109	SER
1	B	125	GLU
1	B	224	SER
1	B	225	ILE
1	C	33	LYS
1	C	39	HIS
1	C	49	LEU
1	C	78	MET
1	C	166	LYS
1	C	198	GLN
1	C	199	SER
1	D	33	LYS
1	D	39	HIS
1	D	42	LYS
1	D	78	MET
1	D	225	ILE
1	D	229	ILE
1	E	39	HIS
1	E	78	MET
1	E	81	VAL
1	E	109	SER
1	E	140	GLU
1	E	199	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	39	HIS
1	F	69	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	HIS
1	A	97	ASN
1	A	126	GLN
1	A	130	ASN
1	A	144	HIS
1	B	144	HIS
1	B	194	GLN
1	C	97	ASN
1	C	187	HIS
1	C	198	GLN
1	D	146	GLN
1	D	213	ASN
1	E	38	ASN
1	F	181	GLN
1	F	184	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

38 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	8LK	C	301	-	21,21,21	2.03	6 (28%)	26,31,31	1.62	6 (23%)
4	GOL	B	306	-	5,5,5	0.13	0	5,5,5	0.39	0
2	8LK	A	301	-	21,21,21	2.10	8 (38%)	26,31,31	1.73	6 (23%)
4	GOL	A	308	-	5,5,5	0.12	0	5,5,5	0.49	0
3	SO4	C	303	-	4,4,4	0.31	0	6,6,6	0.06	0
3	SO4	A	305	-	4,4,4	0.47	0	6,6,6	0.23	0
3	SO4	B	305	-	4,4,4	0.47	0	6,6,6	0.27	0
2	8LK	D	301	-	21,21,21	2.17	6 (28%)	26,31,31	2.02	4 (15%)
4	GOL	F	304	-	5,5,5	0.19	0	5,5,5	0.64	0
3	SO4	A	306	-	4,4,4	0.40	0	6,6,6	0.17	0
3	SO4	F	302	-	4,4,4	0.30	0	6,6,6	0.18	0
4	GOL	E	307	-	5,5,5	0.18	0	5,5,5	0.36	0
3	SO4	D	304	-	4,4,4	0.33	0	6,6,6	0.06	0
3	SO4	F	303	-	4,4,4	0.23	0	6,6,6	0.14	0
4	GOL	D	305	-	5,5,5	0.32	0	5,5,5	0.58	0
4	GOL	E	305	-	5,5,5	0.12	0	5,5,5	0.36	0
3	SO4	D	302	-	4,4,4	0.34	0	6,6,6	0.11	0
3	SO4	E	303	-	4,4,4	0.31	0	6,6,6	0.16	0
4	GOL	E	306	-	5,5,5	0.17	0	5,5,5	0.45	0
3	SO4	E	302	-	4,4,4	0.32	0	6,6,6	0.17	0
2	8LK	E	301	-	21,21,21	2.67	8 (38%)	26,31,31	1.98	7 (26%)
4	GOL	C	305	-	5,5,5	0.21	0	5,5,5	0.49	0
3	SO4	D	303	-	4,4,4	0.25	0	6,6,6	0.16	0
3	SO4	B	302	-	4,4,4	0.32	0	6,6,6	0.11	0
2	8LK	F	301	-	21,21,21	2.42	8 (38%)	26,31,31	1.79	4 (15%)
3	SO4	A	307	-	4,4,4	0.32	0	6,6,6	0.10	0
2	8LK	B	301	-	21,21,21	1.84	5 (23%)	26,31,31	1.41	4 (15%)
4	GOL	D	307	-	5,5,5	0.11	0	5,5,5	0.33	0
3	SO4	E	304	-	4,4,4	0.31	0	6,6,6	0.14	0
3	SO4	C	304	-	4,4,4	0.29	0	6,6,6	0.30	0
3	SO4	A	304	-	4,4,4	0.30	0	6,6,6	0.08	0
3	SO4	A	303	-	4,4,4	0.32	0	6,6,6	0.09	0
3	SO4	B	303	-	4,4,4	0.32	0	6,6,6	0.08	0
3	SO4	C	302	-	4,4,4	0.35	0	6,6,6	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	304	-	4,4,4	0.20	0	6,6,6	0.27	0
4	GOL	D	306	-	5,5,5	0.40	0	5,5,5	1.07	0
4	GOL	A	309	-	5,5,5	0.28	0	5,5,5	0.73	0
3	SO4	A	302	-	4,4,4	0.28	0	6,6,6	0.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	8LK	C	301	-	-	0/6/18/18	0/3/3/3
4	GOL	B	306	-	-	3/4/4/4	-
2	8LK	E	301	-	-	0/6/18/18	0/3/3/3
2	8LK	A	301	-	-	1/6/18/18	0/3/3/3
4	GOL	C	305	-	-	2/4/4/4	-
4	GOL	A	308	-	-	2/4/4/4	-
4	GOL	D	305	-	-	4/4/4/4	-
4	GOL	E	305	-	-	1/4/4/4	-
2	8LK	D	301	-	-	0/6/18/18	0/3/3/3
2	8LK	F	301	-	-	0/6/18/18	0/3/3/3
4	GOL	D	306	-	-	0/4/4/4	-
4	GOL	F	304	-	-	4/4/4/4	-
2	8LK	B	301	-	-	2/6/18/18	0/3/3/3
4	GOL	A	309	-	-	2/4/4/4	-
4	GOL	D	307	-	-	2/4/4/4	-
4	GOL	E	307	-	-	4/4/4/4	-
4	GOL	E	306	-	-	3/4/4/4	-

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	301	8LK	C2-N1	6.69	1.54	1.40
2	A	301	8LK	C2-N1	5.89	1.52	1.40
2	F	301	8LK	C2-N1	5.89	1.52	1.40
2	D	301	8LK	C15-N17	5.53	1.49	1.36
2	E	301	8LK	C2-N3	5.26	1.46	1.36
2	C	301	8LK	C4-N3	4.70	1.41	1.32
2	E	301	8LK	C4-N3	4.48	1.41	1.32
2	F	301	8LK	C15-N17	4.44	1.46	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	8LK	C15-N17	4.17	1.46	1.36
2	A	301	8LK	C4-N3	4.09	1.40	1.32
2	E	301	8LK	C1'-N1	3.98	1.58	1.48
2	C	301	8LK	C2-N1	3.96	1.48	1.40
2	E	301	8LK	C15-N17	3.93	1.45	1.36
2	F	301	8LK	C2-N3	3.92	1.44	1.36
2	D	301	8LK	C16-C15	-3.77	1.42	1.49
2	D	301	8LK	C4-N17	3.72	1.43	1.37
2	B	301	8LK	C2-N1	3.57	1.47	1.40
2	C	301	8LK	C2-N3	3.55	1.43	1.36
2	F	301	8LK	C4-N3	3.47	1.39	1.32
2	B	301	8LK	C2-N3	3.46	1.43	1.36
2	B	301	8LK	C4-N3	3.34	1.38	1.32
2	D	301	8LK	O4'-C1'	-3.18	1.35	1.42
2	B	301	8LK	C15-N17	3.09	1.43	1.36
2	D	301	8LK	C4-N3	2.87	1.38	1.32
2	F	301	8LK	C3'-C4'	2.73	1.60	1.53
2	A	301	8LK	C2-N3	2.68	1.41	1.36
2	D	301	8LK	C2-N1	2.59	1.45	1.40
2	A	301	8LK	C16-C15	-2.56	1.44	1.49
2	F	301	8LK	C6-N1	2.49	1.42	1.38
2	F	301	8LK	C5'-C4'	2.47	1.60	1.51
2	A	301	8LK	C15-N17	2.46	1.42	1.36
2	A	301	8LK	C3'-C4'	2.43	1.59	1.53
2	B	301	8LK	C1'-N1	2.35	1.54	1.48
2	E	301	8LK	C2'-C3'	2.27	1.58	1.52
2	E	301	8LK	C4-N17	2.21	1.41	1.37
2	F	301	8LK	C4-N17	2.19	1.41	1.37
2	E	301	8LK	O3'-C3'	-2.12	1.38	1.43
2	A	301	8LK	C4-N17	2.08	1.40	1.37
2	C	301	8LK	C1'-N1	2.07	1.53	1.48
2	C	301	8LK	C2'-C3'	2.01	1.58	1.52
2	A	301	8LK	O4'-C4'	-2.00	1.40	1.45

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	8LK	C14-C15-N17	6.47	111.32	107.39
2	E	301	8LK	C14-C15-N17	5.55	110.76	107.39
2	A	301	8LK	C14-C15-N17	5.39	110.66	107.39
2	F	301	8LK	C5-C14-C15	-5.30	106.35	108.16
2	D	301	8LK	C5-C14-C15	-5.19	106.39	108.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	301	8LK	C14-C15-N17	4.96	110.40	107.39
2	E	301	8LK	C5-C14-C15	-4.50	106.62	108.16
2	C	301	8LK	C14-C15-N17	3.79	109.69	107.39
2	A	301	8LK	C5-C14-C15	-3.28	107.04	108.16
2	C	301	8LK	C5-C14-C15	-3.26	107.05	108.16
2	D	301	8LK	C16-C15-C14	-3.24	126.85	131.96
2	E	301	8LK	C16-C15-C14	-3.13	127.02	131.96
2	B	301	8LK	C14-C15-N17	2.90	109.15	107.39
2	C	301	8LK	C14-C5-C4	2.86	110.28	104.79
2	C	301	8LK	C16-C15-C14	-2.78	127.57	131.96
2	E	301	8LK	O4'-C4'-C5'	2.65	114.83	109.22
2	B	301	8LK	C14-C5-C4	2.62	109.83	104.79
2	D	301	8LK	C14-C5-C4	2.55	109.69	104.79
2	B	301	8LK	C5-C14-C15	-2.55	107.29	108.16
2	A	301	8LK	C16-C15-C14	-2.52	127.98	131.96
2	E	301	8LK	C5-C4-N17	-2.50	105.41	109.07
2	E	301	8LK	C14-C5-C4	2.44	109.48	104.79
2	A	301	8LK	C5-C4-N17	-2.40	105.56	109.07
2	B	301	8LK	C16-C15-C14	-2.40	128.18	131.96
2	C	301	8LK	C5-C4-N17	-2.39	105.57	109.07
2	F	301	8LK	C2'-C1'-N1	-2.34	107.95	113.81
2	A	301	8LK	C14-C5-C4	2.23	109.08	104.79
2	F	301	8LK	O4'-C1'-C2'	2.21	110.38	106.25
2	E	301	8LK	C5'-C4'-C3'	-2.13	109.52	114.82
2	C	301	8LK	C1'-N1-C6	-2.06	117.28	120.74
2	A	301	8LK	C1'-N1-C6	-2.05	117.30	120.74

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	308	GOL	O1-C1-C2-O2
4	A	308	GOL	O1-C1-C2-C3
4	B	306	GOL	C1-C2-C3-O3
4	D	305	GOL	O1-C1-C2-C3
4	D	305	GOL	C1-C2-C3-O3
4	D	307	GOL	C1-C2-C3-O3
4	E	306	GOL	O1-C1-C2-C3
4	E	307	GOL	C1-C2-C3-O3
4	F	304	GOL	C1-C2-C3-O3
2	B	301	8LK	O4'-C4'-C5'-O5'
2	B	301	8LK	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	309	GOL	C1-C2-C3-O3
4	E	307	GOL	O1-C1-C2-C3
4	F	304	GOL	O1-C1-C2-C3
4	B	306	GOL	O2-C2-C3-O3
4	D	305	GOL	O1-C1-C2-O2
4	D	307	GOL	O2-C2-C3-O3
4	E	306	GOL	O1-C1-C2-O2
4	E	307	GOL	O2-C2-C3-O3
4	A	309	GOL	O2-C2-C3-O3
4	D	305	GOL	O2-C2-C3-O3
4	F	304	GOL	O2-C2-C3-O3
4	C	305	GOL	O1-C1-C2-O2
4	B	306	GOL	O1-C1-C2-O2
4	C	305	GOL	O2-C2-C3-O3
4	E	305	GOL	O1-C1-C2-O2
4	E	306	GOL	O2-C2-C3-O3
4	F	304	GOL	O1-C1-C2-O2
4	E	307	GOL	O1-C1-C2-O2
2	A	301	8LK	C3'-C4'-C5'-O5'



There are no ring outliers.



7 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	306	GOL	4	0
4	A	308	GOL	2	0
2	D	301	8LK	1	0
4	F	304	GOL	5	0
4	D	305	GOL	1	0
2	E	301	8LK	2	0
4	D	306	GOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	217/224 (96%)	0.00	6 (2%) 55 51	18, 34, 63, 92	0
1	B	215/224 (95%)	0.06	6 (2%) 55 51	20, 34, 66, 95	0
1	C	212/224 (94%)	0.16	10 (4%) 36 32	23, 38, 69, 91	0
1	D	219/224 (97%)	0.12	6 (2%) 56 52	23, 38, 62, 113	0
1	E	209/224 (93%)	0.54	14 (6%) 24 20	29, 47, 73, 133	0
1	F	212/224 (94%)	0.87	27 (12%) 8 6	31, 55, 88, 146	0
All	All	1284/1344 (95%)	0.29	69 (5%) 31 28	18, 41, 74, 146	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	174	ASN	4.5
1	F	194	GLN	4.2
1	D	199	SER	4.1
1	E	169	ARG	4.1
1	A	199	SER	3.9
1	F	169	ARG	3.9
1	E	168	GLY	3.8
1	F	60	VAL	3.6
1	F	175	VAL	3.5
1	E	171	GLU	3.5
1	E	170	PRO	3.5
1	D	198	GLN	3.3
1	B	60	VAL	3.2
1	F	177	LEU	3.0
1	F	170	PRO	2.9
1	F	172	GLU	2.9
1	D	229	ILE	2.9
1	E	167	ARG	2.8
1	F	76	TRP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	159	VAL	2.8
1	C	12	MET	2.8
1	F	70	TYR	2.7
1	F	127	GLY	2.7
1	F	168	GLY	2.7
1	E	60	VAL	2.7
1	E	214	ILE	2.7
1	C	123	TRP	2.7
1	D	197	PRO	2.6
1	C	171	GLU	2.6
1	B	198	GLN	2.6
1	F	179	TYR	2.6
1	D	195	ARG	2.6
1	C	172	GLU	2.6
1	C	70	TYR	2.6
1	C	165	ARG	2.5
1	C	60	VAL	2.5
1	A	169	ARG	2.5
1	C	175	VAL	2.5
1	F	173	LYS	2.4
1	F	73	PRO	2.4
1	C	164	ILE	2.4
1	E	70	TYR	2.4
1	F	67	GLU	2.4
1	F	65	LEU	2.3
1	A	69	MET	2.3
1	A	70	TYR	2.3
1	A	170	PRO	2.3
1	E	198	GLN	2.3
1	F	186	LEU	2.3
1	F	187	HIS	2.3
1	F	176	PRO	2.3
1	B	69	MET	2.2
1	F	66	LEU	2.2
1	B	169	ARG	2.2
1	E	174	ASN	2.2
1	B	70	TYR	2.2
1	F	161	TYR	2.2
1	F	180	LEU	2.2
1	D	230	SER	2.2
1	F	15	ALA	2.1
1	A	68	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	165	ARG	2.1
1	F	61	ASN	2.1
1	B	225	ILE	2.1
1	E	199	SER	2.1
1	E	97	ASN	2.1
1	F	68	LEU	2.1
1	F	199	SER	2.1
1	E	12	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	304	5/5	0.74	0.12	77,90,96,111	0
3	SO4	D	304	5/5	0.80	0.10	84,85,89,96	0
4	GOL	A	308	6/6	0.80	0.14	39,53,54,57	0
3	SO4	E	304	5/5	0.81	0.17	70,74,78,81	0
2	8LK	E	301	19/19	0.81	0.20	69,92,109,109	0
2	8LK	F	301	19/19	0.82	0.18	61,86,92,97	0
4	GOL	D	306	6/6	0.82	0.20	35,43,50,52	0
4	GOL	E	307	6/6	0.82	0.15	50,61,64,68	0
4	GOL	F	304	6/6	0.82	0.15	41,54,59,60	0
4	GOL	D	305	6/6	0.83	0.14	38,43,49,52	0
3	SO4	F	303	5/5	0.83	0.15	64,74,82,91	0
4	GOL	C	305	6/6	0.84	0.14	46,65,68,69	0
3	SO4	D	303	5/5	0.86	0.11	70,73,87,89	0
2	8LK	C	301	19/19	0.86	0.13	43,58,71,73	0
4	GOL	B	306	6/6	0.86	0.12	45,52,56,62	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	B	303	5/5	0.86	0.12	88,95,100,104	0
4	GOL	D	307	6/6	0.87	0.13	62,63,65,68	0
4	GOL	E	306	6/6	0.87	0.11	52,56,60,66	0
3	SO4	B	302	5/5	0.87	0.16	64,67,79,85	0
4	GOL	A	309	6/6	0.87	0.19	42,49,51,51	0
2	8LK	A	301	19/19	0.89	0.14	55,64,78,82	0
3	SO4	B	304	5/5	0.89	0.12	48,59,61,73	0
4	GOL	E	305	6/6	0.89	0.20	58,64,69,70	0
3	SO4	E	302	5/5	0.89	0.15	57,57,60,65	0
3	SO4	C	304	5/5	0.89	0.15	61,67,80,88	0
3	SO4	D	302	5/5	0.89	0.17	62,64,67,77	0
3	SO4	C	303	5/5	0.90	0.16	70,71,72,75	0
3	SO4	F	302	5/5	0.90	0.12	56,61,63,69	0
3	SO4	A	306	5/5	0.91	0.17	48,59,60,61	0
3	SO4	A	307	5/5	0.91	0.14	77,79,91,112	0
3	SO4	A	302	5/5	0.91	0.18	55,66,76,77	0
3	SO4	A	303	5/5	0.91	0.15	70,73,79,87	0
2	8LK	B	301	19/19	0.91	0.13	51,58,66,76	0
2	8LK	D	301	19/19	0.93	0.09	39,42,46,48	0
3	SO4	E	303	5/5	0.97	0.13	40,43,46,48	0
3	SO4	C	302	5/5	0.98	0.05	42,46,51,52	0
3	SO4	A	305	5/5	0.99	0.04	29,32,32,34	0
3	SO4	B	305	5/5	0.99	0.05	27,29,31,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 8LK E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8LK F 301:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8LK C 301:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8LK A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8LK B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 8LK D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.