



Full wwPDB EM Validation Report ⓘ

Mar 30, 2026 – 05:21 AM UTC

PDB ID : 6YBQ / pdb_00006ybq
EMDB ID : EMD-10771
Title : Engineered glycolyl-CoA carboxylase (quintuple mutant) with bound CoA
Authors : Schuller, J.M.; Schuller, S.K.; Zarzycki, J.; Scheffen, M.; Marchal, D.M.; Erb, T.J.
Deposited on : 2020-03-17
Resolution : 1.96 Å(reported)
Based on initial model : 3N6R

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	1340 (1.46 - 2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	
1	B	510	
1	C	510	
1	D	510	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	510	
1	F	510	
2	G	667	
2	H	667	
2	I	667	
2	J	667	
2	K	667	
2	L	667	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 34092 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Propionyl-CoA carboxylase beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	506	Total	C	N	O	S	0	0
			3902	2473	688	725	16		
1	B	506	Total	C	N	O	S	0	0
			3902	2473	688	725	16		
1	C	506	Total	C	N	O	S	0	0
			3902	2473	688	725	16		
1	D	506	Total	C	N	O	S	0	0
			3902	2473	688	725	16		
1	E	506	Total	C	N	O	S	0	0
			3902	2473	688	725	16		
1	F	506	Total	C	N	O	S	0	0
			3902	2473	688	725	16		

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	SER	LEU	engineered mutation	UNP C5AP75
A	143	HIS	TYR	engineered mutation	UNP C5AP75
A	407	ILE	ASP	engineered mutation	UNP C5AP75
A	450	VAL	ILE	engineered mutation	UNP C5AP75
A	502	ARG	TRP	engineered mutation	UNP C5AP75
B	100	SER	LEU	engineered mutation	UNP C5AP75
B	143	HIS	TYR	engineered mutation	UNP C5AP75
B	407	ILE	ASP	engineered mutation	UNP C5AP75
B	450	VAL	ILE	engineered mutation	UNP C5AP75
B	502	ARG	TRP	engineered mutation	UNP C5AP75
C	100	SER	LEU	engineered mutation	UNP C5AP75
C	143	HIS	TYR	engineered mutation	UNP C5AP75
C	407	ILE	ASP	engineered mutation	UNP C5AP75
C	450	VAL	ILE	engineered mutation	UNP C5AP75
C	502	ARG	TRP	engineered mutation	UNP C5AP75
D	100	SER	LEU	engineered mutation	UNP C5AP75
D	143	HIS	TYR	engineered mutation	UNP C5AP75
D	407	ILE	ASP	engineered mutation	UNP C5AP75

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	450	VAL	ILE	engineered mutation	UNP C5AP75
D	502	ARG	TRP	engineered mutation	UNP C5AP75
E	100	SER	LEU	engineered mutation	UNP C5AP75
E	143	HIS	TYR	engineered mutation	UNP C5AP75
E	407	ILE	ASP	engineered mutation	UNP C5AP75
E	450	VAL	ILE	engineered mutation	UNP C5AP75
E	502	ARG	TRP	engineered mutation	UNP C5AP75
F	100	SER	LEU	engineered mutation	UNP C5AP75
F	143	HIS	TYR	engineered mutation	UNP C5AP75
F	407	ILE	ASP	engineered mutation	UNP C5AP75
F	450	VAL	ILE	engineered mutation	UNP C5AP75
F	502	ARG	TRP	engineered mutation	UNP C5AP75

- Molecule 2 is a protein called Propionyl-CoA carboxylase alpha subunit.


Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	208	Total	C	N	O	S	0	0
			1565	978	285	295	7		
2	H	210	Total	C	N	O	S	0	0
			1581	988	287	299	7		
2	I	206	Total	C	N	O	S	0	0
			1549	968	283	291	7		
2	J	210	Total	C	N	O	S	0	0
			1581	988	287	299	7		
2	K	209	Total	C	N	O	S	0	0
			1574	983	286	298	7		
2	L	210	Total	C	N	O	S	0	0
			1581	988	287	299	7		

- Molecule 3 is COENZYME A (CCD ID: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms						AltConf
3	A	1	Total	C	N	O	P	S	0
			48	21	7	16	3	1	
3	B	1	Total	C	N	O	P	S	0
			48	21	7	16	3	1	
3	C	1	Total	C	N	O	P	S	0
			48	21	7	16	3	1	
3	D	1	Total	C	N	O	P	S	0
			48	21	7	16	3	1	
3	E	1	Total	C	N	O	P	S	0
			48	21	7	16	3	1	
3	F	1	Total	C	N	O	P	S	0
			48	21	7	16	3	1	

- Molecule 4 is 5-(HEXAHYDRO-2-OXO-1H-THIENO[3,4-D]IMIDAZOL-6-YL)PENTANAL (CCD ID: BTI) (formula: C₁₀H₁₆N₂O₂S).



Mol	Chain	Residues	Atoms					AltConf
4	G	1	Total	C	N	O	S	0
			15	10	2	2	1	
4	H	1	Total	C	N	O	S	0
			15	10	2	2	1	
4	I	1	Total	C	N	O	S	0
			15	10	2	2	1	
4	J	1	Total	C	N	O	S	0
			15	10	2	2	1	
4	K	1	Total	C	N	O	S	0
			15	10	2	2	1	
4	L	1	Total	C	N	O	S	0
			15	10	2	2	1	

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		AltConf
5	A	138	Total	O	0
			138	138	
5	B	145	Total	O	0
			145	145	
5	C	134	Total	O	0
			134	134	
5	D	144	Total	O	0
			144	144	
5	E	126	Total	O	0
			126	126	
5	F	128	Total	O	0
			128	128	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
5	G	8	Total 8	O 8	0
5	H	11	Total 11	O 11	0
5	I	8	Total 8	O 8	0
5	J	11	Total 11	O 11	0
5	K	8	Total 8	O 8	0
5	L	10	Total 10	O 10	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Propionyl-CoA carboxylase beta chain




- Molecule 1: Propionyl-CoA carboxylase beta chain





- Molecule 1: Propionyl-CoA carboxylase beta chain




- Molecule 1: Propionyl-CoA carboxylase beta chain



- Molecule 2: Propionyl-CoA carboxylase alpha subunit



- Molecule 2: Propionyl-CoA carboxylase alpha subunit



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	2181317	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	8.338	Depositor
Minimum map value	-3.306	Depositor
Average map value	0.017	Depositor
Map value standard deviation	0.182	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	289.408, 289.408, 289.408	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8512, 0.8512, 0.8512	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, BTI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	1/3976 (0.0%)	0.45	0/5365
1	B	0.33	1/3976 (0.0%)	0.52	3/5365 (0.1%)
1	C	0.26	0/3976	0.48	2/5365 (0.0%)
1	D	0.29	0/3976	0.46	0/5365
1	E	0.25	0/3976	0.46	0/5365
1	F	0.27	0/3976	0.45	0/5365
2	G	0.17	0/1589	0.38	0/2152
2	H	0.16	0/1606	0.36	0/2176
2	I	0.15	0/1572	0.37	0/2129
2	J	0.15	0/1606	0.35	0/2176
2	K	0.16	0/1598	0.37	0/2165
2	L	0.20	0/1606	0.41	0/2176
All	All	0.25	2/33433 (0.0%)	0.44	5/45164 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	143	HIS	CE1-NE2	-6.10	1.26	1.32
1	A	143	HIS	CE1-NE2	-5.47	1.27	1.32

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	171	ASP	CA-CB-CG	6.99	119.59	112.60
1	C	171	ASP	CA-CB-CG	6.44	119.04	112.60
1	B	168	ALA	CA-C-N	5.99	129.77	120.00
1	B	168	ALA	C-N-CA	5.99	129.77	120.00
1	C	343	ARG	N-CA-C	-5.51	105.35	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3902	0	3913	27	0
1	B	3902	0	3913	16	0
1	C	3902	0	3913	18	0
1	D	3902	0	3913	26	0
1	E	3902	0	3913	15	0
1	F	3902	0	3913	16	0
2	G	1565	0	1592	7	0
2	H	1581	0	1605	5	0
2	I	1549	0	1578	7	0
2	J	1581	0	1605	7	0
2	K	1574	0	1597	6	0
2	L	1581	0	1605	11	0
3	A	48	0	32	0	0
3	B	48	0	32	3	0
3	C	48	0	32	1	0
3	D	48	0	32	0	0
3	E	48	0	31	0	0
3	F	48	0	32	4	0
4	G	15	0	15	0	0
4	H	15	0	15	0	0
4	I	15	0	15	0	0
4	J	15	0	14	0	0
4	K	15	0	15	0	0
4	L	15	0	15	0	0
5	A	138	0	0	0	0
5	B	145	0	0	0	0
5	C	134	0	0	0	0
5	D	144	0	0	0	0
5	E	126	0	0	0	0
5	F	128	0	0	0	0
5	G	8	0	0	0	0
5	H	11	0	0	0	0
5	I	8	0	0	0	0
5	J	11	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	K	8	0	0	0	0
5	L	10	0	0	0	0
All	All	34092	0	33340	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:499:GLU:N	1:C:499:GLU:OE1	2.23	0.71
2:L:642:ARG:NH2	2:L:643:ASP:O	2.24	0.70
2:I:520:ASP:OD2	2:I:534:ARG:NE	2.24	0.70
1:D:458:GLU:OE1	1:D:462:LEU:HD22	1.91	0.70
1:D:499:GLU:OE1	1:D:499:GLU:N	2.25	0.69
2:K:520:ASP:OD2	2:K:534:ARG:NE	2.25	0.69
1:B:443:GLU:OE2	1:B:453:ARG:NE	2.28	0.66
3:C:601:COA:O1A	3:C:601:COA:OAP	2.10	0.66
2:L:653:GLU:N	2:L:653:GLU:OE1	2.31	0.64
1:C:151:VAL:HG21	1:D:387:SER:OG	1.97	0.63
1:E:221:SER:O	1:E:222:SER:OG	2.12	0.63
1:D:221:SER:O	1:D:222:SER:OG	2.15	0.63
2:I:476:HIS:CE1	2:I:480:ILE:HD11	2.34	0.63
1:C:221:SER:O	1:C:222:SER:OG	2.12	0.61
2:G:593:GLU:N	2:G:593:GLU:OE2	2.35	0.60
2:I:622:ASN:N	2:I:643:ASP:OD1	2.35	0.60
2:L:520:ASP:HB3	2:L:533:VAL:O	2.01	0.59
1:A:221:SER:O	1:A:222:SER:OG	2.10	0.59
1:F:197:VAL:HA	1:F:200:THR:HG22	1.86	0.58
1:A:198:VAL:O	1:A:202:THR:OG1	2.22	0.58
1:B:8:LEU:HD23	1:D:478:MET:SD	2.43	0.58
2:J:514:VAL:CG1	2:J:521:LEU:HD12	2.34	0.58
2:K:630:GLU:OE2	2:K:634:MET:N	2.37	0.58
1:A:117:LYS:NZ	1:E:417:ASP:OD1	2.27	0.56
2:G:630:GLU:OE2	2:G:634:MET:N	2.39	0.56
1:D:49:GLU:OE2	1:F:485:ARG:NH2	2.37	0.55
2:K:560:LEU:HD23	2:K:561:LEU:N	2.21	0.55
1:D:72:ASP:OD2	1:D:101:SER:OG	2.24	0.55
1:B:499:GLU:N	1:B:499:GLU:OE1	2.40	0.55
3:F:601:COA:H21	3:F:601:COA:O5P	2.05	0.54
1:A:61:ASP:OD1	1:B:460:ARG:NH1	2.41	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:527:ASP:OD1	2:I:529:THR:OG1	2.22	0.53
1:A:443:GLU:OE2	1:A:453:ARG:NE	2.37	0.53
2:H:619:GLU:N	2:H:619:GLU:OE1	2.43	0.52
1:A:177:MET:HE1	1:B:383:LEU:HG	1.91	0.52
1:B:174:SER:HB3	1:B:175:PRO:HD3	1.92	0.52
1:C:177:MET:HE1	1:D:383:LEU:HG	1.92	0.52
1:A:458:GLU:OE1	1:A:462:LEU:HD22	2.10	0.52
1:F:129:GLY:O	3:F:601:COA:H72	2.10	0.51
1:A:438:ILE:HD11	3:B:601:COA:H32	1.91	0.51
1:A:169:GLY:O	1:A:172:VAL:HG22	2.10	0.51
1:F:49:GLU:OE1	1:F:78:TRP:NE1	2.42	0.51
2:G:610:LYS:NZ	2:G:635:GLU:OE1	2.36	0.51
1:C:177:MET:HE1	1:D:383:LEU:CG	2.41	0.51
1:A:64:MET:HE1	1:A:96:PHE:CE1	2.46	0.50
2:L:522:LEU:HD11	2:L:530:THR:CG2	2.42	0.50
1:A:366:PRO:HB3	1:B:193:THR:HG21	1.94	0.49
2:G:476:HIS:CE1	2:G:480:ILE:HD11	2.47	0.49
1:E:383:LEU:HG	1:F:177:MET:HE1	1.95	0.49
1:E:412:LYS:NZ	1:E:474:ASP:OD2	2.39	0.49
1:F:438:ILE:O	1:F:441:ARG:NH1	2.46	0.49
2:I:520:ASP:CG	2:I:534:ARG:HG2	2.38	0.49
1:A:438:ILE:CD1	3:B:601:COA:H32	2.42	0.48
1:A:24:LEU:HD23	1:A:94:THR:HG21	1.94	0.48
1:E:446:ASP:OD1	1:E:447:ALA:N	2.41	0.48
2:K:581:ARG:NH2	2:K:584:GLU:OE2	2.43	0.48
2:L:467:LEU:HD21	2:L:568:HIS:HB2	1.97	0.47
1:E:438:ILE:HG12	3:F:601:COA:H31	1.96	0.47
1:B:173:TYR:O	1:B:177:MET:HG3	2.14	0.47
2:L:568:HIS:CG	2:L:569:ALA:H	2.32	0.47
1:B:129:GLY:O	3:B:601:COA:H72	2.14	0.47
1:B:22:LYS:O	1:B:25:GLU:HG3	2.15	0.47
1:C:133:ILE:HD12	1:D:430:MET:HE3	1.98	0.46
2:J:630:GLU:OE2	2:J:633:LYS:HA	2.15	0.46
1:F:123:ILE:HD12	1:F:160:ILE:HB	1.97	0.46
1:B:496:LYS:HE3	1:F:117:LYS:HD3	1.97	0.46
1:D:167:CYS:SG	1:D:171:ASP:HB3	2.56	0.46
1:C:72:ASP:OD2	1:C:101:SER:OG	2.30	0.46
2:G:589:MET:HA	2:G:589:MET:HE2	1.98	0.46
1:C:260:ASP:OD1	1:C:261:ASP:N	2.48	0.45
1:D:277:PRO:HA	1:D:399:ARG:HH21	1.81	0.45
1:F:171:ASP:O	1:F:175:PRO:HD2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:HIS:HA	1:A:221:SER:OG	2.17	0.45
1:D:361:VAL:O	1:D:361:VAL:HG13	2.17	0.44
1:D:217:HIS:HA	1:D:221:SER:OG	2.16	0.44
1:E:175:PRO:O	1:E:178:THR:OG1	2.30	0.44
1:F:255:GLU:OE2	1:F:317:ARG:NH2	2.50	0.44
1:C:57:HIS:HD2	1:C:59:SER:H	1.66	0.44
1:D:57:HIS:HD2	1:D:59:SER:H	1.65	0.44
1:C:177:MET:HE1	1:D:383:LEU:HB3	2.00	0.43
1:F:499:GLU:N	1:F:499:GLU:OE1	2.51	0.43
2:J:543:VAL:HG22	2:J:556:GLN:NE2	2.33	0.43
1:B:478:MET:HE1	1:F:5:LEU:N	2.33	0.43
1:E:234:ALA:O	1:E:238:ILE:HG12	2.18	0.43
1:F:217:HIS:HA	1:F:221:SER:OG	2.18	0.43
1:E:324:ASN:OD1	1:E:409:MET:HE2	2.18	0.43
2:K:517:ASP:O	2:K:519:ASP:N	2.49	0.43
1:A:57:HIS:HD2	1:A:59:SER:H	1.67	0.43
1:E:24:LEU:HD23	1:E:94:THR:HG21	2.01	0.43
2:G:619:GLU:OE1	2:G:620:VAL:N	2.45	0.42
2:I:618:GLN:O	2:I:645:THR:HA	2.19	0.42
1:B:184:VAL:O	1:B:188:SER:OG	2.28	0.42
2:I:543:VAL:HG22	2:I:556:GLN:NE2	2.34	0.42
1:C:283:MET:HG2	1:C:323:ALA:HB1	2.01	0.42
1:A:496:LYS:HB2	1:C:118:MET:HE1	2.00	0.42
2:J:600:GLN:HG2	2:J:665:GLU:HG3	2.01	0.42
2:L:568:HIS:O	2:L:569:ALA:C	2.62	0.42
1:A:145:GLU:O	1:A:148:ARG:HG2	2.20	0.42
2:G:612:ILE:HD12	2:G:652:LYS:HD2	2.00	0.42
2:J:476:HIS:CE1	2:J:480:ILE:HD11	2.55	0.42
1:C:383:LEU:HG	1:D:177:MET:HE1	2.02	0.42
1:D:509:PRO:O	1:D:510:LEU:HD23	2.20	0.42
2:J:514:VAL:HG12	2:J:521:LEU:HD12	2.02	0.42
2:L:649:ILE:O	2:L:663:ILE:O	2.36	0.42
1:D:478:MET:O	1:D:481:SER:OG	2.33	0.42
1:E:498:MET:HG2	1:E:499:GLU:N	2.33	0.42
1:F:260:ASP:OD1	1:F:261:ASP:N	2.53	0.42
2:L:609:VAL:HG23	2:L:657:LEU:HD13	2.02	0.42
2:H:520:ASP:HB2	2:H:533:VAL:O	2.20	0.41
2:H:556:GLN:HB2	2:H:567:GLN:HB2	2.02	0.41
1:B:95:VAL:HG12	1:B:96:PHE:CD2	2.55	0.41
1:D:95:VAL:HG12	1:D:96:PHE:CD2	2.55	0.41
1:D:123:ILE:CD1	1:D:160:ILE:HB	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:57:HIS:HD2	1:F:59:SER:H	1.68	0.41
2:L:534:ARG:HB3	2:L:547:THR:OG1	2.20	0.41
1:F:74:VAL:HB	1:F:104:HIS:CE1	2.55	0.41
1:A:5:LEU:HD21	1:A:7:LYS:HB3	2.03	0.41
1:A:42:LEU:O	1:A:239:ARG:NH1	2.50	0.41
1:C:177:MET:HE1	1:D:383:LEU:CB	2.50	0.41
2:H:664:LEU:C	2:H:664:LEU:HD12	2.45	0.41
1:A:174:SER:HB3	1:A:175:PRO:HD3	2.01	0.41
1:E:247:ALA:HB3	1:E:251:GLU:CD	2.46	0.41
2:L:593:GLU:OE1	2:L:593:GLU:N	2.54	0.41
1:A:15:ALA:HB3	1:A:53:MET:HE2	2.03	0.41
1:A:266:ASP:OD1	1:A:268:SER:OG	2.31	0.41
1:D:101:SER:H	1:D:104:HIS:HB3	1.86	0.41
1:B:123:ILE:HD12	1:B:160:ILE:HB	2.01	0.41
1:C:418:LEU:HD12	1:C:489:ALA:HB1	2.02	0.41
2:J:615:SER:N	2:J:618:GLN:OE1	2.46	0.41
1:A:234:ALA:O	1:A:238:ILE:HG12	2.20	0.41
1:C:169:GLY:O	1:C:172:VAL:HG22	2.20	0.41
1:C:217:HIS:HA	1:C:221:SER:OG	2.21	0.41
1:D:57:HIS:HE1	1:D:67:GLN:O	2.04	0.41
1:E:441:ARG:NH2	3:F:601:COA:O7A	2.53	0.41
1:E:453:ARG:O	1:E:456:GLU:HG3	2.20	0.41
2:K:593:GLU:OE1	2:K:593:GLU:N	2.54	0.41
1:A:57:HIS:HE1	1:A:67:GLN:O	2.03	0.41
1:A:497:GLU:OE2	1:C:119:ARG:HG3	2.22	0.40
2:H:620:VAL:HG13	2:H:624:GLU:CB	2.51	0.40
1:A:247:ALA:HB3	1:A:251:GLU:CD	2.46	0.40
1:B:57:HIS:HE1	1:B:67:GLN:O	2.05	0.40
1:D:123:ILE:HD13	1:D:160:ILE:HB	2.04	0.40
1:E:361:VAL:O	1:E:361:VAL:HG13	2.21	0.40
1:A:225:ASP:HA	1:A:300:GLN:HG2	2.02	0.40
1:D:169:GLY:O	1:D:172:VAL:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	504/510 (99%)	493 (98%)	11 (2%)	0	100	100
1	B	504/510 (99%)	493 (98%)	11 (2%)	0	100	100
1	C	504/510 (99%)	490 (97%)	14 (3%)	0	100	100
1	D	504/510 (99%)	493 (98%)	11 (2%)	0	100	100
1	E	504/510 (99%)	493 (98%)	11 (2%)	0	100	100
1	F	504/510 (99%)	491 (97%)	13 (3%)	0	100	100
2	G	206/667 (31%)	200 (97%)	6 (3%)	0	100	100
2	H	208/667 (31%)	204 (98%)	4 (2%)	0	100	100
2	I	204/667 (31%)	196 (96%)	8 (4%)	0	100	100
2	J	208/667 (31%)	200 (96%)	8 (4%)	0	100	100
2	K	207/667 (31%)	201 (97%)	6 (3%)	0	100	100
2	L	208/667 (31%)	196 (94%)	12 (6%)	0	100	100
All	All	4265/7062 (60%)	4150 (97%)	115 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/410 (99%)	406 (100%)	0	100	100
1	B	406/410 (99%)	406 (100%)	0	100	100
1	C	406/410 (99%)	406 (100%)	0	100	100
1	D	406/410 (99%)	406 (100%)	0	100	100
1	E	406/410 (99%)	406 (100%)	0	100	100
1	F	406/410 (99%)	406 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	G	165/523 (32%)	165 (100%)	0	100	100
2	H	167/523 (32%)	167 (100%)	0	100	100
2	I	163/523 (31%)	163 (100%)	0	100	100
2	J	167/523 (32%)	167 (100%)	0	100	100
2	K	166/523 (32%)	166 (100%)	0	100	100
2	L	167/523 (32%)	167 (100%)	0	100	100
All	All	3431/5598 (61%)	3431 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (50) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	HIS
1	A	67	GLN
1	A	150	ASN
1	A	159	GLN
1	A	426	GLN
1	B	300	GLN
1	B	480	HIS
1	C	57	HIS
1	C	143	HIS
1	C	263	ASN
1	C	370	GLN
1	C	480	HIS
1	D	57	HIS
1	D	104	HIS
1	D	159	GLN
1	D	263	ASN
1	D	300	GLN
1	D	370	GLN
1	E	150	ASN
1	E	159	GLN
1	E	278	ASN
1	E	300	GLN
1	E	370	GLN
1	F	56	GLN
1	F	57	HIS
1	F	300	GLN
2	G	568	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G	600	GLN
2	G	611	GLN
2	G	618	GLN
2	G	636	ASN
2	H	551	GLN
2	H	556	GLN
2	H	636	ASN
2	I	479	ASN
2	I	551	GLN
2	I	556	GLN
2	J	476	HIS
2	J	508	GLN
2	J	556	GLN
2	J	562	ASN
2	J	636	ASN
2	K	511	ASN
2	K	562	ASN
2	K	636	ASN
2	L	465	HIS
2	L	511	ASN
2	L	562	ASN
2	L	568	HIS
2	L	636	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	COA	A	601	-	47,50,50	1.08	6 (12%)	69,75,75	1.05	6 (8%)
4	BTI	I	701	2	15,16,16	0.81	1 (6%)	20,21,21	1.61	6 (30%)
4	BTI	H	701	2	15,16,16	1.07	1 (6%)	20,21,21	1.12	0
4	BTI	K	701	2	15,16,16	0.85	1 (6%)	20,21,21	1.26	4 (20%)
3	COA	D	601	-	47,50,50	1.35	8 (17%)	69,75,75	1.17	7 (10%)
3	COA	B	601	-	47,50,50	1.46	9 (19%)	69,75,75	1.16	5 (7%)
4	BTI	G	701	2	15,16,16	0.76	1 (6%)	20,21,21	0.95	0
3	COA	C	601	-	47,50,50	1.05	4 (8%)	69,75,75	1.12	7 (10%)
4	BTI	L	701	2	15,16,16	1.49	2 (13%)	20,21,21	1.35	3 (15%)
3	COA	E	601	-	47,50,50	1.26	6 (12%)	69,75,75	1.47	8 (11%)
3	COA	F	601	-	47,50,50	1.01	4 (8%)	69,75,75	1.35	10 (14%)
4	BTI	J	701	2	15,16,16	0.88	2 (13%)	20,21,21	2.44	5 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	A	601	-	-	3/48/64/64	0/3/3/3
4	BTI	I	701	2	-	1/6/27/27	0/2/2/2
4	BTI	H	701	2	-	1/6/27/27	0/2/2/2
4	BTI	K	701	2	-	5/6/27/27	0/2/2/2
3	COA	D	601	-	-	7/48/64/64	0/3/3/3
3	COA	B	601	-	-	6/48/64/64	0/3/3/3
4	BTI	G	701	2	-	3/6/27/27	0/2/2/2
3	COA	C	601	-	-	6/48/64/64	0/3/3/3
4	BTI	L	701	2	-	1/6/27/27	0/2/2/2
3	COA	E	601	-	-	12/48/64/64	0/3/3/3
3	COA	F	601	-	-	14/48/64/64	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BTI	J	701	2	-	4/6/27/27	0/2/2/2

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	COA	P1A-O3A	-4.55	1.54	1.59
3	D	601	COA	C8A-N9A	-3.91	1.30	1.37
3	E	601	COA	P3B-O3B	3.84	1.66	1.59
4	L	701	BTI	C3-N2	3.83	1.42	1.35
4	L	701	BTI	C3-N3	3.80	1.42	1.35
3	B	601	COA	P3B-O9A	-3.47	1.41	1.54
3	E	601	COA	OAP-CAP	-3.46	1.36	1.42
3	D	601	COA	P3B-O8A	-3.33	1.42	1.54
3	C	601	COA	P3B-O8A	-3.19	1.42	1.54
4	H	701	BTI	C5-N3	-3.15	1.41	1.46
3	B	601	COA	P2A-O3A	-3.08	1.56	1.59
3	A	601	COA	P3B-O8A	-3.05	1.43	1.54
3	E	601	COA	C8A-N9A	-3.02	1.32	1.37
3	E	601	COA	P3B-O8A	-2.97	1.43	1.54
3	B	601	COA	P3B-O8A	-2.83	1.44	1.54
3	F	601	COA	OAP-CAP	-2.82	1.37	1.42
3	B	601	COA	P3B-O7A	-2.73	1.42	1.50
3	D	601	COA	P1A-O3A	-2.63	1.56	1.59
3	D	601	COA	OAP-CAP	-2.60	1.37	1.42
3	D	601	COA	P2A-O5A	-2.53	1.43	1.55
3	F	601	COA	P3B-O9A	-2.53	1.45	1.54
4	I	701	BTI	C5-N3	-2.53	1.42	1.46
3	B	601	COA	OAP-CAP	-2.51	1.37	1.42
3	B	601	COA	C1B-N9A	-2.45	1.39	1.46
3	E	601	COA	P2A-O5A	-2.45	1.44	1.55
3	D	601	COA	P2A-O3A	-2.42	1.56	1.59
3	B	601	COA	P2A-O5A	-2.41	1.44	1.55
3	A	601	COA	OAP-CAP	-2.39	1.38	1.42
4	K	701	BTI	C5-N3	-2.36	1.42	1.46
3	F	601	COA	P3B-O8A	-2.30	1.46	1.54
3	C	601	COA	P3B-O9A	-2.30	1.46	1.54
3	C	601	COA	P2A-O5A	-2.29	1.44	1.55
3	D	601	COA	P1A-O2A	-2.26	1.44	1.55
3	F	601	COA	C1B-N9A	-2.26	1.40	1.46
3	C	601	COA	P1A-O2A	-2.21	1.45	1.55
4	J	701	BTI	C5-N3	-2.21	1.42	1.46
3	A	601	COA	P1A-O2A	-2.19	1.45	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	COA	P3B-O9A	-2.17	1.46	1.54
3	B	601	COA	P1A-O2A	-2.17	1.45	1.55
3	E	601	COA	P3B-O7A	-2.12	1.43	1.50
3	A	601	COA	P2A-O5A	-2.10	1.45	1.55
3	D	601	COA	P3B-O3B	-2.07	1.55	1.59
4	J	701	BTI	C7-C2	-2.06	1.47	1.52
4	G	701	BTI	C4-N2	-2.02	1.42	1.45
3	A	601	COA	P2A-O3A	2.01	1.61	1.59

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	J	701	BTI	C2-C4-N2	9.06	122.94	113.34
3	E	601	COA	OAP-CAP-CBP	5.13	122.06	110.18
3	F	601	COA	O2B-C2B-C3B	4.93	124.99	111.19
3	B	601	COA	O3A-P2A-O4A	-4.18	98.13	110.70
3	E	601	COA	O3B-P3B-O7A	-4.08	94.80	109.33
3	E	601	COA	O3A-P2A-O4A	-3.78	99.33	110.70
3	E	601	COA	C7P-C6P-C5P	-3.72	106.20	112.39
4	I	701	BTI	C6-C5-N3	-3.65	108.47	113.18
3	F	601	COA	O3A-P2A-O4A	-3.45	100.31	110.70
4	J	701	BTI	C2-C4-C5	-3.19	104.99	108.89
4	I	701	BTI	C5-C6-S1	-3.12	101.77	106.06
4	J	701	BTI	C7-C2-C4	3.04	123.11	114.51
3	E	601	COA	O9A-P3B-O3B	2.97	117.43	105.85
3	D	601	COA	O3B-C3B-C4B	-2.93	99.69	110.03
3	F	601	COA	O4B-C1B-C2B	-2.93	100.35	106.62
3	F	601	COA	O2A-P1A-O1A	2.91	125.98	112.44
4	L	701	BTI	N2-C3-N3	-2.90	105.49	108.85
3	C	601	COA	P1A-O5B-C5B	2.88	137.88	121.35
4	K	701	BTI	C6-C5-N3	-2.87	109.48	113.18
3	F	601	COA	O2B-C2B-C1B	2.86	119.96	110.10
3	D	601	COA	O8A-P3B-O3B	-2.85	94.76	105.85
3	C	601	COA	OAP-CAP-CBP	2.80	116.67	110.18
3	F	601	COA	O3B-C3B-C4B	-2.79	100.20	110.03
3	C	601	COA	O3A-P2A-O4A	-2.68	102.63	110.70
4	L	701	BTI	C6-C5-N3	-2.60	109.83	113.18
3	E	601	COA	O6A-CCP-CBP	-2.59	106.39	110.55
3	A	601	COA	C7P-N8P-C9P	2.58	127.19	122.55
4	K	701	BTI	C2-C4-N2	2.55	116.04	113.34
3	D	601	COA	O3A-P2A-O4A	-2.50	103.18	110.70
3	B	601	COA	O5A-P2A-O3A	2.44	113.88	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	COA	CAP-C9P-N8P	2.37	120.97	116.48
3	D	601	COA	P1A-O5B-C5B	2.35	134.83	121.35
3	F	601	COA	C4B-O4B-C1B	2.34	114.63	109.47
4	L	701	BTI	C6-S1-C2	2.33	94.83	89.98
3	A	601	COA	C1B-N9A-C8A	-2.31	121.96	127.09
4	K	701	BTI	C2-C4-C5	-2.28	106.10	108.89
3	C	601	COA	P3B-O3B-C3B	2.28	129.51	123.43
4	I	701	BTI	C2-C4-C5	-2.27	106.12	108.89
3	F	601	COA	C3B-C2B-C1B	2.25	104.84	99.89
4	K	701	BTI	C6-S1-C2	-2.24	85.33	89.98
4	I	701	BTI	C4-C2-S1	-2.23	102.50	105.03
3	D	601	COA	C4A-C5A-N7A	-2.22	108.05	110.58
3	A	601	COA	O9A-P3B-O3B	2.21	114.45	105.85
3	D	601	COA	O4B-C1B-C2B	-2.17	101.97	106.62
3	B	601	COA	O6A-CCP-CBP	2.17	114.03	110.55
3	E	601	COA	C4A-C5A-N7A	-2.15	108.13	110.58
3	C	601	COA	C4B-O4B-C1B	2.15	114.21	109.47
3	F	601	COA	O3A-P1A-O1A	-2.14	104.25	110.70
4	I	701	BTI	C6-S1-C2	-2.13	85.56	89.98
3	C	601	COA	C4A-C5A-N7A	-2.12	108.16	110.58
3	A	601	COA	O8A-P3B-O3B	-2.12	97.59	105.85
3	D	601	COA	C3B-C2B-C1B	2.11	104.54	99.89
3	E	601	COA	C3B-C2B-C1B	2.08	104.46	99.89
4	J	701	BTI	C5-C6-S1	2.07	108.92	106.06
3	A	601	COA	O5P-C5P-N4P	-2.07	118.97	123.03
3	A	601	COA	O5A-P2A-O3A	2.07	112.87	107.27
3	C	601	COA	O2A-P1A-O3A	2.06	112.84	107.27
4	I	701	BTI	C7-C2-C4	-2.02	108.78	114.51
4	J	701	BTI	C4-C2-S1	2.02	107.33	105.03
3	F	601	COA	O2A-P1A-O3A	-2.02	101.81	107.27
3	B	601	COA	C4A-N9A-C8A	2.01	107.85	105.74

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	601	COA	N8P-C9P-CAP-OAP
3	E	601	COA	C5B-O5B-P1A-O2A
3	E	601	COA	P1A-O3A-P2A-O6A
3	E	601	COA	CEP-CBP-CCP-O6A
3	E	601	COA	CAP-CBP-CCP-O6A
3	E	601	COA	N8P-C9P-CAP-OAP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	F	601	COA	C5B-O5B-P1A-O2A
3	F	601	COA	C2P-C3P-N4P-C5P
3	F	601	COA	S1P-C2P-C3P-N4P
4	G	701	BTI	C9-C10-C11-O11
4	J	701	BTI	C9-C10-C11-O11
4	J	701	BTI	C4-C2-C7-C8
4	K	701	BTI	C9-C10-C11-O11
4	K	701	BTI	C11-C10-C9-C8
4	K	701	BTI	S1-C2-C7-C8
4	K	701	BTI	C4-C2-C7-C8
3	C	601	COA	OAP-CAP-CBP-CDP
4	I	701	BTI	C7-C8-C9-C10
4	G	701	BTI	C2-C7-C8-C9
3	A	601	COA	P1A-O3A-P2A-O6A
3	B	601	COA	P1A-O3A-P2A-O6A
3	C	601	COA	P1A-O3A-P2A-O6A
3	D	601	COA	P1A-O3A-P2A-O6A
3	F	601	COA	P1A-O3A-P2A-O6A
4	L	701	BTI	C11-C10-C9-C8
3	F	601	COA	O9P-C9P-CAP-OAP
3	D	601	COA	CEP-CBP-CCP-O6A
3	E	601	COA	CDP-CBP-CCP-O6A
3	F	601	COA	CEP-CBP-CCP-O6A
4	K	701	BTI	C7-C8-C9-C10
3	D	601	COA	CAP-CBP-CCP-O6A
3	C	601	COA	OAP-CAP-CBP-CCP
3	E	601	COA	C5B-O5B-P1A-O1A
3	E	601	COA	C5B-O5B-P1A-O3A
4	G	701	BTI	C7-C8-C9-C10
3	E	601	COA	OAP-CAP-CBP-CDP
3	B	601	COA	C3B-O3B-P3B-O8A
3	F	601	COA	O5P-C5P-C6P-C7P
3	A	601	COA	P1A-O3A-P2A-O4A
3	B	601	COA	P2A-O3A-P1A-O1A
3	E	601	COA	P2A-O3A-P1A-O1A
3	B	601	COA	O5P-C5P-C6P-C7P
4	J	701	BTI	C7-C8-C9-C10
3	B	601	COA	N4P-C5P-C6P-C7P
3	E	601	COA	C4B-C5B-O5B-P1A
3	F	601	COA	C4B-C5B-O5B-P1A
3	F	601	COA	N4P-C5P-C6P-C7P
3	F	601	COA	C9P-CAP-CBP-CDP

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	601	COA	P2A-O3A-P1A-O2A
3	B	601	COA	P2A-O3A-P1A-O2A
3	D	601	COA	P2A-O3A-P1A-O1A
3	F	601	COA	P2A-O3A-P1A-O1A
4	H	701	BTI	C11-C10-C9-C8
4	J	701	BTI	C2-C7-C8-C9
3	D	601	COA	CDP-CBP-CCP-O6A
3	F	601	COA	C9P-CAP-CBP-CCP
3	F	601	COA	N8P-C9P-CAP-OAP
3	C	601	COA	C4B-C5B-O5B-P1A
3	D	601	COA	S1P-C2P-C3P-N4P
3	C	601	COA	P2A-O3A-P1A-O2A
3	D	601	COA	P2A-O3A-P1A-O2A
3	E	601	COA	P2A-O3A-P1A-O2A
3	F	601	COA	P2A-O3A-P1A-O2A


There are no ring outliers.


3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601	COA	3	0
3	C	601	COA	1	0
3	F	601	COA	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10771. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184



Y Index: 166




Z Index: 191


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 206 nm³; this corresponds to an approximate mass of 186 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.510 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10771 and PDB model 6YBQ. Per-residue inclusion information can be found in [section 3](#) on [page 9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9150	0.7350
A	0.9650	0.7660
B	0.9680	0.7700
C	0.9640	0.7670
D	0.9710	0.7700
E	0.9630	0.7640
F	0.9660	0.7640
G	0.7790	0.6480
H	0.7870	0.6540
I	0.7860	0.6520
J	0.8010	0.6610
K	0.7870	0.6510
L	0.8140	0.6590

1.0

0.0

<0.0