



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:30 PM UTC

PDB ID : 4YCU / pdb_00004ycu
Title : Crystal structure of cladosporin in complex with human lysyl-tRNA synthetase
Authors : Fang, P.; Wang, J.; Guo, M.
Deposited on : 2015-02-20
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	7% 87% 11% .
1	B	513	3% 88% 9% .
2	C	42	31% 69% 5% 26%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	505	Total	C	N	O	S	0	1	0
			4018	2577	680	733	28			
1	B	499	Total	C	N	O	S	0	2	0
			4004	2565	683	728	28			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	69	MET	-	initiating methionine	UNP Q15046
B	69	MET	-	initiating methionine	UNP Q15046


- Molecule 2 is a protein called Aminoacyl tRNA synthase complex-interacting multifunctional protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	31	Total	C	N	O	S	0	0	0
			240	155	43	39	3			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	37	HIS	-	expression tag	UNP Q13155
C	38	HIS	-	expression tag	UNP Q13155
C	39	HIS	-	expression tag	UNP Q13155
C	40	HIS	-	expression tag	UNP Q13155
C	41	HIS	-	expression tag	UNP Q13155
C	42	HIS	-	expression tag	UNP Q13155

- Molecule 3 is cladosporin (CCD ID: KRS) (formula: C₁₆H₂₀O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			21	16	5		
3	B	1	Total	C	O	0	0
			21	16	5		

- Molecule 4 is LYSINE (CCD ID: LYS) (formula: C₆H₁₅N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			10	6	2	2		
4	B	1	Total	C	N	O	0	0
			10	6	2	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	337	Total	O	0	0
			337	337		
6	B	336	Total	O	0	0
			336	336		
6	C	23	Total	O	0	0
			23	23		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lysine–tRNA ligase



- Molecule 1: Lysine–tRNA ligase



- Molecule 2: Aminoacyl tRNA synthase complex-interacting multifunctional protein 2



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	96.19Å 99.85Å 268.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.10 – 2.10 48.10 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.0 (48.10-2.10) 90.5 (48.10-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.10Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.191 , 0.213 0.193 , 0.214	Depositor DCC
R_{free} test set	3606 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.027 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9044	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, KRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	1/4117 (0.0%)	0.80	3/5575 (0.1%)
1	B	0.36	1/4104 (0.0%)	0.77	3/5552 (0.1%)
2	C	0.55	0/249	0.91	0/339
All	All	0.41	2/8470 (0.0%)	0.79	6/11466 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	494	GLU	C-O	-6.74	1.15	1.24
1	A	348	HIS	C-O	-5.61	1.17	1.24

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	213	LEU	CA-C-N	7.03	127.44	119.92
1	A	213	LEU	C-N-CA	7.03	127.44	119.92
1	B	213	LEU	CA-C-N	6.43	126.39	120.21
1	B	213	LEU	C-N-CA	6.43	126.39	120.21
1	A	326	GLY	N-CA-C	5.53	119.61	112.54
1	B	326	GLY	N-CA-C	5.50	120.08	112.37

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4018	0	3930	38	0
1	B	4004	0	3957	27	0
2	C	240	0	233	1	1
3	A	21	0	18	1	0
3	B	21	0	18	2	0
4	A	10	0	12	0	0
4	B	10	0	12	0	0
5	A	12	0	16	0	0
5	B	12	0	16	2	0
6	A	337	0	0	3	0
6	B	336	0	0	0	0
6	C	23	0	0	0	0
All	All	9044	0	8212	62	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:529:ILE:HD12	1:A:529:ILE:H	1.55	0.72
1:A:220:LEU:HD13	1:A:225:THR:HG22	1.75	0.69
1:A:494:GLU:O	1:A:494:GLU:HG2	1.93	0.68
1:A:178:ARG:NH1	1:A:213:LEU:O	2.27	0.64
1:A:72:ASP:HB3	1:A:73:PRO:HD3	1.80	0.63
1:A:333:PRO:HG2	1:B:287:HIS:NE2	2.16	0.61
1:B:287:HIS:CE1	1:B:290:LEU:HG	2.36	0.60
1:B:362:VAL:HG22	1:B:558:LEU:HD21	1.86	0.57
1:B:351:MET:HE1	5:B:603:GOL:H2	1.86	0.56
1:A:213:LEU:HD12	1:A:214:PRO:HD2	1.88	0.55
1:A:287:HIS:CE1	1:A:290:LEU:HG	2.41	0.55
1:B:214:PRO:HB2	1:B:236:LEU:HD11	1.88	0.55
1:A:270:MET:HE1	1:B:270:MET:SD	2.47	0.55
1:A:413:LEU:HG	1:A:467:GLN:HG2	1.91	0.53
1:A:287:HIS:NE2	1:B:333:PRO:HG2	2.24	0.52
1:A:413:LEU:HD23	1:A:511:LEU:HD21	1.92	0.52
1:B:102:ASP:HB2	1:B:127:LYS:H	1.74	0.52
1:A:289:GLU:HG2	1:B:327:ILE:HD12	1.92	0.51
1:A:409:PRO:HG2	1:A:419:THR:HG23	1.92	0.50
1:A:287:HIS:HD1	1:A:290:LEU:H	1.57	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:489:PHE:CZ	1:A:494:GLU:HB3	2.48	0.49
1:A:413:LEU:HD23	1:A:511:LEU:CD2	2.43	0.48
1:A:224:GLU:O	1:A:228:ARG:HG3	2.14	0.48
1:B:541:LEU:HD12	1:B:542:PRO:HD2	1.97	0.47
1:B:444:LEU:HA	1:B:444:LEU:HD23	1.61	0.47
1:A:286:TYR:OH	1:A:291:ASP:OD1	2.23	0.46
1:B:374:HIS:NE2	1:B:382:ALA:HB2	2.31	0.46
1:A:411:THR:HG23	6:A:873:HOH:O	2.16	0.45
1:B:479:LYS:HD3	1:B:482:LEU:HD12	1.98	0.45
1:A:222:ASP:O	1:A:226:ARG:HG3	2.16	0.45
1:B:442:ARG:O	1:B:446:LYS:HG2	2.17	0.44
6:A:764:HOH:O	2:C:19:GLU:HG3	2.17	0.44
1:A:374:HIS:NE2	1:A:382:ALA:HB2	2.33	0.44
1:B:350:LEU:HD13	1:B:547:TRP:HB2	2.00	0.44
1:B:72:ASP:HB3	1:B:73:PRO:HD3	1.99	0.44
1:A:519:LYS:C	1:A:521:ALA:H	2.25	0.43
1:A:327:ILE:HG12	1:A:333:PRO:HD3	2.00	0.43
1:A:541:LEU:HD12	1:A:542:PRO:HD2	2.01	0.43
1:A:220:LEU:HD13	1:A:225:THR:CG2	2.46	0.43
1:A:273:ILE:HG22	1:A:274:ILE:HG13	2.00	0.43
1:B:228:ARG:NH1	1:B:574:LYS:O	2.27	0.43
1:B:463:CYS:SG	5:B:603:GOL:H31	2.58	0.43
1:A:241:ARG:NH2	1:B:311:GLY:O	2.46	0.43
1:A:573:MET:O	6:A:701:HOH:O	2.22	0.43
1:A:413:LEU:HD11	1:A:507:ARG:CZ	2.49	0.43
1:A:292:MET:HE1	1:B:575:PRO:HG3	2.01	0.42
1:A:547:TRP:CH2	1:A:549:MET:HB2	2.54	0.42
3:A:601:KRS:H8	3:A:601:KRS:H11	1.80	0.42
1:B:287:HIS:HD1	1:B:290:LEU:H	1.67	0.42
1:B:397:VAL:O	1:B:401:GLU:HG3	2.20	0.42
1:A:423:LEU:HD12	1:A:440:THR:HG23	2.00	0.42
1:A:373:TYR:CD1	1:A:491:MET:HG3	2.55	0.42
1:B:133:HIS:CG	1:B:148:ARG:HD2	2.56	0.41
1:B:332:ASN:O	3:B:601:KRS:H3	2.20	0.41
3:B:601:KRS:H8	3:B:601:KRS:H11	1.79	0.41
1:B:213:LEU:HA	1:B:214:PRO:HD3	1.82	0.41
1:A:488:LEU:HB3	1:A:496:CYS:HB2	2.02	0.41
1:B:212:MET:HE3	1:B:212:MET:HB2	1.96	0.41
1:A:350:LEU:HD13	1:A:547:TRP:HB2	2.03	0.40
1:A:227:TYR:HB3	1:A:571:PRO:HG2	2.04	0.40
1:A:374:HIS:CD2	1:A:382:ALA:HB2	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:PHE:CE2	1:B:157:MET:HG3	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:23:CYS:CB	2:C:23:CYS:SG[4_555]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	504/513 (98%)	496 (98%)	8 (2%)	0	100	100
1	B	497/513 (97%)	490 (99%)	7 (1%)	0	100	100
2	C	29/42 (69%)	28 (97%)	1 (3%)	0	100	100
All	All	1030/1068 (96%)	1014 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	424/455 (93%)	418 (99%)	6 (1%)	59	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	430/455 (94%)	423 (98%)	7 (2%)	55	64
2	C	25/36 (69%)	25 (100%)	0	100	100
All	All	879/946 (93%)	866 (98%)	13 (2%)	57	65

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	ILE
1	A	347	TYR
1	A	368	SER
1	A	379	GLU
1	A	470	SER
1	A	529	ILE
1	B	116	GLN
1	B	166	GLU
1	B	213	LEU
1	B	216	LEU
1	B	347	TYR
1	B	444	LEU
1	B	470	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	229	GLN
1	B	162	ASN
1	B	229	GLN
1	B	332	ASN
1	B	348	HIS
2	C	5	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	LYS	A	602	-	8,9,9	0.85	1 (12%)	7,10,10	1.04	1 (14%)
5	GOL	A	603	-	5,5,5	0.36	0	5,5,5	0.28	0
4	LYS	B	602	-	8,9,9	0.84	1 (12%)	7,10,10	1.04	1 (14%)
3	KRS	A	601	-	23,23,23	2.02	3 (13%)	33,33,33	1.44	7 (21%)
5	GOL	A	604	-	5,5,5	0.36	0	5,5,5	0.33	0
5	GOL	B	604	-	5,5,5	0.37	0	5,5,5	0.27	0
3	KRS	B	601	-	23,23,23	2.03	3 (13%)	33,33,33	1.45	7 (21%)
5	GOL	B	603	-	5,5,5	0.37	0	5,5,5	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LYS	A	602	-	-	0/9/9/9	-
5	GOL	A	603	-	-	0/4/4/4	-
4	LYS	B	602	-	-	0/9/9/9	-
3	KRS	A	601	-	-	0/4/26/26	0/3/3/3
5	GOL	A	604	-	-	4/4/4/4	-
5	GOL	B	604	-	-	2/4/4/4	-
3	KRS	B	601	-	-	0/4/26/26	0/3/3/3
5	GOL	B	603	-	-	0/4/4/4	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	KRS	O3-C8	7.40	1.46	1.34
3	A	601	KRS	O3-C8	7.39	1.46	1.34
3	A	601	KRS	C9-C1	4.48	1.48	1.41
3	B	601	KRS	C9-C1	4.46	1.48	1.41
3	B	601	KRS	C9-C5	3.48	1.48	1.41
3	A	601	KRS	C9-C5	3.46	1.48	1.41
4	A	602	LYS	OXT-C	-2.24	1.23	1.30
4	B	602	LYS	OXT-C	-2.21	1.23	1.30

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	KRS	C7-O3-C8	-3.87	113.07	118.78
3	A	601	KRS	C7-O3-C8	-3.84	113.12	118.78
3	B	601	KRS	C1-C9-C8	3.47	123.58	119.77
3	A	601	KRS	C1-C9-C8	3.45	123.57	119.77
4	B	602	LYS	OXT-C-O	-2.65	118.07	124.08
4	A	602	LYS	OXT-C-O	-2.64	118.09	124.08
3	B	601	KRS	C2-C1-C9	-2.32	118.31	120.92
3	A	601	KRS	C2-C1-C9	-2.32	118.32	120.92
3	B	601	KRS	C11-C10-C7	-2.29	110.97	114.43
3	A	601	KRS	C11-C10-C7	-2.26	111.02	114.43
3	A	601	KRS	O3-C8-O4	2.20	119.94	117.53
3	B	601	KRS	O3-C8-O4	2.20	119.94	117.53
3	A	601	KRS	O3-C7-C10	2.16	109.51	106.10
3	B	601	KRS	O3-C7-C10	2.15	109.49	106.10
3	B	601	KRS	C10-C7-C6	-2.09	109.50	113.44
3	A	601	KRS	C10-C7-C6	-2.08	109.53	113.44

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	604	GOL	C1-C2-C3-O3
5	A	604	GOL	O1-C1-C2-C3
5	B	604	GOL	O1-C1-C2-C3
5	A	604	GOL	O2-C2-C3-O3
5	B	604	GOL	O1-C1-C2-O2
5	A	604	GOL	O1-C1-C2-O2


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	KRS	1	0
3	B	601	KRS	2	0
5	B	603	GOL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	505/513 (98%)	0.35	37 (7%)	21 22	13, 28, 66, 98	1 (0%)
1	B	499/513 (97%)	0.26	14 (2%)	55 57	13, 29, 48, 87	2 (0%)
2	C	31/42 (73%)	1.62	13 (41%)	0 1	29, 39, 94, 94	0
All	All	1035/1068 (96%)	0.35	64 (6%)	26 28	13, 29, 56, 98	3 (0%)

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	411	THR	6.2
1	A	218	PHE	5.1
1	A	217	HIS	4.9
1	A	220	LEU	4.7
1	B	216	LEU	4.6
1	A	520	ALA	4.6
1	A	219	GLY	4.6
1	A	413	LEU	4.6
1	A	216	LEU	4.4
1	A	523	ASP	4.1
1	A	524	ASP	4.1
1	A	409	PRO	4.0
1	A	522	GLY	3.9
1	A	412	ASN	3.9
2	C	11	GLY	3.8
1	A	521	ALA	3.7
1	B	575	PRO	3.6
2	C	14	ALA	3.6
2	C	12	GLY	3.6
1	A	574	LYS	3.5
1	A	414	PHE	3.4
1	A	525	GLU	3.3
1	A	519	LYS	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	158	ALA	3.2
2	C	10	HIS	3.2
2	C	13	GLY	3.2
1	A	74	ASN	3.2
1	A	526	ALA	3.1
1	A	529	ILE	3.1
1	A	408	LEU	3.1
2	C	16	LEU	3.1
1	B	574	LYS	3.0
1	A	518	ALA	3.0
1	B	213	LEU	2.9
2	C	15	PRO	2.8
1	B	159	ASN	2.8
1	A	110	GLN	2.7
1	A	410	GLU	2.6
1	A	416	THR	2.6
2	C	32	GLY	2.5
1	B	326	GLY	2.4
1	A	325	GLU	2.4
1	B	160	SER	2.4
1	A	221	LYS	2.4
1	B	166	GLU	2.4
1	B	557	PHE	2.4
1	B	72	ASP	2.3
1	A	223	LYS	2.3
2	C	30	VAL	2.3
1	B	215	HIS	2.3
2	C	23	CYS	2.2
2	C	2	PRO	2.2
1	A	73	PRO	2.1
2	C	17	ARG	2.1
1	A	159	ASN	2.1
1	A	576	GLU	2.1
1	B	510	GLN	2.1
2	C	31	HIS	2.1
1	A	222	ASP	2.1
1	A	287	HIS	2.1
1	A	224	GLU	2.0
1	A	532	ASN	2.0
1	A	572	ALA	2.0
1	B	526	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	A	604	6/6	0.61	0.22	60,61,61,61	0
5	GOL	B	604	6/6	0.75	0.18	53,54,54,55	0
5	GOL	B	603	6/6	0.88	0.14	59,59,59,60	0
5	GOL	A	603	6/6	0.88	0.12	30,30,31,31	0
3	KRS	A	601	21/21	0.92	0.08	21,22,23,23	0
3	KRS	B	601	21/21	0.92	0.09	19,20,20,21	0
4	LYS	A	602	10/10	0.93	0.08	18,19,19,19	0
4	LYS	B	602	10/10	0.96	0.06	18,18,19,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around KRS A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around KRS B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.