



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:40 AM UTC

PDB ID : 7YDG / pdb_00007ydg
Title : Crystal structure of human SARS2 catalytic domain with a disease related mutation
Authors : Wu, S.; Li, P.; Zhou, X.L.; Fang, P.
Deposited on : 2022-07-04
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	355	
1	B	355	
1	C	355	
1	D	355	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 7952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine-tRNA ligase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	252	Total	C	N	O	S	0	0	0
			1988	1268	350	357	13			
1	B	252	Total	C	N	O	S	0	0	0
			1988	1268	350	357	13			
1	C	252	Total	C	N	O	S	0	0	0
			1988	1268	350	357	13			
1	D	252	Total	C	N	O	S	0	0	0
			1988	1268	350	357	13			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	168	MET	-	initiating methionine	UNP Q9NP81
A	169	GLY	-	expression tag	UNP Q9NP81
A	170	SER	-	expression tag	UNP Q9NP81
A	171	SER	-	expression tag	UNP Q9NP81
A	172	HIS	-	expression tag	UNP Q9NP81
A	173	HIS	-	expression tag	UNP Q9NP81
A	174	HIS	-	expression tag	UNP Q9NP81
A	175	HIS	-	expression tag	UNP Q9NP81
A	176	HIS	-	expression tag	UNP Q9NP81
A	177	HIS	-	expression tag	UNP Q9NP81
A	178	SER	-	expression tag	UNP Q9NP81
A	179	SER	-	expression tag	UNP Q9NP81
A	180	GLY	-	expression tag	UNP Q9NP81
A	218	ASN	-	insertion	UNP Q9NP81
A	219	LEU	-	insertion	UNP Q9NP81
A	220	SER	-	insertion	UNP Q9NP81
A	221	PRO	-	insertion	UNP Q9NP81
A	222	ARG	LYS	engineered mutation	UNP Q9NP81
B	168	MET	-	initiating methionine	UNP Q9NP81
B	169	GLY	-	expression tag	UNP Q9NP81
B	170	SER	-	expression tag	UNP Q9NP81

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	171	SER	-	expression tag	UNP Q9NP81
B	172	HIS	-	expression tag	UNP Q9NP81
B	173	HIS	-	expression tag	UNP Q9NP81
B	174	HIS	-	expression tag	UNP Q9NP81
B	175	HIS	-	expression tag	UNP Q9NP81
B	176	HIS	-	expression tag	UNP Q9NP81
B	177	HIS	-	expression tag	UNP Q9NP81
B	178	SER	-	expression tag	UNP Q9NP81
B	179	SER	-	expression tag	UNP Q9NP81
B	180	GLY	-	expression tag	UNP Q9NP81
B	218	ASN	-	insertion	UNP Q9NP81
B	219	LEU	-	insertion	UNP Q9NP81
B	220	SER	-	insertion	UNP Q9NP81
B	221	PRO	-	insertion	UNP Q9NP81
B	222	ARG	LYS	engineered mutation	UNP Q9NP81
C	168	MET	-	initiating methionine	UNP Q9NP81
C	169	GLY	-	expression tag	UNP Q9NP81
C	170	SER	-	expression tag	UNP Q9NP81
C	171	SER	-	expression tag	UNP Q9NP81
C	172	HIS	-	expression tag	UNP Q9NP81
C	173	HIS	-	expression tag	UNP Q9NP81
C	174	HIS	-	expression tag	UNP Q9NP81
C	175	HIS	-	expression tag	UNP Q9NP81
C	176	HIS	-	expression tag	UNP Q9NP81
C	177	HIS	-	expression tag	UNP Q9NP81
C	178	SER	-	expression tag	UNP Q9NP81
C	179	SER	-	expression tag	UNP Q9NP81
C	180	GLY	-	expression tag	UNP Q9NP81
C	218	ASN	-	insertion	UNP Q9NP81
C	219	LEU	-	insertion	UNP Q9NP81
C	220	SER	-	insertion	UNP Q9NP81
C	221	PRO	-	insertion	UNP Q9NP81
C	222	ARG	LYS	engineered mutation	UNP Q9NP81
D	168	MET	-	initiating methionine	UNP Q9NP81
D	169	GLY	-	expression tag	UNP Q9NP81
D	170	SER	-	expression tag	UNP Q9NP81
D	171	SER	-	expression tag	UNP Q9NP81
D	172	HIS	-	expression tag	UNP Q9NP81
D	173	HIS	-	expression tag	UNP Q9NP81
D	174	HIS	-	expression tag	UNP Q9NP81
D	175	HIS	-	expression tag	UNP Q9NP81
D	176	HIS	-	expression tag	UNP Q9NP81

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	177	HIS	-	expression tag	UNP Q9NP81
D	178	SER	-	expression tag	UNP Q9NP81
D	179	SER	-	expression tag	UNP Q9NP81
D	180	GLY	-	expression tag	UNP Q9NP81
D	218	ASN	-	insertion	UNP Q9NP81
D	219	LEU	-	insertion	UNP Q9NP81
D	220	SER	-	insertion	UNP Q9NP81
D	221	PRO	-	insertion	UNP Q9NP81
D	222	ARG	LYS	engineered mutation	UNP Q9NP81


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Serine-tRNA ligase, mitochondrial




• Molecule 1: Serine-tRNA ligase, mitochondrial



• Molecule 1: Serine-tRNA ligase, mitochondrial





4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	144.18Å 144.18Å 245.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.45 – 3.20 25.45 – 3.20	Depositor EDS
% Data completeness (in resolution range)	85.6 (25.45-3.20) 85.3 (25.45-3.20)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.91 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.13	Depositor
R, R_{free}	0.203 , 0.228 0.203 , 0.229	Depositor DCC
R_{free} test set	2000 reflections (4.61%)	wwPDB-VP
Wilson B-factor (Å ²)	100.7	Xtriage
Anisotropy	0.037	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 97.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7952	wwPDB-VP
Average B, all atoms (Å ²)	122.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/2031	0.61	0/2744
1	B	0.31	0/2031	0.64	0/2744
1	C	0.28	0/2031	0.55	1/2744 (0.0%)
1	D	0.22	0/2031	0.57	4/2744 (0.1%)
All	All	0.29	0/8124	0.59	5/10976 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	234	TYR	CA-CB-CG	11.63	134.84	113.90
1	D	234	TYR	N-CA-CB	-6.87	98.88	110.49
1	C	311	TYR	CA-CB-CG	-6.06	102.99	113.90
1	D	234	TYR	CB-CA-C	5.53	121.42	110.42
1	D	364	GLY	N-CA-C	5.08	123.11	112.45

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	233	TYR	Peptide
1	D	234	TYR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1988	0	1980	25	0
1	B	1988	0	1980	24	0
1	C	1988	0	1980	29	0
1	D	1988	0	1980	31	0
All	All	7952	0	7920	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:264:VAL:HG12	1:D:234:TYR:HE1	1.39	0.86
1:A:262:MET:HG3	1:B:234:TYR:HE1	1.49	0.78
1:A:262:MET:SD	1:B:234:TYR:CE1	2.79	0.76
1:A:262:MET:CG	1:B:234:TYR:HE1	1.99	0.74
1:C:322:LEU:HD13	1:C:362:GLY:HA2	1.71	0.72
1:A:262:MET:HG3	1:B:234:TYR:CE1	2.25	0.72
1:B:212:LEU:HD22	1:B:494:ILE:HG22	1.73	0.68
1:B:322:LEU:HD13	1:B:362:GLY:HA2	1.74	0.68
1:B:243:GLN:HG3	1:B:461:VAL:HG11	1.78	0.64
1:A:322:LEU:HD13	1:A:362:GLY:HA2	1.79	0.64
1:C:264:VAL:HG12	1:D:234:TYR:CE1	2.28	0.64
1:D:372:LEU:HD22	1:D:428:ASN:HB2	1.81	0.63
1:A:257:ARG:NH2	1:A:381:GLU:OE2	2.33	0.62
1:C:402:LEU:H	1:C:403:PRO:CD	2.13	0.60
1:A:402:LEU:H	1:A:403:PRO:HD2	1.67	0.60
1:D:395:MET:HE3	1:D:409:ASP:HB2	1.84	0.60
1:C:264:VAL:HG13	1:C:328:CYS:SG	2.44	0.58
1:D:322:LEU:HD13	1:D:362:GLY:HA2	1.85	0.57
1:A:262:MET:SD	1:B:234:TYR:HE1	2.25	0.57
1:C:264:VAL:HA	1:D:234:TYR:CE1	2.39	0.57
1:C:411:GLU:HB3	1:C:420:PHE:HB3	1.86	0.57
1:C:216:ARG:HD2	1:C:234:TYR:CE2	2.39	0.57
1:C:257:ARG:NH2	1:C:381:GLU:OE2	2.39	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:MET:CG	1:B:234:TYR:CE1	2.84	0.55
1:A:411:GLU:HB3	1:A:420:PHE:HB3	1.89	0.54
1:C:372:LEU:HD22	1:C:428:ASN:HB2	1.90	0.54
1:C:216:ARG:O	1:C:217:GLN:HG2	2.08	0.54
1:D:411:GLU:HB3	1:D:420:PHE:HB3	1.89	0.54
1:C:402:LEU:H	1:C:403:PRO:HD2	1.71	0.53
1:D:317:VAL:O	1:D:441:PHE:HA	2.09	0.53
1:B:212:LEU:HD23	1:B:496:ALA:HB2	1.90	0.52
1:D:473:GLN:HA	1:D:479:VAL:HG22	1.92	0.52
1:D:232:SER:OG	1:D:233:TYR:N	2.41	0.51
1:B:184:SER:HA	1:B:399:GLU:HG3	1.92	0.51
1:B:347:TYR:OH	1:B:417:ARG:HG3	2.11	0.51
1:D:332:CYS:O	1:D:351:HIS:HA	2.11	0.50
1:A:392:VAL:HG22	1:A:410:ILE:HG12	1.93	0.49
1:D:395:MET:HB2	1:D:407:LYS:HB3	1.93	0.49
1:A:243:GLN:HG3	1:A:461:VAL:HG11	1.94	0.49
1:C:313:MET:HA	1:C:437:LEU:O	2.12	0.49
1:B:478:SER:O	1:B:479:VAL:HB	2.13	0.48
1:C:361:THR:HG21	1:C:368:SER:HA	1.95	0.48
1:C:265:PRO:HD2	1:D:234:TYR:CD1	2.48	0.48
1:A:361:THR:HG21	1:A:368:SER:HA	1.96	0.48
1:D:250:THR:HG23	1:D:382:ILE:HD13	1.95	0.48
1:C:234:TYR:HB2	1:D:311:TYR:CE1	2.49	0.48
1:D:212:LEU:HD22	1:D:494:ILE:HG22	1.95	0.48
1:A:257:ARG:HH22	1:A:381:GLU:CD	2.21	0.48
1:A:324:VAL:O	1:A:359:GLY:HA2	2.14	0.48
1:A:184:SER:HA	1:A:399:GLU:OE1	2.14	0.47
1:C:257:ARG:HH22	1:C:381:GLU:CD	2.22	0.47
1:B:392:VAL:HG22	1:B:410:ILE:HG12	1.95	0.47
1:D:246:LEU:HD21	1:D:468:LEU:HD11	1.95	0.47
1:B:361:THR:HG21	1:B:368:SER:HA	1.97	0.47
1:C:235:LEU:HB2	1:D:263:THR:CG2	2.44	0.47
1:A:255:LEU:HD21	1:A:261:PRO:HB3	1.98	0.46
1:B:243:GLN:CG	1:B:461:VAL:HG11	2.44	0.46
1:C:319:PHE:HB2	1:C:442:GLN:O	2.16	0.46
1:D:361:THR:HB	1:D:371:LEU:HD22	1.99	0.45
1:D:264:VAL:HG23	1:D:266:ASP:H	1.82	0.45
1:A:319:PHE:HB2	1:A:442:GLN:O	2.17	0.44
1:B:232:SER:OG	1:B:233:TYR:N	2.50	0.44
1:A:326:MET:HE2	1:B:234:TYR:OH	2.17	0.44
1:A:388:LEU:HD21	1:A:468:LEU:HD23	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:329:SER:HB2	1:D:355:VAL:HG22	1.99	0.44
1:C:489:LEU:HD23	1:C:489:LEU:HA	1.85	0.44
1:C:311:TYR:HE2	1:D:234:TYR:CE2	2.36	0.44
1:C:196:PRO:HD2	1:C:413:TRP:CD1	2.53	0.43
1:A:262:MET:HE2	1:A:326:MET:HE3	1.99	0.43
1:C:434:SER:HA	1:C:439:ILE:HB	2.01	0.43
1:B:319:PHE:HB2	1:B:442:GLN:O	2.18	0.43
1:A:254:LEU:CD2	1:A:378:LEU:HD13	2.49	0.43
1:C:410:ILE:HB	1:C:424:THR:HG22	2.01	0.42
1:D:359:GLY:HA3	1:D:371:LEU:HD21	2.01	0.42
1:D:316:THR:HA	1:D:440:MET:O	2.20	0.42
1:C:264:VAL:HA	1:D:234:TYR:CD1	2.55	0.42
1:A:402:LEU:H	1:A:403:PRO:CD	2.32	0.42
1:B:357:MET:HG3	1:B:458:ALA:HB2	2.02	0.41
1:D:208:ILE:HG21	1:D:479:VAL:HG21	2.02	0.41
1:C:435:ARG:HA	1:C:450:PHE:CE1	2.55	0.41
1:D:361:THR:HG21	1:D:368:SER:HA	2.03	0.41
1:B:411:GLU:HB3	1:B:420:PHE:HB3	2.03	0.41
1:A:441:PHE:CE2	1:A:443:THR:HG22	2.56	0.41
1:C:311:TYR:CE2	1:D:234:TYR:CE2	3.09	0.41
1:D:410:ILE:HB	1:D:424:THR:HG22	2.03	0.41
1:A:184:SER:OG	1:A:185:GLN:N	2.53	0.41
1:D:478:SER:HA	1:D:494:ILE:O	2.21	0.41
1:D:350:HIS:O	1:D:352:PHE:HD1	2.05	0.40
1:B:480:LEU:HA	1:B:480:LEU:HD23	1.86	0.40
1:C:184:SER:OG	1:C:185:GLN:N	2.54	0.40
1:C:316:THR:HG21	1:C:448:LEU:HD22	2.03	0.40
1:B:372:LEU:HD22	1:B:428:ASN:HB2	2.04	0.40
1:B:464:LEU:HA	1:B:464:LEU:HD23	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/355 (69%)	238 (98%)	5 (2%)	1 (0%)	30	62
1	B	244/355 (69%)	233 (96%)	8 (3%)	3 (1%)	10	42
1	C	244/355 (69%)	238 (98%)	5 (2%)	1 (0%)	30	62
1	D	244/355 (69%)	231 (95%)	9 (4%)	4 (2%)	7	36
All	All	976/1420 (69%)	940 (96%)	27 (3%)	9 (1%)	14	47

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	402	LEU
1	B	402	LEU
1	C	402	LEU
1	D	402	LEU
1	D	234	TYR
1	D	479	VAL
1	B	479	VAL
1	D	350	HIS
1	B	496	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/299 (72%)	215 (100%)	0	100	100
1	B	215/299 (72%)	215 (100%)	0	100	100
1	C	215/299 (72%)	215 (100%)	0	100	100
1	D	215/299 (72%)	215 (100%)	0	100	100
All	All	860/1196 (72%)	860 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	398	GLN
1	A	433	GLN
1	A	449	GLN
1	A	455	ASN
1	B	398	GLN
1	B	433	GLN
1	B	455	ASN
1	C	248	ASN
1	C	351	HIS
1	C	433	GLN
1	C	449	GLN
1	C	455	ASN
1	D	185	GLN
1	D	217	GLN
1	D	248	ASN
1	D	449	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	252/355 (70%)	-0.21	8 (3%)	50	31	46, 75, 148, 209	0
1	B	252/355 (70%)	-0.08	7 (2%)	55	35	50, 86, 152, 203	0
1	C	252/355 (70%)	-0.04	15 (5%)	27	17	75, 115, 198, 291	0
1	D	252/355 (70%)	0.54	21 (8%)	17	11	112, 183, 243, 290	0
All	All	1008/1420 (70%)	0.05	51 (5%)	33	21	46, 108, 218, 291	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	306	VAL	6.0
1	A	306	VAL	5.6
1	D	306	VAL	4.9
1	D	458	ALA	4.8
1	D	234	TYR	4.5
1	D	477	GLY	4.3
1	A	307	GLY	4.1
1	D	459	CYS	3.9
1	D	408	PHE	3.7
1	D	403	PRO	3.6
1	C	307	GLY	3.5
1	D	460	ALA	3.5
1	D	311	TYR	3.3
1	D	266	ASP	3.3
1	A	309	ALA	3.3
1	D	400	LEU	3.2
1	A	402	LEU	3.2
1	B	234	TYR	3.1
1	C	306	VAL	3.0
1	A	310	GLY	2.9
1	B	402	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	458	ALA	2.8
1	D	347	TYR	2.8
1	C	309	ALA	2.8
1	C	233	TYR	2.7
1	C	312	PHE	2.7
1	B	351	HIS	2.7
1	D	498	THR	2.7
1	D	233	TYR	2.6
1	A	265	PRO	2.6
1	C	346	LEU	2.6
1	D	309	ALA	2.6
1	C	234	TYR	2.5
1	B	331	THR	2.5
1	C	333	TYR	2.5
1	C	347	TYR	2.5
1	C	402	LEU	2.5
1	D	346	LEU	2.4
1	B	332	CYS	2.4
1	A	400	LEU	2.4
1	C	459	CYS	2.4
1	C	363	PRO	2.3
1	A	347	TYR	2.3
1	B	362	GLY	2.3
1	C	266	ASP	2.3
1	D	426	ALA	2.3
1	D	402	LEU	2.1
1	D	393	LEU	2.1
1	C	403	PRO	2.1
1	D	350	HIS	2.0
1	D	308	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.