



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 02:04 AM UTC

PDB ID : 8YDK / pdb_00008ydk
Title : Crystal structure of a novel design for RSV F protein in pre-fusion state
Authors : Qi, J.X.; Li, J.
Deposited on : 2024-02-20
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	20% 75% 20% .
1	B	249	16% 82% 14% .
1	C	249	23% 83% 14% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5831 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F2, F1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	2	0
			1867	1183	308	365	11			
1	B	240	Total	C	N	O	S	0	1	0
			1867	1183	308	367	9			
1	C	240	Total	C	N	O	S	0	3	0
			1872	1186	309	366	11			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	47	Total	O	0	0
			47	47		
2	B	99	Total	O	0	0
			99	99		
2	C	79	Total	O	0	0
			79	79		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fusion glycoprotein F2, F1



- Molecule 1: Fusion glycoprotein F2, F1



- Molecule 1: Fusion glycoprotein F2, F1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.24Å 64.91Å 109.94Å 90.00° 130.28° 90.00°	Depositor
Resolution (Å)	32.76 – 2.10 32.76 – 2.10	Depositor EDS
% Data completeness (in resolution range)	92.7 (32.76-2.10) 92.6 (32.76-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.220 , 0.246 0.220 , 0.246	Depositor DCC
R_{free} test set	2248 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.129	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.015 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5831	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/1892	0.37	0/2560
1	B	0.15	0/1889	0.35	0/2556
1	C	0.21	1/1900 (0.1%)	0.39	0/2571
All	All	0.17	1/5681 (0.0%)	0.37	0/7687

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	88	ASN	C-O	-5.40	1.17	1.24

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1867	0	1943	35	0
1	B	1867	0	1941	17	0
1	C	1872	0	1949	22	0
2	A	47	0	0	1	0
2	B	99	0	0	1	0
2	C	79	0	0	2	0
All	All	5831	0	5833	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:SER:OG	1:B:67:ASN:ND2	2.09	0.85
1:C:26:GLN:N	2:C:301:HOH:O	2.22	0.72
1:A:122:GLU:OE1	1:A:254:LYS:NZ	2.23	0.71
1:A:167:ILE:HG22	1:A:168:LEU:HG	1.74	0.70
1:A:93:LEU:HB2	1:A:253:ILE:HD11	1.78	0.65
1:A:60:GLU:HG3	1:A:157:LYS:HB3	1.79	0.64
1:C:137:LYS:HE3	1:C:224:ASP:OD2	1.97	0.64
1:C:221:LEU:HD23	1:C:264:LEU:HD11	1.80	0.64
1:A:161:ASP:HA	1:A:165:LEU:HG	1.80	0.63
1:C:137:LYS:NZ	1:C:220:SER:OG	2.30	0.63
1:A:75:LYS:HA	1:A:78:LEU:HD12	1.82	0.61
1:C:174:SER:OG	1:C:175:ILE:N	2.34	0.61
1:C:240:GLN:H	1:C:240:GLN:CD	2.08	0.60
1:A:40:VAL:HG11	1:A:45:LEU:HG	1.85	0.59
1:C:170:LYS:NZ	1:C:174:SER:HB2	2.19	0.56
1:C:213:LEU:HD21	1:C:221:LEU:HD22	1.87	0.56
1:A:127:LYS:HE3	1:A:140:VAL:HG13	1.88	0.55
1:A:94:GLN:O	1:A:98:GLN:NE2	2.39	0.55
1:A:56:VAL:HG23	1:A:148:VAL:HG11	1.88	0.55
1:C:63:ASN:HB2	1:C:256:GLU:HG2	1.89	0.55
1:A:225:MET:HE1	1:A:235:MET:HE1	1.89	0.54
1:A:79:ILE:HG12	1:A:181:VAL:HG22	1.89	0.53
1:A:93:LEU:CB	1:A:253:ILE:HD11	2.38	0.53
1:C:56:VAL:HG23	1:C:148:VAL:HG11	1.90	0.53
1:A:118:VAL:O	1:A:124:GLU:HG3	2.09	0.53
1:C:75:LYS:HA	1:C:78:LEU:HD12	1.91	0.52
1:C:62:SER:OG	1:C:157:LYS:HA	2.09	0.52
1:B:64:ILE:HD11	1:B:168:LEU:HD11	1.92	0.51
1:A:113:VAL:O	1:A:117:LYS:HG2	2.11	0.51
1:A:136:ASN:OD1	1:A:137:LYS:HE3	2.12	0.50
1:B:161:ASP:HA	1:B:165:LEU:HD12	1.94	0.50
1:B:56:VAL:HB	1:B:150:THR:HG22	1.95	0.49
1:B:159:TYR:OH	1:B:184:PHE:HB2	2.13	0.49
1:C:59:ILE:HG23	1:C:154:LEU:HB3	1.94	0.49
1:C:143:SER:HB2	2:C:336:HOH:O	2.13	0.48
1:B:62:SER:HB2	1:B:157:LYS:HA	1.95	0.48
1:B:64:ILE:O	1:B:87:LYS:HD3	2.14	0.47
1:C:167:ILE:HG22	1:C:168:LEU:HG	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:GLN:NE2	2:A:303:HOH:O	2.37	0.46
1:C:167:ILE:O	1:C:174:SER:HB3	2.16	0.46
1:B:187:LYS:HE2	2:B:311:HOH:O	2.16	0.45
1:A:96:LEU:CD2	1:A:198:PHE:HB3	2.46	0.45
1:A:75:LYS:HD2	1:A:176:PRO:O	2.16	0.44
1:A:227:ILE:HD12	1:A:231:GLN:HB3	1.98	0.44
1:B:184:PHE:O	1:B:188:ASN:HB2	2.18	0.44
1:C:170:LYS:HZ2	1:C:174:SER:HB2	1.81	0.44
1:C:201:ASN:HB3	1:C:204:VAL:O	2.18	0.44
1:B:59:ILE:HG23	1:B:154:LEU:HB3	1.99	0.43
1:B:217:GLU:HA	1:C:133:LEU:HD21	1.99	0.43
1:C:137:LYS:HA	1:C:150:THR:O	2.18	0.43
1:A:45:LEU:HD23	1:A:45:LEU:HA	1.86	0.43
1:A:33:TYR:N	1:A:40:VAL:O	2.49	0.43
1:A:83:LEU:HD12	1:A:83:LEU:HA	1.88	0.43
1:B:52:TRP:CE3	1:B:263:GLN:HG2	2.54	0.42
1:C:28:ILE:O	1:C:28:ILE:HG12	2.18	0.42
1:A:127:LYS:HA	1:A:127:LYS:HD2	1.92	0.42
1:B:118:VAL:O	1:B:124:GLU:HG3	2.19	0.42
1:A:99:SER:O	1:A:100:THR:OG1	2.28	0.42
1:A:122:GLU:OE2	1:A:123:GLY:N	2.52	0.42
1:A:97:MET:CE	1:A:252:ILE:HG13	2.50	0.42
1:A:201:ASN:HB3	1:A:204:VAL:O	2.19	0.42
1:A:216:SER:O	1:A:220:SER:OG	2.38	0.41
1:A:121:LEU:O	1:A:124:GLU:HG2	2.20	0.41
1:C:170:LYS:HZ3	1:C:174:SER:HB2	1.84	0.41
1:B:45:LEU:HD23	1:B:45:LEU:HA	1.86	0.41
1:A:134:SER:HG	1:B:67:ASN:ND2	2.16	0.41
1:A:129:LYS:HE2	1:A:257:VAL:HG23	2.02	0.41
1:A:129:LYS:HE2	1:A:257:VAL:CG2	2.51	0.41
1:B:201:ASN:HB3	1:B:204:VAL:O	2.20	0.41
1:A:137:LYS:HG2	1:A:151:PHE:CZ	2.57	0.40
1:B:165:LEU:HD23	1:B:165:LEU:HA	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/249 (96%)	234 (98%)	4 (2%)	0	100	100
1	B	237/249 (95%)	227 (96%)	8 (3%)	2 (1%)	16	12
1	C	239/249 (96%)	227 (95%)	12 (5%)	0	100	100
All	All	714/747 (96%)	688 (96%)	24 (3%)	2 (0%)	36	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	169	ASN
1	B	170	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/226 (97%)	216 (98%)	4 (2%)	51	60
1	B	219/226 (97%)	209 (95%)	10 (5%)	24	25
1	C	221/226 (98%)	217 (98%)	4 (2%)	51	60
All	All	660/678 (97%)	642 (97%)	18 (3%)	40	45

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	173	CYS
1	A	220	SER
1	A	231	GLN
1	B	60[A]	GLU
1	B	60[B]	GLU
1	B	83	LEU
1	B	100	THR
1	B	142	LEU
1	B	146	VAL
1	B	147	SER
1	B	173	CYS
1	B	174	SER
1	B	253	ILE
1	C	45	LEU
1	C	96	LEU
1	C	100	THR
1	C	165	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	158	ASN
1	A	223	ASN
1	B	67	ASN
1	B	126	ASN
1	B	158	ASN
1	B	177	ASN
1	B	229	ASN
1	B	245	GLN
1	C	27	ASN
1	C	67	ASN
1	C	186	GLN
1	C	223	ASN
1	C	245	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/249 (96%)	0.89	51 (21%) 2 2	15, 38, 112, 159	2 (0%)
1	B	240/249 (96%)	0.74	40 (16%) 4 4	14, 28, 100, 173	1 (0%)
1	C	240/249 (96%)	1.08	57 (23%) 2 2	12, 29, 134, 217	3 (1%)
All	All	720/747 (96%)	0.90	148 (20%) 2 3	12, 31, 118, 217	6 (0%)

All (148) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	35	THR	10.6
1	C	37	ALA	8.3
1	C	38	SER	8.0
1	C	64	ILE	7.1
1	C	36	THR	6.7
1	C	99	SER	6.6
1	C	268	GLY	6.6
1	C	176	PRO	6.2
1	C	104	GLY	6.0
1	C	175	ILE	5.9
1	A	146	VAL	5.8
1	C	177	ASN	5.5
1	B	68	LYS	5.5
1	B	65	LYS	5.5
1	A	100	THR	5.1
1	C	143	SER	5.1
1	B	170	LYS	5.1
1	C	178	ILE	5.0
1	C	144	ASN	4.9
1	A	72	THR	4.8
1	C	100	THR	4.8
1	B	173	CYS	4.6
1	B	37	ALA	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	73	ASP	4.5
1	A	70	ASN	4.5
1	C	173	CYS	4.5
1	A	69	CYS	4.4
1	B	69	CYS	4.3
1	A	99	SER	4.2
1	B	70	ASN	4.2
1	A	268	GLY	4.2
1	A	166	PRO	4.2
1	B	171	GLN	4.1
1	A	173	CYS	4.0
1	B	100	THR	3.9
1	C	34	GLN	3.9
1	B	268	GLY	3.9
1	C	171	GLN	3.9
1	C	76	VAL	3.8
1	C	72	THR	3.8
1	C	167	ILE	3.7
1	B	168	LEU	3.7
1	A	143	SER	3.7
1	A	64	ILE	3.6
1	B	36	THR	3.6
1	C	180	THR	3.6
1	A	39	ALA	3.6
1	B	143	SER	3.6
1	C	169	ASN	3.6
1	C	68	LYS	3.6
1	C	75	LYS	3.6
1	B	169	ASN	3.5
1	C	105	SER	3.5
1	B	28	ILE	3.5
1	A	172	SER	3.5
1	B	27	ASN	3.5
1	B	67	ASN	3.4
1	C	182	ILE	3.4
1	A	174	SER	3.4
1	B	174	SER	3.4
1	C	179	GLU	3.4
1	C	174	SER	3.4
1	C	153	VAL	3.3
1	A	104	GLY	3.3
1	A	144	ASN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	26	GLN	3.3
1	B	71	GLY	3.2
1	A	68	LYS	3.2
1	C	166	PRO	3.2
1	A	175	ILE	3.2
1	C	69	CYS	3.2
1	C	66	GLU	3.1
1	C	65	LYS	3.1
1	C	170	LYS	3.1
1	C	155	ASP	3.1
1	C	152	LYS	3.1
1	A	145	GLY	3.1
1	C	168	LEU	3.1
1	B	179	GLU	3.1
1	B	39	ALA	3.1
1	A	169	ASN	3.0
1	B	64	ILE	3.0
1	B	142	LEU	2.9
1	C	172	SER	2.9
1	A	65	LYS	2.9
1	B	72	THR	2.9
1	B	66	GLU	2.8
1	A	73	ASP	2.8
1	C	157	LYS	2.8
1	A	37	ALA	2.8
1	B	146	VAL	2.8
1	B	63	ASN	2.7
1	B	99	SER	2.7
1	C	28	ILE	2.7
1	C	79	ILE	2.7
1	A	71	GLY	2.7
1	B	98	GLN	2.7
1	B	167	ILE	2.7
1	C	74	ALA	2.6
1	A	135	THR	2.6
1	A	164	LEU	2.6
1	A	148	VAL	2.6
1	B	35	THR	2.6
1	C	142	LEU	2.6
1	A	26	GLN	2.5
1	C	26	GLN	2.5
1	C	230	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	227	ILE	2.5
1	A	63	ASN	2.5
1	A	170	LYS	2.5
1	A	36	THR	2.4
1	A	165	LEU	2.4
1	C	158	ASN	2.4
1	B	172	SER	2.4
1	A	176	PRO	2.4
1	A	230	ASP	2.4
1	A	167	ILE	2.3
1	C	39	ALA	2.3
1	A	177	ASN	2.3
1	A	95	LEU	2.3
1	A	168	LEU	2.3
1	B	97	MET	2.3
1	A	171	GLN	2.3
1	C	181	VAL	2.3
1	A	67	ASN	2.3
1	C	71	GLY	2.3
1	A	134	SER	2.2
1	A	179	GLU	2.2
1	A	74	ALA	2.2
1	C	154	LEU	2.2
1	C	156	LEU	2.2
1	A	62	SER	2.2
1	B	95	LEU	2.2
1	A	226	PRO	2.1
1	B	133	LEU	2.1
1	B	251	CYS	2.1
1	A	122	GLU	2.1
1	A	35	THR	2.1
1	B	145	GLY	2.1
1	B	80	LYS	2.1
1	A	105	SER	2.1
1	B	96	LEU	2.1
1	C	67	ASN	2.1
1	C	162	LYS	2.1
1	A	66	GLU	2.0
1	A	142	LEU	2.0
1	C	145	GLY	2.0
1	C	159	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.