



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:01 PM UTC

PDB ID : 4YE5 / pdb_00004ye5
Title : The crystal structure of a peptidoglycan synthetase from Bifidobacterium adolescentis ATCC 15703
Authors : Cuff, M.; Tan, K.; Joachimiak, G.; Clancy, S.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2015-02-23
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	566	2% 90% 6% .
1	B	566	43% 82% 13% 6%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8565 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peptidoglycan synthetase penicillin-binding protein 3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	546	Total	C	N	O	S	Se	0	3	0
			4090	2535	708	829	2	16			
1	B	534	Total	C	N	O	S	Se	0	2	0
			3886	2412	673	783	2	16			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	35	SER	-	expression tag	UNP A1A2F5
A	36	ASN	-	expression tag	UNP A1A2F5
A	37	ALA	-	expression tag	UNP A1A2F5
B	35	SER	-	expression tag	UNP A1A2F5
B	36	ASN	-	expression tag	UNP A1A2F5
B	37	ALA	-	expression tag	UNP A1A2F5

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	473	Total	O	0	0
			473	473		
4	B	82	Total	O	0	0
			82	82		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peptidoglycan synthetase penicillin-binding protein 3



- Molecule 1: Peptidoglycan synthetase penicillin-binding protein 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.96Å 85.71Å 227.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.39 – 2.05 47.39 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.2 (47.39-2.05) 97.2 (47.39-2.05)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.93 (at 2.05Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.189 , 0.224 0.191 , 0.226	Depositor DCC
R_{free} test set	5102 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	23.7	Xtriage
Anisotropy	0.098	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 61.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.067 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8565	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/4134	0.78	0/5576
1	B	0.40	0/3933	0.77	3/5316 (0.1%)
All	All	0.50	0/8067	0.78	3/10892 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	341	ASP	N-CA-C	5.28	118.00	110.24
1	B	89	ASN	CA-C-N	5.25	124.69	119.24
1	B	89	ASN	C-N-CA	5.25	124.69	119.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4090	0	4045	23	0
1	B	3886	0	3729	34	0
2	A	30	0	40	3	0
3	B	4	0	3	0	0
4	A	473	0	0	4	0
4	B	82	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8565	0	7817	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:393:ARG:NH1	1:B:429:ARG:O	2.21	0.74
1:B:431:THR:HB	1:B:436:GLN:HB2	1.68	0.73
1:B:504:GLU:OE2	1:B:592:ARG:NH1	2.25	0.69
1:A:348:THR:HG22	1:A:357:LYS:HG2	1.80	0.64
1:A:516:ARG:HH22	2:A:705:GOL:H12	1.62	0.64
1:B:346:PRO:HA	1:B:379:VAL:HG11	1.83	0.60
1:B:69:ILE:HB	1:B:78:ALA:HB3	1.83	0.59
1:A:218:ARG:NH2	4:A:948:HOH:O	2.31	0.58
1:A:516:ARG:NH2	2:A:705:GOL:H12	2.19	0.57
1:B:337:HIS:ND1	4:B:861:HOH:O	2.32	0.57
1:B:70:MSE:HE3	1:B:74:GLY:HA2	1.87	0.56
1:B:82:GLU:HG2	1:B:159:PRO:HG3	1.86	0.56
1:A:111:GLN:NE2	4:A:1254:HOH:O	2.38	0.55
1:B:334:LEU:HD13	1:B:392:GLN:HE21	1.72	0.55
1:B:283:ASP:HB2	1:B:290:LEU:HD11	1.90	0.54
1:B:466:SER:HA	1:B:477:GLN:HG2	1.90	0.54
1:A:259:TRP:CD1	1:B:582[B]:GLN:HG3	2.45	0.52
1:A:111:GLN:HG3	4:A:1129:HOH:O	2.10	0.51
1:B:569:ALA:O	1:B:573:THR:HG23	2.10	0.51
1:A:352:GLU:OE1	1:A:426:ARG:NE	2.42	0.50
1:B:299:GLU:HB2	1:B:302:SER:HB3	1.94	0.50
1:A:582:GLN:OE1	4:A:973:HOH:O	2.20	0.50
1:A:280:MSE:SE	1:A:443:MSE:HA	2.63	0.49
1:B:135:MSE:HE1	1:B:154:LYS:HB2	1.95	0.48
1:B:205:ALA:N	1:B:209:GLN:HB2	2.28	0.48
1:B:326:LEU:HD22	1:B:400:PHE:CG	2.48	0.48
1:A:347:ASN:HB3	1:A:362:HIS:O	2.14	0.48
1:A:398:SER:O	1:A:404:GLN:NE2	2.47	0.47
1:A:397:ILE:HD13	1:A:432:VAL:HG22	1.96	0.47
1:B:388:MSE:HG2	1:B:393:ARG:HG3	1.97	0.47
1:A:294:ASP:OD2	1:A:310:SER:OG	2.25	0.47
1:A:81:VAL:HG12	1:A:83:ARG:HG2	1.98	0.46
1:A:320:GLY:O	1:A:435:GLY:HA3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:LYS:HG2	1:A:178:LEU:HD23	1.97	0.46
1:B:63:LYS:HA	1:B:219:ASP:OD1	2.16	0.46
1:B:193:LEU:O	1:B:207:ILE:HD12	2.16	0.46
1:A:426:ARG:HD2	1:A:426:ARG:HA	1.72	0.45
1:B:193:LEU:HG	1:B:207:ILE:HD11	1.99	0.45
1:A:290:LEU:HD21	2:A:701:GOL:H2	1.99	0.45
1:B:420:PRO:HG2	1:B:423:SER:HB3	1.99	0.45
1:B:133:LEU:HD21	1:B:165:ILE:HD11	1.99	0.44
1:B:345:VAL:O	1:B:364:ASN:HA	2.18	0.43
1:B:85:THR:HG23	1:B:155:LYS:HA	2.00	0.43
1:B:280:MSE:SE	1:B:443:MSE:HA	2.68	0.43
1:B:212:ASN:O	1:B:216:THR:N	2.42	0.43
1:B:332:LEU:HD21	1:B:339:ILE:HB	2.01	0.43
1:A:431:THR:HB	1:A:436:GLN:HB2	2.01	0.42
1:A:466:SER:HA	1:A:477:GLN:HG2	2.01	0.42
1:A:569:ALA:O	1:A:573:THR:HG23	2.20	0.41
1:B:334:LEU:HD11	1:B:392:GLN:HB3	2.02	0.41
1:B:516:ARG:NH1	1:B:547:ASP:HB3	2.36	0.41
1:A:396:PHE:O	1:A:400:PHE:HD2	2.03	0.41
1:B:372:ILE:HG23	1:B:377:SER:HB3	2.03	0.40
1:B:420:PRO:O	1:B:423:SER:OG	2.37	0.40
1:B:381:MSE:O	1:B:385:GLY:N	2.55	0.40
1:B:396:PHE:O	1:B:400:PHE:HD1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	547/566 (97%)	540 (99%)	7 (1%)	0	100	100
1	B	530/566 (94%)	505 (95%)	24 (4%)	1 (0%)	43	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1077/1132 (95%)	1045 (97%)	31 (3%)	1 (0%)	48 44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	595	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	442/437 (101%)	436 (99%)	6 (1%)	59 60
1	B	397/437 (91%)	385 (97%)	12 (3%)	36 32
All	All	839/874 (96%)	821 (98%)	18 (2%)	45 45

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	THR
1	A	157	VAL
1	A	179	SER
1	A	228	ASN
1	A	290	LEU
1	A	347	ASN
1	B	70	MSE
1	B	138	THR
1	B	157	VAL
1	B	240	SER
1	B	241	LYS
1	B	285	GLN
1	B	298	THR
1	B	428	THR
1	B	433	LEU
1	B	523	THR
1	B	534	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	537	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	436	GLN
1	A	473	HIS
1	A	478	GLN
1	B	304	GLN
1	B	366	HIS
1	B	378	ASN
1	B	419	HIS
1	B	430	ASN
1	B	461	GLN
1	B	494	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ACT	B	701	-	3,3,3	0.80	0	3,3,3	1.33	0
2	GOL	A	704	-	5,5,5	0.42	0	5,5,5	0.36	0
2	GOL	A	702	-	5,5,5	0.36	0	5,5,5	0.22	0
2	GOL	A	703	-	5,5,5	0.45	0	5,5,5	0.09	0
2	GOL	A	705	-	5,5,5	0.34	0	5,5,5	0.38	0
2	GOL	A	701	-	5,5,5	0.26	0	5,5,5	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	704	-	-	4/4/4/4	-
2	GOL	A	702	-	-	0/4/4/4	-
2	GOL	A	703	-	-	0/4/4/4	-
2	GOL	A	705	-	-	2/4/4/4	-
2	GOL	A	701	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	704	GOL	O1-C1-C2-C3
2	A	705	GOL	O1-C1-C2-C3
2	A	704	GOL	C1-C2-C3-O3
2	A	704	GOL	O1-C1-C2-O2
2	A	705	GOL	O1-C1-C2-O2
2	A	704	GOL	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	705	GOL	2	0
2	A	701	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	530/566 (93%)	-0.15	12 (2%) 61 63	8, 28, 52, 71	3 (0%)
1	B	518/566 (91%)	1.99	242 (46%) 0 0	23, 69, 101, 119	2 (0%)
All	All	1048/1132 (92%)	0.90	254 (24%) 2 1	8, 42, 94, 119	5 (0%)

All (254) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	244	VAL	6.6
1	B	178	LEU	6.5
1	B	215	LEU	6.5
1	B	217	GLY	6.4
1	B	391	GLU	5.9
1	A	57	THR	5.8
1	B	596	ILE	5.7
1	B	346	PRO	5.7
1	B	246	GLY	5.5
1	B	243	ALA	5.4
1	B	360	VAL	5.3
1	B	228	ASN	5.3
1	B	533	LEU	5.3
1	B	55	SER	5.2
1	B	59	THR	5.1
1	B	424	TRP	5.0
1	B	58	THR	5.0
1	B	431	THR	4.9
1	B	214	THR	4.8
1	B	221	TYR	4.8
1	B	389	THR	4.8
1	B	216	THR	4.8
1	B	345	VAL	4.8
1	B	422	ASP	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	364	ASN	4.7
1	B	588	ALA	4.7
1	B	223	VAL	4.7
1	A	56	ARG	4.7
1	B	56	ARG	4.7
1	B	600	TRP	4.6
1	B	63	LYS	4.6
1	B	488	ASP	4.4
1	B	347	ASN	4.4
1	B	249	VAL	4.4
1	B	526	VAL	4.3
1	B	428	THR	4.3
1	B	359	ALA	4.3
1	A	55	SER	4.3
1	B	160	ALA	4.3
1	B	467	ILE	4.2
1	B	474	VAL	4.2
1	B	192	SER	4.2
1	B	338	LYS	4.1
1	B	432	VAL	4.1
1	B	184	TYR	4.0
1	B	161	VAL	4.0
1	B	473	HIS	4.0
1	B	69	ILE	3.9
1	B	201	GLY	3.9
1	B	146	ILE	3.9
1	B	379	VAL	3.8
1	B	275	ALA	3.8
1	B	368	THR	3.8
1	A	360	VAL	3.8
1	B	81	VAL	3.8
1	B	68	LYS	3.7
1	B	308	GLY	3.7
1	B	65	ARG	3.7
1	B	226	GLN	3.7
1	B	188	THR	3.7
1	B	252	THR	3.7
1	B	484	THR	3.7
1	B	534	THR	3.7
1	B	336	LEU	3.6
1	B	203	GLY	3.6
1	B	468	THR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	426	ARG	3.6
1	B	60	VAL	3.6
1	B	152	VAL	3.6
1	B	383	ILE	3.6
1	B	72	THR	3.6
1	B	421	SER	3.6
1	B	332	LEU	3.5
1	B	594	ASP	3.5
1	B	238	THR	3.5
1	B	471	ALA	3.5
1	B	227	GLY	3.5
1	B	491	VAL	3.5
1	B	64	ALA	3.5
1	A	361	ASP	3.4
1	B	248	ASP	3.4
1	B	363	GLY	3.4
1	B	181	GLU	3.4
1	B	480	LYS	3.4
1	B	392	GLN	3.4
1	B	197	VAL	3.4
1	B	344	THR	3.4
1	B	187	GLY	3.4
1	B	417	VAL	3.3
1	B	433	LEU	3.3
1	B	61	THR	3.3
1	B	472	GLY	3.3
1	B	305	ALA	3.3
1	B	339	ILE	3.3
1	B	245	ASN	3.3
1	B	396	PHE	3.3
1	B	166	SER	3.2
1	B	207	ILE	3.2
1	B	183	LEU	3.2
1	B	189	LEU	3.2
1	B	251	LEU	3.2
1	B	393	ARG	3.2
1	B	103	LYS	3.2
1	B	253	ILE	3.2
1	B	136	ASP	3.2
1	B	420	PRO	3.2
1	B	464	ILE	3.2
1	B	218	ARG	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	108	ASN	3.2
1	B	224	TYR	3.1
1	B	247	SER	3.1
1	B	195	GLY	3.1
1	B	335	GLY	3.1
1	B	205	ALA	3.1
1	B	598	VAL	3.1
1	B	387	LYS	3.1
1	B	343	PHE	3.1
1	B	78	ALA	3.1
1	B	202	LYS	3.1
1	B	429	ARG	3.0
1	B	85	THR	3.0
1	B	176	ALA	3.0
1	B	527	ALA	3.0
1	B	595	ALA	3.0
1	B	306	LYS	3.0
1	B	204	VAL	2.9
1	B	225	GLN	2.9
1	B	524	ALA	2.9
1	B	385	GLY	2.9
1	B	419	HIS	2.9
1	B	208	GLU	2.9
1	B	563	SER	2.9
1	B	382	VAL	2.9
1	B	199	ALA	2.9
1	B	196	GLY	2.9
1	B	487	ILE	2.8
1	B	394	TYR	2.8
1	B	304	GLN	2.8
1	B	301	GLY	2.8
1	B	386	ASP	2.8
1	B	334	LEU	2.8
1	B	147	SER	2.8
1	B	390	ASN	2.8
1	A	481	GLY	2.8
1	B	67	GLY	2.8
1	B	327	ALA	2.8
1	B	492	ALA	2.8
1	B	120	THR	2.8
1	B	138	THR	2.8
1	B	235	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	465	LYS	2.7
1	B	470	THR	2.7
1	B	427	ARG	2.7
1	B	329	SER	2.7
1	B	143	LYS	2.7
1	B	369	LEU	2.7
1	B	101	CYS	2.7
1	B	536	ILE	2.7
1	B	490	SER	2.7
1	B	220	GLY	2.7
1	B	309	ALA	2.7
1	B	523	THR	2.7
1	B	66	ARG	2.7
1	B	362	HIS	2.6
1	B	591	PRO	2.6
1	B	79	GLN	2.6
1	B	239	GLU	2.6
1	B	62	LEU	2.6
1	A	58	THR	2.6
1	B	367	TRP	2.6
1	B	370	ALA	2.6
1	B	535	SER	2.6
1	B	231	VAL	2.6
1	B	250	THR	2.6
1	B	478	GLN	2.5
1	B	494	GLN	2.5
1	A	347	ASN	2.5
1	B	341	ASP	2.5
1	B	240	SER	2.5
1	B	589	SER	2.5
1	A	226	GLN	2.5
1	B	80	SER	2.5
1	B	436	GLN	2.5
1	B	453	ALA	2.5
1	B	372	ILE	2.5
1	B	438	TYR	2.5
1	B	456	GLY	2.5
1	B	97	ILE	2.5
1	B	365	GLU	2.4
1	B	547	ASP	2.4
1	B	586	VAL	2.4
1	B	57	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	159	PRO	2.4
1	B	74	GLY	2.4
1	B	514	GLY	2.4
1	B	531	GLY	2.4
1	B	198	ASP	2.4
1	B	303	ASP	2.4
1	B	481	GLY	2.4
1	B	593	THR	2.4
1	A	478	GLN	2.3
1	B	206	GLY	2.3
1	B	76	ILE	2.3
1	B	479	SER	2.3
1	B	515	TYR	2.3
1	B	380	GLY	2.3
1	B	418	LEU	2.3
1	B	528	GLY	2.3
1	B	200	ASP	2.3
1	B	513	ASP	2.3
1	B	298	THR	2.3
1	B	430	ASN	2.3
1	B	242	ASP	2.3
1	B	241	LYS	2.3
1	B	342	LYS	2.3
1	B	377	SER	2.3
1	B	104	GLN	2.3
1	B	597	PRO	2.3
1	B	599	ASN	2.3
1	A	422	ASP	2.3
1	B	139	GLU	2.2
1	B	466	SER	2.2
1	B	454	ASN	2.2
1	B	106	GLY	2.2
1	B	172	GLY	2.2
1	B	77	LEU	2.2
1	B	408	LEU	2.2
1	B	516	ARG	2.2
1	B	455	LYS	2.2
1	B	530	ASN	2.2
1	B	587	PRO	2.1
1	B	151	VAL	2.1
1	B	483	ALA	2.1
1	B	219	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	358	ASP	2.1
1	B	475	GLU	2.1
1	B	477	GLN	2.1
1	B	457	VAL	2.1
1	B	167	LYS	2.1
1	A	228	ASN	2.1
1	B	254	ASP	2.1
1	B	558	LYS	2.1
1	B	155	LYS	2.1
1	B	274	SER	2.1
1	B	561	GLN	2.0
1	B	525	GLU	2.0
1	B	414	SER	2.0
1	B	423	SER	2.0
1	B	493	SER	2.0
1	B	75	ALA	2.0
1	B	156	ASP	2.0
1	B	361	ASP	2.0
1	B	469	ASP	2.0
1	B	366	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	A	702	6/6	0.80	0.13	81,85,86,86	0
3	ACT	B	701	4/4	0.80	0.18	68,70,71,72	0
2	GOL	A	703	6/6	0.83	0.18	59,60,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	A	701	6/6	0.83	0.16	37,40,43,46	0
2	GOL	A	704	6/6	0.85	0.15	47,65,67,68	0
2	GOL	A	705	6/6	0.89	0.15	34,53,59,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.