



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 05:13 AM UTC

PDB ID : 6YE2 / pdb_00006ye2
Title : Human Ecto-5'-nucleotidase (CD73) in complex with the AMPCP derivative A1202 (compound 4a in publication) in the closed form (crystal form IV)
Authors : Scaletti, E.; Strater, N.
Deposited on : 2020-03-23
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	532	 84% 13% ..
1	B	532	 84% 12% ..

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-nucleotidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	520	Total	C	N	O	S	0	1	0
			4059	2581	693	766	19			
1	B	516	Total	C	N	O	S	0	1	0
			4022	2557	685	761	19			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	26	MET	-	initiating methionine	UNP P21589
A	53	ASP	ASN	engineered mutation	UNP P21589
A	311	ASP	ASN	engineered mutation	UNP P21589
A	333	ASP	ASN	engineered mutation	UNP P21589
A	376	ALA	THR	variant	UNP P21589
A	403	ASP	ASN	engineered mutation	UNP P21589
A	550	LEU	-	expression tag	UNP P21589
A	551	GLU	-	expression tag	UNP P21589
A	552	HIS	-	expression tag	UNP P21589
A	553	HIS	-	expression tag	UNP P21589
A	554	HIS	-	expression tag	UNP P21589
A	555	HIS	-	expression tag	UNP P21589
A	556	HIS	-	expression tag	UNP P21589
A	557	HIS	-	expression tag	UNP P21589
B	26	MET	-	initiating methionine	UNP P21589
B	53	ASP	ASN	engineered mutation	UNP P21589
B	311	ASP	ASN	engineered mutation	UNP P21589
B	333	ASP	ASN	engineered mutation	UNP P21589
B	376	ALA	THR	variant	UNP P21589
B	403	ASP	ASN	engineered mutation	UNP P21589
B	550	LEU	-	expression tag	UNP P21589
B	551	GLU	-	expression tag	UNP P21589
B	552	HIS	-	expression tag	UNP P21589
B	553	HIS	-	expression tag	UNP P21589
B	554	HIS	-	expression tag	UNP P21589

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	555	HIS	-	expression tag	UNP P21589
B	556	HIS	-	expression tag	UNP P21589
B	557	HIS	-	expression tag	UNP P21589

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is [(2 {R},3 {S},4 {R},5 {R})-5-[6-chloranyl-4-(cyclopentylamino)pyrazolo[3,4-d]pyrimidin-1-yl]-3,4-bis(oxidanyl)oxolan-2-yl]methoxymethylphosphonic acid (CCD ID: OO5) (formula: C₁₆H₂₃ClN₅O₇P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
3	A	1	Total 30	C 16	Cl 1	N 5	O 7	P 1	0	0
3	B	1	Total 30	C 16	Cl 1	N 5	O 7	P 1	0	0


- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Ca 1	0	0
4	B	1	Total 1	Ca 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	318	Total 318	O 318	0	0
5	B	262	Total 262	O 262	0	0

- Molecule 1: 5'-nucleotidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	93.36Å 230.94Å 53.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.73 – 2.44 46.73 – 2.44	Depositor EDS
% Data completeness (in resolution range)	99.4 (46.73-2.44) 99.4 (46.73-2.44)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 2.45Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.175 , 0.230 0.181 , 0.231	Depositor DCC
R_{free} test set	2100 reflections (4.71%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.993	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 78.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8727	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7146e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, OO5, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.86	1/4146 (0.0%)	1.32	16/5613 (0.3%)
1	B	0.84	0/4106	1.32	11/5557 (0.2%)
All	All	0.85	1/8252 (0.0%)	1.32	27/11170 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	281	TYR	CA-C	5.36	1.57	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	524	ASP	CA-CB-CG	8.01	120.61	112.60
1	B	524	ASP	CA-CB-CG	7.74	120.34	112.60
1	B	295	ASP	CA-CB-CG	6.95	119.55	112.60
1	B	253	PRO	N-CA-C	6.94	117.14	110.47
1	A	253	PRO	N-CA-C	6.81	117.01	110.47
1	A	336	THR	CA-C-N	6.78	130.44	120.95
1	A	336	THR	C-N-CA	6.78	130.44	120.95
1	A	140	LEU	N-CA-C	6.26	119.74	109.72
1	B	140	LEU	N-CA-C	6.24	119.70	109.72
1	A	382	ASN	CA-C-N	6.18	130.17	121.02
1	A	382	ASN	C-N-CA	6.18	130.17	121.02
1	B	86	GLN	N-CA-C	-5.92	104.41	111.69
1	A	86	GLN	N-CA-C	-5.79	104.57	111.69
1	A	100	GLU	CB-CG-CD	5.73	122.33	112.60
1	A	311	ASP	CA-C-N	5.69	128.68	120.38
1	A	311	ASP	C-N-CA	5.69	128.68	120.38
1	B	100	GLU	CB-CG-CD	5.64	122.19	112.60
1	B	311	ASP	CA-CB-CG	5.64	118.25	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	226	ASP	CA-CB-CG	5.58	118.18	112.60
1	B	523	GLN	CA-C-N	5.58	128.07	120.54
1	B	523	GLN	C-N-CA	5.58	128.07	120.54
1	A	523	GLN	CA-C-N	5.55	128.04	120.54
1	A	523	GLN	C-N-CA	5.55	128.04	120.54
1	A	381	TRP	CA-C-N	5.33	131.73	121.54
1	A	381	TRP	C-N-CA	5.33	131.73	121.54
1	B	311	ASP	CA-C-N	5.02	127.71	120.38
1	B	311	ASP	C-N-CA	5.02	127.71	120.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4059	0	4045	26	0
1	B	4022	0	4017	27	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	30	0	0	0	0
3	B	30	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	318	0	0	0	0
5	B	262	0	0	0	0
All	All	8727	0	8062	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:ARG:HG3	1:B:44:THR:HG21	1.75	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:ARG:HG3	1:A:44:THR:HG21	1.75	0.67
1:B:163:VAL:HG13	1:B:170:VAL:HG13	1.77	0.65
1:A:163:VAL:HG13	1:A:170:VAL:HG13	1.81	0.62
1:B:40:ARG:HG2	1:B:283:PHE:HB3	1.84	0.60
1:A:40:ARG:HG2	1:A:283:PHE:HB3	1.85	0.59
1:A:372:ASN:HB3	1:A:384:VAL:HG21	1.86	0.57
1:A:32:LEU:HD21	1:A:71:ILE:HG21	1.88	0.56
1:B:372:ASN:HB3	1:B:384:VAL:HG21	1.87	0.56
1:A:91:ILE:HG23	1:A:331:LEU:HD13	1.89	0.55
1:A:64:LEU:HD11	1:A:287:LEU:HD13	1.91	0.53
1:B:32:LEU:HD21	1:B:71:ILE:HG21	1.91	0.52
1:B:64:LEU:HD11	1:B:287:LEU:HD13	1.92	0.52
1:A:328:ARG:HD2	1:A:331:LEU:HB2	1.92	0.51
1:B:237:ASP:O	1:B:276:PRO:HD2	2.13	0.49
1:B:363:LEU:HB2	1:B:540:PRO:HG3	1.96	0.48
1:A:237:ASP:O	1:A:276:PRO:HD2	2.14	0.48
1:B:82:ASP:HB3	1:B:113:MET:HG3	1.94	0.48
1:B:175:GLY:HA2	1:B:218:LEU:O	2.15	0.47
1:B:91:ILE:HG23	1:B:331:LEU:HD22	1.97	0.47
1:A:175:GLY:HA2	1:A:218:LEU:O	2.15	0.47
1:A:346:LEU:HD12	1:A:398:ILE:HB	1.98	0.46
1:A:363:LEU:HB2	1:A:540:PRO:HG3	1.98	0.46
1:B:163:VAL:CG1	1:B:170:VAL:HG13	2.44	0.46
1:B:290:LEU:HD21	1:B:292:ILE:HD11	1.98	0.46
1:A:372:ASN:HB3	1:A:384:VAL:CG2	2.45	0.46
1:A:111:ASP:O	1:A:138:PRO:HD2	2.16	0.46
1:B:290:LEU:HD11	1:B:303:SER:HB2	1.98	0.45
1:A:290:LEU:HD11	1:A:303:SER:HB2	1.98	0.45
1:B:425:GLN:HB2	1:B:517:ARG:HB3	1.97	0.45
1:A:154:ILE:HA	1:A:157:LEU:HD12	1.98	0.45
1:B:372:ASN:HB3	1:B:384:VAL:CG2	2.46	0.45
1:A:82:ASP:HB3	1:A:113:MET:HG3	1.97	0.45
1:A:290:LEU:HD21	1:A:292:ILE:HD11	1.99	0.45
1:A:163:VAL:CG1	1:A:170:VAL:HG13	2.46	0.45
1:A:384:VAL:HG12	1:A:494:LYS:HB3	1.98	0.45
1:A:342:THR:HB	1:A:406:ILE:HD11	1.99	0.45
1:B:26:MET:HE1	1:B:28:GLU:HB2	1.99	0.45
1:B:346:LEU:HD12	1:B:398:ILE:HB	1.99	0.45
1:B:384:VAL:HG12	1:B:494:LYS:HB3	1.98	0.45
1:B:342:THR:HB	1:B:406:ILE:HD11	1.99	0.44
1:B:458:VAL:HB	1:B:471:LYS:HB3	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:458:VAL:HB	1:A:471:LYS:HB3	1.99	0.43
1:A:241:GLY:O	1:A:279:GLN:HG3	2.20	0.42
1:B:231:GLN:HA	1:B:269:SER:HA	2.01	0.42
1:A:148:GLY:HA3	1:A:149:PRO:HD3	1.98	0.41
1:A:290:LEU:CD2	1:A:292:ILE:HD11	2.51	0.41
1:B:328:ARG:HD2	1:B:331:LEU:HB2	2.02	0.41
1:B:254:PRO:HB2	1:B:309:LEU:HD22	2.02	0.41
1:B:241:GLY:O	1:B:279:GLN:HG3	2.20	0.41
1:B:290:LEU:CD2	1:B:292:ILE:HD11	2.51	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/532 (97%)	495 (96%)	21 (4%)	1 (0%)	43	53
1	B	513/532 (96%)	490 (96%)	22 (4%)	1 (0%)	43	53
All	All	1030/1064 (97%)	985 (96%)	43 (4%)	2 (0%)	43	53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	88	GLN
1	B	88	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	448/459 (98%)	426 (95%)	22 (5%)	22	31
1	B	445/459 (97%)	421 (95%)	24 (5%)	20	27
All	All	893/918 (97%)	847 (95%)	46 (5%)	21	28

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	GLU
1	A	91	ILE
1	A	150	LEU
1	A	152	SER
1	A	162	LYS
1	A	170	VAL
1	A	174	VAL
1	A	180	GLU
1	A	228	LEU
1	A	292	ILE
1	A	296	GLU
1	A	310	LEU
1	A	351	GLN
1	A	368	MET
1	A	383	HIS
1	A	411	LEU
1	A	431	LEU
1	A	487	LEU
1	A	497	LEU
1	A	506	ASP
1	A	517	ARG
1	A	534	LYS
1	B	46	GLU
1	B	67	LYS
1	B	73	ARG
1	B	91	ILE
1	B	150	LEU
1	B	152	SER
1	B	154	ILE
1	B	162	LYS
1	B	170	VAL
1	B	174	VAL
1	B	228	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	292	ILE
1	B	330	LYS
1	B	351	GLN
1	B	368	MET
1	B	383	HIS
1	B	411	LEU
1	B	431	LEU
1	B	478	LYS
1	B	487	LEU
1	B	497	LEU
1	B	506	ASP
1	B	517	ARG
1	B	534	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	211	ASN
1	A	351	GLN
1	A	370	ASN
1	A	402	ASN
1	A	526	ASN
1	B	153	GLN
1	B	211	ASN
1	B	299	ASN
1	B	370	ASN
1	B	402	ASN
1	B	425	GLN
1	B	526	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	OO5	B	603	2	33,33,33	0.36	0	39,49,49	0.56	0
3	OO5	A	603	2	33,33,33	0.37	0	39,49,49	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OO5	B	603	2	-	12/15/38/38	0/4/4/4
3	OO5	A	603	2	-	12/15/38/38	0/4/4/4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	603	OO5	N1-C3-N5-C5
3	A	603	OO5	C2-C3-N5-C5
3	A	603	OO5	P1-C11-O3-C10
3	A	603	OO5	O3-C11-P1-O4
3	A	603	OO5	O3-C11-P1-O5
3	A	603	OO5	O3-C11-P1-O6

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	603	OO5	O7-C12-N3-N4
3	B	603	OO5	N1-C3-N5-C5
3	B	603	OO5	C2-C3-N5-C5
3	B	603	OO5	P1-C11-O3-C10
3	B	603	OO5	O3-C11-P1-O4
3	B	603	OO5	O3-C11-P1-O5
3	B	603	OO5	O3-C11-P1-O6
3	B	603	OO5	O7-C12-N3-N4
3	A	603	OO5	C8-C12-N3-C1
3	A	603	OO5	O7-C12-N3-C1
3	B	603	OO5	C8-C12-N3-C1
3	B	603	OO5	O7-C12-N3-C1
3	A	603	OO5	O3-C10-C9-C7
3	B	603	OO5	O3-C10-C9-C7
3	A	603	OO5	O3-C10-C9-O7
3	B	603	OO5	O3-C10-C9-O7
3	A	603	OO5	C8-C12-N3-N4
3	B	603	OO5	C8-C12-N3-N4

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	520/532 (97%)	-0.38	2 (0%) 88 90	26, 48, 84, 126	1 (0%)
1	B	516/532 (96%)	-0.18	5 (0%) 79 81	29, 58, 94, 130	1 (0%)
All	All	1036/1064 (97%)	-0.28	7 (0%) 84 85	26, 53, 92, 130	2 (0%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	376	ALA	3.7
1	A	381	TRP	3.5
1	B	373	LEU	2.7
1	B	150	LEU	2.5
1	B	149	PRO	2.5
1	B	374	ARG	2.2
1	B	152	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	B	604	1/1	0.87	0.14	112,112,112,112	0
3	OO5	B	603	30/30	0.95	0.09	47,59,70,80	0
3	OO5	A	603	30/30	0.95	0.08	38,52,60,69	0
4	CA	A	604	1/1	0.96	0.06	84,84,84,84	0
2	ZN	A	601	1/1	1.00	0.04	45,45,45,45	0
2	ZN	A	602	1/1	1.00	0.08	47,47,47,47	0
2	ZN	B	601	1/1	1.00	0.02	47,47,47,47	0
2	ZN	B	602	1/1	1.00	0.02	45,45,45,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around OO5 B 603:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around OO5 A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.